

(21) Application No: 1418806.4  
(22) Date of Filing: 30.07.2012  
Date Lodged: 22.10.2014

(86) International Application Data:  
PCT/US2012/048879 En 30.07.2012

(87) International Publication Data:  
WO2014/021826 En 06.02.2014

(71) Applicant(s):  
Hewlett-Packard Development Company, L.P.  
11445 Compaq Center Drive West, Houston,  
Texas 77070, United States of America

(72) Inventor(s):  
David Lehavi  
Sagi Schein

(74) Agent and/or Address for Service:  
WP Thompson  
55 Drury Lane, London, WC2B 5SQ, United Kingdom

(51) INT CL:  
G06F 17/10 (2006.01) G06K 9/62 (2006.01)

(56) Documents Cited:  
US 6493380 B1 US 5555317 A  
US 20100238305 A1  
"IEEE INTERNATIONAL CONFERENCE ON PATTERN RECOGNITION", 2006, Singapour, pages 222 - 226, NOUROUZIAN et al, "Online Persian/Arabic Character Recognition by Polynomial Representation and a Kohonen Network."  
MATHEMATICS OF COMPUTATION vol. 80, no. 274, April 2011, KREUZER et al, "SUBIDEAL BORDER BASES", pages 1135 - 1154  
J. OF SYMBOLIC COMPUTATION vol. 44, 19 May 2009, HELDT et al, "Approximate computation of zero-dimensional polynomial ideals", pages 1566 - 1591  
PATTERN RECOGNITION vol. 39, 2006, LIU et al, "Class-specific feature polynomial classifier for pattern classification and its application to handwritten numeral recognition", pages 669 - 681

(58) Field of Search:  
INT CL G06F, G06K, H04N  
Other: eKOMPASS(KIPO internal)

(54) Title of the Invention: **Generating and partitioning polynomials**  
Abstract Title: **Generating and partitioning polynomials**

(57) A non-transitory storage device containing software than, when executed by a processor, causes the processor to generate a projection set of polynomials based on a projection of a space linear combination of candidate polynomials of degree  $d$  on polynomials of degree less than  $d$  that do not evaluate to less than a threshold on a set of points. The software also causes the processor to compute the singular value decomposition of a matrix containing the difference between candidate polynomials evaluated on the points and the projection set of polynomials evaluated on the points, and to partition the polynomials resulting from the singular value decomposition based on a threshold.

