



US00D958927S

(12) **United States Design Patent**
Foreman

(10) **Patent No.:** **US D958,927 S**

(45) **Date of Patent:** **** Jul. 26, 2022**

(54) **FLUID CONTAINER WITH PRESSURE SEAL**

(74) *Attorney, Agent, or Firm* — Creativenture Law, LLC; Dennis J M Donahue, III; Kevin Staed

(71) Applicant: **Joseph F. Foreman**, Troy, MO (US)

(57) **CLAIM**

(72) Inventor: **Joseph F. Foreman**, Troy, MO (US)

The ornamental design for a fluid container with pressure seal, as shown and described.

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/800,331**

(22) Filed: **Jul. 20, 2021**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/729,196, filed on Mar. 24, 2020, now Pat. No. Des. 927,636, which is a continuation of application No. 16/696,787, filed on Nov. 26, 2019, now Pat. No. 11,079,018, and a continuation of application No. 16/696,787, filed on Nov. 26, 2019, now Pat. No. 11,079,018.

FIG. 1 is an upper perspective view of a fluid container with pressure seal according to a first embodiment of the design; FIG. 2 is a lower perspective view of the fluid container with pressure seal shown in FIG. 1;

FIG. 3 is a front view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof.

FIG. 7 is an upper perspective view of a fluid container with pressure seal according to a second embodiment of the design;

FIG. 8 is a lower perspective view of the fluid container with pressure seal shown in FIG. 7;

FIG. 9 is a front view thereof;

FIG. 10 is a left side view thereof;

FIG. 11 is a top view thereof; and,

FIG. 12 is a bottom view thereof.

The back views of the first embodiment and the second embodiment are substantially mirror images of the front views shown in FIG. 3 and FIG. 9, respectively.

The right side views of the first embodiment and the second embodiment are substantially mirror images of the left side views shown in FIG. 4 and FIG. 10, respectively.

The broken lines on the side of the top cap shown in FIGS. 1-12 illustrate screws on the side of the cap. The broken lines on the bottom cap shown in FIGS. 2, 6, 8, and 12 illustrate holes in the bottom cap. The additional broken lines on the top cap shown in FIGS. 7-11 illustrate an optional fluted shape for the top of the fill port plug in the top cap. The broken lines shown in the figures are for the purpose of illustrating portions of the fluid container with pressure seal and form no part of the claimed design.

(51) **LOC (13) Cl.** **23-01**

(52) **U.S. Cl.** **D23/202**

(58) **Field of Classification Search**

USPC D23/233, 235, 237, 241, 245, 247, 248, D23/249, 202, 203, 205, 209

CPC F17C 2223/036; F17C 2205/0323; B60K 2015/03514; B60K 2015/03296

See application file for complete search history.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D353,436 S * 12/1994 Hess D23/202
9,744,545 B2 * 8/2017 Rhea B05B 9/0816
D819,778 S * 6/2018 Polacek D12/95
D830,497 S * 10/2018 Suzuki D23/209

(Continued)

Primary Examiner — Gino Colan

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D917,662 S * 4/2021 Lu D23/209
10,989,360 B2 * 4/2021 Daniels F16K 31/265

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12