



- (51) **International Patent Classification:**
A47C 16/00 (2006.01) A63C 19/04 (2006.01)
A47G 27/02 (2006.01)
- (21) **International Application Number:**
PCT/CA2013/000335
- (22) **International Filing Date:**
2 April 2013 (02.04.2013)
- (25) **Filing Language:** English
- (26) **Publication Language:** English
- (30) **Priority Data:**
2792311 3 October 2012 (03.10.2012) CA
- (71) **Applicant:** EXODUS TRAFFIC SYSTEMS LTD.
[CA/CA]; P.O. Box 512, Maple Ridge, British Columbia,
V2X 3P2 (CA).
- (72) **Inventor:** LEGARE, Desiree; 34334 Forrest Terrace, Ab-
botsford, British Columbia, V2S 1G7 (CA).
- (74) **Agent:** BURRI, Stephen, R.; c/o Island IP Law, 43 Mach-
leary Street, Nanaimo, British Columbia V9R 2G3 (CA).
- (81) **Designated States** (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,

AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY,
BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM,
DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT,
HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP,
KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD,
ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI,
NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU,
RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ,
TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA,
ZM, ZW.

- (84) **Designated States** (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ,
UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ,
TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK,
EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,
MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
ML, MR, NE, SN, TD, TG).

Published:
— with international search report (Art. 21(3))

(54) **Title:** PORTABLE SUPPORT MAT




FIG. 2

(57) **Abstract:** A portable, unitary, lightweight, weather-proof support mat to reduce physical stress on a user caused by standing, sitting or kneeling on a hard surface for prolonged periods. The support mat provides a non-slip surface and an integral handle opening. The support mat is manufactured of rubber or other resilient material and may be provided in a variety of shapes and sizes.



Portable Support Mat

FIELD OF THE INVENTION

The present invention relates to health aids. In particular, the present invention
5 relates to support devices to improve pressure distribution for a user on a rigid
surface.

BACKGROUND OF THE INVENTION

10 Individuals who stand, kneel or sit for prolonged periods may experience health
problems arising from the stress of such activity on hard surfaces. It is desirable
to reduce the stress of standing, kneeling and sitting by providing a cushioned
mat which is suitable for maintaining safety in a hazardous work environment,
and easily portable between work or leisure activity sites, and between standing,
kneeling or sitting positions within a site.

15 It is known to provide resilient anti-fatigue mats. It is also known to provide non-
slip surfaces. The present invention addresses the need for an easily portable
non-slip anti-fatigue mat.

SUMMARY OF THE INVENTION

20 There is provided a support mat for reducing physical stress during standing,
sitting and kneeling, the support mat comprising a planar, resilient platform
having upper and lower surfaces, and opposing fore and aft sections, and non-
slip means provided on at least a portion of the upper surface.

The support mat may have at least one opening disposed in proximity to the
25 outer perimeter of the support mat to form a handle. The at least one opening
may comprise at least two adjacent openings to form a finger hold handle.

The support mat may have non-slip means on at least a portion of the lower surface and a bevelled edge along at least a portion of the circumference of the platform. The non-slip means may be an array of rounded projections, or it may be a tacky coating. The perimeter of the support mat may be rounded.

- 5 The support mat may be manufactured of rubber, or a resilient synthetic material.

BRIEF DESCRIPTION OF THE DRAWINGS

A detailed description of the preferred embodiments is provided below by way of example only and with reference to the following drawings, in which:

10

FIG. 1 depicts a top plan view of one embodiment of the mat of the present invention;

FIG. 2 depicts a perspective view of one embodiment of the mat of the present invention; and

- 15 FIG. 3 depicts a side view of the non-slip portion of the mat of the present invention.

In the drawings, one embodiment of the invention is illustrated by way of example. It is to be expressly understood that the description and drawings are only for the purpose of illustration and as an aid to understanding, and are not
20 intended as a definition of the limits of the invention.

DESCRIPTION OF THE INVENTION

As shown in Figs. 1, 2 and 3, there is provided a lightweight, portable, and durable support mat for use by an individual during any activities requiring
25 standing, kneeling or sitting.

The mat preferably has a horizontal upper surface 2 which is generally ovoid in shape, although other shapes are considered to be within the scope of the invention, including rectangular, square, circular, triangular, and other regular and

irregular polygonal shapes. The upper surface preferably comprises a smooth portion 4, and a non-slip portion 6.

Preferably, the mat has a width of between 12 and 24 inches, a length of between 18 and 30 inches, and a thickness of between 0.25 and 2.0 inches.

5 More preferably, the mat has a width of between 16 and 20 inches, a length of between 22 and 26 inches, and a thickness of between 0.5 and 1.0 inches. Ideally, the mat has a width of 18 inches, a length of 23.5 inches, and a thickness of 0.5 inches. Other mat dimensions are also possible and are within the scope of the invention.

10 In a preferred embodiment, the mat is manufactured of rubber or other resilient material, and a plurality of rounded projections 8, or buttons, are arrayed in a regular pattern throughout at least a portion of the upper surface of the mat. The buttons present on the upper surface provide a non-slip surface to reduce accidents caused by slipping.

15 In a preferred embodiment, the smooth portion of the upper surface is in proximity to one edge of the mat, and devoid of rounded projections or other non-slip means. A portion of the smooth surface may be used to display branding, safety, or other information.

20 In a preferred embodiment, at least a portion of the outer edge of the mat may be bevelled for ease of access onto the mat, and comfort if standing with the feet over the edge of the mat. The bevelled edge 10 also facilitates use of the mat to support one part of the foot while leaving the other part on the hard surface, as this offers another standing position which may help reduce stress.

25 The mat further comprises an integral handle 12. The handle may comprise one or more openings 14 in proximity to one longitudinal edge of the mat through which a user's hand or one or more fingers may be inserted for carrying the mat. In a preferred embodiment, three adjacent openings are provided for insertion of three fingers of a user during carrying, with the central opening 16 offset relative

to the outer openings, to correspond to the relative locations of the ends of a user's three central fingers in a carrying position.

Preferably the three openings are circular. In the embodiment shown in Figures 1 and 2, openings have a diameter of 3 centimetres, although other sizes are also within the scope of the invention. The one or more openings may also be used to attach a cord or other device for ease of handling, transportation and storage.

As the mat is manufactured of a resilient material, it provides a softer surface on which to stand, sit or kneel for a user. As such, use of the mat will alleviate muscle pain and stiffness by its users who may need to stand, sit or kneel for extended periods on hard surfaces such as asphalt and concrete.

The support mat of the present mat is particularly useful in occupations requiring prolonged standing, for example for traffic control workers, where sitting is not possible during work due to the need to be able to escape from approaching dangers rapidly. A resilient support mat will reduce the stress of prolonged standing, allowing longer work periods and reduced pain and injury. Reduced pain will lead to increased alertness for quick thinking in a high stress situation. The more aware and focused the traffic control person is, the greater the reaction time for events such as a runaway vehicle, approaching machinery, or any other potentially catastrophic event that may occur.

The mat of the present invention will allow the worker to work for several hours without discomfort, whereas without the mat there likely would be irritability and exhaustion. Use of the mat may permit several additional hours of work per week for each user. Use of the mat may also reduce jobsite rotation by workers seeking lower stress, easier work, and will result in greater endurance for the individual worker who has already been orientated to the job at hand, thereby reducing training and supervision requirements.

The support mat is easily moved between job sites, as well as standing positions within a single job site. The mat, weighing only approximately 5 pounds, is very

easy to handle and transport. Its design also permits stacking of mats for transportation and storage.

The rubber material of the mat permits its use in any weather, wet or dry, hot or cold. This capacity makes the support mat of the present invention highly
5 suitable for outdoor use.

The rubber bubbled mat creates a non-slip surface that is crucial in outdoor working conditions which may include rain and snow. The surface of the mat has improved traction in wet and snowy conditions, relative to a wet or snowy road surface, thereby reducing risk of slipping and falling. A button mat, due to the
10 presence of non-slip features on its surface, provides a good grip for users who would be wearing required safety footwear in the industry. It also provides maximum comfort to shift workers who generally work long hours; it relieves pain immediately upon use. For those workers who have chronic pain of any kind they would largely benefit from this product.

15 Other non-slip means may also be provided. For example, a tacky coating may be applied to the mat to increase friction between the support mat surface and a user's feet. Also, the surface may have a series of ridges or a grid to provide non-slip means. In one embodiment, a non-slip surface may be provided on both sides of the mat to increase safety when using the mat on a smooth surface such
20 as a wooden floor.

A further benefit of the use of rubber is to reduce harm due to electrical shock as rubber is non-conducting. This will reduce mortality in electrical accidents. The resulting reduction in injury will be an economic benefit to employers, and will reduce claims for worker injury and death.

25 A wide variety of occupations may use the support mat of the present invention. These may include traffic control persons, or flaggers, who may use several mats located at various standing positions at a job site; electricians, who would particularly benefit from the shock resistance of the mat, workers in bucket trucks

or underground utilities requiring small, portable support mats; and security guards who may stand in several places throughout a shift. Numerous other occupations would also benefit from use of a portable, lightweight, weather-proof support mat.

- 5 As well as use in work environments, the support mat may be used in therapy and rehabilitation to reduce stress on injured or stressed muscles and joints, and to reduce pain. It may also be used recreationally, for example during gardening, landscaping, auto repair or other activities requiring standing, sitting, or kneeling on hard surfaces. For example, users may carry the support mat to an outdoor
10 public event such as a concert to allow comfort during prolonged sitting, while avoiding blocking the view of those seated behind them at the event. Whatever use is made of the support mat, it is easily moved from place to place, easily cleaned, and easily stored.

As many possible embodiments may be made of the invention without departing
15 from the scope of the claims, it is to be understood that all matter herein set forth or shown in the accompanying drawings is illustrative and not limiting. It will be appreciated by those skilled in the art that other variations of the preferred embodiment may also be practised without departing from the scope of the invention.

20

CLAIMS

What is claimed is:

1. A portable, unitary support mat for reducing physical stress during standing, sitting and kneeling, the support mat comprising a planar, resilient platform having upper and lower surfaces, opposing fore and aft sections, non-slip means provided on at least a portion of the upper surface, and at least one opening disposed in proximity to the outer perimeter of the platform to form an integral handle.
2. The support mat of claim 1, wherein the at least one opening comprises at least two adjacent openings to form a finger hold handle.
3. The support mat of claim 1, wherein the at least one opening comprises three adjacent openings, the central opening being offset relative to the two outer openings to correspond to the locations of the ends of the fingers of a user in a carrying position.
4. The support mat of claim 1, wherein the upper surface of the platform further comprises a smooth section, and a non-slip section having non-slip means.
5. The support mat of claim 4 wherein the non-slip means of the upper surface comprises an array of rounded projections rising above the platform.
6. The support mat of claim 5, wherein the array of rounded projections completely covers the non-slip section of the upper surface of the platform.
7. The support mat of claim 5, wherein the distance between adjacent rounded projections is greater than the diameter of each rounded projection.
8. The support mat of claim 1 further comprising non-slip means on at least a portion of the lower surface.

9. The support mat of claim 1 further comprising a bevelled edge on at least a portion of the circumference of the platform.
10. The support mat of claim 9, wherein the bevelled edge extends around the entire perimeter of the platform.
- 5 11. The support mat of claim 1 wherein the perimeter of the platform is rounded.
12. The support mat of claim 1, wherein the mat is manufactured of rubber.
13. The support mat of claim 1 wherein the mat is manufactured of a resilient synthetic material.
- 10 14. The support mat of claim 4 wherein the non-slip surface is a tacky coating.
15. The support mat of claim 1, wherein the platform is between 12 and 24 inches wide, between 18 and 30 inches long, and between 0.25 and 2.0 inches thick.
- 15 16. The support mat of claim 15, wherein the platform is between 16 and 20 inches wide, between 20 and 26 inches long, and between 0.5 and 1.0 inches thick.
17. The support mat of claim 16, wherein the platform is 18 inches wide, 23.5 inches long, and 0.5 inches thick.




FIG. 1




FIG. 2




FIG. 3

INTERNATIONAL SEARCH REPORT

International application No.
PCT/CA2013/000335

<p>A. CLASSIFICATION OF SUBJECT MATTER IPC: A47C 16/00 (2006.01), A47G 27/02 (2006.01), A63C 19/04 (2006.01) According to International Patent Classification (IPC) or to both national classification and IPC</p>																							
<p>B. FIELDS SEARCHED</p> <p>Minimum documentation searched (classification system followed by classification symbols) IPC: A47C 16/00, A47G 27/02, A63C 19/04, E04F 15/00, E04F CPC: A47G 27/0231</p> <p>Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched</p> <p>Electronic database(s) consulted during the international search (name of database(s) and, where practicable, search terms used) EPOQUE (Epodoc), Canadian Patent database, Google Patent Keywords: foot, feet, mat, pad, fatigue, slip, protrusion?, bump?, opening?, hole?, grip+, handle?, finger, stick+</p>																							
<p>C. DOCUMENTS CONSIDERED TO BE RELEVANT</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:10%;">Category*</th> <th style="width:60%;">Citation of document, with indication, where appropriate, of the relevant passages</th> <th style="width:30%;">Relevant to claim No.</th> </tr> </thead> <tbody> <tr> <td align="center">X Y</td> <td>EP1669016 (BRAUNMILLER, K. et al.), 14 June 2006 (14-06-2006) *Whole document, English translation using Espacenet (www.espacenet.com)*</td> <td><u>1, 8, 12, 13, 15, 16</u> 2 to 7, 9 to 11, 14, 17</td> </tr> <tr> <td align="center">Y</td> <td>US6913159B1 (GOLDBERG, R.), 05 July 2005 (05-07-2005) *Fig. 1*</td> <td>2, 3</td> </tr> <tr> <td align="center">Y</td> <td>US2002028313A1 (BLUM, R. et al), 07 March 2002 (07-03-2002) *Whole document*</td> <td>4 to 7, 9 to 11, 14 and 17</td> </tr> <tr> <td align="center">A</td> <td>WO02072974A1 (BURKE, W. et al.), 19 September 2002 (19-09-2002) *Whole document*</td> <td>1 to 17</td> </tr> <tr> <td align="center">A</td> <td>US3434715A (BRANTINGHAM, C. et al.), 25 March 1969 (25-03-1969) *Whole document*</td> <td>1 to 17</td> </tr> <tr> <td align="center">A</td> <td>US2124123A (ROSENGARTEN, M.), 19 July 1938 (19-07-1938) *Whole document*</td> <td>1 to 17</td> </tr> </tbody> </table>			Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.	X Y	EP1669016 (BRAUNMILLER, K. et al.), 14 June 2006 (14-06-2006) *Whole document, English translation using Espacenet (www.espacenet.com)*	<u>1, 8, 12, 13, 15, 16</u> 2 to 7, 9 to 11, 14, 17	Y	US6913159B1 (GOLDBERG, R.), 05 July 2005 (05-07-2005) *Fig. 1*	2, 3	Y	US2002028313A1 (BLUM, R. et al), 07 March 2002 (07-03-2002) *Whole document*	4 to 7, 9 to 11, 14 and 17	A	WO02072974A1 (BURKE, W. et al.), 19 September 2002 (19-09-2002) *Whole document*	1 to 17	A	US3434715A (BRANTINGHAM, C. et al.), 25 March 1969 (25-03-1969) *Whole document*	1 to 17	A	US2124123A (ROSENGARTEN, M.), 19 July 1938 (19-07-1938) *Whole document*	1 to 17
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.																					
X Y	EP1669016 (BRAUNMILLER, K. et al.), 14 June 2006 (14-06-2006) *Whole document, English translation using Espacenet (www.espacenet.com)*	<u>1, 8, 12, 13, 15, 16</u> 2 to 7, 9 to 11, 14, 17																					
Y	US6913159B1 (GOLDBERG, R.), 05 July 2005 (05-07-2005) *Fig. 1*	2, 3																					
Y	US2002028313A1 (BLUM, R. et al), 07 March 2002 (07-03-2002) *Whole document*	4 to 7, 9 to 11, 14 and 17																					
A	WO02072974A1 (BURKE, W. et al.), 19 September 2002 (19-09-2002) *Whole document*	1 to 17																					
A	US3434715A (BRANTINGHAM, C. et al.), 25 March 1969 (25-03-1969) *Whole document*	1 to 17																					
A	US2124123A (ROSENGARTEN, M.), 19 July 1938 (19-07-1938) *Whole document*	1 to 17																					
<p><input type="checkbox"/> Further documents are listed in the continuation of Box C. <input checked="" type="checkbox"/> See patent family annex.</p>																							
*	Special categories of cited documents :	“T”																					
“A”	document defining the general state of the art which is not considered to be of particular relevance	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention																					
“E”	earlier application or patent but published on or after the international filing date	“X” document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone																					
“L”	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	“Y” document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art																					
“O”	document referring to an oral disclosure, use, exhibition or other means	“&” document member of the same patent family																					
“P”	document published prior to the international filing date but later than the priority date claimed																						
Date of the actual completion of the international search 23 May 2013 (23-05-2013)		Date of mailing of the international search report 18 July 2013 (18-07-2013)																					
Name and mailing address of the ISA/CA Canadian Intellectual Property Office Place du Portage I, C114 - 1st Floor, Box PCT 50 Victoria Street Gatineau, Quebec K1A 0C9 Facsimile No.: 001-819-953-2476		Authorized officer Christine Lord (819) 953-1620																					

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.
PCT/CA2013/000335

Patent Document Cited in Search Report	Publication Date	Patent Family Member(s)	Publication Date
EP1669016	14 June 2006 (14-06-2006)	DE202004019017U	17 February 2005 (17-02-2005)
US6913159B1	05 July 2005 (05-07-2005)	None	
US2002028313A1	07 March 2002 (07-03-2002)	AR031313A1 AR036226A1 AR037817A1 AR038635A1 AR039549A1 AR039552A1 AR041610A1 AR041779A1 AR042748A1 AR043664A1 AT403392T AU4978700A AU772109B2 AU1454301A AU1665302A AU3091502A AU8669001A AU2002245427B2 AU2002359675A1 AU2002368358A8 AU2002368358A1 AU2003213272A1 AU2003228959A1 AU2003228959A8 AU2003234569A1 AU2003234569B2 AU2003240559A1 AU2003287055A1 AU2003287055B2 AU2003290769A1 AU2004207380A1 AU2004207380B2 AU2005272965A1 AU2005272965B2 BR0010211A BR0017410B1 BR0115228A BR0207266A BR0214947A BR0310066A BR0315249A BRPI0406569A BRPI0514264A CA2372074A1 CA2372074C CA2427348A1 CA2437361A1 CA2455135A1 CA2469488A1 CA2484848A1 CA2485176A1 CA2485176C CA2502095A1 CA2506028A1 CA2514113A1 CA2514113C CA2517748A1 CA2517748C CA2549179A1 CA2576339A1 CA2576339C CA2581343A1 CA2677427A1	17 September 2003 (17-09-2003) 25 August 2004 (25-08-2004) 09 December 2004 (09-12-2004) 19 January 2005 (19-01-2005) 23 February 2005 (23-02-2005) 23 February 2005 (23-02-2005) 26 May 2005 (26-05-2005) 01 June 2005 (01-06-2005) 29 June 2005 (29-06-2005) 03 August 2005 (03-08-2005) 15 August 2008 (15-08-2008) 17 November 2000 (17-11-2000) 08 April 2004 (08-04-2004) 07 November 2001 (07-11-2001) 21 May 2002 (21-05-2002) 01 July 2002 (01-07-2002) 13 March 2002 (13-03-2002) 10 January 2008 (10-01-2008) 23 June 2003 (23-06-2003) 15 June 2004 (15-06-2004) 08 July 2004 (08-07-2004) 16 September 2003 (16-09-2003) 02 December 2003 (02-12-2003) 02 December 2003 (02-12-2003) 02 December 2003 (02-12-2003) 02 December 2003 (02-12-2003) 21 February 2008 (21-02-2008) 22 December 2003 (22-12-2003) 04 May 2004 (04-05-2004) 20 November 2008 (20-11-2008) 15 June 2004 (15-06-2004) 12 August 2004 (12-08-2004) 09 April 2009 (09-04-2009) 23 February 2006 (23-02-2006) 16 July 2009 (16-07-2009) 04 June 2002 (04-06-2002) 01 December 2009 (01-12-2009) 20 July 2004 (20-07-2004) 10 February 2004 (10-02-2004) 09 November 2004 (09-11-2004) 10 April 2007 (10-04-2007) 30 August 2005 (30-08-2005) 20 December 2005 (20-12-2005) 10 June 2008 (10-06-2008) 09 November 2000 (09-11-2000) 26 September 2006 (26-09-2006) 16 May 2002 (16-05-2002) 22 August 2002 (22-08-2002) 14 February 2003 (14-02-2003) 19 June 2003 (19-06-2003) 27 November 2003 (27-11-2003) 27 November 2003 (27-11-2003) 15 December 2009 (15-12-2009) 29 April 2004 (29-04-2004) 03 June 2004 (03-06-2004) 12 August 2004 (12-08-2004) 22 June 2010 (22-06-2010) 09 November 2000 (09-11-2000) 20 November 2007 (20-11-2007) 23 June 2005 (23-06-2005) 23 February 2006 (23-02-2006) 21 June 2011 (21-06-2011) 30 March 2006 (30-03-2006) 27 November 2003 (27-11-2003)

INTERNATIONAL SEARCH REPORT

International application No.
PCT/CA2013/000335

CN1359274A	17 July 2002 (17-07-2002)
CN1236722C	18 January 2006 (18-01-2006)
CN1496697A	19 May 2004 (19-05-2004)
CN100508837C	08 July 2009 (08-07-2009)
CN1501787A	02 June 2004 (02-06-2004)
CN1668975A	14 September 2005 (14-09-2005)
CN100538502C	09 September 2009 (09-09-2009)
CN1684623A	19 October 2005 (19-10-2005)
CN1720555A	11 January 2006 (11-01-2006)
CN100403346C	16 July 2008 (16-07-2008)
CN1728964A	01 February 2006 (01-02-2006)
CN100496374C	10 June 2009 (10-06-2009)
CN1761984A	19 April 2006 (19-04-2006)
CN100573631C	23 December 2009 (23-12-2009)
CN1914651A	14 February 2007 (14-02-2007)
CN101019157A	15 August 2007 (15-08-2007)
CZ20013957A3	16 April 2003 (16-04-2003)
DE10084239B4	30 August 2007 (30-08-2007)
DE10084239T1	28 March 2002 (28-03-2002)
DE20022618U1	28 March 2002 (28-03-2002)
DE20023513U1	02 December 2004 (02-12-2004)
DE60039791D1	18 September 2008 (18-09-2008)
EP1198194A1	24 April 2002 (24-04-2002)
EP1198194A4	10 July 2002 (10-07-2002)
EP1308120A2	07 May 2003 (07-05-2003)
EP1308120A3	03 December 2003 (03-12-2003)
EP1308120B1	06 August 2008 (06-08-2008)
EP1339309A2	03 September 2003 (03-09-2003)
EP1366489A1	03 December 2003 (03-12-2003)
EP1366489A4	09 May 2007 (09-05-2007)
EP1455633A1	15 September 2004 (15-09-2004)
EP1503651A2	09 February 2005 (09-02-2005)
EP1506452A1	16 February 2005 (16-02-2005)
EP1515636A1	23 March 2005 (23-03-2005)
EP1538964A2	15 June 2005 (15-06-2005)
EP1559079A2	03 August 2005 (03-08-2005)
EP1559079A4	06 August 2008 (06-08-2008)
EP1586083A2	19 October 2005 (19-10-2005)
EP1695305A2	30 August 2006 (30-08-2006)
EP1695305A4	24 October 2007 (24-10-2007)
EP1779342A1	02 May 2007 (02-05-2007)
EP1779342A4	19 May 2010 (19-05-2010)
EP1792285A1	06 June 2007 (06-06-2007)
EP1792285A4	22 December 2010 (22-12-2010)
ES2311043T3	01 February 2009 (01-02-2009)
GB0116520D0	29 August 2001 (29-08-2001)
GB2363328A	19 December 2001 (19-12-2001)
GB2363328B	12 November 2003 (12-11-2003)
GB0308897D0	21 May 2003 (21-05-2003)
GB2386833A	01 October 2003 (01-10-2003)
GB2386833B	19 November 2003 (19-11-2003)
GB0308898D0	21 May 2003 (21-05-2003)
GB2386834A	01 October 2003 (01-10-2003)
GB2386834B	12 November 2003 (12-11-2003)
GB0308899D0	21 May 2003 (21-05-2003)
GB2384703A	06 August 2003 (06-08-2003)
GB2384703B	12 November 2003 (12-11-2003)
HK1083246A1	20 May 2010 (20-05-2010)
HK1087823A1	30 April 2009 (30-04-2009)
HK1088198A1	06 November 2009 (06-11-2009)
HK1090463A1	10 September 2010 (10-09-2010)
HU0202029A2	28 November 2003 (28-11-2003)
IL146303A	31 October 2007 (31-10-2007)
IL146303D0	25 July 2002 (25-07-2002)
IL157275A	29 December 2008 (29-12-2008)
IL157275D0	19 February 2004 (19-02-2004)
JP2005526282A	02 September 2005 (02-09-2005)
JP4361857B2	11 November 2009 (11-11-2009)
JP2002542862A	17 December 2002 (17-12-2002)
JP2004512890A	30 April 2004 (30-04-2004)
JP2004527283A	09 September 2004 (09-09-2004)
JP2005511183A	28 April 2005 (28-04-2005)
JP2005528658A	22 September 2005 (22-09-2005)

INTERNATIONAL SEARCH REPORT

International application No.
PCT/CA2013/000335

KR20070049656A	11 May 2007 (11-05-2007)
KR100830196B1	19 May 2008 (19-05-2008)
KR20050050670A	31 May 2005 (31-05-2005)
KR20050088360A	05 September 2005 (05-09-2005)
KR20060105767A	11 October 2006 (11-10-2006)
MXPA01011225A	14 July 2003 (14-07-2003)
MXPA03003999A	24 May 2004 (24-05-2004)
MXPA03007243A	14 February 2005 (14-02-2005)
MXPA04001340A	18 April 2005 (18-04-2005)
MXPA04005701A	06 December 2004 (06-12-2004)
MXPA04011961A	31 March 2005 (31-03-2005)
MXPA05003906A	05 October 2005 (05-10-2005)
MXPA05005172A	18 August 2005 (18-08-2005)
MXPA05007681A	30 September 2005 (30-09-2005)
MXPA06006283A	23 August 2006 (23-08-2006)
MX2007001673A	11 June 2007 (11-06-2007)
MX2007003444A	14 August 2007 (14-08-2007)
NO20015403D0	05 November 2001 (05-11-2001)
NO20015403A	03 January 2002 (03-01-2002)
NO20032099A	03 January 2002 (03-01-2002)
NO20032099D0	09 May 2003 (09-05-2003)
NZ515871A	31 October 2003 (31-10-2003)
NZ526498A	28 January 2005 (28-01-2005)
NZ553231A	30 April 2009 (30-04-2009)
PL351614A1	19 May 2003 (19-05-2003)
PL196535B1	31 January 2008 (31-01-2008)
PL197137B1	31 March 2008 (31-03-2008)
RU2259803C2	10 September 2005 (10-09-2005)
RU2003114119A	10 January 2005 (10-01-2005)
TR200103849T2	23 September 2002 (23-09-2002)
TR200202018T2	21 October 2002 (21-10-2002)
TW493978B	11 July 2002 (11-07-2002)
TWI233791B	11 June 2005 (11-06-2005)
TWI238707B	01 September 2005 (01-09-2005)
TWI249399B	21 February 2006 (21-02-2006)
TWI277914B	01 April 2007 (01-04-2007)
TWI277915B	01 April 2007 (01-04-2007)
TWI302680B	01 November 2008 (01-11-2008)
TWI310921B	11 June 2009 (11-06-2009)
US6219876B1	24 April 2001 (24-04-2001)
US6233776B1	22 May 2001 (22-05-2001)
US2001004483A1	21 June 2001 (21-06-2001)
US6417778B2	09 July 2002 (09-07-2002)
US2002121985A1	05 September 2002 (05-09-2002)
US6507285B2	14 January 2003 (14-01-2003)
US2003033681A1	20 February 2003 (20-02-2003)
US6735806B2	18 May 2004 (18-05-2004)
US2002068147A1	06 June 2002 (06-06-2002)
US6844058B2	18 January 2005 (18-01-2005)
US2003093870A1	22 May 2003 (22-05-2003)
US6873266B2	29 March 2005 (29-03-2005)
US6886209B2	03 May 2005 (03-05-2005)
US2004119602A1	24 June 2004 (24-06-2004)
US6917301B2	12 July 2005 (12-07-2005)
US2003177679A1	25 September 2003 (25-09-2003)
US6940418B2	06 September 2005 (06-09-2005)
US2004001002A1	01 January 2004 (01-01-2004)
US6982649B2	03 January 2006 (03-01-2006)
US2004021617A1	05 February 2004 (05-02-2004)
US7009523B2	07 March 2006 (07-03-2006)
US2006049955A1	09 March 2006 (09-03-2006)
US7109881B2	19 September 2006 (19-09-2006)
US2005134474A1	23 June 2005 (23-06-2005)
US7145469B2	05 December 2006 (05-12-2006)
US2004217876A1	04 November 2004 (04-11-2004)
US7205903B2	17 April 2007 (17-04-2007)
US2006044149A1	02 March 2006 (02-03-2006)
US7358861B2	15 April 2008 (15-04-2008)
US2007222633A1	27 September 2007 (27-09-2007)
US7456755B2	25 November 2008 (25-11-2008)
US2008048880A1	28 February 2008 (28-02-2008)
US7511630B2	31 March 2009 (31-03-2009)

INTERNATIONAL SEARCH REPORT

International application No.
PCT/CA2013/000335

		US2001011399A1	09 August 2001 (09-08-2001)
		US2002023308A1	28 February 2002 (28-02-2002)
		US2002071936A1	13 June 2002 (13-06-2002)
		US2002092110A1	18 July 2002 (18-07-2002)
		US2002156634A1	24 October 2002 (24-10-2002)
		US2003126708A1	10 July 2003 (10-07-2003)
		US2003232554A1	18 December 2003 (18-12-2003)
		US2004019993A1	05 February 2004 (05-02-2004)
		US2004139570A1	22 July 2004 (22-07-2004)
		US2004148725A1	05 August 2004 (05-08-2004)
		US2004217877A1	04 November 2004 (04-11-2004)
		US2004221411A1	11 November 2004 (11-11-2004)
		US2006152483A1	13 July 2006 (13-07-2006)
		US2006192683A1	31 August 2006 (31-08-2006)
		US2008230497A1	25 September 2008 (25-09-2008)
		US2008278408A1	13 November 2008 (13-11-2008)
		WO0065980A1	09 November 2000 (09-11-2000)
		WO0180707A1	01 November 2001 (01-11-2001)
		WO0217768A2	07 March 2002 (07-03-2002)
		WO0217768A3	06 September 2002 (06-09-2002)
		WO0238029A2	16 May 2002 (16-05-2002)
		WO0238029A3	12 September 2002 (12-09-2002)
		WO0238029A9	13 February 2003 (13-02-2003)
		WO0249498A1	27 June 2002 (27-06-2002)
		WO02065451A1	22 August 2002 (22-08-2002)
		WO02065451A9	13 February 2003 (13-02-2003)
		WO02091901A1	21 November 2002 (21-11-2002)
		WO03049591A1	19 June 2003 (19-06-2003)
		WO03075238A1	12 September 2003 (12-09-2003)
		WO03096868A2	27 November 2003 (27-11-2003)
		WO03096868A3	19 February 2004 (19-02-2004)
		WO03098345A1	27 November 2003 (27-11-2003)
		WO03103470A1	18 December 2003 (18-12-2003)
		WO2004036292A2	29 April 2004 (29-04-2004)
		WO2004036292A3	17 June 2004 (17-06-2004)
		WO2004036292A9	29 July 2004 (29-07-2004)
		WO2004045362A2	03 June 2004 (03-06-2004)
		WO2004045362A3	18 November 2004 (18-11-2004)
		WO2004045902A1	03 June 2004 (03-06-2004)
		WO2004068452A2	12 August 2004 (12-08-2004)
		WO2004068452A3	14 October 2004 (14-10-2004)
		WO2004086338A2	07 October 2004 (07-10-2004)
		WO2004086338A3	03 March 2005 (03-03-2005)
		WO2005057527A2	23 June 2005 (23-06-2005)
		WO2005057527A3	02 February 2006 (02-02-2006)
		WO2006020637A1	23 February 2006 (23-02-2006)
		WO2006034483A1	30 March 2006 (30-03-2006)
		WO2008128245A1	23 October 2008 (23-10-2008)
		WO2008130804A1	30 October 2008 (30-10-2008)
		WO2009058593A1	07 May 2009 (07-05-2009)
		ZA200109043A	11 August 2003 (11-08-2003)
		ZA200303375A	25 February 2004 (25-02-2004)
WO02072974A1	19 September 2002 (19-09-2002)	AU2002248523B2	04 May 2006 (04-05-2006)
		CA2438250A1	19 September 2002 (19-09-2002)
		EP1366249A1	03 December 2003 (03-12-2003)
		JP2004525286A	19 August 2004 (19-08-2004)
		NZ527637A	27 February 2004 (27-02-2004)
		US2002178661A1	05 December 2002 (05-12-2002)
		US6591560B2	15 July 2003 (15-07-2003)
US3434715A	25 March 1969 (25-03-1969)	BE728486A	01 August 1969 (01-08-1969)
		GB1247575A	22 September 1971 (22-09-1971)
US2124123A	19 July 1938 (19-07-1938)	None	