



US00D790506S

(12) **United States Design Patent**  
**Broadley et al.**

(10) **Patent No.:** **US D790,506 S**  
(45) **Date of Patent:** **\*\* Jun. 27, 2017**

- (54) **COMMUNICATION HEADSET**
- (71) Applicant: **Sonetics Holdings, Inc.**, Portland, OR (US)
- (72) Inventors: **Simon Broadley**, West Linn, OR (US); **Brian VanderPloeg**, Lake Oswego, OR (US); **Calvin Toothaker**, Portland, AZ (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/548,351**
- (22) Filed: **Dec. 12, 2015**

**Related U.S. Application Data**

- (63) Continuation-in-part of application No. 14/322,069, filed on Jul. 2, 2014.
- (51) **LOC (10) Cl.** ..... **14-01**
- (52) **U.S. Cl.**  
USPC ..... **D14/206**
- (58) **Field of Classification Search**  
USPC ..... D14/205, 225, 206; D29/112; 2/209; 181/129, 130, 135; 379/430, 431; 381/380, 381, 379, 378, 370, 374, 376, 381/371, 192, 183  
CPC ..... H04R 1/10; H04R 25/00; H04R 1/1066; H04R 5/0335; H04R 5/033; H04R 1/1016  
See application file for complete search history.

**References Cited**

**U.S. PATENT DOCUMENTS**

- 3,454,964 A \* 7/1969 Brinkhoff ..... A61F 11/14 2/209
- 3,918,098 A \* 11/1975 Devaney ..... A42B 3/166 2/209
- D246,242 S \* 11/1977 Bellini ..... D14/205
- D254,183 S \* 2/1980 Doodson ..... D14/205

- 4,471,496 A \* 9/1984 Gardner, Jr. .... A61F 11/14 2/209
- 4,620,068 A \* 10/1986 Wieder ..... H04R 1/083 181/129
- D299,337 S \* 1/1989 Wiegel ..... D14/206
- D301,145 S \* 5/1989 Besasie ..... D14/205
- D313,092 S \* 12/1990 Nilsson ..... D14/205
- 4,987,592 A \* 1/1991 Flagg ..... H04R 1/08 379/430

(Continued)

*Primary Examiner* — Paula Greene  
(74) *Attorney, Agent, or Firm* — Keith L. Jenkins, Registered Patent Attorney, LLC; Keith L. Jenkins

(57) **CLAIM**

The ornamental design for the communication headset, as shown and described.



**DESCRIPTION**

FIG. 1 is a front perspective view of a communication headset showing my new design; FIG. 2 is a front elevation view in an alternate position thereof; FIG. 3 is a left side elevation view of FIG. 1 thereof; FIG. 4 is a left side elevation view of FIG. 2 thereof; FIG. 5 is a right side elevation view of FIG. 1 thereof; and, FIG. 6 is a top plan view of FIG. 1 thereof.

A communication headset having ear cups having mirror image ear cup cushions, a head band connecting the ear cups and capable of articulating about the connections to the ear cups, and a boom microphone. The housings of the ear cups are not mirror images. The ear cups support, variously, forward pointing microphone openings, a boom microphone, pushbuttons, switches, and slots. The characteristic features of the design resides in the articulatable headband and in the pattern of external switches, pushbuttons, microphones, and slots on the ear cup housings.

The broken lines depict environment that forms no part of the claimed design.

**1 Claim, 6 Drawing Sheets**








FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6