



US00D670988S

(12) **United States Design Patent**
Aglassinger

(10) **Patent No.:** **US D670,988 S**

(45) **Date of Patent:** **** Nov. 20, 2012**

(54) **CORDLESS DRIVER**

(75) Inventor: **Hans-Peter Aglassinger**, Esslingen (DE)

(73) Assignee: **Robert Bosch GmbH**, Stuttgart, DE
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/408,482**

(22) Filed: **Dec. 13, 2011**

(30) **Foreign Application Priority Data**

Jun. 14, 2011 (EM) 001877424

(51) **LOC (9) Cl.** **08-01**

(52) **U.S. Cl.** **D8/61**

(58) **Field of Classification Search** D8/61,
D8/62, 67, 69; 81/57, 57.11, 57.14, 57.26,
81/429, 464, 469; 173/2, 170, 176, 181
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|-----------|----|---|---------|-----------------|-------|------------|
| D200,732 | S | * | 3/1965 | Fischer | | D8/61 |
| 4,913,204 | A | * | 4/1990 | Moore et al. | | 144/136.95 |
| D335,808 | S | * | 5/1993 | Bruno et al. | | D8/61 |
| D336,228 | S | * | 6/1993 | Anderson et al. | | D8/61 |
| D372,850 | S | * | 8/1996 | Dubuque et al. | | D8/61 |
| D439,978 | S | * | 4/2001 | Ark et al. | | D24/140 |
| 6,460,629 | B2 | * | 10/2002 | Bookshar et al. | | 173/176 |
| 6,715,380 | B2 | * | 4/2004 | Listl et al. | | 81/57.13 |

| | | | | | | |
|--------------|----|---|---------|-----------------|-------|-------|
| D510,513 | S | * | 10/2005 | Aglassinger | | D8/61 |
| D527,592 | S | * | 9/2006 | Hayakawa et al. | | D8/61 |
| D588,891 | S | * | 3/2009 | Hayakawa et al. | | D8/61 |
| D639,629 | S | * | 6/2011 | Torigai et al. | | D8/61 |
| D649,421 | S | * | 11/2011 | Aglassinger | | D8/61 |
| D653,922 | S | * | 2/2012 | Henssler et al. | | D8/61 |
| D659,499 | S | * | 5/2012 | Okuda et al. | | D8/61 |
| 2004/0182588 | A1 | * | 9/2004 | Tokunaga et al. | | 173/2 |

* cited by examiner

Primary Examiner — Austin Murphy

(74) *Attorney, Agent, or Firm* — Maginot, Moore & Beck


(57) **CLAIM**

The ornamental design for a cordless driver, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a cordless driver showing my new design;
FIG. 2 is a right side elevational view showing the design for the cordless driver of FIG. 1;
FIG. 3 is left side elevational view showing the design for the cordless driver of FIG. 1;
FIG. 4 is a rear elevational view showing the design for the cordless driver of FIG. 1;
FIG. 5 is a front elevational view showing the design for the cordless driver of FIG. 1; and,
FIG. 6 is a top elevational view showing the design for the cordless driver of FIG. 1.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6