

(12) **United States Design Patent** (10) **Patent No.:** **US D902,906 S**
Jung (45) **Date of Patent:** **** *Nov. 24, 2020**

- (54) **CASE FOR ELECTRONIC COMMUNICATIONS DEVICE**
- (71) Applicant: **SPIGEN KOREA CO., LTD.**, Seoul (KR)
- (72) Inventor: **Soo Ha Jung**, Seoul (KR)
- (73) Assignee: **Spigen Korea CO., LTD.**, Seoul (KR)
- (*) Notice: This patent is subject to a terminal disclaimer.
- (**) Term: **15 Years**
- (21) Appl. No.: **29/576,035**
- (22) Filed: **Aug. 31, 2016**

Related U.S. Application Data

- (63) Continuation-in-part of application No. 29/574,980, filed on Aug. 19, 2016, now Pat. No. Des. 831,633.
- (51) **LOC (12) Cl.** **14-03**
- (52) **U.S. Cl.**
USPC **D14/250**
- (58) **Field of Classification Search**
USPC D14/238.1, 440, 203.3–203.7, 217, 240, D14/447, 250, 248, 251–253; D3/201,
(Continued)

References Cited

U.S. PATENT DOCUMENTS

- D619,361 S 7/2010 Andre
- D632,685 S * 2/2011 Richardson D14/250
(Continued)

OTHER PUBLICATIONS

OtterboxCommuter Series Case for Samsung Galaxy S6 Review!, Published on Jul. 8, 2015, URL:<<https://www.youtube.com/watch?v=Aq9sQmSc9uc>>, retrieved from internet on May 12, 2017.*
(Continued)

Primary Examiner — Carla J Wright
(74) *Attorney, Agent, or Firm* — Heedong Chae; Lucem, PC

(57) **CLAIM**

The ornament design for a case for electronic communications device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a case for electronic communications device showing my new design; FIG. 2 is a rear perspective view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom plan view thereof; FIG. 9 is a rear perspective view thereof, showing the support leg in an extended configuration; FIG. 10 is an exploded front perspective view thereof, showing the transparent inner shell, outer frame, and support leg separated for clarity of disclosure; FIG. 11 is an exploded rear perspective view thereof, showing the transparent inner shell, outer frame, and support leg separated for clarity of disclosure; FIG. 12 is a front perspective view of the outer frame component of the case shown separately for clarity of disclosure; FIG. 13 is a rear perspective view thereof shown separately for clarity of disclosure; FIG. 14 is a front perspective view of the transparent inner shell component of the case shown separately for clarity of disclosure; FIG. 15 is a rear perspective view thereof shown separately for clarity of disclosure; FIG. 16 is a front perspective view of the support leg component of the case shown separately for clarity of disclosure; and, FIG. 17 is a rear perspective view thereof shown separately for clarity of disclosure.

Although the case for electronic communications device, in which the claimed design is embodied, consists of a trans-
(Continued)




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8



FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17

