



US00D808517S

(12) **United States Design Patent** (10) **Patent No.:** **US D808,517 S**
Guillermo et al. (45) **Date of Patent:** **** Jan. 23, 2018**

(54) **WEARABLE AUTOINJECTOR**
(71) Applicant: **Nuance Designs of CT, LLC**,
Woodbridge, CT (US)
(72) Inventors: **Carlos Guillermo**, Atascadero, CA
(US); **David DeSalvo**, Lake Hiawatha,
NJ (US)
(73) Assignee: **Nuance Designs of CT, LLC**,
Woodbridge, CT (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/548,301**
(22) Filed: **Dec. 11, 2015**
(51) **LOC (11) Cl.** **24-02**
(52) **U.S. Cl.**
USPC **D24/112**
(58) **Field of Classification Search**
USPC D24/112-114, 133, 186, 127-131;
606/181, 185; 604/264, 272, 115, 232,
604/187, 158, 164.08, 192, 263, 163, 181,
604/184, 198, 227; 600/101, 139, 143;
128/200.24, 207.14, 207.15
CPC A61M 5/14248; A61M 5/14593; A61M
5/14526; A61M 2005/1452
See application file for complete search history.

D504,945 S * 5/2005 Van Brunt D24/110
D546,458 S * 7/2007 Hannant D24/186
D549,830 S * 8/2007 Behar D24/186
D659,235 S * 5/2012 Bertinetti D24/110
D665,504 S * 8/2012 Arimitsu D24/186
D684,686 S * 6/2013 Cronenberg D24/108
D685,083 S * 6/2013 Schneider D24/108
D687,141 S * 7/2013 Schneider D24/108
D687,536 S * 8/2013 Guarraia D24/108
D688,784 S * 8/2013 Schneider D24/108
D693,455 S * 11/2013 Alchas A61M 15/00
D24/108
D708,316 S * 7/2014 Bertinetti D24/110
D759,254 S * 6/2016 Knieriem D24/186
D776,262 S * 1/2017 Tyce D24/113
D776,264 S * 1/2017 Tyce D24/113
D776,265 S * 1/2017 Tyce D24/113
2010/0210970 A1* 8/2010 Horikawa A61B 5/150022
600/583
2014/0364888 A1* 12/2014 Richter A61B 5/1411
606/181

(Continued)

Primary Examiner — Eric L Goodman
Assistant Examiner — Nathan M Johnston
(74) *Attorney, Agent, or Firm* — Kim Winston LLP

(57) **CLAIM**


The ornamental design for a wearable autoinjector, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view a wearable autoinjector showing our new design;
FIG. 2 is a bottom plan view thereof;
FIG. 3 is a left side elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a rear elevation view thereof; and,
FIG. 6 is a front elevation view thereof.
The dot dash lines illustrate portions of the wearable autoinjector which form no part of the claimed design.

1 Claim, 4 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS
5,503,628 A * 4/1996 Fetters A61M 5/2033
222/325
D369,864 S * 5/1996 Petersen D24/169
D445,496 S * 7/2001 Anderson D24/110
D446,718 S * 8/2001 Anderson D9/422
D479,332 S * 9/2003 Leventhal D24/186
6,738,662 B1 * 5/2004 Frank A61N 1/30
604/20



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|-----|--------|---------------|--------------|
| 2015/0031974 | A1* | 1/2015 | Richter | A61B 5/15174 |
| | | | | 600/365 |
| 2016/0058941 | A1* | 3/2016 | Wu | A61M 5/3134 |
| | | | | 604/136 |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6