



US 20130137174A1

(19) **United States**

(12) **Patent Application Publication**
Zhang et al.

(10) **Pub. No.: US 2013/0137174 A1**

(43) **Pub. Date: May 30, 2013**

(54) **NUCLEOTIDE-SPECIFIC RECOGNITION
SEQUENCES FOR DESIGNER TAL
EFFECTORS**

Publication Classification

(76) Inventors: **Feng Zhang**, Cambridge, MA (US); **Le
Cong**, Cambridge, MA (US)

(51) **Int. Cl.**
C12N 5/071 (2010.01)

(52) **U.S. Cl.**
USPC **435/375**

(21) Appl. No.: **13/604,945**

(57) **ABSTRACT**

(22) Filed: **Sep. 6, 2012**

The invention relates to methods of altering expression of a genomic locus of interest or specifically targeting a genomic locus of interest in an animal cell, which may involve contacting the genomic locus with a non-naturally occurring or engineered composition that includes a deoxyribonucleic acid (DNA) binding polypeptide having a N-terminal capping region, a DNA binding domain comprising at least five or more Transcription activator-like effector (TALE) monomers and at least one or more half-monomers specifically ordered to target the genomic locus of interest, and a C-terminal capping region, wherein the polypeptide includes at least one or more effector domains, and wherein the polypeptide is encoded by and translated from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to the DNA of the genomic locus.

Related U.S. Application Data

(63) Continuation-in-part of application No. 13/554,922, filed on Jul. 20, 2012.

(60) Provisional application No. 61/565,171, filed on Nov. 30, 2011.

FIG. 1




FIG. 2A

TALE repressor screening constructs amino acid sequences**SOX2 TALE repressor (KRAB 1-97)**

MSRTRLPSPPAPSPAFSADSFSDLLRQFDPSLFNTSLFDSLPPFGAHHTEAATG
EWDEVQSGLRAADAPPPTMRVAVTAARPPRAKPAPRRRAAQPSDASPAQV
DLRTLGYSSQQQEKIKPKVRSTVAQHHEALVGHGFTHAHIVALSQHPAALGT
VAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALLTVAGELRGPPLQLD
TGQLLKIAKRGGVTAVEAVHAWRNALTGAPLNLTPEQVVAIASNNGGKQAL
ETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTP
EQVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALET
VQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQ
VVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETV
QRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
VAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQ
RLLPVLCQAHGLTPEQVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQV
VAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQL
SRPDPALAALTNHLVALACLGGPALDAVKKGLPHAPALIKRTNRRIPERTS
HRVADHAQVVRVLGFFQCHSHPAQAFDDAMTQFGMSRHGLLQLFRRVGV
ELEARSGLTLPASQRWDRILQASGMKRAKPSPTSTQTPDQASLHAFADSLER
DLDPSPMHEGDQTRASAPKKKRKVEASMDAKSLTAWSRTLVTFKDVFDV
FTREEWKLLDQAQIVYRNVMLENYKNLVSLGYQLTKPDVILRLEKGEEPW
LVEREIHQETHPDSETAFEIKSSV

SOX2 TALE repressor (KRAB 1-75)

MSRTRLPSPPAPSPAFSADSFSDLLRQFDPSLFNTSLFDSLPPFGAHHTEAATG
EWDEVQSGLRAADAPPPTMRVAVTAARPPRAKPAPRRRAAQPSDASPAQV
DLRTLGYSSQQQEKIKPKVRSTVAQHHEALVGHGFTHAHIVALSQHPAALGT
VAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALLTVAGELRGPPLQLD
TGQLLKIAKRGGVTAVEAVHAWRNALTGAPLNLTPEQVVAIASNNGGKQAL
ETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTP
EQVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALET
VQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQ
VVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETV
QRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
VAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQ
RLLPVLCQAHGLTPEQVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQV
VAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQL
SRPDPALAALTNHLVALACLGGPALDAVKKGLPHAPALIKRTNRRIPERTS
HRVADHAQVVRVLGFFQCHSHPAQAFDDAMTQFGMSRHGLLQLFRRVGV
ELEARSGLTLPASQRWDRILQASGMKRAKPSPTSTQTPDQASLHAFADSLER
DLDPSPMHEGDQTRASAPKKKRKVEASMDAKSLTAWSRTLVTFKDVFDV
FTREEWKLLDQAQIVYRNVMLENYKNLVSLGYQLTKPDVILRLEKGEEPW
LV

FIG. 2B

SOX2 TALE repressor (KRAB 11-75)

MSRTRLPSPPAPSPAFSADSFSDLLRQFDPSLFNTSLFDSLPPFGAHHTEAATG
EWDEVQSGLRAADAPPPTMRVAVTAARPPRAKPAPRRRAAQPSDASPAAQV
DLRTLGYSSQQQEKIKPKVRSTVAQHHEALVGHGFTHAHIVALSQHPAALGT
VAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALLTVAGELRGPPLQLD
TGQLLKIARKGGVTAVEAVHAWRNALTGAPLNLTPEQVVAIASNNGGKQAL
ETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPE
EQVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALET
VQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQ
VVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETV
QRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
VAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQ
RLLPVLCQAHGLTPEQVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQV
AIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQL
SRPDPALAALTNDHLVALACLGGRPALDAVKKGLPHAPALIKRTNRRIPERTS
HRVADHAQVVRVLGFFQCHSHPAQAFDDAMTQFGMSRHGLLQLFRRVGV
ELEARSGLPPASQRWDRILQASGMKRAKPSPTSTQTPDQASLHAFADSLER
DLDAPSPMHEGDQTRASASPKKKRKRKVEASRTLVTFKDVFVDFTREEWKLLD
TAQQIVYRNVMLENYKNLVSLGYQLTKPDVILRLEKGEEPWL

SOX2 TALE repressor (mSin Interaction Domain, SID)

MSRTRLPSPPAPSPAFSADSFSDLLRQFDPSLFNTSLFDSLPPFGAHHTEAATG
EWDEVQSGLRAADAPPPTMRVAVTAARPPRAKPAPRRRAAQPSDASPAAQV
DLRTLGYSSQQQEKIKPKVRSTVAQHHEALVGHGFTHAHIVALSQHPAALGT
VAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALLTVAGELRGPPLQLD
TGQLLKIARKGGVTAVEAVHAWRNALTGAPLNLTPEQVVAIASNNGGKQAL
ETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPE
EQVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALET
VQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQ
VVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETV
QRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
VAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQ
RLLPVLCQAHGLTPEQVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQV
AIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQL
SRPDPALAALTNDHLVALACLGGRPALDAVKKGLPHAPALIKRTNRRIPERTS
HRVADHAQVVRVLGFFQCHSHPAQAFDDAMTQFGMSRHGLLQLFRRVGV
ELEARSGLPPASQRWDRILQASGMKRAKPSPTSTQTPDQASLHAFADSLER
DLDAPSPMHEGDQTRASASPKKKRKRKVEASMNIQMLLEAADYLERREREAH
GYASMLP

FIG. 3




FIG. 4A




FIG.4B




FIG. 5A




FIG. 5B




FIG. 6A

CACNA1C TALE amino acid sequences

CACNA1C Site 1 NN activator (TALE1-NN)

MSRTRLPSPPAPSPAFSADSFSDLLRQFDPSLFNTSLFDSLPPFGAHHTEAATG
EWDEVQSGLRAADAPPPTMRVAVTAARPPRAKPAPRRRAAQPSDASPAAQV
DLRTLGYSSQQQEKIKPKVVRSTVAQHHEALVGHGFTHAHIVALSQHPAALGT
VAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALLTVAGELRGPPLQLD
TGQLLKIARKGGVTAVEAVHAWRNALTGAPLNLTPEQVVAIASHDGGKQAL
ETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTP
EQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE
TVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPE
QVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALET
VQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQ
VVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETV
QRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
VAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQ
RLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
AIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRL
LPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQLSRPDPALAALNDHLVAL
ACLGGRPALDAVKKGLPHAPALIKRTNRRIPERTSHRVADHAQVVRVLGFFQ
CHSHPAQAFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGTLPPASQRWDR
ILQASGMKRAKPSPTSTQTPDQASLHAFADSLERDLDAQSPMHEGDQTRASA
SPKKKRKVEASGSRADALDDFDLMLGSDALDDFDLMLGSDALDDFDL
DMLGSDALDDFDLMLIN

FIG. 6B

CACNA1C Site 1 NK activator (TALE1-NK)

MSRTRLPSPPAPSPAFSADSFSDLLRQFDPSLFNTSLFDSLPPFGAHHTEAATG
EWDEVQSGLRAADAPPPTMRVAVTAARPPRAKPAPRRRAAQPSDASPAAQV
DLRTLGYSSQQQEKIKPKVRSTVAQHHEALVGHGFTHAHIVALSQHPAALGT
VAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALLTVAGELRGPPLQLD
TGQLLKIAKRGGVTAVEAVHAWRNALTGAPLNLTPQVVAIASHDGGKQAL
ETVQRLLPVLCQAHGLTPEQVVAIASNKGKQALETVQRLLPVLCQAHGLTPE
EQVVAIASNKGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE
TVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPE
QVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALET
VQRLLPVLCQAHGLTPEQVVAIASNGGKQALETVQRLLPVLCQAHGLTPEQ
VVAIASNKGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETV
QRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
VAIASNKGKQALETVQRLLPVLCQAHGLTPEQVVAIASNKGKQALETVQ
RLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
AIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRL
LPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQLSRPDPALAALTNDHLVAL
ACLGGRPALDAVKKGLPHAPALIKRTNRRIPERTSHRVADHAQVVRVLGFFQ
CHSHAQAFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLPPASQRWDR
ILQASGMKRAKPSPTSTQTPDQASLHAFADSLERDLDAAPSPMHEGDQTRASA
SPKKKRKVEASGSGRADALDDFDLMLGSDALDDFDLMLGSDALDDFDL
DMLGSDALDDFDLMLIN

CACNA1C Site 1 NH activator (TALE1-NH)

MSRTRLPSPPAPSPAFSADSFSDLLRQFDPSLFNTSLFDSLPPFGAHHTEAATG
EWDEVQSGLRAADAPPPTMRVAVTAARPPRAKPAPRRRAAQPSDASPAAQV
DLRTLGYSSQQQEKIKPKVRSTVAQHHEALVGHGFTHAHIVALSQHPAALGT
VAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALLTVAGELRGPPLQLD
TGQLLKIAKRGGVTAVEAVHAWRNALTGAPLNLTPQVVAIASHDGGKQAL
ETVQRLLPVLCQAHGLTPEQVVAIASNHGGKQALETVQRLLPVLCQAHGLTPE
EQVVAIASNHGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE
TVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPE
QVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALET
VQRLLPVLCQAHGLTPEQVVAIASNGGKQALETVQRLLPVLCQAHGLTPEQ
VVAIASNHGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETV
QRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
VAIASNHGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNHGGKQALETVQ
RLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
AIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRL
LPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQLSRPDPALAALTNDHLVAL
ACLGGRPALDAVKKGLPHAPALIKRTNRRIPERTSHRVADHAQVVRVLGFFQ
CHSHAQAFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLPPASQRWDR
ILQASGMKRAKPSPTSTQTPDQASLHAFADSLERDLDAAPSPMHEGDQTRASA
SPKKKRKVEASGSGRADALDDFDLMLGSDALDDFDLMLGSDALDDFDL
DMLGSDALDDFDLMLIN

FIG. 6C

CACNA1C Site 1 HN activator (TALE1-HN)

MSRTRLPSPPAPSPAFSADSFSDLLRQFDPSLFNTSLFDSLPPFGAHHTEAATG
EWDEVQSGLRAADAPPPTMRVAVTAARPPRAKPAPRRRAAQPSDASPAAQV
DLRTLGYSSQQQEKIKPKVRSTVAQHHEALVGHGFTHAHIVALSQHPAALGT
VAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALLTVAGELRGPPLQLD
TGQLLKIAKRGGVTAVEAVHAWRNALTGAPLNLTPEQVVAIASHDGGKQAL
ETVQRLLPVLCQAHGLTPEQVVAIASHNNGGKQALETVQRLLPVLCQAHGLTPE
EQVVAIASHNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE
TVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPE
QVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALET
VQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQ
VVAIASHNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETV
QRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
VAIASHNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHNNGGKQALETVQ
RLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
AIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRL
LPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQLSRPDPALAALTNDHLVAL
ACLGGRPALDAVKKGLPHAPALIKRTNRRIPERTSHRVADHAQVVRVLGFFQ
CHSHPAQAFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGTLPPASQRWDR
ILQASGMKRAKPSPTSTQTPDQASLHAFADSLERDLDAKSPMHEGDQTRASA
SPKKKRKVEASGSGRADALDDFDLDMLGSDALDDFDLDMLGSDALDDFDL
DMLGSDALDDFDLDMLIN

CACNA1C Site 2 NN activator (TALE2-NN)

MSRTRLPSPPAPSPAFSADSFSDLLRQFDPSLFNTSLFDSLPPFGAHHTEAATG
EWDEVQSGLRAADAPPPTMRVAVTAARPPRAKPAPRRRAAQPSDASPAAQV
DLRTLGYSSQQQEKIKPKVRSTVAQHHEALVGHGFTHAHIVALSQHPAALGT
VAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALLTVAGELRGPPLQLD
TGQLLKIAKRGGVTAVEAVHAWRNALTGAPLNLTPEQVVAIASNNGGKQAL
ETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPE
EQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNIGGKQALET
VQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQ
VVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQ
RLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
AIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRL
LPVLCQAHGLTPEQVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAI
ASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLL
PVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIA
SHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLP
VLCQAHGLTPEQVVAIASNIGGRPALESIVAQLSRPDPALAALTNDHLVALAC
LGGRPALDAVKKGLPHAPALIKRTNRRIPERTSHRVADHAQVVRVLGFFQCH
SHPAQAFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGTLPPASQRWDRIL
QASGMKRAKPSPTSTQTPDQASLHAFADSLERDLDAKSPMHEGDQTRASASP
KKKRKVEASGSGRADALDDFDLDMLGSDALDDFDLDMLGSDALDDFDLDM
LGSDALDDFDLDMLIN

FIG. 6D

CACNA1C Site 2 NK activator (TALE2-NK)

MSRTRLPSPPAPSPAFSADSFSDLLRQFDPSLFNTSLFDSLPPFGAHHTEAATG
EWDEVQSGLRADAPPPTMRVAVTAARPPRAKPAPRRRAAQPSDASPAAQV
DLRTLGYSSQQQEKIKPKVRSSTVAQHHEALVGHGFTHAHIVALSQHPAALGT
VAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALLTVAGELRGPPLQLD
TGQLLKIAKRGGVTAVEAVHAWRNALTGAPLNLTP EQVVAIASNKGGKQAL
ETVQRLLPVLCQAHGLTPEQVVAIASNKGGKQALETVQRLLPVLCQAHGLTP
EQVVAIASNGGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNIGGKQALET
VQRLLPVLCQAHGLTPEQVVAIASNKGGKQALETVQRLLPVLCQAHGLTPEQ
VVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQ
RLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVV
AIASNGGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNGGGKQALETVQRLL
PVLCQAHGLTPEQVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAI
ASNKGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNKGGKQALETVQRLL
PVLCQAHGLTPEQVVAIASNKGGKQALETVQRLLPVLCQAHGLTPEQVVAI
ASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNGGGKQALETVQRLLP
VLCQAHGLTPEQVVAIASNIGGRPALESIVAQLSRPDPALAALTNDHLVALAC
LGGRPALDAVKKGLPHAPALIKRTNRRIPERTSHRVADHAQVVRVLGFFQCH
SHPAQAFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLPASPQRWDRIL
QASGMKRAKPSPTSTQTPDQASLHAFADSLERDLDPSPMHEGDQTRASASP
KKKRKVEASGSGRADALDDFDLMLGSDALDDFDLMLGSDALDDFDLML
LGSDALDDFDLMLIN

CACNA1C Site 2 NH activator (TALE2-NH)

MSRTRLPSPPAPSPAFSADSFSDLLRQFDPSLFNTSLFDSLPPFGAHHTEAATG
EWDEVQSGLRADAPPPTMRVAVTAARPPRAKPAPRRRAAQPSDASPAAQV
DLRTLGYSSQQQEKIKPKVRSSTVAQHHEALVGHGFTHAHIVALSQHPAALGT
VAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALLTVAGELRGPPLQLD
TGQLLKIAKRGGVTAVEAVHAWRNALTGAPLNLTP EQVVAIASNHGGKQAL
ETVQRLLPVLCQAHGLTPEQVVAIASNHGGKQALETVQRLLPVLCQAHGLTP
EQVVAIASNGGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNIGGKQALET
VQRLLPVLCQAHGLTPEQVVAIASNHGGKQALETVQRLLPVLCQAHGLTPEQ
VVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQ
RLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVV
AIASNGGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNGGGKQALETVQRLL
PVLCQAHGLTPEQVVAIASNHGGKQALETVQRLLPVLCQAHGLTPEQVVAI
ASNHGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNHGGKQALETVQRLL
PVLCQAHGLTPEQVVAIASNHGGKQALETVQRLLPVLCQAHGLTPEQVVAI
ASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNGGGKQALETVQRLLP
VLCQAHGLTPEQVVAIASNIGGRPALESIVAQLSRPDPALAALTNDHLVALAC
LGGRPALDAVKKGLPHAPALIKRTNRRIPERTSHRVADHAQVVRVLGFFQCH
SHPAQAFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLPASPQRWDRIL
QASGMKRAKPSPTSTQTPDQASLHAFADSLERDLDPSPMHEGDQTRASASP
KKKRKVEASGSGRADALDDFDLMLGSDALDDFDLMLGSDALDDFDLML
LGSDALDDFDLMLIN

FIG. 6E

CACNA1C Site 2 HN activator (TALE2-HN)

MSRTRLPSPPAPSPAFSADSFSDDLRRQFDPSLNFNTSLFDSLPPFGAHHTEAATG
EWDEVQSGLRADAPPPTMRVAVTAARPPRAKPAPRRRAAQPSDASPAAQV
DLRTLGYSSQQQEKIKPKVRSTVAQHHEALVGHGFTHAHIVALSQHPAALGT
VAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALLTVAGELRGPPLQLD
TGQLLKIARKGGVTAVEAVHAWRNALTGAPLNLTPSEQVVAIASHNNGGKQAL
ETVQRLLPVLCQAHGLTPEQVVAIASHNNGGKQALETVQRLLPVLCQAHGLTPE
EQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNIGGKQALET
VQRLLPVLCQAHGLTPEQVVAIASHNNGGKQALETVQRLLPVLCQAHGLTPEQ
VVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQ
RLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVA
IASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRL
LPVLCQAHGLTPEQVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAI
ASHNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHNNGGKQALETVQRLL
PVLCQAHGLTPEQVVAIASHNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIA
SHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLP
VLCQAHGLTPEQVVAIASNIGGRPALESIVAQLSRPDPALAALTNDHLVALAC
LGGRPALDAVKKGLPHAPALIKRTNRRIPERTSHRVADHAQVVRVLGFFQCH
SHPAQAFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLPPASQRWDRIL
QASGMKRAKPSPTSTQTPDQASLHAFADSLERDLDAQSPMHEGDQTRASASP
KKKRKVEASGSRADALDDFDLMLGSDALDDFDLMLGSDALDDFDLDM
LGSDALDDFDLMLIN

CACNA1C Site 1 NN repressor (TALE1-NN)

MSRTRLPSPPAPSPAFSADSFSDDLRRQFDPSLNFNTSLFDSLPPFGAHHTEAATG
EWDEVQSGLRADAPPPTMRVAVTAARPPRAKPAPRRRAAQPSDASPAAQV
DLRTLGYSSQQQEKIKPKVRSTVAQHHEALVGHGFTHAHIVALSQHPAALGT
VAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALLTVAGELRGPPLQLD
TGQLLKIARKGGVTAVEAVHAWRNALTGAPLNLTPSEQVVAIASHDGGKQAL
ETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPE
EQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE
TVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPE
QVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALET
VQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQ
VVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETV
QRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
VAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQ
RLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVA
IASHDDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRL
LPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQLSRPDPALAALTNDHLVAL
ACLGRPALDAVKKGLPHAPALIKRTNRRIPERTSHRVADHAQVVRVLGFFQ
CHSHPAQAFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLPPASQRWDR
ILQASGMKRAKPSPTSTQTPDQASLHAFADSLERDLDAQSPMHEGDQTRASA
SPKKKRKVEASMNQMLLEAADYLERREREAHGYASMLP

FIG. 6F

CACNA1C Site 1 NK repressor (TALE1-NK)

MSRTRLPSPPAPSPAFSADSFSDLLRQFDPSLFNTSLFDSLPPFGAHHTEAATG
EWDEVQSGLRAADAPPPTMRVAVTAARPPRAKPAPRRRAAQPSDASPAAQV
DLRTLGYSSQQQEKIKPKVRSSTVAQHHEALVGHGFTHAHIVALSQHPAALGT
VAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALLTVAGELRGPPLQLD
TGQLLKIAKRGGVTAVEAVHAWRNALTGAPLNLTPEQVVAIASHDGGKQAL
ETVQRLLPVLCQAHGLTPEQVVAIASNKGKQALETVQRLLPVLCQAHGLTPE
EQVVAIASNKGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE
TVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPE
QVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALET
VQRLLPVLCQAHGLTPEQVVAIASNKGKQALETVQRLLPVLCQAHGLTPEQ
VVAIASNKGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETV
QRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
VAIASNKGKQALETVQRLLPVLCQAHGLTPEQVVAIASNKGKQALETVQ
RLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
AIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQR
LPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQLSRPDPALAALTNDHLVAL
ACLGGRPALDAVKKGLPHAPALIKRTNRRIPERTSHRVADHAQVVRVLGFFQ
CHSHAQAFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLPPASQRWDR
ILQASGMKRAKPSPTSTQTPDQASLHAFADSLERDLDPSPMHEGDQTRASA
SPKKKRKVEASMNIQMLLEAADYLERREREAHGYASMLP

CACNA1C Site 1 NH repressor (TALE1-NH)

MSRTRLPSPPAPSPAFSADSFSDLLRQFDPSLFNTSLFDSLPPFGAHHTEAATG
EWDEVQSGLRAADAPPPTMRVAVTAARPPRAKPAPRRRAAQPSDASPAAQV
DLRTLGYSSQQQEKIKPKVRSSTVAQHHEALVGHGFTHAHIVALSQHPAALGT
VAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALLTVAGELRGPPLQLD
TGQLLKIAKRGGVTAVEAVHAWRNALTGAPLNLTPEQVVAIASHDGGKQAL
ETVQRLLPVLCQAHGLTPEQVVAIASNHGGKQALETVQRLLPVLCQAHGLTPE
EQVVAIASNHGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE
TVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPE
QVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALET
VQRLLPVLCQAHGLTPEQVVAIASNKGKQALETVQRLLPVLCQAHGLTPEQ
VVAIASNHGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETV
QRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
VAIASNHGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNHGGKQALETVQ
RLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV
AIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQR
LPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQLSRPDPALAALTNDHLVAL
ACLGGRPALDAVKKGLPHAPALIKRTNRRIPERTSHRVADHAQVVRVLGFFQ
CHSHAQAFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLPPASQRWDR
ILQASGMKRAKPSPTSTQTPDQASLHAFADSLERDLDPSPMHEGDQTRASA
SPKKKRKVEASMNIQMLLEAADYLERREREAHGYASMLP

FIG. 7




FIG. 8




FIG. 9

	Species	Genomic loci	References
TALE-TF	<i>Arabidopsis thaliana</i>	<i>egl3</i>	5
		<i>krat1</i>	
	<i>Homo sapiens</i>	<i>KLF4</i>	3
		<i>SOX2</i>	
		<i>NTF3</i>	4
		<i>PUMA</i>	8
		<i>IFNA1</i>	
	<i>IFNB1</i>		
TALEN	<i>Saccharomyces cerevisiae</i>	<i>ura2</i>	9
		<i>lys2</i>	
		<i>ade2</i>	
	<i>H. sapiens</i>	<i>CCR5</i>	4
		<i>NTF3</i>	
		<i>PPP1R12C (AAVS1)</i>	13
		<i>OCT4 (POU5F1)</i>	
		<i>PITX3</i>	
	<i>Caenorhabditis elegans</i>	<i>ben-1</i>	11
	<i>Danio rerio</i>	<i>hey2</i>	58, 59
		<i>grn3a</i>	
		<i>tnfrkb</i>	
	<i>Rattus norvegicus</i>	<i>Igm</i>	60

FIG. 10




FIG. 11A

All plasmids are available at the website of AddGene under TALE_Toolbox.

TALE Monomer templates: NI, NG, NN, and HD monomers

For each plasmid, only the monomer sequence is shown. The variable diresidue is highlighted in yellow. All plasmids are kan^R.

> pNI_v2

CTCACCCAGAGCAGGTCGTGGCAATTGCGAGCAACATCGGGGAAAGCAGGCACTCGAAACCGTCCAGAGGTTGCTGCCTGTGCTGTGCCAAGCGCACGGA

> pNG_v2

CTCACCCAGAGCAGGTCGTGGCAATTGCGAGCAACGGAGGGGAAAGCAGGCACTCGAAACCGTCCAGAGGTTGCTGCCTGTGCTGTGCCAAGCGCACGGA

> pNN_v2

CTCACCCAGAGCAGGTCGTGGCAATTGCGAGCAACAAGGGGAAAGCAGGCACTCGAAACCGTCCAGAGGTTGCTGCCTGTGCTGTGCCAAGCGCACGGA

> pHD_v2

CTCACCCAGAGCAGGTCGTGGCAATTGCGAGCCATGACGGGGAAAGCAGGCACTCGAAACCGTCCAGAGGTTGCTGCCTGTGCTGTGCCAAGCGCACGGA

FIG. 11B

TALE-TF Backbone plasmids: NI, NG, NN, and HD 0.5 repeats

For each plasmid, only the coding region is shown. BsaI type IIs enzyme sites are colored in blue. NLS is colored in red. VP64 is colored in purple. 2A-GFP is colored in green. For the 0.5 repeat, the variable diresidue is highlighted in yellow. All plasmids are amp^R.

> pTALE-TF_v2 (NI)
ATGTCGCGGACCCGGCTCCCTTCCACCACCCGACCCAGCCAGCGTTTCGGCCGACTCGTTCTCAGACCTGCTTAGGCAGTTCGACC
CCTCACTGTTTAAACACATCGTTGTTGACTCCCTTCTCCGTTTGGGGCGCACCATACGGAGGCGGGCCACCGGGGAGTGGGATGAGGT
GCAGTCGGGATTGAGAGCTGCGGATGCACCACCCCAACCATGCGGGTGGCCGTCACCGCTGCCCGACCGCCGAGGGCGAAGCCCG
CACCAAGGGCGAGGGCAGCGCAACCGTCCGACCGCAAGCCCGCAGCGCAAGTAGATTGAGAACTTTGGGATATTCACAGCAGCAGCA
GGAAAAGATCAAGCCCAAAGTGAAGTGCACAGTCCGCGCAGCATCACGAAGCGCTGGTGGGTCATGGGTTTACACATGCCACATCGTA
GCCTTGTGCGAGCAGCCCTGCAGCCCTTGGCAGCGTCCCGCTCAAGTACCAGGACATGATTGCCGGCGTTGCCGGAAGCCACACATGAG
GCAGTCGCTGGTGTGGGAAACAGTGGAGCGGAGCCCGAGCCGTTGAGGCCCTGTTGACGTCGCGGGAGAGCTGAGAGGGCCCTCC
CCTCAGCTGGACACGGCCAGTTGCTGAAGATCGCGAAGCGGGGAGGAGTCCAGCGGGTCCGAGGCGGTGCACCGCTGGCCGAATG
CGCTACGGGAGCACCCCTAACCTGACAgagaccGCGGCCGACTTAGGCCACCCAGGCTTTACACTTTATGCTTCGGCTCGTATATG
TGTGGATTTGAGTTAGGATCCGTCGAGATTTTCAGGAGCTAAGGAAGCTAAAAATGGAGAAAAAATCACTGGATATACCACCGTTGATA
TATCCCAATGGCATCGTAAAGAACAATTTGAGGCATTTCAAGTCAAGTTGCTCAATGTACCTATAACCAGACCGTTCCAGCTGGATATACGGC
CTTTTTAAAGACCGTAAAGAAAAATAAGCACAAAGTTTTATCCGGCCCTTATTCACATTCCTTCCCGCCCTGATGAATGCTCATCCGGAATTC
CGTATGGCAATGAAAGACGGTGAAGCTGGTATATGGATAGTGTACCCCTTGTACACCGTTTTCCATGAGCAAACTGAAACGTTTTTCA
TCGCTCTGGAGTGAATACCACGACGATTTCCGGCAGTTTCTACACATATATTCGCAAGATGTGGCGTGTACGGTGAAAACCTGGCCAT
TTCCCTAAAGGGTTTATTGAGAATATGTTTTTCGTCACGCAATCCCTGGGTGAGTTTACCAGTTTTGATTTAAACGTGGCCAAATATGG
ACAACCTTCCGCCCCGTTTTACCATGGGCAAAATATATACGCAAGGCCACAAGGTGCTGATGCCGCTGGCGATTGAGTTTCATCAT
CCCGTTTGGATGGCTTCCATGTCGGCAGAAATGCTTAATGAATACAAACAGTACTGCGATGAGTGGCAGGCGGGGCGTAAAGATCTGG
ATCCGGCTTACTAAAAGCCAGATAACAGTATGCGTATTTCCGCGCTGATTTTTCCGGTATAAGAATATATACTGATATGTATACCCGAAGT
ATGTCAAAAAGAGGTATGCTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCATATATGATGCAA
TATCTCCGGTCTGGTAAGCACAACCATGCAGAATGAAGCCCGTCTGCTCGCTGCCGAACCGCTGGAAGCGGAAATCAGGAAGGGATG
GCTGAGGTCGCCCCGTTTATTGAAATGAACGGCTCTTTGCTGACGAGAACAGGGGCTGGTGAATGCAGTTTAAAGTTTACACCTATAA
AAGAGAGAGCCGTTATCGTCTGTTTTGTTGATGTACAGAGTATATTTGACACGCCCGGGCGACCGGATGGTATCCCCCTGGCCAGTG
CAGCTCTGCTGTGAGATAAAGTCTCCCGTGAACCTTTACCCCGTGGTGCATATCGGGGATGAAAGCTGGCGCATGATGACCACCGATATG
GCCAGTGTGCCGGTCTCCGTTATCGGGGAAGAAGTGGCTGATCTCAGCCACCAGGAAAATGACATCAAAAACGCCATTAACCTGATGTT
CTGGGGAATAAATGTCAGGCTCCCTTATACACAGCCAGTCTGAGGTCGACGggtctcGACTCACGCCCTGAGCAGGTAGTGGCTATTGCA
TCCAAATATCGGGGCGACACCCGACTGGAGTCAATCGTGGCCAGCTTTCCGAGGCGGACCCCGCGCTGGCCGCACTCACTAATGATC
ATCTGTAGCGCTGGCTGCCTCGGCGGACGACCCGCTTGGATGCCGTGAAGAAGGGGCTCCCGCACGCGCTGCATTTGATTAAGC
GGACCAACAGAAGGATTTCCGAGAGGACATCACATCGAGTGGCAGATCACGCGCAAGTGGTCCCGCTGCTCGGATTTCTCCAGTGTC
CTCCCACCCCGCACAAAGCGTTCCGATGACGCCATGACTCAATTTGGTATGTGAGACACGGACTGCTGCAGCTCTTTCCGATAGAGTCCGGT
TCACAGAATCGAGGCGCGCTCGGGCACACTGCCCTCCCGCTCCAGCGGTGGGACAGGATTTCCAAAGCGAGCGGTATGAACGCG
CGAAGCCCTTACCCTACGTCAACTCAGACACCTGACCAGGCGGCTTTCATGCGTTCCGAGACTCGCTGGAGAGGGATTTGGACGGCC
CTCGCCATGCATGAAGGGACCAAACCTCGCGCTCAGCTAGCCCCAAGAAGAAGAGAAGGTTGGAGGCCAGCGTTCCGGACGGG
TGACCGATTGGACGATTTTATGCTGGATATGCTGGGAAGTACGCCCTCGATGATTTGACCTTGACATGCTTGGTTCCGATGCCCTTGA
TGACTTTGACCTCGACATGCTCGCAGTGAAGCCCTTGGATTTTCCGACCTGGACATGCTGATTAACCTAGAGGCGAGTGGAGAGGGCA
GAGGAAGTCTGCTAACATGCCGTGACGTCGAGGAGAATCTGGCCAGTGAAGCAAGGGCGAGGAGCTGTTACCCGGGGTGGTGCCCA
TCCTGGTCGAGCTGGACGGCGAGCTAAACGGCCAAAGTTTCAAGCTGTCGCGGAGGGCGAGGGCGATGCCACCTACGGCAAGCTGA
CCCTGAAGTTTATCTGCACCACCGGCAAGCTGCCCGTCCCTGGCCCAACCTCGTGACCAACCTGACCTACGGCGTGCAGTCTCAG
CGCTACCCCGACCATGAAGCAGCAGACTTCTTCAAGTCCGCCATGCCGAAGGCTACGTCAGGAGCGCACCATCTTCTTCAAG
GACGACGGCAACTACAAGACCCGCGCCGAGGTGAAGTTCCGAGGGCGACACCTTGGTGAACCGCATCGAGCTGAAGGGCATCGACTTC
AAGGAGGACGGCAACATCTGGGGCAAGCTGGAGTACAACATAACAGCCACAACTCTATATCATGGCCGACAAGCAGAAGAAGC
GCATCAAGGTGAACCTTCAAGATCCGCCACAACATCGAGGACGGCAGCGTGCAGCTCGCCGACCACTACCAGCAGAACACCCCATCG
CGACGGCCCCGTGCTGCTGCCGACAACTACCTGAGCACCCAGTCCGCCCTGAGCAAAAGACCCCAACGAGAAGCGCGATCACAT
GGTCTGCTGGAGTTCGTGACCCGCGCGGGATCACTCTCGGCATGGACGAGCTGTACAAGTAA

FIG. 11C

> pTALE-TF_v2 (NG)

ATGTCGGGACCCGGCTCCCTTCCCCACCCGACCCAGCCAGCCGTTTTGCGCCGACTCGTTCTCAGACCTGCTTAGGCAGTTCGACC
CCTCACTGTTTAAACACATCGTTGTTCCGACTCCCTTCCCTCCGTTTTGGGGCCACCATACGGAGCCGGCCACCCGGGAGTGGGATGAGGT
GCAGTCGGGATTGAGAGCTGCGGATGCACCACCCCAACCATGCGGGTGGCCGTACCCGCTGCCGACCCGGAGGGCGAAGCCCG
CACCAAGCCGAGGGCAGCGCAACCGTCCGACGCAAGCCCGCAGCCGAAGTAGATTTGAGAACTTTGGGATATTCACAGCAGCAGCA
GGAAAAGATCAAGCCAAAGTGAGGTCGACAGTCGCGCAGCATCAGGAAGCCGCTGGTGGGTGATGGGTTACACATGCCACATCGTA
GCCTTGTGCGAGCACCCCTGCAGCCCTTGGCACGGTCCGCGTCAAGTACCAGGACATGATTGCGGGCTTGCCGGAAAGCCACACATGAG
GCATCGTCGGTGTGGGAAACAGTGGAGCCGAGCCGAGCCGTTGAGGCCCTGTTGACGGTCCGGGGAGAGCTGAGAGGGCCCTCC
CCTTCAGCTGGACACGGGCCAGTTGCTGAAGATCGCGAAGCGGGGAGGAGTACAGCGGTCGAGGCGGTGCACGCGTGGCCGAATG
CGCTCACGGGAGCACCCCTCAACCTGACAggagctGGCGCCGATTAGGCACCCAGGCTTTACACTTTATGCTTCCGGCTCGTATAATG
TGTGGAATTTGAGTTAGGATCCGTCGAGATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAATCACTGGATATACCACCGTTGATA
TATCCCAATGGCATCGTAAAGAACAATTTGAGGCATTTTCAGTCAGTTGCTCAATGTACCTATAACCAGACCCGTTACGCTGGATATACGGC
CTTTTTAAAGACCGTAAAGAAAAATAAGCACAAGTTTTATCCGGCCTTTATTCACATTTCTGCCCGCTGATGAATGCTCATCCGGAATTC
CGTATGGCAATGAAAGACGGGTGAGCTGGTGATATGGGATAGTGTTCACCCCTTGTACACCGTTTTCCATGAGCAAACTGAAACGTTTTCA
TCGCTCTGGAGTGAATACCACGACGATTTCCGGCAGTTTCTACACATATATTCCGAAGATGTGGCGTGTACGGTGAACACCTGGCCCTAT
TTCCCTAAAGGGTTTTATTGAGAATATGTTTTTCGTCACGCCAATCCCTGGGTGAGTTTACCAGTTTTGATTTAAACGTGGCCAAATATGG
ACAACCTCTTCCGCCCCGTTTTACCATGGGCAAAATATATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCCGATTAGGTTTCATCAT
GCCGTTTTGATGAGCTTCCATGTCGGCAGAAATGCTTAATGAATTACAACAGTACTGCGATGAGTGGCAGGGCCGGCCGTAAGATCTGG
ATCCCGCTTACTAAAGCCAGATAACAGTATGCGTATTTGCCGCTGATTTTTGCCGTATAAGAATATATACTGATATGATACCCGAAGT
ATGCAAAAAGAGGTATGCTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAA
TATCTCCGCTCTGGTAAACACAACCATGCAGAAATGAAGCCCGTCTGCTGCGTCCGGAACGCTGGAAAAGCCGAAAAATCAGGAAGGGATG
GCTGAGGTCGCCCGTTTTATTGAAATGAACGGCTTTTTGCTGACGAGAACAGGGGCTGGTGAATGCAGTTTAAAGTTTTACACCTATAA
AAGAGAGAGCCGTTATCGTCTGTTTTGTGGATGTACAGAGTGAATATTGACACGCCCGGGCCGACGGATGGTATCCCCCTGGCCAGTG
CAGCTCTGCTGTACAGATAAAGTCTCCCGTGAACCTTTACCCGGTGGTGATATCGGGATGAAAGCTGGCGCATGATGACCAACCGATATG
GCCAGTGTGCCGCTCCGTTATCGGGGAAGAAGTGGCTGATCTACGCCACCCGAAATGACATCAAAAACGCCATTAACTGATGTT
CTGGGGAATATAAATGTACGGCTCCCTTATACACAGCCAGTCTGACGGTCCGAGggtctGACTACGCCTGAGCAGGTAGTGGCTATTGCA
TCCAAATGGCCGGGGCAGACCCGCACTGGAGTCAATCGTGGCCAGCTTTCCGAGGCCGACCCCGCGCTGGCCGCACTCACTAATGAT
CATCTTTGATAGCGCTGGCCCTGCCCTCGCGGACGACCCCGCTTGGATGCGGTGAAGAAGGGGCTCCCGCACGCCCTGCATTTGATTAAG
CGGACCAACAGAAGGATTTCCGAGAGGACATCACATCGAGTGGCAGATCACGCCAAGTGGTCCGCGTGTCCGATTCTCCAGTGTG
ACTCCACCCCGCACAAAGCGTTCCGATGACGCCATGACTCAATTTGGTATGTCGAGACACGGACTGCTGCAGCTCTTTCGTAGAGTCGGT
GTCACAGAAGTCCGAGGCCGCTCGGGCACACTGCCTCCCGCTCCAGCGGTGGGACAGGATTCTCCAAGCGAGCGGTATGAAACGC
GGGAAGCCTTCACTACGCAACTCAGACACCTGACCAGGCGAGCCCTTCATGCGTTCCGACAGCTCGCTGGAGAGGGATTTGGACGCGC
CCTCGCCATGTCATGAAGGGGACCAAACTCGCGCGTCAAGTACCCCAAGAAGAAGAAAGGTGGAGGCCAGCCGTTCCGGACCGG
CTGACGCATTGGACGATTTTGTGATGATGCTGGGAAGTGAAGCCCTCGATGATTTTACCTTGACATGCTTGGTTCGGATGCCCTTG
ATGACTTTGACCTCGACATGCTCGCGAGTGAAGCCCTTGTGATTTGACCTGGACATGCTGATTAACCTTAGAGGCAGTGGAGAGGGC
AGAGGAAGTCTGCTAATCGCGTGAAGTCCGAGGAGAACTTGGCCAGTCAAGCAAGGCGAGGAGCTGTTACCCGGGTGGTGGCC
ATCCTGGTCCGAGTGGACGGCGAGCTAAACGGCCACAAGTTACAGCGTGTCCGGCGAGGGCGAGGGCGATGCCACCTACCGCAAGCTG
ACCCTGAAGTTTCATGTCACCACCGGAAGCTGCCCGTGCCTGGCCACCCCTCGTGACCACCTGACCTACGGCGTGCAGTGTCTCA
GCGCTACCCCGACACATGAAGCAGCACGACTTCTTCAAGTCCGCCATGCCGAAGGCTACGTCACAGGACGCCACCATCTTCTCAA
GGACGACGGCAACTACAAGACCCGCGCGAGGTGAAGTTCCGAGGGCGACACCCCTGGTGAACCGCATCGAGCTGAAGGGCATCGACTT
CAAGGAGACGGCAACATCTGGGGCACAAGCTGGAGTACAACACAGCCACAACGCTTATATCATGGCCGACAAAGCAGAAGAAC
GGCATCAAGGTGAACCTCAAGATCCGCCACAACATCGAGGACGGCAGCGTGCAGCTCGCCGACCACTACCAGCAGAACACCCCATCG
GCGACGGCCCCGTGCTGCTGCCCGACAACCACTACCTGAGCACCCAGTCCGCCCTGAGCAAAAGACCCCAACGAGAAGCGCGATCACA
TGGTCTGCTGGAGTTCGTGACCCCGCCGGGATCACTCTCGCATGGACGAGCTGTACAAGTAA

FIG. 11E

> pTALE-TF_v2 (HD)
ATGTCGGGACCCGGCTCCCTTCCCCACCCGACCCAGCCAGCGTTTTGGCCGACTCGTTCTCAGACCTGCTTAGGCAGTTCGACC
CCTCACTGTTTAAACACATCGTTGTTGACTCCCTTCCCTCCGTTTTGGGGCCGACCATACGGAGGCGGCCACCGGGGAGTGGGATGAGGT
GCAGTCGGGATTGAGAGCTCGGATGCACCACCCCAACCATGCGGGTGGCCGTCACCGCTGCCCGACCCCGAGGGCGAAGCCCG
CACCAGGCGGAGGGCAGCGCAACCGTCCGACGCAAGCCCGCAGCGCAAGTAGATTTGAGAACTTTGGGATATTACAGCAGCAGCA
GGAAAAGATCAAGCCCAAAGTGAGGTGACAGTCCGCGCAGCATACGAAGCGCTGGTGGGTCATGGGTTTACACATGCCACATCGTA
GCCTTGTGCGCAGCACCCCTGCAGCCCTTGGCAGCGTCCCGTCAAGTACCAGGACATGATTGCGGCGTTGCCGGAAGCCACACATGAG
GCGATCGTGGGTGGGGAAACAGTGGAGCGGAGCCCGAGCGCTTGGAGCCCTGTTGACCGTCCGCGGAGAGCTGAGAGGGCCCTCC
CCTTCAGCTGGACACGGCCAGTTGCTGAAGATCGCGAAGCGGGGAGGAGTACGCGGTCGAGGCGGTGCACGCGTGGCGCAATG
CGCTCAGCGGAGCACCCCTCAACCTGACAgagaccGCGGCCGATTAGGCCACCCAGGCTTACACATTTATGCTCCGCGCTCGTATAATG
TGTGGATTTGAGTTAGGATCCGTCGAGATTTTCAGGAGCTAAGGAAGCTAAAAAGGAAAAAAATCACTGGATATACCACCGTTGATA
TATCCCAATGGCATCGTAAAGAACATTTGAGGCATTTCACTGAGTTCGCTCAATGTACCTATAACCAGACCCGTTCCAGCTGGATATTACGGC
CTTTTTAAAGACCGTAAAGAAAAATAAGCACAAGTTTTATCCGGCCTTTATTCACATTTCCGCCGCTGATGAATGCTCATCCGGAATTC
CGTATGGCAATGAAAGACGGTGAAGCTGGTATGGGATAGTGTTCACCCCTGTTACACCGTTTTCCATGAGCAAACTGAAACGTTTTCA
TCGCTCTGGAGTGAATACCAGCAGGATTTCCGGCAGTTTCTACACATATATTCGCAAGATGTGGCGTGTACGGTGAACCTGGCCTAT
TTCCCTAAAGGGTTTTATTGAGAATATGTTTTTCGTCACGCAATCCCTGGGTGAGTTTCACCGATTTTGATTTAAACGTGGCCAAATATGG
ACAACTTCTCGCCCGTTTTACCATGGGCAAAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTTCAGTTTCATCAT
CCCGTTTTGATGGCTTCCATGTCGGCAGAATGCTTAATGAATTAACAACAGTACTGCGATGAGTGGCAGGGCGGGGCGTAAAGATCGT
ATCCGGCTTACTAAAAGCCAGATAACAGTATCGTATTTGCGCGCTGATTTTTGCGGTATAAGAATATATACTGATATGATACCCGAAGT
ATGTCAAAAAGAGGTATGCTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAA
TATCTCCGGTCTGGTAAGCACAACCATGCAGAAATGAAGCCCGTCTGCTGCGTGCAGAACCGCTGGAAGCGGAAAAATCAGGAAGGGATG
GCTGAGGTCGCCCCGTTTTATTGAAATGAACCGCTCTTTTGTGACGAGAACAGGGGCTGGTGAATGCAGTTTAAAGTTTTACACCTATAA
AAGAGAGAGCCGTTATCGTCTGTTGTGGATGTACAGAGTATATATTGACACGCCCGGGCGACGGATGGTATCCCCCTGGCCAGTG
CACGTCCTGTCAGATAAAGTCTCCCTGAACTTTACCCGGTGGTGCATATCGGGATGAAAGCTGGCGCATGATGACCACCGATATG
GCCAGTGTGCCGGTCTCCGTTATCGGGGAAGAAGTGGCTGATCTCAGCCACCGCGAAAAATGACATCAAAAACGCCATTAACCTGATGTT
CTGGGAATATAAATGTCAAGGCTCCCTTATACACAGCCAGTCTGCAGGTCGACggtctGACTCAGCCCTGAGCAGGTAGTGGCTATTGCA
TCCCATGACGGGGCAGACCCGCACTGGAGTCAATCGTGGCCAGCTTTTCAGGCGGACCCCGCTGGCCGCACTCACTAATGAT
CATCTTGTAGCGCTGCGCTGCTCGGGCAGCAGCCGCTTGGATGCGGTGAAGAAAGGGGCTCCCGCACGCGCTGCATTTGATTAAG
CGGACCAACAGAAGGATTTCCGAGAGGACATCACATCGAGTGGCAGATCAGCCGCAAGTGGTCCCGTCTCGGATCTTCCAGTGTG
ACTCCACCCCGCACAAAGCGTTTCGATGACGCCATGACTCAATTTGGTATGTCGAGACACGGACTGCTGCAGCTCTTTTCGTAGAGTCCGGT
GTCACAGAACTCGAGGCCCGCTCGGGCACACTGCCTCCCGCTCCAGCGGTGGGACAGGATTTCCAGCGAGCGGTATGAAACCGC
GCCAAGCCCTTCACTAGCTCAACTCAGACACCTGACCAGCGGAGCCTTTCATGCGTTCCGAGACTCGCTGGAGAGGATTTGGACGCGC
CCTCGCCATGCATGAAGGGGACCAAACTCGCGCTCAGCTAGCCCAAGAAGAAGAGAAGGTGGAGGCCAGCGGTTCCGGACGGG
CTGACGCAATGGACGATTTTGTCTGGATATGCTGGGAAGTACGCCCTCGATGATTTTACCTTGACATGCTTGGTTCGGATGCCCTTG
ATGACTTTGACCTCGACATGCTCGGCAGTACGCCCTTGTATGATTTTCAGCTGGACATGCTGATTAACCTTAGAGGCAAGTGGAGGGG
AGAGGAAGTCTGCTAAACATCGCGTACGTCGAGGAGAATCCTGGCCAGTGAAGCAAGGGCCAGGAGCTGTTACCCGGGTGTTGCC
ATCCTGGTTCGAGCTGGACGGCGACGTAACCGGCCACAAGTTTCAAGCTGTCCGGCGAGGGCGAGGGGATGCCACCTACGGCAAGCTG
ACCTGAAGTTTATGTCACCACCGGCAAGCTGCCGTCGCTGGCCACCTCGTGACCACCTGACCTACGGCGTGCAGTGTCTTCA
GCCGCTACCCCGACCATGAAGCAGCAGGACTTCTTCAAGTCCGCCATGCCCGAAGGCTACGTCAGGAGCGCACCATCTTCTTCAA
GGACGACGGCAACTACAAGACCCGCGCCGAGGTGAAGTTGAGGGCGACACCCCTGGTGAACCGCATCGAGCTGAAGGGCATCGACTT
CAAGGAGGACGGCAACATCCTGGGGACAAGCTGGAGTACAACACAGCCACAACGCTTATATCATGGCCGACAAGCAGAAAGAAC
GGCATCAAGGTGAACCTCAAGATCCGCCACAACATCGAGGACGGCAGCGTGCAGCTCGCCGACCACTACAGCAGAACACCCCATCG
GCGACGGCCCGTGTCTGCCGACAACCACTACCTGAGCACCCAGTCCCGCCTGAGCAAGACCCCAACGAGAAGCGCGATCACA
TGCTCCTGCTGGAGTTCGTGACCGCCCGGGATCACTCTCGCATGGACGAGCTGTACAAGTAA

FIG. 11F

TALEN Backbone plasmids: NI, NG, NN, and HD 0.5 repeat

For each plasmid, only the coding region is shown. *BsaI* type IIs enzyme sites are colored in blue. NLS is colored in red. *FokI* is colored in orange. For the 0.5 repeat, the variable diresidue is highlighted in yellow. All plasmids are amp^R.

```
> pTALEN_v2 (NI)
ATGGACTATAAGGACCACGACGGAGACTACAAGGATCATGATATTGATTACAAGACGATGACGATAAGATGGCCCCAAAGAAG
AAGCGGAAGGTCGGTATCCACGGAGTCCCAGCAGCCGTAGATTTGAGAACTTTGGGATATTCACAGCAGCAGCAGGAAAAGAT
CAAGCCCAAAGTGAGGTCGACAGTCCGCGCAGCATCACGAAGCGCTGGTGGGTCATGGGTTTACACATGCCACATCGTAGCC
TTGTGCGCAGCACCCCTGCAGCCCTTGGCAGCGTCCGCTCAAGTACCAGGACATGATTGCGGCGTTGCCGGAAGCCACACATG
AGGCGATCGTGGTGTGGGAAACAGTGGAGCGGAGCCCGAGCGCTTGAGGCCCTGTTGACGGTCCGCGGAGAGCTGAGAG
GGCCTCCCTTCAGCTGGACACGGGCCAGTTGCTGAAGATCCGGAAGCGGGGAGGAGTCCAGGCGGTCGAGGCCGTTGACCG
CGTGGCGCAATGCGCTCACGGGAGCACCCCTCAACCTGACAgagaccGCGGCCGCATTAGGCACCCAGGCTTTACACTTTATG
CTTCCGGCTCGTATAATGTGTGGATTTTGGAGTTAGGATCCGTCGAGATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAA
TCACTGGATATACCACCGTTGATATATCCCAATGGCATCGTAAAGAACATTTTGGAGCATTTTCAGTCAGTTGCTCAATGTACCTA
TAACCAGACCGTTTCAGCTGGATATTACGGCCTTTTTAAAGACCGTAAAGAAAAATAAGCACAAGTTTTATCCGGCCTTTATTCAC
ATTCTTGCCCGCCTGATGAATGCTCATCCGGAATTCGGTATGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAGTGTTCAC
CCTTGTACACCGTTTTCCATGAGCAAACCTGAAACGTTTTTCATCGCTCTGGAGTGAATACCACGACGATTTCCGGCAGTTTCTAC
ACATATATTCGCAAGATGTGGCGTGTACGGTGAAAACTGGCCTATTTCCCTAAAGGGTTTATTGAGAATATGTTTTTCGTCTC
AGCCAATCCCTGGGTGAGTTTCACCAAGTTTTGATTTAAACGTGGCCAAATATGGACAACCTTTCGCCCCGTTTTACCCATGGG
CAAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTCCAGTTTCATCATGCCGTTTGTGATGGCTTCCATGTCCG
CAGAATGCTTAATGAATTACAACAGTACTGCGATGAGTGGCAGGGCGGGGCGTAAGATCTGGATCCGGCTTACTAAAAGCCA
GATAACAGTATGCGTATTGCGCGCTGATTTTTGCGGTATAAGAATATATACTGATATGTATACCCGAAGTATGCAAAAAGAGG
TATGCTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCATATATGATGCAATATCTCCG
GTCTGGTAAGCACAACCATGCAGAAATGAAGCCCGTCTGCTGCGTGCCGAAACGCTGGAAAGCGGAAAATCAGGAAGGGATGGC
TGAGGTGCGCCGTTTTATTGAAATGAACGGCTCTTTTGTGCTGACGAGAACAGGGGCTGGTGAATGCAGTTTAAAGTTTACACCT
ATAAAAGAGAGAGCCGTTATCGTCTGTTTGTGGATGTACAGAGTGATATTATGACACGCCCCGGCGACGGATGGTGATCCCC
CTGGCCAGTGACGCTGCTGTGATGATAAAGTCTCCCGTGAACCTTACCCGGTGGTGCATATCGGGGATGAAAGCTGGCGCAT
GATGACCACCGATATGGCCAGTGTGCCGCTCTCCGTTATCGGGGAAGAAAGTGGCTGATCTCAGCCACCGCGAAAATGACATCA
AAAAGCCATTAACTGATGTTCTGGGAATATAAATGTCAGGCTCCCTTATACACAGCCAGTCTGCAGGTGCAAGGTCGAGTcGACTC
ACGCCTGAGCAGGTAGTGGCTATTGCATCCAACTCGGGGGCAGACCCGCACTGGAGTCAATCGTGGCCAGCTTTCGAGGC
CGGACCCCGCGCTGGCCGCACTACTAATGATCATCTTGTAGCGTGGCCTGCCTCGGCGGACGACCCGCTTGGATGCGGT
GAAGAAGGGGCTCCCGCACGCGCCTGCATTGATTAAGCGGACCAACAGAAGGATTCCCGAGAGGACATCACATCGAGTGGCA
GGTTCCTCAACTCGTGAAGAGTGAACCTGAGGAGAAAAAGTGGAGCTGCGGCACAAATTGAAATACGTACCGCATGAATACAT
CGAACTTATCGAAATTTGCTAGGAACTCGACTCAAGACAGAATCCTTGAGATGAAGGTAATGGAGTTCTTTATGAAGGTTTATGGA
TACCGAGGGGAAGCATCTCGGTGGATCACGAAAACCCGACGGAGCAATCTATACGGTGGGGAGCCCGATTGATTACGGAGTGA
TCGTGACACGAAAGCCTACAGCGGTGGGTACAATCTTCCATCGGGCAGGACAGATGAGATGCAACGTTATGTGCAAGAAAAAT
CAGACCAGGAACAAACATCAATCCAAATGAGTGGTGGAAAGTGTATCCTTCATCAGTGACCGAGTTTAAAGTTTTGTTGTCT
CTGGGCAATTTCAAAGGCAACTATAAGGCCAGCTCACACGGTTGAATACATTACGAACTGCAATGGTGCAGTTTTGTCCGTAG
AGGAACTGCTCATTGGTGGAGAAATGATCAAAGCGGGAACCTGACACTGGAAGAAGTCAGACGCAAGTTTAACAATGGCGAG
ATCAATTTCCGCTCAAA
```

FIG. 11G

> pTALEN_v2 (NG)
ATGGACTATAAGGACCACGACGGAGACTACAAGGATCATGATATTGATTACAAAGACGATGACGATAAGATGGCCCCAAAGAAG
AAGCGGAAGGTCGGTATCCACGGAGTCCCAGCAGCCGTAGATTTGAGAACTTTGGGATATTACAGCAGCAGCAGGAAAAGAT
CAAGCCCCAAAGTGAGGTCGACAGTGGCGCAGCATCAAGGACGCTGGTGGGTCATGGGTTTACACATGCCACATCGTAGCC
TTGTGCGCAGCACCCCTGCAGCCCTTGGCACGGTCGCGCTCAAGTACCAGGACATGATTGCGGCGTTGCCGGAAGCCACACATG
AGGCGATCGTCGGTGTGGGAAACAGTGGAGCGGAGCCCGAGCGCTTGAGGCCCTGTTGACGGTCGCGGGAGAGCTGAGAG
GGCCTCCCCTTACGCTGGACACGGGCCAGTTGCTGAAGATCGCGAAGCGGGAGGAGTACGGCGGTGAGGCCGTTGCACG
CGTGGCGCAATGCGCTCACGGGAGCACCCCTCAACCTGACAgagaccGCGGCCGATTAGGCCACCCAGGCTTTACACTTTATG
CTTCCGGCTCGTATAATGTGTGGATTTTGTAGTTAGGATCCGTCGAGATTTTCAGGAGCTAAGGAAAGCTAAAATGGAGAAAAA
TCACTGGATATACCACCGTTGATATATCCCAATGGCATCGTAAAGAACATTTTGGGCAATTTGAGGCAATTTGAGTCAATGTACCTA
TAACCAGACCGTTCAGCTGGATATTACGGCCTTTTTAAAGACCGTAAAGAAAAATAAGCACAAAGTTTTATCCGGCCTTTATTAC
ATTTCTGGCCGCTGATGAATGCTCATCCGGAATTCGGTATGGCAATGAAAGACGGTGGAGCTGGTATATGGGATAGTGTTCAC
CCTTGTACACCGTTTTCCATGAGCAAACCTGAAACGTTTTGATCGCTCTGGAGTGAATACCAGACGATTTCCGGCAGTTTCTAC
ACATATATTCGCAAGATGTGGCGTTACGGTGAACCTGGCCTATTTCCCTAAAGGGTTTTATTGAGAATATGTTTTCTGCTC
AGCCAACTCCCTGGGTGAGTTTTACCCAGTTTTGATTTAAACGTGGCCAAATATGGACAACCTTCTTCGCCCGGTTTTCCACATGGG
CAAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTGAGTTTCATCATGCCGTTTGTGATGGCTTCCATGTCGG
CAGAATGCTTAATGAATTACAACAGTACTGCGATGAGTGGCAGGGCGGGGCGTAAAGATCTGGATCCGGCTTACTAAAAGCCA
GATAACAGTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAATATATACTGATATGTATACCCGAAGTATGCAAAAAGAGG
TATGCTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAATATCTCG
GTCTGGTAAGCACAAACATGCAGAATGAAGCCCGTCTGCTGCGTGCCGAACGCTGGAAAGCGGAAAATCAGGAAGGGATGGC
TGAGGTGCGCCGTTTTATTGAAATGAACGGCTTTTTGCTGACGAGAACAGGGGCTGGTGAATGCAGTTAAGTTTTACACCT
ATAAAAGAGAGAGCCGTTATCGTCTGTTTTGGATGTACAGAGTGATATTATTGACAGCCCGGGCGACGGATGGTATCACC
CTGGCCAGTGACGCTGCTGTGTCAGATAAAGTCTCCCGTGAACCTTACCCTGGTGGTGCATATCGGGGATGAAAGCTGGCGCAT
GATGACCACCGATATGGCCAGTGTGCCGCTCCTCGTTATCGGGGAAGAAGTGGCTGATCTCAGCCACCGCAAATGACATCA
AAAACGCCATTAACCTGATGTTCTGGGGAATATAAATGTCAGGCTCCCTTATACACAGCCAGTCTGCAGGTGACGgtctcGACTC
ACGCTGAGCAGGTAGTGGCTATTGCATCCAAACGGAGGGGGGAGACCCGCACTGGAGTCAATCGTGGCCAGCTTTTCGAGGC
CGGACCCCGCGCTGGCCGCACTCACTAATGATCATCTTGTAGCGCTGGCCTGCCTCGGCGGACGACCCGCTTGGATGCGGT
GAAGAAGGGCTCCCGCACGCGCCTGCATTGATTAAGCGGACCAACAGAAGGATCCCGAGAGGACATCACATCGAGTGGCA
GGTCCCAACTCGTGAAGAGTGAACCTTGAGGAGAAAAAGTCGGAGCTGCGGCACAAATTGAAATACGTACCGCATGAATACAT
CGAACTTATCGAAATTGCTAGGAACCTGACTCAAGACAGAATCCTTGAGATGAAGGTAATGGAGTTCTTTATGAAGGTTTATGGA
TACCGAGGGAAGCATCTCGGTGGATCACGAAAACCCGACGGAGCAATCTATACGGTGGGGAGCCCGATTGATTACGGAGTGA
TCGTCGACACGAAAAGCCTACAGCGGTGGGTACAATCTTCCATCGGGCAGGCAGATGAGATGCAACGTTATGTCGAAAGAAAAT
CAGACCAGGAACAACACATCAATCCAAATGAGTGGTGGAAAGTGTATCCTTCATCAGTGACCGAGTTAAGTTTTGTTTTGTCT
CTGGGCATTTCAAAGCAACTATAAGGCCAGCTCACACGGTTGAATCACATTACGAACTGCAATGGTGCAGTTTTGTCGGTAG
AGGAACTGCTCATTGGTGGAGAAATGATCAAAGCGGGAACCTGACACTGGAAGAAAGTCAGACGCAAGTTTAAACATGGCCGAG
ATCAATTTCCGCTCATAA

FIG. 11H

> pTALEN_v2 (NN)
ATGGACTAAAGGACCACGACGGAGACTACAAGGATCATGATATTGATTACAAGACGATGACGATAAGATGGCCCCAAAGAAG
AAGCGGAAAGGTCGGTATCCACGGAGTCCCAGCAGCCGTAGATTTGAGAACTTTGGGATATTCACAGCAGCAGAGGAAAAGAT
CAAGCCCAAAGTGAGGTCGACAGTCGCGCAGCATCACGAAGCGCTGGTGGGTCAATGGGTTTACACATGCCACATCGTAGCC
TTGTCGACGACCCCTGCAGCCCTTGGCACGGTCGCGTCAAGTACCAGGACATGATTGCGGCGTTGCCGGAAGCCACACATG
AGGCGATCGTCGGTGTGGGAAACAGTGGAGCGGAGCCCGAGCGCTTGAGGCCCTGTTGACGGTCGCGGGAGAGCTGAGAG
GGCCTCCCCCTTCACTGGACACGGGCCAGTTGCTGAAGATCGCGAAGCGGGGAGGAGTCAAGCGCGTGGAGGCGGTGCACG
CGTGCGCAATGCCTCACGGGAGCACCCCTCAACCTGACAgagaccGCGGCCGATTAGGCACCCAGGCTTTACACTTTATG
CTTCCGGCTCGTATAATGTGTGGATTTTGTAGTTAGGATCCGTCGAGATTTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAA
TCACTGGATATACCACCGTTGATATATCCCAATGGCATCGTAAAGAACATTTTGGAGCATTTGAGTCAATGTACCTA
ACATATATTCGCAAGATGTGGCGTGTACGGTGAAAACCTGGCCATTTCCCTAAAGGGTTTATTGAGAATATGTTTTTCGTC
AGCCAATCCCTGGGTGAGTTTCAACAGTTTGTATTAACGTGGCCAATATGGACAACCTTCTCGCCCGGTTTCAACCATGGG
CAAAATATTACGCAAGGGCACAAGGTGCTGATGCCGCTGGCGATTCAAGTTTCAATGCCGTTTGTGATGGCTTCCATGTCCG
CAGAATGCTTAATGAATTACAACAGTACTGCGATGAGTGGCAGGCGGGGGCTAAAGATCTGGATCCGGCTTACTAAAAGCCA
GATAACAGTATGCGTATTTGCGCGCTGATTTTTCGGGTATAAAGAAATATACTGATATGTATACCCGAAGTATGTCAAAAAGAGG
TATGCTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCATATCTCCG
GTCTGGTAAAGCACAACCATGCAGAAATGAAGCCCGTCTGCTGCGTGCCGAAACGCTGGAAAGCGGAAAATCAGGAAGGGATGGC
TGAGGTCCCGCGTTTATTGAAATGAACGGCTCTTTGCTGACGAGAACAGGGGCTGGTGAATGCAGTTTAAAGGTTTACACCT
ATAAAAAGAGAGACCGTTATCGTCTGTTTGTGGATGTACAGAGTGTATATTATTGACACGCCCCGGGCGACGGATGGTGTCCCC
CTGGCCAGTGACGCTGCTGTGATATAAGTCTCCCGTGAACCTTACCCTGGTGGTGCATATCGGGGATGAAAGCTGGCGCAT
GATGACCACCGATATGGCCAGTGTGCCGCTCTCCGTTATCGGGGAAGAGTGGCTGATCTCAGCCACCGCGAAAAATGACATCA
AAAACGCCATTAACTGATGTTCTGGGGAATATAAATGTAGGCTCCCTTATACACAGCCAGTCTGCAGGTGACGggttcGACTC
ACGCTGAGCAGGTAGTGGCTATTGCATCCAAACACGGGGGACAGCCGCACTGGAGTCAATCGTGCCCGAGCTTTCGAGGC
CGGACCCCGCGCTGGCCGCACTACTAATGATCATCTTGTAGCGCTGGCCTGCTCGGCGGACGACCCGCTTGGATGCGGT
GAAGAAGGGGCTCCCGCACGCGCCTGCATTGATTAAGCGGACCAACAGAAGGATTCCCGAGAGGACATCATCGAGTGGCA
GGTTCCCAACTCGTGAAGAGTGAACCTTGAAGGAAAAAGTCGGAGCTGCGGCACAAATTGAAATACGTACCGCATGAATACAT
CGAACTATCGAAATGCTAGGAACTCGACTCAAGACAGAATCCTTGAGATGAAGGTAATGGAGTTCTTTATGAAGGTTTATGGA
TACCCGAGGGAAGCATCTGGGTGATCACGAAAACCCGACGGAGCAATCTATACGGTGGGGAGCCCGATTGATTACGGAGTGA
TCGTGACACGAAAGCCTACAGCGGTGGGTACAATCTTCCATCGGGCAGGCAGATGAGATGCAACGTTATGTGCAAGAAAAA
CAGACCAGAAACACATCAATCCAAATGAGTGGTGGAAAGTGTATCCTTATCAGTGACCGAGTTTAAAGTTTTTGTTGTCT
CTGGGCATTTCAAAGGCAACTATAAGGCCAGCTCACACGGTTGAATACATTACGAACTGCAATGGTGCCTTTTGTCCGTAG
AGGAACTGCTCATTGTTGGAGAAATGATCAAGCGGGAACCTGACACTGGAAGAAGTCAGACGCAAGTTTAAACATGGCGAG
ATCAATTTCCGCTCAATA

FIG. 11I

```
> pTALEN_v2 (HD)
ATGGAATAAAGGACACGACGGAGACTACAAGGATCATGATATTGATTACAAAGCGATGACGATAAGATGGCCCCAAAAGAA
AAGCGAAAGGTCGGTATCCACGGAGTCCACAGCAGCCGTAGATTTGAGAACTTTGGGATATTCACAGCAGCAGCAGGAAAAGAT
CAAGCCCAAAGTGAGGTCGACAGTCGCGCAGCATCACGAAGCGCTGGTGGGTCATGGGTTTACACATGCCACATCGTAGCC
TTGTGCGCAGCACCCCTGCAGCCCTTGGCACGGTCGCCGTCAAGTACCAGGACATGATTGCGGCGTTGCCGGAAGCCACACATG
AGCGCATCGTCGGTGTGGGAAACAGTGGAGCGGAGCCCGAGCGCTTGAGGCCCTGTTGACGGTCGCGGGAGAGCTGAGAG
GGCCCTCCCTTACGCTGGACACGGGCCAGTTGCTGAAGATCGCGAAGCGGGGAGGAGTACGGCGGTCGAGGCGGTGCACCG
CGTGGCGCAATGCGCTCACGGGAGCACCCCTCAACCTGACAgagaccGCGGCCGATTAGGCACCCAGGCTTTACACTTTATG
CTTCCGGCTCGTATAATGTGTGGATTTTGGATTTAGGATCCGTCGAGATTTTTCAGGAGCTAAGGAAAGCTAAAATGGAGAAAAAAA
TCACTGGATATACCACCGTTGATATATCCCAATGGCATCGTAAAGAACAATTTTGGGCAATTCAGTCAGTTGCTCAATGTACCTA
TAACCAGACCGTTCAGCTGGATATACGGCCTTTTTAAAGACCGTAAAGAAAAATAAGCACAAGTTTATCCGGCCTTTATTAC
ATTCTTGCCCGCTGATGAATGCTCATCCGGAATTCGGTATGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAGTGTTCAC
CCTTGTTACACCGTTTTTCCATGAGCAAACCTGAAACGTTTTTCATCGCTCTGGAGTGAATACCACGACGATTTCCGGCAGTTTCTAC
ACATATATTGCAAGATGTGGCGTGTACGGTGAAACCTGGCCTATTTCCCTAAAGGGTTTATTGAGAATATGTTTTCGTCTC
AGCCAATCCCTGGGTGAGTTTACCAGTTTTGATTTAAACGTGGCCAAATGGACAACCTTTCGCCCCCGTTTTACCATTGGG
CAAATATTATACGCAAGGGCGACAAGGTGCTGATGCCGCTGGCGATTTCAGGTTTCATCATGCCGTTTTGTGATGGCTTCCATGTCGG
CAGAATGCTTAATGAATACAACAGTACTGCGATGAGTGGCAGGGCGGGCGGTAAAGATCTGGATCCGGCTTACTAAAAGCCA
GATAACAGTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAATATACTGATATGTATACCCGAAGTATGTCAAAAAGAGG
TATGCTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAATATCTCCG
GTCTGGTAAAGCACAACCATGCAGAAATGAAGCCCGTCTGCTGCGTCCGGAACGCTGGAAAGCGGAAAAATCAGGAAGGGATGGC
TGAGGTCGCCCGGTTTTATTGAAATGAACGGCTCTTTTTGCTGACGAGAAACAGGGGCTGGTGAATGCAGTTTAAAGGTTTACACCT
ATAAAGAGAGAGCCGTTATCGTCTGTTTGTGGATGTACAGAGTGATATTATTGACACGCCCGGGCGACGGATGGTGATCCCC
CTGGCCAGTGACGCTCTGCTGTGAGATAAAGTCTCCCGTGAACCTTACCCGGTGGTGATATCGGGGATGAAAGCTGGCGCAT
GATGACCACCGATATGGCCAGTGTGCCGGTCTCCGTTATCGGGGAAGAAAGTGGCTGATCTCAGCCACCCGAAAAATGACATCA
AAAACGCCATTAACCTGATGTTCTGGGGAATATAAATGTCAGGCTCCCTTATACACAGCCAGTCTGCAGGTCGACGgtctcGACTC
ACGCCTGAGCAGGTAGTGGCTATTGCATCCCATGACGGGGGACAGCCCGCACTGGAGTCAATCGTGGCCAGCTTTCCGAGGC
CGGACCCCGCGCTGGCCGCACTCACTAATGATCATCTTTAGCGCTGGCCTGCCTCGGCGGACGACCCGCTTGGATGCGGT
GAAGAAGGGGCTCCCGCACGCGCTGCATTGATTAAGCGGACCAACGAAGGATTCCCGAGAGGACATCACATCGAGTGGCA
GGTTCCCAACTCGTGAAGAGTGAACCTTGAGGAAAAAGTGGAGCTGCGGCACAAAATTGAAATACGTACCCGATGAATACAT
CGAACTTATCGAAATGCTAGGAACTCGACTCAAGACAGAATCCTTGAGATGAAGGTAATGGAGTTCTTTATGAAGGTTTATGGA
TACCGAGGGAAGCATCTCGGTGGATACGAAAACCCGACGGAGCAATCTATACGGTGGGGAGCCCGATTGATTACGGAGTGA
TCGTCGACACGAAAGCCCTACAGCGGTGGGTACAATCTTCCATCGGGCAGGCAGATGAGATGCAACGTTATGTCGAAGAAAAAT
CAGACCAGGAACAACACATCAATCCAAATGAGTGGTGGAAAGTGTATCCTTCATCAGTGACCGAGTTTAAAGTTTTGTTGTCT
CTGGGCATTTCAAAGGCAACTATAAGGCCAGCTCACACGGTTGAATCACATTACGAACTGCAATGGTGCGGTTTTGTCGGTAG
AGGAACTGCTCATTGGTGGAGAAATGATCAAAGCGGGAACTCTGACACTGGAAGAAGTCAAGACGCAAGTTTAACAATGGCGAG
ATCAATTTCCGCTCATAA
```

FIG. 12A




FIG. 12B




FIG. 13




FIG. 14




FIG. 15

Name	Sequence	Purpose
Ex-F1	5'-TGGGTGcggtctcCGAACCTTAAACCGGGCCAACATACcggtctcTGACCCAGAGCAGGTGTG-3'	Monomer amplification (primers Ex-F1 through In-R5)
Ex-F2	5'-TGGGTGcggtctcCGAACCTTAAACCGGGCCAACATACcggtctcGACTTACACCCGAAACAAGTGTGGCAATTGGCAGC-3'	
Ex-F3	5'-TGGGTGcggtctcCGAACCTTAAACCGGGCCAACATACcggtctcGCGGCTCACCCAGAGCAAGGTG-3'	
Ex-F4	5'-TGGGTGcggtctcCGAACCTTAAACCGGGCCAACATACcggtctcGTGGGTACACCCAGAGCAAGGTG-3'	
Ex-R1	5'-GCTGACcggtctcCGTTCAGTCTGTCTTCCCTTTCCgggtctcTAAGTCCGTGGCTTGGCAC-3'	
Ex-R2	5'-GCTGACcggtctcCGTTCAGTCTGTCTTCCCTTTCCgggtctcAGCCGTGGCTTGGCACAG-3'	
Ex-R3	5'-GCTGACcggtctcCGTTCAGTCTGTCTTCCCTTTCCgggtctcTCCATGGGCGCTGACATAACACAGCCAGCAACTCTG-3'	
Ex-R4	5'-GCTGACcggtctcCGTTCAGTCTGTCTTCCCTTTCCgggtctcTGAGTCCGTGGCTTGGCAC-3'	
In-F2	5'-CTTGTATGACAGTGGCcggtctcGTACGCCAGAGCAGGTGTGGC-3'	
In-F3	5'-CCAAAGATTCAALCGTCTGcggtctcGAACCCAGAGCAGGTGTG-3'	
In-F4	5'-TATTGATGCTGGALGGACTcggtctcGGTGAACCCAGAGCAGGTGTG-3'	
In-F5	5'-GTCCTAGTGAGGAATACCGGcggtctcGCCTGACCCAGAGCAGGTGTG-3'	
In-F6	5'-TTCCTTGATACGTAGCTCGcggtctcGGACACCAGAGCAGGTGTG-3'	
In-R1	5'-TCTTAAKGGTGTCTCGTTCcggtctcCCGTAAGTCCGTGGCTTGGCAC-3'	
In-R2	5'-CGTTCCTTCCGGTGGTTCcggtctcTGGTATGTCGTGGCTTGGCAC-3'	
In-R3	5'-TSAGCCTTATGATTCCTGcggtctcTCAACCCGTGGCTTGGCACAG-3'	
In-R4	5'-AGTCTGTCTTCCCTTTCCcggtctcTLAGCCGTGGCTTGGCACAG-3'	
In-R5	5'-CCGAAGAATCGCAGATCTAeggtctcTTGTGAGTCCGTGGCTTGGCAC-3'	
Hex-F	5'-CTTAAACCGGCCAACATACC-3'	Hexamer amplification
Hex-R	5'-AGTCTGTCTTCCCTTTCC-3'	
TALE-Seq-F1 (aka colony PCR forward)	5'-CCAGTGTGCTGAAGAATCGGAAGC-3'	Sequencing forward primer used to check monomers 1-6; also used as colony PCR forward primer
TALE-Seq-F2	5'-ACTTACACCCGAAACAAGTGC-3'	Sequencing forward primer used to check monomers 7-12
TALE-Seq-R1 (aka colony PCR reverse)	5'-TGCCTACTCGATGTGATGTCCTC-3'	Sequencing primer used to check monomers 13-18 for TALEs with less than 18 full monomer repeats, and used to check monomers 19-24 for TALEs with more than 18 monomers (use TALE-Seq-R2 to check monomers 13-18 in this case); also used as colony PCR reverse primer
TALE-Seq-R2	5'-CCCATGGGCTGACATAA-3'	Sequencing reverse primer used to check monomers 13-18 in TALEs with more than 18 full monomer repeats

FIG. 16




FIG. 17




FIG. 18A




FIG. 18B




FIG. 19A




FIG. 19B




FIG. 19C




FIG. 19D




FIG. 20





FIG. 21



b

Candidate domains	Organismic origins
PIE-1	<i>C. elegans</i>
Ubx-QA	<i>D. melanogaster</i>
IAA28-RD	<i>A. thaliana</i>
SID	<i>H. sapiens</i>
Tbx3-RD	<i>H. sapiens</i>
KRAB	<i>H. sapiens</i>





FIG. 22




FIG. 23




FIG. 24 A

SEQ ID NO.s	Monomers (RVD removed)	Frequency
110	LTPDQVVVAIASGGKQALETVQRLLPVLCQDHG	754
111	LTPEQVVVAIASGGKQALETVQRLLPVLCQAHG	278
112	LTPDQVVVAIASGGKQALETVQRLLPVLCQAHG	254
113	LTPAQVVVAIASGGKQALETVQRLLPVLCQAHG	147
114	LTPAQVVVAIASGGKQALETVQRLLPVLCQDHG	143
115	LTPDQVVVAIASGGKQALETVQRLLPVLCQEQHG	107
116	LTPDQVVVAIANGGKQALETVQRLLPVLCQDHG	72
117	LTLDQVVVAIASGGKQALETVQRLLPVLCQDHG	47
118	LTPQQVVVAIASGGKQALETVQRLLPVLCQAHG	47
119	LTPDQVVVAIANGGKQALETVQRLLPVLCQAHG	40
120	LTPNQVVVAIASGGKQALETVQRLLPVLCQDHG	35
121	LTLDQVVVAIASGGKQALETVQRLLPVLCQAHG	27
122	LTPAQVVVAIANGGKQALETVQRLLPVLCQDHG	20
123	LTPEQVVVAIASGGKQALETVQALLPVLCQAHG	19
124	LTLDQVVVAIASGSKQALETVQRLLPVLCQDHG	19
125	LTQDQVVVAIASGGKQALETVQRLLPVLCQDHG	18
126	LSPDQVVVAIASGGKQALETVQRLLPVLCQDHG	13
127	LTPDQVVVAIANGGKQALETQRLPVLCQDHG	13
128	LTPDQVVVAIASGGKQALETQRLPVLCQDHG	11
129	LTPDQVVVAIASGGKQALETVQRLLPVLQQAHG	11
130	LTPDQVVVAIASGGNQALETVQRLLPVLCQAHG	11
131	LTPDQVVVAIASGGKQALATVQRLLPVLCQAHG	10
132	LTPAQVVVAIANGGKQALETVQRLLPVLCQAHG	9
133	LTLAQVVVAIASGGKQALETVQRLLPVLCQAHG	9
134	LTPEQVVVAIACGGKQALETVQRLLPVLCQAHG	9
135	LTPAQVVVAIASGGKQALETVQQLPVLCQEQHG	9
136	LTPQQVVVAIASGGRPALETVQRLLPVLCQAHG	9
137	LTPDQVVVAIASGSKQALETVQRLLPVLCQDHG	8
138	LTPNQVVVAIASGGKQALETVQRLLPVLCQAHG	8
139	LTPDQVVVAIASGGKQALGTVQRLLPVLCQDHG	8
140	LTLAQVVVAIASGGKQALETVQRLLPVLCQDHG	8
141	LTPAQVVAIASGGKQALETVQRLLPVLCQDHG	7
142	LTPAQVVVAIASGGNQALETVQRLLPVLCQDHG	7
143	LTPDQVVVAIASGGKQALETQRLPVLCQAHG	7
144	LTPDQVVVAIANGGKQALETQRLPVLCQAHG	7
145	LTPDQVVVAIASGGKQALETVQRLLPVLCQDHG	7
146	LTPAQVVVAIANGGKQALETVRRLLPVLCQDHG	7
147	LTPDQVVVAIASGGNQALETVQRLLPVLCQDHG	6
148	LTPDQVVVAIASGGKQALETVQRLLPVLCQTHG	6
149	LPPDQVVVAIASGGKQALETVQRLLPVLCQDHG	6

FIG. 24 B

SEQ ID NO.s	Monomers (RVD removed)	Frequency
150	LTSQVVAIASGGKQALETVQRLLPVLCQDHG	6
151	LTPAQVVAIASGGKQALETVQRLLPVLCEQHG	6
152	LIPAQVVAIASGGKQALETVQRLLPVLCQDHG	5
153	LTPAQVVAIASGGKQALETMQRLLPVLCQAHG	5
154	LTRDQVVAIASGGKQALETVQRLLPVLCQDHG	5
155	LTPDQVVATASGGKQALETVQRLLPVLCQDHG	5
156	LIPDQVVAIANGGGKQALETVQRLLPVLCQAHG	5
157	LTPDQVVAIASGGKQALETVQRLLPVLCQNHG	5
158	LTLDQVVAIASGGKQALETVQRLLPVLCQDHG	4
159	LTPDQLVAIANGGGKQALETVQRLLPVLCQDHG	4
160	LTPDQVVAIASGGKQALETVQRLLPVLCQGHG	4
161	LTPDQVVAIASGGKQALETVQRLLPVLCQEHG	4
162	LTLDKVVAIASGGKQALETVQRLLPVLCQDHG	4
163	LTPAQVVAIASGSKQALETVQRLLPVLCQAHG	4
164	LTPDKVVAIASGGKQALETVQRLLPVLCQAHG	4
165	LTQDQVVAIASGGKQALETVQRLLPVLYQDHG	4
166	LTPAQVVAIVSGGKQALETVQRLLPVLCQAHG	4
167	LTPDKVVAIANGGGKQALETVQRLLPVLCQDHG	4
168	LTQDQVVAIASGGKQALETVQRLLPVLCQAHG	4
169	LTPDQVMAIANGGGKQALETVQRLLPVLCQDHG	4
170	LTTDQVVAIASGGKQALETVQRLLPVLCQAHG	4
171	LTPDQVVAIASGSKQALETVQRLLPVLCQAHG	3
172	LTPDQVVAIANGGGKQALETVQRLLVLCQAHG	3
173	LTQEQVVAIASGGKQALETVQRLLPVLCQAHG	3
174	LTPDQVVTIANGGGKQALETVQRLLPVLCQAHG	3
175	LSPAQVVAIASGGKQALETVQRLLPVLCHDHG	3
176	LTPDQVVAIASGGKQALEMVQRLLPVLCQAHG	3
177	LIPDQVVAIASGGKQALETVQRLLPVLCQDHG	3
178	LTPVQVVAIASGGKQALETVQRLLPVLCQDHG	3
179	LTPDQVVAIASGGKQALKTVQRLLPVLCQDHG	3
180	LTPDQVVAIASGGKQALETMQRLLPVLCQAHG	3
181	LTPAQVVAIASGGKQALETVQRLLFPVLCQDHG	3
182	LTPAQVVAIASGGKQALETVQQLLPVLCQAHG	3
183	LTPAQVVALASGGKQALETVQRLLPVLCQDHG	3
184	LTPDQVVAIASGGKQALETVQRLLPVLCEQHG	3
185	LTPDQVVAIASGGKQALATVQRLLPVLCQDHG	3
186	LTQVQVVAIASGGKQALETVQRLLPVLCQAHG	3
187	LTPDQVVAIARGGGKQALETVQRLLPVLCQAHG	3
188	LPPDQVVAIASGGKQALETVQRLLPVLCQAHG	3
189	LTLDQVVAIASGSKQALETVQRLLPVLCQAHG	3

FIG. 24 C

SEQ ID NO.s	Monomers (RVD removed)	Frequency
190	LSPDQVVAIANGGKQALETLQRLLPVLCQTHA	3
191	LNPDQVVAIASGGKQALETVQRLLPVLCQDHG	3
192	LTPDQVMAIASGGKQALETVQRLLPVLCQDHG	3
193	LTPAQVVAIASGGKQALETVRRLLPVLCQAHG	3
194	LTPDQVVAIASGGKQALETVQRLLPVLCQDHG	3
195	LTPDQVMTIASGGKQALETVQRLLPVLCQDHG	3
196	LTPAQVVTIASGGKQALETVQRLLPVLCQDHG	3
197	LTPAQVVAIASGGKQALETVQRLLPVLCRAHG	3
198	LSPDQVVAIASGGKQALETVQRLLPVLCQAHG	3
199	LTPDQVVGIASGGKQALETVQRLLPVLCQDHG	2
200	LTPDQVVAIASGGKQALETVQRLLPVLCQANG	2
201	LTPAQVVAIASGGKQALETVQRLLPVLCQTHG	2
202	LTPDQVVAIASGGKQALEMVQRLLPVLCQDHG	2
203	LTPDQVVAIASGGKQALETMQRLLPVLCQDHG	2
204	LTPDQVVAIANGGKQALATVQRLLPVLCQDHG	2
205	LTPDQVVTIASGGKQALETVQRLLPVLCQAHG	2
206	LTPDQVVAIASGGKQALETVQRLLTVLCQDHG	2
207	MTPDQVVAIASGGKQALETVQRLLPVLCQDHG	2
208	LAPDQVVAVASGGKQALETVQRLLPVLCQDHG	2
209	LTPAQVVAIASGGKQALKTVQQLLPVLCQHG	2
210	LTPDQVVAIARGGKQALETVQRLLPVLCQDHG	2
211	LTPDQVVAIASGGKQALETVQQLLPVLCQAHG	2
212	LTPDQVLAIASGGKQALETLQRLLPVLCQDHG	2
213	LTPEQVVAIARGGKQALETVQRLLPVLCQAHG	2
214	LTPAQVVAIASGGKQALETMQRLLPVLCRAHG	2
215	LTPDQVVAIANGGKQALEMVQRLLPVLCQDHG	2
216	LTTDQVVTIASGGKQALETVQRLLPVLCQDHG	2
217	LTPTQVMAIANGGKQALETVQRLLPVLCQDHG	2
218	LTQQVVAIASGGKQALETVQALLPVLCQAHG	2
219	LTPDQVVAIASGGKQALETVQRLLPMLCQDHG	2
220	LTPAQVVAIANGGKQALETVQRLLPVLCQDHG	2
221	LTPDQVVAIASGGKQALETVQQLLPVLCQDHG	2
222	LTPDQVVAIANGGKQALATVQRLLPVLCQAHG	2
223	LTPAQVVAIASGGKQALETVQRLLPMLCQAHG	2
224	LTLDQVVAIASGGKQALETVQRLLPVLCQARG	2
225	LTPAQVVAIASGGKQALETLQRLLPVLCQDHG	2
226	LTPDQVVAIANGGKQALETVQRLLPVLCQNHG	2
227	LTPDQVVTIASGGKQALEMVQRLLPVLCQDHG	2
228	LTPDQVVAIASGGKQALERVQRLLPVLCQHG	1
229	LTPEQVVAIACGGKQALETVQALLPVLRQAHG	1

FIG. 24 D

SEQ ID NO.s	Monomers (RVD removed)	Frequency
230	LTPDQVVVAIASGGKQALETVQRLLPVLCRDHG	1
231	LTPEQVVVAIASGGKQALETVQRLLPMLCQAHG	1
232	LTPEQVVVAIACGGKQALETVQRLLPVL RH AHG	1
233	LTPDQVVVAIASGGKQALETVQRLLPVLCQH HG	1
234	LIPDQVVVAIASGGKQALETVQRLLPVLCQH HG	1
235	LTRAQVVVAIASGGKQALETVQRLLPVLC EQ HG	1
236	LTPDQVVVAIANGGKQAVGTVQRLLPVLCQ AHG	1
237	LTLDQVVVAIASGGKQALETVQRLLPVLC EQ HG	1
238	LTPAQVVVAIASGGKQALETVQRLLPMLCQ DHG	1
239	LTPDQVVVAIASGSKQALETMQRLLPVLCQ DHG	1
240	LTPDQVVVAIASGGKQALETVQRLLPVLCQ KHG	1
241	LTLDQVVVAIASGGKQALETVQRLLPVLCQ THG	1
242	LTPDQVVVAIASGGKQALEAVQRLLPVLCQ DHG	1
243	LTPAQVVVTIASGGKQALETVQRLLPVLC EQ HG	1
244	LTPAQVMAIASGGKQALETVQRLLPVLCQ DHG	1
245	LTREQVVVAIASGGKQALETVQRLLPVLRQ AHG	1
246	LTLAQVVVAIANGGKQALETVQRLLPVLCQ AHG	1
247	LTLEQVVVAIASGGKQALETVQRLLPVLCQ AHG	1
248	LTPQQVVVAIASGGKQALETVQRLLPVLC EQ HG	1
249	LSPDQVVVAIANGGKQALETVQRLLPVLCQ DHG	1
250	LTPDQVVVAIANGGKQALETVQRLLPVLCQ HHG	1
251	LTPEQVVVAIASGGKQALETVQALLPVLRQ AHG	1
252	LSQDQVVVAIASGGKQALETVQRLLPVLCQ DHG	1
253	LPPEQVVVAIASGGKQALETVQRLLPVLCQ AHG	1
254	LTPDQVVVAIASGGKQALEAVQRLLPVLCQ AHG	1
255	LTPDQVVVAIANGGKQALETVQRLLPVLCQ EHG	1
256	LTLDQVVAIASGGKQALETVQRLLPVLCQ AHG	1
257	LTPDQVVVAIASGGKQALETVQRVLPVLCQ DHG	1
258	LIPAQVVVAIASGGKQALETVQRLLPVLCQ AHG	1
259	LTPAQVVVAIASGGKQALETVQRLLPVLRQ AHG	1
260	LTPAQVVVAIASGSKQALETVQRLLPVLCQ THG	1
261	LTPQQVVVAIASGGKQALETVQRLLPVLCQ DHG	1
262	LTPDQVVVAIANGGKQAVETVQRLLPVLCQ AHG	1
263	LSPDQVVVTIASGGKQALETLQRLLPVLCQ DHG	1
264	LTPVQVVVAIASGGKQALETVQRLLPVLCQ AHG	1
265	LTLDQVVVAIASGSKQALETVQRLLPVLCQ THG	1
266	LTPAQVVVAIACGGKQALETVRRLLPVLCQ AHG	1
267	LTPAQVVVAIASGSKQALETVQRLLPVLCQ AHG	1
268	LPPAQVVVAIASGGKQALETVQRLLPVLCQ AHG	1
269	LTPDQVVVAIASGGKQALETVQRLLPVLFQ EHG	1

FIG. 24 E

SEQ ID NO.s	Monomers (RVD removed)	Frequency
270	LTPAKVVAIASGGKQALETVQRLLPVLCQDHG	1
271	LTPVQVVAIASGGKQALATVQRLLPVLCQDHG	1
272	LTPDQVVAIASGGKQALETVQRLLPGLCQDHG	1
273	LTLAQVVAIANGGKQALETVQRLLPVLCQDHG	1
274	LTPAQVVAIASGGKQALETVQRLLTVLCQDHG	1
275	LPPAQVVAIASGGKQALETVQRLLPVLCQDHG	1
276	LTPAQAVVAIASGGKQALETVQRLLPVLCQAHG	1
277	LTPAQVVAIVSGGKQALETVQRLLPVLCQTHG	1
278	LTPDQVVAVAGGGKQALETVQRLLPVLCQDHG	1
279	LTPDQVVAIASGGKQALGTVQRLLPVLCQAHG	1
280	LPPAQVVAIASGGKQALETVQRLLPVLCEAHG	1
281	LTTDQVVAIASGGKQALETVQRLLPVLCQDHG	1
282	LTPDQVVAIANGGKQALETVQRLLPVLCQDHG	1
283	LTPDQVVAIASGGKQALETVQRLLPVLCQTHA	1
284	LTLAQVVAIASGGKQALETVQRLLPVLCQTHG	1
285	LTPNQLVAIANGGKQALETVQRLLPVLCQDHG	1
286	LSPAQVVAIASGSKQALETVQRLLPVLCQDHG	1
287	LTPDQVVAIASGGKQALETVQRVLPVLCQAHG	1
288	LTPDQVMAIANGGKQALETVQRLLPVLCQAHG	1
289	LTPEQVVAIASGGRQALETVQRLLPVLCQAHG	1
290	LTPAQVVAIASGGKQALETVQWLLPVLCQAHG	1
291	LTPDKVVAIASGGKQALETVQRLLPVLCQDHG	1
292	LTPAQVMAIANGGKQALETVQRLLPVLCQDHG	1
293	LTQDQVVAIASGGKQALETVQRLLPVLCQANG	1
294	LTPAQVVAIASGGKPALETVQRLLPVLCEQHG	1
295	LTPDQVVAIASGGKQALETMQRLLPVLCQDHG	1
296	LTPDQVVAIASGSKQALETVQRLLPVLRODHG	1
297	LTPYQVVAIASGSKQALETVQRLLPVLCQDHG	1
298	LTPYQVVAIASGGKQALETVQRLLPVLCQAHG	1
299	LTLDQVVAIASGGKQALETVQRLLPVLCQEHG	1
300	LTLEQVVAIASGGKQALETVQRLLPVLCQAHG	1
301	LTPDQVVAIASGGKQALETVRRLLQVLCQDHG	1
302	LTPDQVVAIASGGKQALETVQRLLPVLRODHG	1
303	LTPDQVVAIASGGKQALETVQRLLPVLCQAHG	1
304	LTPDQVVAIANGGKQALETVQRLLPVLCQTHG	1
305	LTPDQVVAIASGGKQALETVKRLLPVLCQAHG	1
306	LTTDQVVAIANGGKQALETVQRLLPVLCQDHG	1
307	LIPQQVVAIASGGKQALETVQRLLPVLCQDHG	1
308	LTLTQVVAIASGGKQALETVQRLLPVLCQAHG	1
309	LTPTQVVAIASGGKQALETVQRLLPVLCQDHG	1

FIG. 24 F

SEQ ID NO.s	Monomers (RVD removed)	Frequency
310	LTPQVMAIANGGKQALETVQRLLPVLCQAHG	1
311	LTPDQVVAVASGGKQALETVQRLLPVLCQAHG	1
312	LTPAQVVAIASGGKQALETVQRLLPVLCQDHG	1
313	LTPGQVVAIASGGKRALETVQRLLPVLCQDHG	1
314	LTPDQVVVIASGGKQALETVQRLLPVLCQAHG	1
315	LPPDQVVAIASGGKQALETVQRLLPVLCQDHG	1
316	LTPDQVVTIANGSKQALETVQRLLPVLCQAHG	1
317	LTPAQVVAIASGGKQALETVQRLLQVLCQDHG	1
318	LTPDHVVAIASGGKQALETVQRLLPVLCQDHG	1
319	LTPDQVVAIASGGKQALETVQRLLQVLCQDHG	1
320	LTPDQVVAIASGGKQALETVQRLLPVLCQAHG	1
321	LHPGQVVAIASGGKQALETVQRLLPVLCQAHG	1
322	LTLQVVAIASGGKQALETVQRLLPVLCQDHG	1
323	LTPDQVVAIASGGKQALETVQRLLPALCQDHG	1
324	LTPDQVVAIASGGKPALETVQRLLPVLCQAHG	1
325	LTPAQVVAIASGGKQALKTVQRLLPVLCQAHG	1
326	LTPDQVVAIASGGKRALETVQRLLPVLCQAHG	1
327	LNPQVVAIASGGKQALETVQRLLPVLCQAHG	1
328	LTPDQVVAIASGGKQALETVQRLLPVLCQDHG	1
329	LTLQVVAIANGGKQALETVQRLLPVLCQAHG	1
330	LTPAQVVAIASGGKQALETVQRLLPVLCRDHG	1
331	LTPAQVLAIASGGKQALETVQRLLTVLCQDHG	1
332	LTPAQVVAIASGGKQALETMQRLLPVLCQDHG	1
333	LTPDQVVAIASGGKQALETVQRLLPGLCQAHG	1
334	LTRQVVAIASGGKQALETVQALLPVLRQAHG	1
335	LTPAQVVAIASGGKQALETVQRLLPVLCQVHG	1
336	LTPNQVVAIASGGKQALETVQRLLLVLCQDHG	1
337	LTPDQVMAIASGGKQALETVQRLLPVLCQAHG	1
338	LTRQVVAIASGGKQALETVQRLLPVLCQDHG	1
339	LSTAQVVAIASGGKQALEGIGEQLLKLRTAPYG	1
340	LSTAQVVAVASGGKPALEAVRAQLLALRAAPYG	1

FIG. 25

Comparison of the effect of non-RVD amino acid on TALE activity




FIG. 26




FIG. 27





FIG. 28






FIG. 29





FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36





FIG. 37



NUCLEOTIDE-SPECIFIC RECOGNITION SEQUENCES FOR DESIGNER TAL EFFECTORS

INCORPORATION BY REFERENCE

[0001] This application is a continuation-in-part of U.S. application Ser. No. 13/554,922, filed Jul. 20, 2012, which claims priority from U.S. provisional application No. 61/565,171, filed on Nov. 30, 2011.

FEDERAL FUNDING

[0002] This invention was made with government support under Grant No. 7R01NS073124-03 awarded by the National Institutes of Health. The federal government may have certain rights in this invention.

[0003] The foregoing applications, and all documents cited therein or during their prosecution (“appln cited documents”) and all documents cited or referenced in the appln cited documents, and all documents cited or referenced herein (“herein cited documents”), and all documents cited or referenced in herein cited documents, together with any manufacturer’s instructions, descriptions, product specifications, and product sheets for any products mentioned herein or in any document incorporated by reference herein, are hereby incorporated herein by reference, and may be employed in the practice of the invention. Citation or identification of any document in this application is not an admission that such document is available as prior art to the present invention.

SEQUENCE LISTING

[0004] The instant application contains a Sequence Listing which has been submitted in ASCII format via EFS-Web and is hereby incorporated by reference in its entirety. Said ASCII copy, created on Sep. 5, 2012, is named 44790126.txt and is 465,621 bytes in size.

FIELD OF THE INVENTION

[0005] The present invention broadly relates to gene editing, in particular to non-naturally occurring or engineered compositions which may comprise polypeptides that bind specific nucleic acid sequences to manipulate expression of a genomic locus or gene, particularly a mammalian genomic locus or a gene in a cell or tissue; nucleic acids encoding the same; methods of generating, preparing or constructing said polypeptides and the nucleic acids encoding the same; methods encompassing application of said polypeptides and nucleic acids; host cells, vectors and kits which may comprise said polypeptides and nucleic acids encoding them and uses thereof.

BACKGROUND

[0006] Gene expression is the process by which an organism’s genetic code is converted into a functional gene product and is common to all forms of life. Nearly all physiological processes depend on the regulation of gene expression and the ability to manipulate (e.g. alter, repress or activate) specific genes is a powerful tool in the life sciences. Manipulation of a cellular genome in a sequence-specific manner would have wide applications in many areas, including research, diagnostics and therapeutics. However, site-specific genome manipulation requires efficient and precise genome targeting. Thus,

there is great need for improved compositions and methods that facilitate the targeting of specific genomic sites with efficiency and precision.

SUMMARY OF THE INVENTION

[0007] The present invention provides for methods of targeted manipulation of a gene or genomic locus. The manipulation may occur by means of either altering gene expression, particularly by repression or activation or by means of site-specific gene-editing particularly by the generation of site specific double-strand breaks followed by non-homologous repair or homology directed repair. In some embodiments, the methods of the invention use deoxyribonucleic acid (DNA)-binding polypeptides or proteins which may comprise one or more Transcription activator-like effector (TALE) monomers and half-monomers attached to additional sequences which include functional protein domains, to function as proteins that include but are not limited to engineered transcription factors (TALE-TFs) such as repressors and activators, engineered nucleases (TALENs), recombinases (TALERS or TALRENs, both terms are used interchangeably throughout the application), transposases, integrases, methylases, demethylases and invertases. With regards to TALEs, mention is also made of U.S. patent application Ser. Nos. 13/016,297, 13/019,526, 13/362,660, 13/218,050, 12/965,590, 13/068,735 and PCT application PCT/IB2010/000154, the disclosures of which are incorporated by reference herein in their entirety. In a preferred embodiment the gene or genomic locus is present in an animal or non-plant cell.

[0008] The present invention provides for a method of repressing expression of a genomic locus of interest in an animal cell, which may comprise contacting the genomic locus with a non-naturally occurring or engineered composition which may comprise a DNA binding polypeptide which may comprise: a N-terminal capping region, a DNA binding domain which may comprise at least five or more TALE monomers and at least one or more half-monomers specifically ordered to target the genomic locus of interest, and a C-terminal capping region, wherein these three parts of the polypeptide are arranged in a predetermined N-terminus to C-terminus orientation, wherein the polypeptide includes at least one or more repressor domains, and wherein the polypeptide is encoded by and translated from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to DNA of the genomic locus. In a preferred embodiment the animal is a mammal.

[0009] The present invention provides for a method of selectively targeting a genomic locus of interest in an animal cell, which may comprise contacting the genomic locus with a non-naturally occurring or engineered composition which may comprise a DNA binding polypeptide which may comprise: a N-terminal capping region, a DNA binding domain which may comprise at least five or more TALE monomers and at least one or more half-monomers specifically ordered to target the genomic locus of interest, and a C-terminal capping region, wherein these three parts of the polypeptide are arranged in a predetermined N-terminus to C-terminus orientation, wherein the polypeptide includes at least one or more effector domains, wherein the polypeptide is encoded by and translated from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to DNA of the genomic locus, wherein the DNA binding domain may comprise $(X_{1-11}-X_{12}X_{13}-X_{14-33 \text{ or } 34 \text{ or } 35})_2$, wherein X_{1-11} is a chain of 11 contiguous amino acids, wherein $X_{12}X_{13}$ is a

repeat variable diresidue (RVD), wherein $X_{14-33 \text{ or } 34 \text{ or } 35}$ is a chain of 21, 22 or 23 contiguous amino acids, wherein z is at least 5 to 40, more preferably at least 10 to 26 and wherein at least one RVD is selected from the group consisting of (a) HH, KH, NH, NK, NQ, RH, RN, SS for recognition of guanine (G); (b) SI for recognition of adenine (A); (c) HG, KG, RG for recognition of thymine (T); (d) RD, SD for recognition of cytosine (C); (e) NV, HN for recognition of A or G and (f) H*, HA, KA, N*, NA, NC, NS, RA, S* for recognition of A or T or G or C, wherein (*) means that the amino acid at X_{13} is absent. In a preferred embodiment the animal is a mammal.

[0010] The present invention provides for a method of selectively targeting a genomic locus of interest in an animal cell, which may comprise contacting the genomic locus with a non-naturally occurring or engineered composition which may comprise a DNA binding polypeptide which may comprise: a N-terminal capping region, a DNA binding domain which may comprise at least five or more TALE monomers and at least one or more half-monomers specifically ordered to target the genomic locus of interest, and a C-terminal capping region, wherein these three parts of the polypeptide are arranged in a predetermined N-terminus to C-terminus orientation, wherein the polypeptide includes at least one or more effector domains, wherein the polypeptide is encoded by and translated from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to DNA of the genomic locus, wherein the DNA binding domain may comprise (X_{1-11} - X_{12} - X_{13} - $X_{14-33 \text{ or } 34 \text{ or } 35}$), wherein X_{1-11} is a chain of 11 contiguous amino acids, wherein X_{12} - X_{13} is a repeat variable diresidue (RVD), wherein $X_{14-33 \text{ or } 34 \text{ or } 35}$ is a chain of 21, 22 or 23 contiguous amino acids, wherein z is at least 5 to 40, more preferably at least 10 to 26, and wherein at least one of the following is present [LTLTLD] (SEQ ID NO: 1) or [LTLA] (SEQ ID NO: 2) or [LTQV] (SEQ ID NO: 3) at X_{1-5} , or [EQHG] (SEQ ID NO: 4) or [RDHG] (SEQ ID NO: 5) at positions X_{30-33} or X_{31-34} or X_{32-35} . In a preferred embodiment the animal is a mammal.

[0011] The present invention provides for a method of altering expression of a genomic locus of interest, preferably in an animal or non-plant cell, which may comprise contacting the genomic locus with a non-naturally occurring or engineered composition which may comprise a DNA binding polypeptide which may comprise a N-terminal capping region, a DNA binding domain which may comprise at least one or more TALE monomers or half-monomers specifically ordered to target the genomic locus of interest and a C-terminal capping region, wherein these three parts of the polypeptide are arranged in a predetermined N-terminus to C-terminus orientation and wherein the polypeptide includes at least one or more regulatory or functional protein domains. In an advantageous embodiment of the invention the polypeptide is encoded by and expressed from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to DNA of the genomic locus. In a preferred embodiment the animal is a mammal.

[0012] The present invention provides for a method of repressing expression of a genomic locus of interest, preferably in a mammalian cell, which may comprise contacting the genomic locus with a non-naturally occurring or engineered composition which may comprise a DNA binding polypeptide which may comprise a N-terminal capping region, a DNA binding domain which may comprise at least one or more TALE monomers or half-monomers specifically ordered to target the genomic locus of interest and a C-termi-

nal capping region, wherein these three parts of the polypeptide are arranged in a predetermined N-terminus to C-terminus orientation and wherein the polypeptide includes at least one or more repressor domains. In an advantageous embodiment of the invention the polypeptide is encoded by and expressed from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to the DNA of the genomic locus.

[0013] The present invention provides for a method of repressing expression of a gene in a cell or cell line (preferably of mammalian origin), which may comprise contacting specific nucleic acids associated with the gene with a non-naturally occurring or engineered composition which may comprise a DNA binding polypeptide which may comprise a N-terminal capping region, a DNA binding domain which may comprise at least one or more TALE monomers or half-monomers specifically ordered to target the genomic locus of interest and a C-terminal capping region, wherein these three parts of the polypeptide are arranged in a predetermined N-terminus to C-terminus orientation and wherein the polypeptide includes at least one or more repressor domains. In an advantageous embodiment of the invention the polypeptide is encoded by and expressed from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to DNA of the genomic locus.

[0014] The present invention also provides for a method of activating expression of a genomic locus of interest, preferably in a mammalian cell, which may comprise contacting the genomic locus with a non-naturally occurring or engineered composition which may comprise a DNA binding polypeptide which may comprise a N-terminal capping region, a DNA binding domain which may comprise at least one or more TALE monomers or half-monomers specifically ordered to target the genomic locus of interest and a C-terminal capping region, wherein these three parts are arranged in a predetermined N-terminus to C-terminus orientation and wherein the polypeptide includes at least one or more activator domains. In an advantageous embodiment of the invention the polypeptide is encoded by and expressed from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to the DNA of the genomic locus.

[0015] The present invention also provides for a method of activating expression of a gene in a cell or cell line (preferably of mammalian origin), which may comprise contacting specific nucleic acids associated with the gene with a non-naturally occurring or engineered composition which may comprise a DNA binding polypeptide which may comprise a N-terminal capping region, a DNA binding domain which may comprise at least one or more TALE monomers or half-monomers specifically ordered to target the genomic locus of interest and a C-terminal capping region, wherein these three parts are arranged in a predetermined N-terminus to C-terminus orientation and wherein the polypeptide includes at least one or more activator domains. In an advantageous embodiment of the invention the polypeptide is encoded by and expressed from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to DNA of the genomic locus.

[0016] The present invention provides for a method of altering expression of a genomic locus of interest, preferably in a mammalian cell, which may comprise contacting the genomic locus with a non-naturally occurring or engineered composition which may comprise a DNA binding polypeptide which may comprise a N-terminal capping region, a

DNA binding domain which may comprise at least one or more TALE monomers or half-monomers specifically ordered to target the genomic locus of interest and a C-terminal capping region, wherein these three parts of the polypeptide are arranged in a predetermined N-terminus to C-terminus orientation and wherein the polypeptide includes at least one or more recombinase domains. In an advantageous embodiment of the invention the polypeptide is encoded by and expressed from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to the DNA of the genomic locus. In a further advantageous embodiment, the polypeptide is delivered into the mammalian cell by a viral delivery system. In yet another embodiment, the viral delivery system is a lentiviral delivery system.

[0017] The present invention provides for a method of altering expression of a gene in a cell or cell line (preferably of mammalian origin), which may comprise contacting specific nucleic acids associated with the gene with a non-naturally occurring or engineered composition which may comprise a DNA binding polypeptide which may comprise a N-terminal capping region, a DNA binding domain which may comprise at least one or more TALE monomers or half-monomers specifically ordered to target the genomic locus of interest and a C-terminal capping region, wherein these three parts of the polypeptide are arranged in a predetermined N-terminus to C-terminus orientation and wherein the polypeptide includes at least one or more recombinase domains. In an advantageous embodiment of the invention the polypeptide is encoded by and expressed from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to DNA of the genomic locus. In a further advantageous embodiment, the polypeptide is delivered into the cell or cell line by a viral delivery system. In yet another embodiment, the viral delivery system is a lentiviral delivery system.

[0018] The present invention also provides for a non-naturally occurring or engineered composition for preferentially binding to DNA of a genomic locus or of a gene in a cell or cell line, preferably of an animal or non-plant origin, wherein the composition may comprise a DNA binding polypeptide which may comprise: a N-terminal capping region, a DNA binding domain which may comprise at least one or more TALE monomers or half-monomers specifically ordered to target the genomic locus of interest and a C-terminal capping region, wherein these three parts of the polypeptide are arranged in a predetermined N-terminus to C-terminus orientation and wherein the polypeptide includes at least one or more regulatory or functional protein domains. In an advantageous embodiment of the invention the polypeptide is encoded by and expressed from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to DNA of the genomic locus or gene.

[0019] The present invention also provides for a non-naturally occurring or engineered composition for preferentially binding to DNA of a genomic locus or of a gene in a cell or cell line, preferably of mammalian origin, wherein the composition may comprise a DNA binding polypeptide which may comprise: a N-terminal capping region, a DNA binding domain which may comprise at least one or more TALE monomers or half-monomers specifically ordered to target the genomic locus of interest and a C-terminal capping region, wherein these three parts of the polypeptide are arranged in a predetermined N-terminus to C-terminus orientation and wherein the polypeptide includes at least one or more repressor domains. In an advantageous embodiment of

the invention the polypeptide is encoded by and expressed from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to DNA of the genomic locus or gene.

[0020] The present invention also provides for a non-naturally occurring or engineered composition for preferentially binding to DNA of a genomic locus or of a gene in a cell or cell line, preferably of mammalian origin, wherein the composition may comprise a DNA binding polypeptide which may comprise: a N-terminal capping region, a DNA binding domain which may comprise at least one or more TALE monomers or half-monomers specifically ordered to target the genomic locus of interest and a C-terminal capping region, wherein these three parts of the polypeptide are arranged in a predetermined N-terminus to C-terminus orientation and wherein the polypeptide includes at least one or more activator domains. In an advantageous embodiment of the invention the polypeptide is encoded by and expressed from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to DNA of the genomic locus or gene.

[0021] The present invention also provides for a non-naturally occurring or engineered composition for preferentially binding to DNA of a genomic locus or of a gene in a cell or cell line, preferably of mammalian origin, wherein the composition may comprise a DNA binding polypeptide which may comprise: a N-terminal capping region, a DNA binding domain which may comprise at least one or more TALE monomers or half-monomers specifically ordered to target the genomic locus of interest and a C-terminal capping region, wherein these three parts of the polypeptide are arranged in a predetermined N-terminus to C-terminus orientation and wherein the polypeptide includes at least one or more recombinase domains. In an advantageous embodiment of the invention the polypeptide is encoded by and expressed from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to DNA of the genomic locus or gene.

[0022] The present invention also provides for a method of modifying the sequence of a mammalian genomic locus of interest, which may comprise contacting the genomic locus with a non-naturally occurring or engineered composition which may comprise a DNA binding polypeptide which may comprise a N-terminal capping region, a DNA binding domain which may comprise at least one or more TALE monomers or half-monomers specifically ordered to target the genomic locus of interest and a C-terminal capping region, wherein these three parts are arranged in a predetermined N-terminus to C-terminus orientation and wherein the DNA binding domain is attached to a catalytic domain of a restriction endonuclease. In an advantageous embodiment of the invention the polypeptide is encoded by and expressed from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to mammalian DNA. In an advantageous embodiment of the invention the sequence is modified by the introduction of a site-specific double strand break in the sequence which facilitates genome editing through non-homologous repair or homology directed repair. In an advantageous embodiment, an exogenous nucleic acid or DNA is introduced into the genomic locus. In an additional advantageous embodiment, integration into the genome occurs through non-homology dependent targeted integration. In certain preferred embodiments, the exogenous polynucleotide may comprise a recombinase recognition site (e.g.

loxP, FLP or a Gin site) for recognition by a cognate recombinase (e.g. Cre, FRT or Gin invertase/recombinase, respectively). In certain embodiments, the exogenous sequence is integrated into the genome of an animal.

[0023] The present invention also provides for a method of modifying the sequence of a gene in a cell or cell line (preferably of mammalian origin), which may comprise contacting specific nucleic acids associated with the gene with a non-naturally occurring or engineered composition which may comprise a DNA binding polypeptide which may comprise a N-terminal capping region, a DNA binding domain which may comprise at least one or more TALE monomers or half-monomers specifically ordered to target the genomic locus of interest and a C-terminal capping region, wherein these three parts are arranged in a predetermined N-terminus to C-terminus orientation and wherein the DNA binding domain is attached to a catalytic domain of a restriction endonuclease. In an advantageous embodiment of the invention the polypeptide is encoded by and expressed from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to mammalian DNA. In an advantageous embodiment of the invention the sequence is modified by the introduction of a site-specific double strand break in the sequence which facilitates genome editing through non-homologous repair or homology directed repair. In an advantageous embodiment, an exogenous nucleic acid or DNA is introduced into the gene present in the cell or cell line. In an advantageous embodiment, an exogenous nucleic acid or DNA is introduced into the genomic locus. In an additional advantageous embodiment, integration into the genome occurs through non-homology dependent targeted integration. In certain preferred embodiments, the exogenous polynucleotide may comprise a recombinase recognition site (e.g. loxP, FLP or a Gin site) for recognition by a cognate recombinase (e.g. Cre, FRT or Gin invertase/recombinase, respectively). In certain embodiments, the exogenous sequence is integrated into the genome of an animal.

[0024] The present invention also provides for a method of construction and generation of the DNA binding polypeptides described herein which may comprise a N-terminal capping region, a DNA binding domain which may comprise at least one or more TALE monomers or half-monomers specifically ordered to target the genomic locus of interest and a C-terminal capping region. In an advantageous embodiment of the invention the polypeptide is encoded by and expressed from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to mammalian DNA. In a further advantageous embodiment, the construction of the DNA binding domain in the polypeptide uses hierarchical ligation assembly (as described in Example 2).

[0025] The present invention also provides for a method of selectively recognizing a specific nucleic acid sequence with a DNA binding polypeptide, wherein the polypeptide is constructed to include at least one or more TALE monomers and half monomers ordered or arranged in a particular orientation dictated by the sequence of the specific nucleic acid linked to additional TALE protein sequences, for efficiently recognizing the specific nucleic acid sequence.

[0026] The present invention also provides for pharmaceutical compositions which may comprise the DNA binding polypeptide or the nucleic acids encoding them. In a preferred embodiment the composition may comprise one or more pharmaceutically acceptable excipients.

[0027] In addition, advantageous embodiments of the invention include host cells, cell lines and transgenic organisms (e.g., plants, fungi, animals) which may comprise these DNA-binding polypeptides/nucleic acids and/or modified by these polypeptides (e.g., genomic modification that is passed into the next generation). Further preferred embodiments include cells and cell lines which include but are not limited to plant cells, insect cells, bacterial cells, yeast cells, viral cells, human cells, primate cells, rat cells, mouse cells, zebrafish cells, madin-darby canine cells, hamster cells, xenopus cells and stem cells. An advantageous embodiment of the invention is the cell and cell lines being of mammalian origin. In a preferred embodiment, the DNA binding polypeptide further may comprise a reporter or selection marker. In advantageous embodiments the selection marker may be a fluorescent marker, while in other aspects, the reporter is an enzyme.

[0028] Further advantageous embodiments of the invention include host cells which may comprise these polypeptides/nucleic acids and/or modified by these polypeptides (e.g., genomic modification that is passed into the next generation). The host cell may be stably transformed or transiently transfected or a combination thereof with one or more of these protein expression vectors. In other embodiments, the one or more protein expression vectors express one or more fusion proteins in the host cell. In another embodiment, the host cell may further comprise an exogenous polynucleotide donor sequence. Any prokaryotic or eukaryotic host cells may be employed, including, but not limited to, bacterial, plant, fish, yeast, algae, insect, worm or mammalian cells. In some embodiments, the host cell is a plant cell. In other aspects, the host cell is part of a plant tissue such as the vegetative parts of the plant, storage organs, fruit, flower and/or seed tissues. In further embodiments, the host cell is an algae cell. In other embodiments, the host cell is a fibroblast. In any of the embodiments, described herein, the host cell may comprise a stem cell, for example an embryonic stem cell. The stem cell may be a mammalian stem cell, for example, a hematopoietic stem cell, a mesenchymal stem cell, an embryonic stem cell, a neuronal stem cell, a muscle stem cell, a liver stem cell, a skin stem cell, an induced pluripotent stem cell and/or combinations thereof. In certain embodiments, the stem cell is a human induced pluripotent stem cell (hiPSC) or a human embryonic stem cell (hESC). In any of the embodiments, described herein, the host cell may comprise an embryo cell, for example one or more mouse, rat, rabbit or other mammal cell embryos. In some aspects, stem cells or embryo cells are used in the development of transgenic animals, including, for example, animals with TALE-mediated genomic modifications that are integrated into the germline such that the mutations are heritable. In further aspects, these transgenic animals are used for research purposes, i.e., mice, rats, rabbits; while in other aspects, the transgenic animals are livestock animals, i.e., cows, chickens, pigs, sheep, etc. In still further aspects, the transgenic animals are those used for therapeutic purposes, i.e. goats, cows, chickens, pigs; and in other aspects, the transgenic animals are companion animals, i.e. cats, dogs, horses, birds or fish.

[0029] The present invention also provides a method for identifying suitable or novel target sequences or binding sites for engineered or designed DNA binding proteins. In some advantageous embodiments, the target site identified has an increased number of guanine nucleotides ("G") as compared to a natural or wild-type TALE target sequence. In other

embodiments, the target does not require flanking thymidine nucleotides (“T”), as typical in naturally occurring TALE proteins. In some embodiments, the repeat-variable diresidues (RVDs) (the 2 hypervariable amino acids at position 12 and 13 in the TALE monomer the combination of which dictate nucleotide specificity) selected for use in the engineered DNA-binding polypeptides of the invention are one or more of NH (asparagine-histidine), RN (arginine-asparagine) or KH (lysine-histidine) RVDs for the recognition of G nucleotides in the target sequence. Hence, additionally provided in this invention are novel (non-naturally occurring) RVDs, differing from those found in nature, which are capable of recognizing nucleotide bases. Non-limiting examples of atypical or non-naturally occurring RVDs (amino acid sequences at positions 12 and 13 of the TALE monomer) include RVDs as shown in FIGS. 4A and 4B. In another advantageous embodiment, selection of RVDs may be made on the basis of their measured activity, specificity or affinity for a particular nucleotide (as described in Example 3).

[0030] Another advantageous embodiment of the invention is that in any of the compositions or methods described herein, the regulatory or functional domain may be selected from the group consisting of a transcriptional repressor, a transcriptional activator, a nuclease domain, a DNA methyl transferase, a protein acetyltransferase, a protein deacetylase, a protein methyltransferase, a protein deaminase, a protein kinase, and a protein phosphatase. In some aspects, the functional domain is an epigenetic regulator. In plants, such a TALE fusion may be removed by out-crossing using standard techniques.

[0031] A further advantageous embodiment of the invention is that in any of the compositions or methods described herein, the DNA-binding polypeptide may be encoded by a nucleic acid operably linked to a promoter, wherein the methods of altering gene expression comprise the step of first administering the nucleic acid encoding the polypeptide to a cell. In preferred embodiments the promoter may be constitutive, inducible or tissue-specific. The polypeptide of the invention may be expressed from an expression vector which include but are not limited to a retroviral expression vector, an adenoviral expression vector, a lentiviral vector, a DNA plasmid expression vector and an AAV expression vector.

[0032] The present invention also provides DNA binding polypeptides with effector domains that may be constructed to specifically target nucleic acids associated with genes that encode for proteins which include but are not limited to transcription factors, proteins that may be involved with the transport of neurotransmitters, neurotransmitter synthases, synaptic proteins, plasticity proteins, presynaptic active zone proteins, post synaptic density proteins, neurotransmitter receptors, epigenetic modifiers, neural fate specification factors, axon guidance molecules, ion channels, CpG binding proteins, proteins involved in ubiquitination, hormones, homeobox proteins, growth factors, oncogenes, and proto-oncogenes.

[0033] Nucleic acids associated with a gene may be upstream of, or adjacent to, a transcription initiation site of the gene. Alternatively, the target site may be adjacent to an RNA polymerase pause site downstream of a transcription initiation site of the endogenous cellular gene. In still further embodiments, certain DNA binding proteins, e.g., TALENs bind to a site within the coding sequence of a gene or in a non-coding sequence within or adjacent to the gene; such as for example, a leader sequence, trailer sequence or intron, or

within a non-transcribed region, either upstream or downstream of the coding region. Hence in preferred embodiments, polypeptides of the invention may be constructed to function as nucleases, activators or repressors to alter the expression of any of the genes which encode proteins that include but are not limited to those listed in the previous paragraph.

[0034] The present invention also provides compositions and methods for in vivo genomic manipulation. In certain embodiments, mRNAs encoding DNA binding proteins which may comprise one or more functional or regulatory protein domains may be injected into germ line cells or embryos for introducing specific double strand breaks as required.

[0035] In yet a further advantageous embodiment, provided herein are kits which may comprise the DNA binding proteins of the invention and the nucleic acid molecules encoding them. These kits may comprise plasmids, expression vectors and host cells of the invention and may be used to facilitate genomic manipulation by the user. In some instances, the kits are used for diagnostic purposes.

[0036] Accordingly, it is an object of the invention not to encompass within the invention any previously known product, process of making the product, or method of using the product such that Applicants reserve the right and hereby disclose a disclaimer of any previously known product, process, or method. It is further noted that the invention does not intend to encompass within the scope of the invention any product, process, or making of the product or method of using the product, which does not meet the written description and enablement requirements of the USPTO (35 U.S.C. §112, first paragraph) or the EPO (Article 83 of the EPC), such that Applicants reserve the right and hereby disclose a disclaimer of any previously described product, process of making the product, or method of using the product.

[0037] It is noted that in this disclosure and particularly in the claims and/or paragraphs, terms such as “comprises”, “comprised”, “comprising” and the like can have the meaning attributed to them in U.S. patent law; e.g., they can mean “includes”, “included”, “including”, and the like; and that terms such as “consisting essentially of” and “consists essentially of” have the meaning ascribed to them in U.S. patent law, e.g., they allow for elements not explicitly recited, but exclude elements that are found in the prior art or that affect a basic or novel characteristic of the invention.

[0038] These and other embodiments are disclosed or are obvious from and encompassed by, the following Detailed Description.

BRIEF DESCRIPTION OF THE DRAWINGS

[0039] The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.

[0040] The following detailed description, given by way of example, but not intended to limit the invention solely to the specific embodiments described, may best be understood in conjunction with the accompanying drawings, in which:

[0041] FIG. 1 is a schematic of an exemplary dTALE-repressor architecture.

[0042] FIG. 2 provides amino acid sequences (SEQ ID NOS 29-32, respectively, in order of appearance) of exemplary TALE repressors.

[0043] FIG. 3 shows the design of a dTALE repeat variable diresidue (“RVD”) screening system. FIG. 3 discloses SEQ ID NOS 56-59, respectively, in order of appearance.

[0044] FIG. 4A shows the base-preference of various RVDs as determined using a RVD screening system described herein.

[0045] FIG. 4B shows the base-preference of additional RVDs as determined using a RVD screening system described herein.

[0046] FIG. 5 shows the G/A base specificity of CACNA1C dTALEs containing one of four different RVDs. FIG. 5A discloses SEQ ID NOS 60 and 61, respectively, in order of appearance.

[0047] FIG. 5B discloses SEQ ID NO: 62.

[0048] FIG. 6A-F provides amino acid sequences (SEQ ID NOS 38-48, respectively, in order of appearance) of exemplary CACNA1C TALE activators and repressors.

[0049] FIG. 7 shows the relative level of endogenous transcriptional activation or repression by TALE1-NN, TALE1-NK and TALE1-NH. FIG. 7 discloses SEQ ID NO: 63.

[0050] FIG. 8 shows in (a) Natural structure of TALEs derived from *Xanthomonas* sp. Each DNA-binding module consists of 34 amino acids, where the RVDs in the 12th and 13th amino acid positions of each repeat specify the DNA base being targeted according to the cipher NG=T, HD=C, NI=A, and NN=G or A. The DNA-binding modules are flanked by nonrepetitive N and C termini, which carry the translocation, nuclear localization (NLS) and transcription activation (AD) domains. A cryptic signal within the N terminus specifies a thymine as the first base of the target site. FIG. 8(a) discloses SEQ ID NOS 64-65, respectively, in order of appearance. (b) The TALE toolbox allows rapid and inexpensive construction of custom TALE-TFs and TALENs. The kit consists of 12 plasmids in total: four monomer plasmids to be used as templates for PCR amplification, four TALE-TF and four TALEN cloning backbones corresponding to four different bases targeted by the 0.5 repeat. CMV, cytomegalovirus promoter; N term, nonrepetitive N terminus from the Hax3 TALE; C term, nonrepetitive C terminus from the Hax3 TALE; BsaI, type IIs restriction sites used for the insertion of custom TALE DNA-binding domains; ccdB+CmR, negative selection cassette containing the ccdB negative selection gene and chloramphenicol resistance gene; NLS, nuclear localization signal; VP64, synthetic transcriptional activator derived from VP16 protein of herpes simplex virus; 2A, 2A self-cleavage linker; EGFP, enhanced green fluorescent protein; polyA signal, polyadenylation signal; FokI, catalytic domain from the FokI endonuclease. (c) TALEs may be used to generate custom TALE-TFs and modulate the transcription of endogenous genes from the genome. The TALE DNA-binding domain is fused to the synthetic VP64 transcriptional activator, which recruits RNA polymerase and other factors needed to initiate transcription. (d) TALENs may be used to generate site-specific double-strand breaks to facilitate genome editing through nonhomologous repair or homology directed repair. Two TALENs target a pair of binding sites flanking a 16-bp spacer. The left and right TALENs recognize the top and bottom strands of the target sites, respectively. Each TALE DNA-binding domain is fused to the catalytic domain of FokI endonuclease; when FokI dimerizes, it cuts the DNA in the region between the left and right TALEN-binding sites.

[0051] FIG. 9 shows a list of applications of custom TALEs on endogenous genome targets.

[0052] FIG. 10 shows the timeline for the construction of TALE-TFs and TALENs. Steps for the construction and functional testing of TALE-TFs and TALENs are outlined. TALEs may be constructed and sequence verified in 5 d following a series of ligation and amplification steps. During the construction phase, samples may be stored at -20° C. at the end of each step and continued at a later date. After TALE construction, functional validation via qRT-PCR (for TALE-TFs) and Surveyor nuclease assay (for TALENs) may be completed in 2-3 d.

[0053] FIG. 11A-I shows a listing of sequences (SEQ ID NOS 66-77, respectively, in order of appearance) that are codon optimized for expression in human cells.

[0054] FIG. 12A-B shows a schematic of the construction process for a custom TALE containing an 18-mer tandem repeat DNA-binding domain. Stage 1: specific primers are used to amplify each monomer and add the appropriate ligation adaptors (Procedure Steps 1-9). Stage 2: hexameric tandem repeats (1-6, 7-12 and 13-18) are assembled first using Golden gate digestion-ligation. The 5' ends of monomers 1, 7 and 13 and the 3' ends of monomers 6, 12 and 18 are designed so that each tandem hexamer assembles into an intact circle (Procedure Steps 10-15). Stage 3: the Golden Gate reaction is treated with an exonuclease to remove all linear DNA, leaving only the properly assembled tandem hexamer (Procedure Steps 16 and 17). Stage 4: each tandem hexamer is amplified individually using PCR and purified (Procedure Steps 18-25). Stage 5: tandem hexamers corresponding to 1-6, 7-12 and 13-18 are ligated into the appropriate TALE-TF or TALEN cloning backbone using Golden Gate cut-ligation (Procedure Steps 26-28). Stage 6: the assembled TALE-TF or TALEN is transformed into competent cells, and successful clones are isolated and sequence verified (Procedure Steps 29-38).

[0055] FIG. 13 shows a PCR plate setup used to generate a plate of monomers for constructing custom 18-mer TALE DNA-binding domains. One 96-well plate may be used to carry out 72 reactions (18 for each monomer template). The position of each monomer and the primers used for the position is indicated in the well. Color coding in the well indicates the monomer used as the PCR template. Typically, two to four plates of 100- μ l PCRs are pooled together and purified to generate a monomer library of sufficient quantity for production of many TALEs. During TALE construction, the corresponding monomer for each DNA base in the 18-bp target sequence may be easily picked from the plate.

[0056] FIG. 14 shows a protocol to build TALEs that target DNA sequences of different lengths.

[0057] FIG. 15 shows a listing of primer sequences (SEQ ID NOS 78-101, respectively, in order of appearance) for TALE construction.

[0058] FIG. 16 shows gel results from the TALE construction process explained in Example 1 (a) Lanes 1-6: products from the monomer PCR (Stage 1 in FIG. 12) after purification and gel normalization (Procedure Steps 8 and 9). The molar concentrations of samples shown on this gel were normalized so that equal moles of monomers are mixed for downstream steps. Monomers 1 and 6 are slightly longer than monomers 2-5 because of the addition of sequences used for circularization. Lane 7: result of the hexamer Golden Gate cut-ligation (Procedure Step 15). A series of bands with size \sim 700 bp and lower may be seen. Successful hexamer Golden Gate assembly should show a band \sim 700 bp (as indicated by arrow). Lane 8: hexamer assembly after PlasmidSafe exonuclease treatment (Procedure Step 17). Typically, the amount of circular

DNA remaining is difficult to visualize by gel. Lane 9: result of hexamer amplification (Procedure Step 20). A band of ~700 bp should be clearly visible. The hexamer gel band should be gel purified to remove shorter DNA fragments. (b) Properly assembled TALE-TFs and TALENs may be verified using bacterial colony PCR (2,175-bp band, lane 1; Procedure Step 35) and restriction digestion with AfeI (2,118-bp band for correctly assembled 18-mer in either backbone; other bands for TALE-TF are 165, 3,435, 3,544 bp; other bands for TALEN are 165, 2,803, 3,236 bp; the digest shown is for TALE-TF backbone vector, lane 2, see Procedure Step 35).

[0059] FIG. 17 shows TALE-TF and TALEN activity in 293FT cells. (a) This schematic shows a pair of TALENs designed to target the AAVS1 locus in the human genome. The TALENs target a pair of binding sites flanking a 16-bp spacer. The left and right TALENs recognize the top and bottom strands of the target sites, respectively, and each recognition site begins with a T. The nucleotide sequences (SEQ ID NOS 102-103, respectively, in order of appearance) of the target sites are shown, with the corresponding TALEN RVD specifying the DNA base being targeted shown above. Each TALE DNA-binding domain is fused to the catalytic domain of FokI endonuclease; when FokI dimerizes, it cuts the DNA in the region between the left and right TALEN-binding sites. (b) Schematic of the Surveyor nuclease assay used to determine TALEN cleavage efficiency. First, genomic PCR (gPCR) is used to amplify the TALEN target region from a heterogeneous population of TALEN-modified and TALEN-unmodified cells, and the gPCR products are reannealed slowly to generate heteroduplexes. The reannealed heteroduplexes are cleaved by Surveyor nuclease, whereas homoduplexes are left intact. TALEN cleavage efficiency is calculated based on the fraction of cleaved DNA. (c) Gel showing the Surveyor nuclease result from the AAVS1 TALEN pair. Lanes 1-4: controls from un-transfected (NT) cells and cells transfected with a plasmid carrying GFP (Mock), AAVS1 left TALEN only (L), and AAVS1 right TALEN only (R). Lanes 5-7: cells transfected with AAVS1 left and right TALENs (L+R) for 24, 48 and 72 h. The two lower bands indicated by the arrows are Surveyor-cleaved DNA products. (d) This schematic shows a TALE-TF designed to target the SOX2 locus in the human genome. The SOX2 TALE-TF recognizes the sense strand of the SOX2 proximal promoter, and the recognition site begins with T. The nucleotide sequence (SEQ ID NO: 104) of the target site is shown, with the corresponding TALEN repeat variable diresidue (RVD) specifying each DNA base being targeted shown above. The TALE DNA-binding domain is fused to the synthetic VP64 transcriptional activator, which recruits RNA polymerase and other factors needed to initiate transcription. (e) 293FT cells transfected with the SOX2 TALE-TF exhibited a five-fold increase in the amount of SOX2 mRNA compared with mock-transfected cells. Error bars indicate s.e.m.; n=3. *** indicates $P < 0.005$. Panel e was modified with permission from ref 3.

[0060] FIG. 18A-B shows a schematic for the identification of an optimal guanine-specific repeat variable diresidue (RVD). (a) Design of the TALE RVD screening system. Each RVD screening TALE (RVD-TALE) contains 12.5 repeats with RVDs 5 and 6 substituted with the 23 naturally occurring RVDs, and is fused to a *Gaussia* luciferase gene via a 2A peptide linker. The truncations used for the TALE is marked at the N- and C-termini with numbers of amino acids retained (top). Four different base-specific reporters with A, T, G, and

C substituted in the 6th and 7th nucleotides of the binding site are used to determine the base-specificity of each RVD (middle). Each reporter is constructed by placing the TALE binding site upstream of a minimal CMV promoter driving *Cypridina* luciferase (bottom). FIG. 18(a) discloses SEQ ID NOS 56-59, respectively, in order of appearance. (b) Base-preference of each natural RVD (top) is determined by measuring the levels of relative luminescence unit (RLU) for each base-specific reporter after background subtraction and normalization based on TALE protein expression level (top). RVDs were clustered according to their base-preference after performing one-way analysis of variance (ANOVA) tests on each RVD. For RVDs with a single statistically significant reporter activity ($p < 0.05$, one-way ANOVA), the reporter activity of the preferred base was plotted above the x axis, whereas the reporter activities for the non-preferred bases are shown below the x-axis as negative. RVDs were clustered and ranked without a single preferred base according to their total activity level. The abundance of each RVD in natural TALE sequences, as determined using all available *Xanthomonas* TALE sequences in GenBank, is plotted on a log scale (bottom). All bases in the TALE binding site are color-coded (green for A, red for T, orange for G, and blue for C). NLS, nuclear localization signal; VP64, VP64 viral activation domain; 2A, 2A peptide linker; Gluc, *Gaussia* luciferase gene; minCMV, minimal CMV promoter; Cluc, *Cypridina* luciferase gene; polyA signal, poly-adenylation signal. All results are collected from three independent experiments in HEK 293FT cells. Error bars indicate s.e.m.; n=3.

[0061] FIG. 19A-D shows the characterization of guanine-specific repeat-variable diresidues (RVDs). (a) specificity and activity of different Guanine-targeting RVDs. Schematic showing the selection of two TALE binding sites within the CACNA1C locus of the human genome. The TALE RVDs are shown above the binding site sequences and yellow rectangles indicate positions of G-targeting RVDs (left). Four different TALEs using NN, NK, NH, and HN as the putative G-targeting RVD were synthesized for each target site. The specificity for each putative G-targeting RVD is assessed using luciferase reporter assay, by measuring the levels of reporter activation of the wild-type TALE binding site and mutant binding sites, with either 2, 4, or all guanines substituted by adenine. The mutated guanines and adenines are highlighted with orange and green, respectively. FIG. 19(a) discloses SEQ ID NOS 63, 105-106, 60, 62, 107-108 and 61, respectively, in order of appearance. (b) Endogenous transcriptional modulation using TALEs containing putative G-specific RVDs. TALEs using NN, NK, NH, and HN as the G-targeting RVD were synthesized to target two distinct 18 bp target sites in the human CACNA1C locus. Changes in mRNA are measured using qRT-PCR as described previously. VP64, VP64 transcription activation domain. All results are collected from three independent experiments in HEK 293FT cells. Error bars indicate s.e.m.; n=3. FIG. 19(b) discloses SEQ ID NOS 63 and 62, respectively, in order of appearance.

[0062] FIG. 20 shows the computational analysis of TALE RVD Specificity. Extensive free energy perturbation (FEP) calculations were performed for the relative binding affinities between the TALE and its bound DNA. Images show the three-dimensional configuration and results of the free energy calculation for NN:G (a) and NH:G (b) interactions from one repeat in the TALE-DNA complex. The second amino acid of the guanine-recognizing RVD (i.e., asparagine for RVD NN

and histidine for RVD NH) and the guanine base of the bound double-stranded DNA are presented in space filling model and labeled. The free energy calculation results are listed below their corresponding structures.

[0063] FIG. 21 shows the development of a TALE transcriptional repressor architecture. (a) Design of SOX2 TALE for TALE repressor screening. A TALE targeting a 14 bp sequence (SEQ ID NO: 104) within the SOX2 locus of the human genome was synthesized. (b) List of all repressors screened and their host origin (left). Eight different candidate repressor domains were fused to the C-term of the SOX2 TALE. (c) The fold decrease of endogenous SOX2 mRNA is measured using qRT-PCR by dividing the SOX2 mRNA levels in mock transfected cells by SOX2 mRNA levels in cells transfected with each candidate TALE repressor. (d) Transcriptional repression of endogenous CACNA1C. TALEs using NN, NK, and NH as the G-targeting RVD were constructed to target a 18 bp target site (SEQ ID NO: 63) within the human CACNA1C locus (site 1 in FIG. 19). Each TALE is fused to the SID repression domain. NLS, nuclear localization signal; KRAB, Krüppel-associated box; SID, mSin interaction domain. All results are collected from three independent experiments in HEK 293FT cells. Error bars indicate s.e.m.; n=3. * p<0.05, Student's t test.

[0064] FIG. 22 shows the optimization of TALE transcriptional repressor architecture using SID and SID4X. (a) Design of p11 TALE for testing of TALE repressor architecture. A TALE targeting a 20 bp sequence (SEQ ID NO: 109) (p11 TALE binding site) within the p11 (s100a10) locus of the mouse (*Mus musculus*) genome was synthesized. (b) Transcriptional repression of endogenous mouse p11 mRNA. TALEs targeting the mouse p11 locus harboring two different truncations of the wild type TALE architecture were fused to different repressor domains as indicated on the x-axis. The value in the bracket indicate the number of amino acids at the N- and C-termini of the TALE DNA binding domain flanking the DNA binding repeats, followed by the repressor domain used in the construct. The endogenous p11 mRNA levels were measured using qRT-PCR and normalized to the level in the negative control cells transfected with a GFP-encoding construct. (c) Fold of transcriptional repression of endogenous mouse p11. The fold decrease of endogenous p11 mRNA is measured using qRT-PCR through dividing the p11 mRNA levels in cells transfected with a negative control GFP construct by p11 mRNA levels in cells transfected with each candidate TALE repressors. The labeling of the constructs along the x-axis is the same as previous panel. NLS, nuclear localization signal; SID, mSin interaction domain; SID4X, an optimized four-time tandem repeats of SID domain linked by short peptide linkers. All results are collected from three independent experiments in Neuro2A cells. Error bars indicate s.e.m.; n=3. ***p<0.001, Student's t test.

[0065] FIG. 23 shows a comparison of two different types of TALE architecture.

[0066] FIG. 24A-F shows a table listing monomer sequences (SEQ ID NOS 110-340, respectively, in order of appearance) (excluding the RVDs at positions 12 and 13) and the frequency with which monomers having a particular sequence occur.

[0067] FIG. 25 shows the comparison of the effect of non-RVD amino acid on TALE activity. FIG. 25 discloses SEQ ID NOS 111, 110, 117, 114, 140, 341, 110, 115, 230, 342, 147 and 343, respectively, in order of appearance.

[0068] FIG. 26 shows an activator screen comparing levels of activation between VP64, p65 and VP16.

[0069] FIG. 27 shows (a) a customized TALE recognizing a designed sequence (SEQ ID NO: 65) wherein the grey portions indicate the TALE N-term (NH₂) and C-term (COOH), the blue portions indicate the DNA binding domain consisting of the 34 amino acid repeats which bear the RVDs for DNA base recognition and where amino acid positions 12 and 13 specify the DNA-binding code; (b) a TALE recombinase (TALER) in which a TALE targeting the designated sequence is fused to the recombinase. FIG. 27(b) discloses SEQ ID NO: 391.

[0070] FIG. 28 shows the construction of designer TALEs and functional testing in mammalian cells. (a) Designer TALEs may be constructed using hierarchical ligation methods (Zhang et al., Nat. Biotech 2011). (b) Design of a reporter system for testing the activity of designer TALEs in mammalian cells. A TALE is fused to a transcriptional activator (VP64) and the reporter construct has the TALE binding site positioned before a minimal CMV promoter. (c) Co-transfection of the designer TALE and its corresponding reporter led to mCherry expression, whereas transfection of the reporter alone did not lead to mCherry expression. FIG. 28(b) discloses SEQ ID NO: 391.

[0071] FIG. 29 shows a TALER and the TALER delivery system. (a) A TALER wherein the orange portion indicates a truncated version of Gin recombinase retaining only the catalytic domain, the grey portions indicate the TALE N-term (NH₂) and C-term (COOH), the purple portion indicates the nuclear localization signal (NLS) and the deeper grey portion indicates the 2A peptide linker (FIG. 29(a) discloses SEQ ID NO: 391) (b) Schematic representation of a Recombinase-TALE fusion construct and a schematic of the delivery system. The recombinase provides the catalytic function while the designer TALE domain provides the DNA targeting specificity. Rather than delivering the TALER genes, a lentivirus is engineered to package the TALER enzymes. The viral RNA encodes the genetic sequence that TALER inserts into the target genome.

[0072] FIG. 30 shows a TALER testing system in which the CMV segment indicates the CMV promoter, the Neo-3xPA segment indicates a neomycin cassette with triple (3x) polyadenylation signal and the Gin Site indicates the core sequences of Gin-DNA interactions. FIG. 30 discloses SEQ ID NOS 391 and 392, respectively, in order of appearance.

[0073] FIG. 31 shows the mechanism of the TALER reporter system. After the TALER successfully carries out the recombination reaction, the 3xPA cassette is removed, allowing expression of the Cluc reporter gene. (Cluc: *Cypridina* luciferase reporter gene).

[0074] FIG. 32 shows the TALER red fluorescent report system. FIG. 32 discloses SEQ ID NOS 391 and 392, respectively, in order of appearance.

[0075] FIG. 33 shows fluorescent images of TALER testing using a red fluorescent (mCherry) reporter. R3 and R5 are reporters with different spacer lengths as specified in the brackets.

[0076] FIG. 34 shows three different truncations used in TALER design.

[0077] FIG. 35 shows a graphical representation of the testing of the TALER system in terms of TALER activity.

[0078] FIG. 36 shows a graphical representation of TALER tests depicting data at different time points (48 h and 72 h) using TALREN 1.

[0079] FIG. 37 shows a graphical representation of the testing of the TALER system utilizing a novel core site. The data depicts TAL-recombinase activity for the LoxP site.

DETAILED DESCRIPTION

[0080] Provided herein are non-naturally occurring or engineered or isolated compositions which may comprise non-naturally occurring or engineered or isolated or recombinant polypeptides that bind specific nucleic acid sequences to manipulate a mammalian genomic locus. Manipulation may encompass (a) changes in the level of gene expression: gene expression may be repressed or activated or, (b) the genome may be altered: this may be done by homologous recombination after nuclease cleavage (e.g., by using the cell's own repair mechanism) whereby small insertions and deletions may be introduced into a specific genomic location to inactivate a gene, activate it or give it a new function. Also provided herein are the nucleic acids that encode these polypeptides, wherein the nucleic acid molecules are codon optimized to ensure that the polypeptides bind specifically to mammalian DNA.

[0081] The present invention provides for a method of altering expression of a mammalian genomic locus of interest, which may comprise contacting the genomic locus with a non-naturally occurring or engineered composition which may comprise a DNA binding polypeptide which may comprise a N-terminal capping region, a DNA binding domain which may comprise at least one or more TALE monomers or half-monomers specifically ordered to target the genomic locus of interest and a C-terminal capping region, wherein these three parts of the polypeptide are arranged in a predetermined N-terminus to C-terminus orientation and wherein the polypeptide includes at least one or more regulatory or functional protein domains. In an advantageous embodiment of the invention the polypeptide is encoded by and expressed from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to mammalian DNA.

[0082] The term "nucleic acid" or "nucleic acid molecule" or "nucleic acid sequence" or "polynucleotide" refer to deoxyribonucleic or ribonucleic oligonucleotides in either single- or double-stranded form. The term encompasses oligonucleotides containing known analogues of natural nucleotides. The term also encompasses nucleic-acid-like structures with synthetic backbones, see, e.g., Eckstein, 1991; Baserga et al., 1992; Milligan, 1993; WO 97/03211; WO 96/39154; Mata, 1997; Strauss-Soukup, 1997; and Samstag, 1996. Hence the term encompasses both ribonucleic acid (RNA) and DNA, including cDNA, genomic DNA, synthetic (e.g., chemically synthesized) DNA, and DNA (or RNA) containing nucleic acid analogs. An advantageous embodiment of the invention is the nucleic acid being DNA.

[0083] As used herein the term "wild type" is a term of the art understood by skilled persons and means the typical form of an organism, strain, gene or characteristic as it occurs in nature as distinguished from mutant or variant forms. Thus, in the present context, the wild type TALEs refer to naturally occurring TALEs.

[0084] As used herein the term "variant" should be taken to mean the exhibition of qualities that have a pattern that deviates from what occurs in nature. As used with particular regards to TALE monomers or half monomers, variant TALE monomers are those that may be derived from natural or wild type TALE monomers and that have altered amino acids at positions usually highly conserved in nature and in particular

have a combination of amino acids as RVDs that do not occur in nature and which may recognize a nucleotide with a higher activity, specificity and affinity than a naturally occurring RVD. For example, the RVD NI has an accepted specificity for adenine in nature, however Applicants have shown that the RVD RI, which is not a naturally occurring RVD, may have a greater specificity for adenine than NI. Generally, variants may include deletions, insertions and substitutions at the amino acid level and transversions, transitions and inversions at the nucleic acid level among other things, at one or more locations. Variants also include truncations. Variants include homologous and functional derivatives of parent molecules. Variants include sequences that are complementary to sequences that are capable of hybridizing to the nucleotide sequences presented herein.

[0085] As used herein, the term "designer TAL Effectors" (dTALs) refers to isolated or non-naturally occurring TALE polypeptides that may be constructed or engineered de novo or via the translation of isolated or non-naturally occurring nucleic acids that encode TALE polypeptides. In advantageous embodiments, the DNA binding domain of the dTALE or the polypeptides of the invention may have at least 5 of more TALE monomers and at least one or more half-monomers specifically ordered or arranged to target a genomic locus of interest. The construction and generation of dTALEs or polypeptides of the invention may involve any of the methods described herein (e.g., see Example 2).

[0086] The terms "isolated" or "purified" or "non-naturally occurring" or "engineered" are used interchangeably and indicate the involvement of the hand of man. The terms, when referring to nucleic acid molecules or polypeptides mean that the nucleic acid molecule or the polypeptide is at least substantially free from at least one other component with which they are naturally associated in nature and as found in nature. With respect to a polypeptide the terms means that the polypeptide is separated to some extent from the cellular components with which it is normally found in nature (e.g., other polypeptides, lipids, carbohydrates, and nucleic acids). A purified polypeptide may yield a single major band on a non-reducing polyacrylamide gel. A purified polypeptide may be at least about 75% pure (e.g., at least 80%, 85%, 90%, 95%, 97%, 98%, 99%, or 100% pure). Purified polypeptides may be obtained by, for example, extraction from a natural source, de novo by chemical synthesis, or by recombinant production in a host cell or transgenic plant, and may be purified using, for example, affinity chromatography, immunoprecipitation, size exclusion chromatography, and ion exchange chromatography. The extent of purification may be measured using any appropriate method, including, without limitation, column chromatography, polyacrylamide gel electrophoresis, or high-performance liquid chromatography. With respect to nucleic acids for example, a DNA molecule may be deemed to be isolated when one of the nucleic acid sequences normally found immediately flanking that DNA molecule in a naturally occurring genome is removed or absent. Thus, an isolated nucleic acid includes, without limitation, a DNA molecule that exists as a separate molecule (e.g., a chemically synthesized nucleic acid, or a cDNA or genomic DNA fragment produced by PCR or restriction endonuclease treatment) independent of other sequences, as well as DNA that is incorporated into a vector, an autonomously replicating plasmid, a virus (e.g., a pararetrovirus, a retrovirus, lentivirus, adenovirus, or herpes virus), or the genomic DNA of a prokaryote or eukaryote. In addition, an

isolated nucleic acid may include a recombinant nucleic acid such as a DNA molecule that is part of a hybrid or fusion nucleic acid.

[0087] Hence in preferred embodiments of the present invention, the dTALEs or polypeptides of the invention are isolated. As used herein, an “isolated” polypeptide is substantially free of cellular material. The language “substantially free of cellular material” includes preparations of dTALE polypeptide in which the polypeptide is separated from cellular components of the cells in which it is produced. For example, an isolated dTALE polypeptide may have less than 30% (by dry weight) of non-dTALE polypeptide, less than about 20% of non-dTALE polypeptide, less than about 10% of non-dTALE polypeptide, or less than about 5% non-dTALE polypeptide.

[0088] dTALE polypeptides may be produced by recombinant DNA techniques, as opposed to chemical synthesis. For example, a nucleic acid molecule encoding the protein is cloned into an expression vector, the expression vector is introduced into a host cell and the dTALE polypeptide is expressed in the host cell. The dTALE polypeptide may then be isolated from the cells by an appropriate purification scheme using standard protein purification techniques. As used herein, “recombinant” refers to a polynucleotide synthesized or otherwise manipulated in vitro (e.g., “recombinant polynucleotide”), to methods of using recombinant polynucleotides to produce gene products in cells or other biological systems, or to a polypeptide (“recombinant protein or polypeptide”) encoded by a recombinant polynucleotide. “Recombinant means” or “recombination” encompasses the ligation of nucleic acids having various coding regions or domains or promoter sequences from different sources into an expression cassette or vector for expression of, e.g., inducible or constitutive expression of polypeptide coding sequences in the vectors of invention.

[0089] As used herein, the term “genomic locus” or “locus” (plural loci) is the specific location of a gene or DNA sequence on a chromosome. A “gene” refers to stretches of DNA or RNA that encode a polypeptide or an RNA chain that has functional role to play in an organism and hence is the molecular unit of heredity in living organisms. For the purpose of this invention it may be considered that genes include regions which regulate the production of the gene product, whether or not such regulatory sequences are adjacent to coding and/or transcribed sequences. Accordingly, a gene includes, but is not necessarily limited to, promoter sequences, terminators, translational regulatory sequences such as ribosome binding sites and internal ribosome entry sites, enhancers, silencers, insulators, boundary elements, replication origins, matrix attachment sites and locus control regions.

[0090] As used herein, “expression of a genomic locus” or “gene expression” is the process by which information from a gene is used in the synthesis of a functional gene product. The products of gene expression are often proteins, but in non-protein coding genes such as rRNA genes or tRNA genes, the product is functional RNA. The process of gene expression is used by all known life—eukaryotes (including multicellular organisms), prokaryotes (bacteria and archaea) and viruses to generate functional products to survive. As used herein “expression” of a gene or nucleic acid encompasses not only cellular gene expression, but also the transcription and translation of nucleic acid(s) in cloning systems and in any other context.

[0091] As used herein, the term “domain” or “protein domain” refers to a part of a protein sequence that may exist and function independently of the rest of the protein chain.

[0092] The present invention provides for a DNA binding polypeptide. In an advantageous embodiment of the invention, provided herein are designer transcription activator receptors (dTALEs), which is a term used to describe isolated, non-naturally occurring, recombinant or engineered DNA binding proteins that comprise Transcription activator-like receptor (TALE) monomers or variant TALE monomers or half monomers as a part of their organizational structure that enable the targeting of nucleic acid sequences with improved efficiency and expanded specificity.

[0093] Naturally occurring TALEs or “wild type TALEs” are nucleic acid binding proteins secreted by numerous species of proteobacteria. TALEs contain a nucleic acid binding domain composed of tandem repeats of highly conserved monomer polypeptides that are predominantly 33, 34 or 35 amino acids in length and that differ from each other mainly in amino acid positions 12 and 13. In advantageous embodiments the nucleic acid is DNA. As used herein, the term “polypeptide monomers”, “TALE monomers” or “monomers” may be used to refer to the highly conserved repetitive polypeptide sequences within the TALE nucleic acid binding domain and the term “repeat variable di-residues” or “RVD” may be used to refer to the highly variable amino acids at positions 12 and 13 of the polypeptide monomers. A general representation of a TALE monomer which is comprised within the DNA binding domain is $X_{1-11}-(X_{12}X_{13})-X_{14-33}$ or 34 or 35 , where the subscript indicates the amino acid position and X represents any amino acid. $X_{12}X_{13}$ indicate the RVDs. In some polypeptide monomers, the variable amino acid at position 13 is missing or absent and in such monomers, the RVD consists of a single amino acid. In such cases the RVD may be alternatively represented as X^* , where X represents X_{12} and (*) indicates that X_{13} is absent. The DNA binding domain may comprise several repeats of TALE monomers and this may be represented as $(X_{1-11}-(X_{12}X_{13})-X_{14-33}$ or 34 or 35)_z, where in an advantageous embodiment, z is at least 5 to 40. In a further advantageous embodiment, z is at least 10 to 26.

[0094] The TALE monomers have a nucleotide binding affinity that is determined by the identity of the amino acids in its RVD. For example, polypeptide monomers with an RVD of NI preferentially bind to adenine (A), monomers with an RVD of NG preferentially bind to thymine (T), monomers with an RVD of HD preferentially bind to cytosine (C) and monomers with an RVD of NN preferentially bind to both adenine (A) and guanine (G). In yet another embodiment of the invention, monomers with an RVD of IG preferentially bind to T. Thus, the number and order of the polypeptide monomer repeats in the nucleic acid binding domain of a TALE determines its nucleic acid target specificity. In still further embodiments of the invention, monomers with an RVD of NS recognize all four base pairs and may bind to A, T, G or C. The structure and function of TALEs is further described in, for example, Moscou et al., *Science* 326:1501 (2009); Boch et al., *Science* 326:1509-1512 (2009); and Zhang et al., *Nature Biotechnology* 29:149-153 (2011), each of which is incorporated by reference in its entirety.

[0095] dTALEs or the polypeptides of the invention are isolated, non-naturally occurring, recombinant or engineered nucleic acid-binding proteins that have nucleic acid or DNA binding regions containing polypeptide monomer repeats that

are designed to target specific nucleic acid sequences. Previously described dTALEs, such as those in Zhang et al., *Nature Biotechnology* 29:149-153 (2011), used polypeptide monomers having an RVD of NN to target guanine. However, such dTALEs had incomplete target specificity because such monomers are able to bind both adenine and guanine with comparable affinity. Furthermore, the small number of RVD sequences with known binding specificity made it difficult, if not impossible, to design dTALEs that recognized a repertoire of degenerative nucleotide sequences with high efficiency.

[0096] As described herein, polypeptide monomers having an RVD of HN or NH preferentially bind to guanine and thereby allow the generation of dTALEs with high binding specificity for guanine containing target nucleic acid sequences. In a preferred embodiment of the invention, polypeptide monomers having RVDs RN, NN, NK, SN, NH, KN, HN, NQ, HH, RG, KH, RH and SS preferentially bind to guanine. In a much more advantageous embodiment of the invention, polypeptide monomers having RVDs RN, NK, NQ, HH, KH, RH, SS and SN preferentially bind to guanine and thereby allow the generation of dTALEs with high binding specificity for guanine containing target nucleic acid sequences. In an even more advantageous embodiment of the invention, polypeptide monomers having RVDs HH, KH, NH, NK, NQ, RH, RN and SS preferentially bind to guanine and thereby allow the generation of dTALEs with high binding specificity for guanine containing target nucleic acid sequences. In a further advantageous embodiment, the RVDs that have high binding specificity for guanine are RN, NH RH and KH. Furthermore, polypeptide monomers having an RVD of NV preferentially bind to adenine and guanine as do monomers having the RVD HN. Monomers having an RVD of NC preferentially bind to adenine, guanine and cytosine, and monomers having an RVD of S (or S*), bind to adenine, guanine, cytosine and thymine with comparable affinity. In more preferred embodiments of the invention, monomers having RVDs of H*, HA, KA, N*, NA, NC, NS, RA, and S* bind to adenine, guanine, cytosine and thymine with comparable affinity. Such polypeptide monomers allow for the generation of degenerative dTALEs able to bind to a repertoire of related, but not identical, target nucleic acid sequences.

[0097] Provided herein are dTALE polypeptides having a nucleic acid binding domain containing polypeptide monomers arranged in a predetermined N-terminus to C-terminus order such that each polypeptide monomer binds to a nucleotide of a predetermined target nucleic acid sequence and where at least one of the polypeptide monomers has an RVD of HN or NH and preferentially binds to guanine, an RVD of NV and preferentially binds to adenine and guanine, an RVD of NC and preferentially binds to adenine, guanine and cytosine or an RVD of S and binds to adenine, guanine, cytosine and thymine.

[0098] In some embodiments, each polypeptide monomer of the nucleic acid binding domain that binds to adenine has an RVD of NI, NN, NV, NC or S. In certain embodiments, each polypeptide monomer of the nucleic acid binding domain that binds to guanine has an RVD of HN, NH, NN, NV, NC or S. In certain embodiments, each polypeptide monomer of the nucleic acid binding domain that binds to cytosine has an RVD of HD, NC or S. In some embodiments, each polypeptide monomer that binds to thymine has an RVD of NG or S.

[0099] In some embodiments, each polypeptide monomer of the nucleic acid binding domain that binds to adenine has an RVD of NI. In certain embodiments, each polypeptide monomer of the nucleic acid binding domain that binds to guanine has an RVD of HN or NH. In certain embodiments, each polypeptide monomer of the nucleic acid binding domain that binds to cytosine has an RVD of HD. In some embodiments, each polypeptide monomer that binds to thymine has an RVD of NG.

[0100] In even more advantageous embodiments of the invention the RVDs that have a specificity for adenine are NI, RI, KI, HI, and SI. In more preferred embodiments of the invention, the RVDs that have a specificity for adenine are HN, SI and RI, most preferably the RVD for adenine specificity is SI. In even more preferred embodiments of the invention the RVDs that have a specificity for thymine are NG, HG, RG and KG. In further advantageous embodiments of the invention, the RVDs that have a specificity for thymine are KG, HG and RG, most preferably the RVD for thymine specificity is KG or RG. In even more preferred embodiments of the invention the RVDs that have a specificity for cytosine are HD, ND, KD, RD, HH, YG and SD. In a further advantageous embodiment of the invention, the RVDs that have a specificity for cytosine are SD and RD. Refer to FIG. 4B for representative RVDs and the nucleotides they target to be incorporated into the most preferred embodiments of the invention. In a further advantageous embodiment the variant TALE monomers may comprise any of the RVDs that exhibit specificity for a nucleotide as depicted in FIG. 4A. All such TALE monomers allow for the generation of degenerative dTALEs able to bind to a repertoire of related, but not identical, target nucleic acid sequences. In other embodiments of the invention, the RVD SH may have a specificity for G, the RVD IS may have a specificity for A and the RVD IG may have a specificity for T. In still further embodiments of the invention, the RVD NT may bind to G and A. In yet further embodiments of the invention, the RVD NP may bind to A, T and C. In more advantageous embodiments of the invention, at least one selected RVD may be NI, HD, NG, NN, KN, RN, NH, NQ, SS, SN, NK, KH, RH, HH, KI, HI, RI, SI, KG, HG, RG, SD, ND, KD, RD, YG, HN, NV, NS, HA, S*, N*, KA, H*, RA, NA or NC.

[0101] The predetermined N-terminal to C-terminal order of the one or more polypeptide monomers of the nucleic acid or DNA binding domain determines the corresponding predetermined target nucleic acid sequence to which the dTALE or polypeptides of the invention may bind. As used herein the monomers and at least one or more half monomers are "specifically ordered to target" the genomic locus or gene of interest. In plant genomes, the natural TALE-binding sites always begin with a thymine (T), which may be specified by a cryptic signal within the non-repetitive N-terminus of the TALE polypeptide; in some cases this region may be referred to as repeat 0. In animal genomes, TALE binding sites do not necessarily have to begin with a thymine (T) and polypeptides of the invention may target DNA sequences that begin with T, A, G or C. The tandem repeat of TALE monomers always ends with a half-length repeat or a stretch of sequence that may share identity with only the first 20 amino acids of a repetitive full length TALE monomer and this half repeat may be referred to as a half-monomer (FIG. 8). Therefore, it follows that the length of the nucleic acid or DNA being targeted is equal to the number of full monomers plus two.

[0102] For example, nucleic acid binding domains may be engineered to contain 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, or more polypeptide monomers arranged in a N-terminal to C-terminal direction to bind to a predetermined 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25 nucleotide length nucleic acid sequence. In more advantageous embodiments of the invention, nucleic acid binding domains may be engineered to contain 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26 or more full length polypeptide monomers that are specifically ordered or arranged to target nucleic acid sequences of length 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27 and 28 nucleotides, respectively. In certain embodiments the polypeptide monomers are contiguous. In some embodiments, half-monomers may be used in the place of one or more monomers, particularly if they are present at the C-terminus of the dTALE.

[0103] Polypeptide monomers are generally 33, 34 or 35 amino acids in length. With the exception of the RVD, the amino acid sequences of polypeptide monomers are highly conserved or as described herein, the amino acids in a polypeptide monomer, with the exception of the RVD, exhibit patterns that effect TALE activity, the identification of which may be used in preferred embodiments of the invention. Representative combinations of amino acids in the monomer sequence, excluding the RVD, are shown by the Applicants to have an effect on TALE activity (FIG. 25). In more preferred embodiments of the invention, when the DNA binding domain may comprise (X1-11-X12X13-X14-33 or 34 or 35)z, wherein X1-11 is a chain of 11 contiguous amino acids, wherein X12X13 is a repeat variable diresidue (RVD), wherein X14-33 or 34 or 35 is a chain of 21, 22 or 23 contiguous amino acids, wherein z is at least 5 to 26, then the preferred combinations of amino acids are [LTLA] (SEQ ID NO: 1) or [LTLA] (SEQ ID NO: 2) or [LTQV] (SEQ ID NO: 3) at X1-4, or [EQHG] (SEQ ID NO: 4) or [RDHG] (SEQ ID NO: 5) at positions X30-33 or X31-34 or X32-35. Furthermore, other amino acid combinations of interest in the monomers are [LTPD] (SEQ ID NO: 6) at X1-4 and [NQALE] (SEQ ID NO: 7) at X16-20 and [DHG] at X32-34 when the monomer is 34 amino acids in length. When the monomer is 33 or 35 amino acids long, then the corresponding shift occurs in the positions of the contiguous amino acids [NQALE] (SEQ ID NO: 7) and [DHG]; preferably, embodiments of the invention may have [NQALE] (SEQ ID NO: 7) at X15-19 or X17-21 and [DHG] at X31-33 or X33-35.

[0104] In still further embodiments of the invention, amino acid combinations of interest in the monomers, are [LTPD] (SEQ ID NO: 6) at X1-4 and [KRALE] (SEQ ID NO: 8) at X16-20 and [AHG] at X32-34 or [LTPE] (SEQ ID NO: 9) at X1-4 and [KRALE] (SEQ ID NO: 8) at X16-20 and [DHG] at X32-34 when the monomer is 34 amino acids in length. When the monomer is 33 or 35 amino acids long, then the corresponding shift occurs in the positions of the contiguous amino acids [KRALE] (SEQ ID NO: 8), [AHG] and [DHG]. In preferred embodiments, the positions of the contiguous amino acids may be ([LTPD] (SEQ ID NO: 6) at X1-4 and [KRALE] (SEQ ID NO: 8) at X15-19 and [AHG] at X31-33) or ([LTPE] (SEQ ID NO: 9) at X1-4 and [KRALE] (SEQ ID NO: 8) at X15-19 and [DHG] at X31-33) or ([LTPD] (SEQ ID NO: 6) at X1-4 and [KRALE] (SEQ ID NO: 8) at X17-21 and [AHG] at X33-35) or ([LTPE] (SEQ ID NO: 9) at X1-4 and [KRALE] (SEQ ID NO: 8) at X17-21 and [DHG] at X33-35). In still further embodiments of the invention, contiguous

amino acids [NGKQALE] (SEQ ID NO: 10) are present at positions X14-20 or X13-19 or X15-21. These representative positions put forward various embodiments of the invention and provide guidance to identify additional amino acids of interest or combinations of amino acids of interest in all the TALE monomers described herein (FIGS. 24A-F and 25).

[0105] Provided below are exemplary amino acid sequences (SEQ ID NOS 11-23, respectively, in order of appearance) of conserved portions of polypeptide monomers. The position of the RVD in each sequence is represented by XX or by X* (wherein (*) indicates that the RVD is a single amino acid and residue 13 (X13) is absent).

```
LTPAQVVAIASXXGGKQALETVQRLLPVLCQDHG
LTPAQVVAIASX*GGKQALETVQRLLPVLCQDHG
LTPDQVVAIANXXGGKQALATVQRLLPVLCQDHG
LTPDQVVAIANXXGGKQALETLQRLLPVLCQDHG
LTPDQVVAIANXXGGKQALETVQRLLPVLCQDHG
LTPDQVVAIASXXGGKQALATVQRLLPVLCQDHG
LTPDQVVAIASXXGGKQALETVQRLLPVLCQDHG
LTPDQVVAIASXXGGKQALETVQRVLPVLCQDHG
LTPEQVVAIASXXGGKQALETVQRLLPVLCQAHG
LTPYQVVAIASXXGSKQALETVQRLLPVLCQDHG
LTREQVVAIASXXGGKQALETVQRLLPVLCQDHG
LSTAQVVAIASXXGGKQALEGIGEQLLKLRTAPYG
LSTAQVVAIVASXXGGKPALEAVRAQLLALRAAPYG
```

[0106] A further listing of TALE monomers excluding the RVDs which may be denoted in a sequence (X1-11-X14-34 or X1-11-X14-35), wherein X is any amino acid and the subscript is the amino acid position is provided in FIG. 24A-F. The frequency with which each monomer occurs is also indicated.

[0107] As described in Zhang et al., Nature Biotechnology 29:149-153 (2011), dTALE binding efficiency may be increased by including amino acid sequences from the “capping regions” that are directly N-terminal or C-terminal of the DNA binding region of naturally occurring TALEs into dTALEs at positions N-terminal or C-terminal of the dTALE DNA binding region. Thus, in certain embodiments, the dTALEs described herein further comprise an N-terminal capping region and/or a C-terminal capping region.

[0108] An exemplary amino acid sequence of a N-terminal capping region is:

```
(SEQ ID NO: 24)
MDPIRSRTPSPARELLSGFPQPDGVQPTADRGVSP
PAGGLDGLPARRTMSRTRLSPPPAPSPAFSADS
FSDLLRQFPDPSLFNTSLFDSLPPFGAHTTEAATG
EWDEVQSGLRADAPPPTMRVAVTAARPPRAKPA
PRRRAAQPSDASPAAQVDLRTLGLYSQQQEKIKP
KVRSTVAQHHEALVGHGFTHAIVALSQHPAALG
```

- continued

TVAVKYQDMIAALPEATHEAIVGVGKQWSGARAL

EALLTVAGELRGPPQLDGTGQLLKIARGGVTAV

EAVHAWRNALTGAPLN

[0109] An exemplary amino acid sequence of a C-terminal capping region is:

(SEQ ID NO: 25)
RPALESIVAQLSRPDPALAAALTNDHLVALACLG

GRPALDAVKKGLPHAPALIKRTNRRIPERTSHR

VADHAQVVRVLGFFQCHSHPAQAFDDAMTQFGM

SRHGLLQLFRRVGVTELEARSGLTLPASQRWDR

ILQASGMKRAKPSPTSTQTPDQASLHAFADSLE

RDLDAPSPMHEGDQTRAS

[0110] As used herein the predetermined “N-terminus” to “C terminus” orientation of the

[0111] N-terminal capping region, the DNA binding domain which may comprise the repeat TALE monomers and the C-terminal capping region provide structural basis for the organization of different domains in the d-TALEs or polypeptides of the invention.

[0112] The entire N-terminal and/or C-terminal capping regions are not necessary to enhance the binding activity of the DNA binding region. Therefore, in certain embodiments, fragments of the N-terminal and/or C-terminal capping regions are included in the dTALEs described herein.

[0113] In certain embodiments, the dTALEs described herein contain a N-terminal capping region fragment that included at least 10, 20, 30, 40, 50, 54, 60, 70, 80, 87, 90, 94, 100, 102, 110, 117, 120, 130, 140, 147, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260 or 270 amino acids of an N-terminal capping region. In certain embodiments, the N-terminal capping region fragment amino acids are of the C-terminus (the DNA-binding region proximal end) of an N-terminal capping region. As described in Zhang et al., Nature Biotechnology 29:149-153 (2011), N-terminal capping region fragments that include the C-terminal 240 amino acids enhance binding activity equal to the full length capping region, while fragments that include the C-terminal 147 amino acids retain greater than 80% of the efficacy of the full length capping region, and fragments that include the C-terminal 117 amino acids retain greater than 50% of the activity of the full-length capping region.

[0114] In some embodiments, the dTALEs described herein contain a C-terminal capping region fragment that included at least 6, 10, 20, 30, 37, 40, 50, 60, 68, 70, 80, 90, 100, 110, 120, 127, 130, 140, 150, 155, 160, 170, 180 amino acids of a C-terminal capping region. In certain embodiments, the C-terminal capping region fragment amino acids are of the N-terminus (the DNA-binding region proximal end) of a C-terminal capping region. As described in Zhang et al., Nature Biotechnology 29:149-153 (2011), C-terminal capping region fragments that include the C-terminal 68 amino acids enhance binding activity equal to the full length capping region, while fragments that include the C-terminal 20 amino acids retain greater than 50% of the efficacy of the full length capping region.

[0115] In certain embodiments, the capping regions of the dTALEs described herein do not need to have identical sequences to the capping region sequences provided herein. Thus, in some embodiments, the capping region of the dTALEs described herein have sequences that are at least 50%, 60%, 70%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% identical or share identity to the capping region amino acid sequences provided herein. Sequence identity is related to sequence homology. Homology comparisons may be conducted by eye, or more usually, with the aid of readily available sequence comparison programs. These commercially available computer programs may calculate percent (%) homology between two or more sequences and may also calculate the sequence identity shared by two or more amino acid or nucleic acid sequences. In some preferred embodiments, the capping region of the dTALEs described herein have sequences that are at least 95% identical or share identity to the capping region amino acid sequences provided herein.

[0116] Sequence homologies may be generated by any of a number of computer programs known in the art, for example BLAST or FASTA, etc. A suitable computer program for carrying out such an alignment is the GCG Wisconsin Bestfit package (University of Wisconsin, U.S.A; Devereux et al., 1984, Nucleic Acids Research 12:387). Examples of other software than may perform sequence comparisons include, but are not limited to, the BLAST package (see Ausubel et al., 1999 *ibid*—Chapter 18), FASTA (Atschul et al., 1990, J. Mol. Biol., 403-410) and the GENWORKS suite of comparison tools. Both BLAST and FASTA are available for offline and online searching (see Ausubel et al., 1999 *ibid*, pages 7-58 to 7-60). However it is preferred to use the GCG Bestfit program.

[0117] % homology may be calculated over contiguous sequences, i.e., one sequence is aligned with the other sequence and each amino acid or nucleotide in one sequence is directly compared with the corresponding amino acid or nucleotide in the other sequence, one residue at a time. This is called an “ungapped” alignment. Typically, such ungapped alignments are performed only over a relatively short number of residues.

[0118] Although this is a very simple and consistent method, it fails to take into consideration that, for example, in an otherwise identical pair of sequences, one insertion or deletion may cause the following amino acid residues to be put out of alignment, thus potentially resulting in a large reduction in % homology when a global alignment is performed. Consequently, most sequence comparison methods are designed to produce optimal alignments that take into consideration possible insertions and deletions without unduly penalizing the overall homology or identity score. This is achieved by inserting “gaps” in the sequence alignment to try to maximize local homology or identity.

[0119] However, these more complex methods assign “gap penalties” to each gap that occurs in the alignment so that, for the same number of identical amino acids, a sequence alignment with as few gaps as possible—reflecting higher relatedness between the two compared sequences—may achieve a higher score than one with many gaps. “Affine gap costs” are typically used that charge a relatively high cost for the existence of a gap and a smaller penalty for each subsequent residue in the gap. This is the most commonly used gap scoring system. High gap penalties may, of course, produce optimized alignments with fewer gaps. Most alignment pro-

grams allow the gap penalties to be modified. However, it is preferred to use the default values when using such software for sequence comparisons. For example, when using the GCG Wisconsin Bestfit package the default gap penalty for amino acid sequences is -12 for a gap and -4 for each extension.

[0120] Calculation of maximum % homology therefore first requires the production of an optimal alignment, taking into consideration gap penalties. A suitable computer program for carrying out such an alignment is the GCG Wisconsin Bestfit package (Devereux et al., 1984 *Nuc. Acids Research* 12 p 387). Examples of other software than may perform sequence comparisons include, but are not limited to, the BLAST package (see Ausubel et al., 1999 *Short Protocols in Molecular Biology*, 4th Ed.—Chapter 18), FASTA (Altschul et al., 1990 *J. Mol. Biol.* 403-410) and the GENWORKS suite of comparison tools. Both BLAST and FASTA are available for offline and online searching (see Ausubel et al., 1999, *Short Protocols in Molecular Biology*, pages 7-58 to 7-60). However, for some applications, it is preferred to use the GCG Bestfit program. A new tool, called BLAST 2 Sequences is also available for comparing protein and nucleotide sequences (see *FEMS Microbiol Lett.* 1999 174(2): 247-50; *FEMS Microbiol Lett.* 1999 177(1): 187-8 and the website of the National Center for Biotechnology information at the website of the National Institutes for Health).

[0121] Although the final % homology may be measured in terms of identity, the alignment process itself is typically not based on an all-or-nothing pair comparison. Instead, a scaled similarity score matrix is generally used that assigns scores to each pair-wise comparison based on chemical similarity or evolutionary distance. An example of such a matrix commonly used is the BLOSUM62 matrix—the default matrix for the BLAST suite of programs. GCG Wisconsin programs generally use either the public default values or a custom symbol comparison table, if supplied (see user manual for further details). For some applications, it is preferred to use the public default values for the GCG package, or in the case of other software, the default matrix, such as BLOSUM62.

[0122] Alternatively, percentage homologies may be calculated using the multiple alignment feature in DNASIS™ (Hitachi Software), based on an algorithm, analogous to CLUSTAL (Higgins D G & Sharp P M (1988), *Gene* 73(1), 237-244). Once the software has produced an optimal alignment, it is possible to calculate % homology, preferably % sequence identity. The software typically does this as part of the sequence comparison and generates a numerical result.

[0123] The sequences may also have deletions, insertions or substitutions of amino acid residues which produce a silent change and result in a functionally equivalent substance. Deliberate amino acid substitutions may be made on the basis of similarity in amino acid properties (such as polarity, charge, solubility, hydrophobicity, hydrophilicity, and/or the amphipathic nature of the residues) and it is therefore useful to group amino acids together in functional groups. Amino acids may be grouped together based on the properties of their side chains alone. However, it is more useful to include mutation data as well. The sets of amino acids thus derived are likely to be conserved for structural reasons. These sets may be described in the form of a Venn diagram (Livingstone C. D. and Barton G. J. (1993) "Protein sequence alignments: a strategy for the hierarchical analysis of residue conservation" *Comput. Appl. Biosci.* 9: 745-756) (Taylor W. R. (1986) "The classification of amino acid conservation" *J. Theor. Biol.* 119: 205-218). Conservative substitutions may be made, for

example according to the table below which describes a generally accepted Venn diagram grouping of amino acids.

Set		Sub-set	
Hydrophobic	FWYHKMILVAGC	Aromatic	FWYH
		Aliphatic	ILV
Polar	WYHKREDCSTNQ	Charged	HKRED
		Positively charged	HKR
		Negatively charged	ED
Small	VCAGSPTND	Tiny	AGS

[0124] Embodiments of the invention include sequences which may comprise homologous substitution (substitution and replacement are both used herein to mean the interchange of an existing amino acid residue, with an alternative residue) that may occur i.e., like-for-like substitution such as basic for basic, acidic for acidic, polar for polar, etc. Non-homologous substitution may also occur i.e., from one class of residue to another or alternatively involving the inclusion of unnatural amino acids such as ornithine (hereinafter referred to as Z), diaminobutyric acid ornithine (hereinafter referred to as B), norleucine ornithine (hereinafter referred to as O), pyrilylalanine, thienylalanine, naphthylalanine and phenylglycine.

[0125] Variant amino acid sequences may include suitable spacer groups that may be inserted between any two amino acid residues of the sequence including alkyl groups such as methyl, ethyl or propyl groups in addition to amino acid spacers such as glycine or β -alanine residues. A further form of variation, which involves the presence of one or more amino acid residues in peptoid form, may be well understood by those skilled in the art. For the avoidance of doubt, "the peptoid form" is used to refer to variant amino acid residues wherein the α -carbon substituent group is on the residue's nitrogen atom rather than the α -carbon. Processes for preparing peptides in the peptoid form are known in the art, for example Simon R J et al., *PNAS* (1992) 89(20), 9367-9371 and Horwell D C, *Trends Biotechnol.* (1995) 13(4), 132-134.

[0126] Additional sequences for the conserved portions of polypeptide monomers and for N-terminal and C-terminal capping regions are included in the sequences with the following gene accession numbers: AAW59491.1, AAQ79773.2, YP_450163.1, YP_001912778.1, ZP_02242672.1, AAW59493.1, AAY54170.1, ZP_02245314.1, ZP_02243372.1, AAT46123.1, AAW59492.1, YP_451030.1, YP_001915105.1, ZP_02242534.1, AAW77510.1, ACD11364.1, ZP_02245056.1, ZP_02245055.1, ZP_02242539.1, ZP_02241531.1, ZP_02243779.1, AAN01357.1, ZP_02245177.1, ZP_02243366.1, ZP_02241530.1, AAS58130.3, ZP_02242537.1, YP_200918.1, YP_200770.1, YP_451187.1, YP_451156.1, AAS58127.2, YP_451027.1, YP_451025.1, AAA92974.1, YP_001913755.1, ABB70183.1, YP_451893.1, YP_450167.1, ABY60855.1, YP_200767.1, ZP_02245186.1, ZP_02242931.1, ZP_02242535.1, AAY54169.1, YP_450165.1, YP_001913452.1, AAS58129.3, ACM44927.1, ZP_02244836.1, AAT46125.1, YP_450161.1, ZP_02242546.1, AAT46122.1, YP_451897.1, AAF98343.1, YP_001913484.1, AAY54166.1, YP_001915093.1, YP_001913457.1,

ZP_02242538.1, YP_200766.1, YP_453043.1, YP_001915089.1, YP_001912981.1, ZP_02242929.1, YP_001911730.1, YP_201654.1, YP_199877.1, ABB70129.1, YP_451696.1, YP_199876.1, AAS75145.1, AAT46124.1, YP_200914.1, YP_001915101.1, ZP_02242540.1, AAG02079.2, YP_451895.1, YP_451189.1, YP_200915.1, AAS46027.1, YP_001913759.1, YP_001912987.1, AAS58128.2, AAS46026.1, YP_201653.1, YP_202894.1, YP_001913480.1, ZP_02242666.1, YP_001912775.1, ZP_02242662.1, AAS46025.1, AAC43587.1, BAA37119.1, NP_644725.1, ABO77779.1, BAA37120.1, ACZ62652.1, BAF46271.1, ACZ62653.1, NP_644793.1, ABO77780.1, ZP_02243740.1, ZP_02242930.1, AAB69865.1, AAY54168.1, ZP_02245191.1, YP_001915097.1, ZP_02241539.1, YP_451158.1, BAA37121.1, YP_001913182.1, YP_200903.1, ZP_02242528.1, ZP_06705357.1, ZP_06706392.1, ADI48328.1, ZP_06731493.1, ADI48327.1, ABO77782.1, ZP_06731656.1, NP_942641.1, AAY43360.1, ZP_06730254.1, ACN39605.1, YP_451894.1, YP_201652.1, YP_001965982.1, BAF46269.1, NP_644708.1, ACN82432.1, ABO77781.1, P14727.2, BAF46272.1, AAY43359.1, BAF46270.1, NP_644743.1, ABG37631.1, AAB00675.1, YP_199878.1, ZP_02242536.1, CAA48680.1, ADM80412.1, AAA27592.1, ABG37632.1, ABP97430.1, ZP_06733167.1, AAY43358.1, 2KQ5_A, BAD42396.1, ABO27075.1, YP_002253357.1, YP_002252977.1, ABO27074.1, ABO27067.1, ABO27072.1, ABO27068.1, YP_003750492.1, ABO27073.1, NP_519936.1, ABO27071.1, ABO27070.1, and ABO27069.1, each of which is hereby incorporated by reference.

[0127] In some embodiments, the dTALEs described herein also include a nuclear localization signal and/or cellular uptake signal. Such signals are known in the art and may target a dTALE to the nucleus and/or intracellular compartment of a cell. Such cellular uptake signals include, but are not limited to, the minimal Tat protein transduction domain which spans residues 47-57 of the human immunodeficiency virus Tat protein: YGRKKRRQRRR (SEQ ID NO: 26).

[0128] In some embodiments, the dTALEs described herein include a nucleic acid or DNA binding domain that is a non-TALE nucleic acid or a non-TALE DNA binding domain. As used herein the term “non-TALE DNA binding domain” refers to a DNA binding domain that has a nucleic acid sequence corresponding to a nucleic acid sequence which is not substantially homologous to a nucleic acid that encodes for a TALE protein or fragment thereof, e.g., a nucleic acid sequence which is different from a nucleic acid that encodes for a TALE protein and which is derived from the same or a different organism. In other embodiments of the invention, the dTALEs described herein include a nucleic acid or DNA binding domain that is linked to a non-TALE polypeptide. A “non-TALE polypeptide” refers to a polypeptide having an amino acid sequence corresponding to a protein which is not substantially homologous to a TALE protein or fragment thereof, e.g., a protein which is different from a TALE protein and which is derived from the same or a different organism. In this context, the term “linked” is intended include any manner by which the nucleic acid binding domain and the non-TALE polypeptide could be connected to each other, including, for example, through peptide bonds by being part of the same polypeptide chain or through other covalent

interactions, such as a chemical linker. The non-TALE polypeptide may be linked, for example to the N-terminus and/or C-terminus of the nucleic acid binding domain, may be linked to a C-terminal or N-terminal cap region, or may be connected to the nucleic acid binding domain indirectly.

[0129] In still further advantageous embodiments of the invention, the dTALEs or polypeptides of the invention comprise chimeric DNA binding domains. Chimeric DNA binding domains may be generated by fusing a full TALE (including the N- and C-terminal capping regions) with another TALE or non-TALE DNA binding domain such as zinc finger (ZF), helix-loop-helix, or catalytically-inactivated DNA endonucleases (e.g., EcoRI, meganucleases, etc), or parts of TALE may be fused to other DNA binding domains. The chimeric domain may have novel DNA binding specificity that combines the specificity of both domains.

[0130] In advantageous embodiments described herein, the dTALEs or polypeptides of the invention include a nucleic acid binding domain linked to the one or more effector domains. The terms “effector domain” or “regulatory and functional domain” refer to a polypeptide sequence that has an activity other than binding to the nucleic acid sequence recognized by the nucleic acid binding domain. By combining a nucleic acid binding domain with one or more effector domains, the polypeptides of the invention may be used to target the one or more functions or activities mediated by the effector domain to a particular target DNA sequence to which the nucleic acid binding domain specifically binds.

[0131] In some embodiments of the dTALEs described herein, the activity mediated by the effector domain is a biological activity. For example, in some embodiments the effector domain is a transcriptional inhibitor (i.e., a repressor domain), such as an mSin interaction domain (SID) or a Krüppel-associated box (KRAB) or fragments of the KRAB domain (further described in Example 3). In some embodiments the effector domain is an enhancer of transcription (i.e. an activation domain), such as the VP16, VP64 or p65 activation domain.

[0132] As used herein, VP16 is a herpesvirus protein. It is a very strong transcriptional activator that specifically activates viral immediate early gene expression. VP16 contains two functional domains. The amino-terminal portion of the protein, in association with host cellular proteins, binds to specific sequences upstream of the immediate early gene core promoters. The transcriptional activation domain resides in the carboxyl-terminal 78 amino acids. Embodiments of the invention use this activation domain as it may strongly activate transcription in various systems when attached to the DNA-binding domain of a heterologous protein. The VP16 activation domain is rich in acidic residues and has been regarded as a classic acidic activation domain (AAD). As used herein, VP64 activation domain is a tetrameric repeat of VP16's minimal activation domain. As used herein, p65 is one of two proteins that the NF-kappa B transcription factor complex is composed of. The other protein is p50. The p65 activation domain is a part of the p65 subunit is a potent transcriptional activator even in the absence of p50.

[0133] In certain embodiments, the effector domain is a mammalian protein or biologically active fragment thereof. Such effector domains are referred to as “mammalian effector domains.”

[0134] In certain embodiments, the activity of the effector domain is a non-biological activity. Examples of non-biological activities include fluorescence, luminescence, maltose

binding protein ("MBP"), glutathione S transferase (GST), hexahistidine (SEQ ID NO: 27), c-myc, and the FLAG epitope activity, for facilitating detection, purification, monitoring expression, and/or monitoring cellular and subcellular localization. In such embodiments, the dTALE polypeptide may also be used as a diagnostic reagent, for example, to detect mutations in gene sequences, to purify restriction fragments from a solution, or to visualize DNA fragments of a gel.

[0135] In other embodiments of the invention, one or more effector domains may be fused to the nucleic acid binding domain of polypeptides of the invention such that it is at the N-terminus, C-terminus, or internal to the polypeptide, so long as it is not located within the dTALE nucleic acid binding domain. The positioning of an effector domain for activity (e.g., enhanced or optimal activity) may be engineered according to structural position requirements and methods well known in the art. In certain host cells (e.g., mammalian host cells), expression and/or secretion of dTALEs may be increased through use of heterologous signal sequences.

[0136] In some other preferred embodiments of the invention, the biological activities of effector domains include but are not limited to transposase, integrase, recombinase, resolvase, invertase, protease, DNA methyltransferase, DNA demethylase, histone acetylase, histone deacetylase, nuclease, transcriptional repressor, transcriptional activator, a nuclear-localization signal, a transcription-protein recruiting protein, cellular uptake activity, nucleic acid binding, or antibody presentation activity.

[0137] As used herein, the term "recombinase" refers to enzymatic proteins that are involved in genetic recombination. DNA recombinase are frequently utilized to manipulate the structure of genomes to control gene expression. Recombinases generally target sites that are specific to each recombinase and catalyze DNA exchange between the target sites in a particular direction. The types of resulting DNA alterations may include but are not limited to excision/insertions, inversions, translocations and cassette exchange. Enzymes categorized as recombinases may include but are not limited to Gin recombinase, Cre recombinase, Hin recombinase, RecA/RAD51, Tre recombinase and FLP recombinase.

[0138] As described above, the dTALEs described herein are able to specifically bind to cytosine containing target nucleic acid sequences. In mammals, genomic DNA methylation of CpG di-nucleotides is an important epigenetic regulator of transcription and epigenetic structure. The dTALEs described herein are therefore useful for the regulation of mammalian DNA methylation. Such dTALEs may contain an effector domain that has DNA methyltransferase activity, such as a DNMT1, DNMT3a or DNMT3b domain, or a biologically active fragment thereof. Hence it is a preferred embodiment of the invention wherein the polypeptide has a DNA methyltransferase domain.

[0139] In some embodiments, the nucleic acid binding is linked, for example, with an effector domain that includes but is not limited to a transposase, integrase, recombinase, resolvase, invertase, protease, DNA methyltransferase, DNA demethylase, histone acetylase, histone deacetylase, nuclease, transcriptional repressor, transcriptional activator, transcription factor recruiting, protein nuclear-localization signal or cellular uptake signal.

[0140] In some embodiments, the effector domain is a protein domain which exhibits activities which include but are not limited to transposase activity, integrase activity, recombinase activity, resolvase activity, invertase activity, protease

activity, DNA methyltransferase activity, DNA demethylase activity, histone acetylase activity, histone deacetylase activity, nuclease activity, nuclear-localization signaling activity, transcriptional repressor activity, transcriptional activator activity, transcription factor recruiting activity, or cellular uptake signaling activity. Other preferred embodiments of the invention may include any combination the activities described herein.

[0141] As described in Zhang et al., *Nature Biotechnology* 29:149-153 (2011), a dTALE having a nucleic acid binding domain and an effector domain may be used to target the effector domain's activity to a genomic position having a predetermined nucleic acid sequence recognized by the nucleic acid binding domain. In some embodiments of the invention described herein, dTALE polypeptides are designed and used for targeting gene regulatory activity, such as transcriptional or translational modifier activity, to a regulatory, coding, and/or intergenic region, such as enhancer and/or repressor activity, that may affect transcription upstream and downstream of coding regions, and may be used to enhance or repress gene expression. For example, dTALE polypeptide may comprise effector domains having DNA-binding domains from transcription factors, effector domains from transcription factors (activators, repressors, co-activators, co-repressors), silencers, nuclear hormone receptors, and/or chromatin associated proteins and their modifiers (e.g., methylases, kinases, phosphatases, acetylases and deacetylases). In a further embodiment, useful domains for regulating gene expression may also be obtained from the gene products of oncogenes. In yet further advantageous embodiments of the invention, effector domains having integrase or transposase activity may be used to promote integration of exogenous nucleic acid sequence into specific nucleic acid sequence regions, eliminate (knock-out) specific endogenous nucleic acid sequence, and/or modify epigenetic signals and consequent gene regulation, such as by promoting DNA methyltransferase, DNA demethylase, histone acetylase and histone deacetylase activity. In other embodiments, effector domains having nuclease activity may be used to alter genome structure by nicking or digesting target sequences to which the polypeptides of the invention specifically bind, and may allow introduction of exogenous genes at those sites. In still further embodiments, effector domains having invertase activity may be used to alter genome structure by swapping the orientation of a DNA fragment.

[0142] In particularly advantageous embodiments, the dTALEs or polypeptides of the invention may be used to target transcriptional activity. As used herein, the term "transcription factor" refers to a protein or polypeptide that binds specific DNA sequences associated with a genomic locus or gene of interest to control transcription. Transcription factors may promote (as an activator) or block (as a repressor) the recruitment of RNA polymerase to a gene of interest. Transcription factors may perform their function alone or as a part of a larger protein complex. Mechanisms of gene regulation used by transcription factors include but are not limited to a) stabilization or destabilization of RNA polymerase binding, b) acetylation or deacetylation of histone proteins and c) recruitment of co-activator or co-repressor proteins. Furthermore, transcription factors play roles in biological activities that include but are not limited to basal transcription, enhancement of transcription, development, response to intercellular signaling, response to environmental cues, cell-cycle control and pathogenesis. With regards to information

on transcriptional factors, mention is made of Latchman and DS (1997) *Int. J. Biochem. Cell Biol.* 29 (12): 1305-12; Lee T I, Young R A (2000) *Annu. Rev. Genet.* 34: 77-137 and Mitchell P J, Tjian R (1989) *Science* 245 (4916): 371-8, herein incorporated by reference in their entirety.

[0143] In some embodiments, effector domains having resolvase activity may alter the genomic structure by changing the linking state of the DNA, e.g., by releasing concatemers. In some embodiments, effector domains having deaminase activity may be used to remove amino group(s) from a molecule. For example, dTALE having a transcription activator effector domain may increase a gene's expression, and a dTALE having an effector domain with epigenetic modification activity may alter the epigenetic status of a locus to render it either more or less heterochromatic. In some embodiments of the polypeptides described herein, the effector domain may have a nucleic acid binding activity distinct from the activity mediated by the nucleic acid binding domain of the polypeptide.

[0144] In other advantageous embodiments of the polypeptides of the invention, the effector domain may comprise a peptide or polypeptide sequence responsive to a ligand, such as a hormone receptor ligand binding domain and may be used to act as a "gene switch" and be regulated by inducers, such as small molecule or protein ligands, specific for the ligand binding domain. In still further embodiments of the invention, the effector domain may comprise sequences or domains of polypeptides that mediate direct or indirect protein-protein interactions, such as, for example, a leucine zipper domain, a STAT protein N-terminal domain, and/or an FK506 binding protein. Specific examples of nucleic acid and protein sequences useful as effector domains are well known in the art. With regards to effector domains, mention is made of PCT publication WO 1999/045132, the contents of which are incorporated by reference herein in their entirety.

[0145] In additional advantageous embodiments of the invention one or more effector domains comprise an N-terminal domain 5' or a C-terminal domain 3', or a fragment or polypeptide sequence thereof that is at least 50%, at least 55%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 99%, or more identical to the amino acid sequence of the N-terminal domain and/or C-terminal domain from a wild type TALE. In a preferred embodiment of the invention, the N-terminal capping region or fragment thereof is 95% identical to a wild type N-terminal capping region. In another preferred embodiment, the C-terminal capping region or fragment thereof is 95% identical to a wild type C-terminal capping region. In such embodiments, the N-terminal and/or C-terminal domains or a fragment or polypeptide sequence thereof may be selected to enhance the biological activity of another effector domain, such as, for example, to enhance transcriptional activation of a transcriptional activation effector domain.

[0146] The polypeptides of the invention which may comprise an effector domain may be produced by standard recombinant DNA techniques. For example, DNA fragments coding for the different polypeptide sequences are ligated together in-frame in accordance with conventional techniques, for example by employing blunt-ended or stagger-ended termini for ligation, restriction enzyme digestion to provide for appropriate termini, filling-in of cohesive ends as appropriate, alkaline phosphatase treatment to avoid undesirable joining, and enzymatic ligation. In another embodiment,

the fusion gene may be synthesized by conventional techniques including automated DNA synthesizers. Alternatively, PCR amplification of gene fragments may be carried out using anchor primers which give rise to complementary overhangs between two consecutive gene fragments which may subsequently be annealed and reamplified to generate a chimeric gene sequence (see, for example, *Current Protocols in Molecular Biology*, eds. Ausubel et al. John Wiley & Sons: 1992). Moreover, many expression vectors are commercially available that already encode a fusion moiety (e.g., a nuclear localization signal, effector domain, etc.). With regards to these molecular techniques, mention is made of U.S. Pat. No. 7,674,892, the contents of which are incorporated by reference herein in their entirety.

[0147] The present invention provides for a method of repressing expression of a mammalian genomic locus of interest, which may comprise contacting the genomic locus with a non-naturally occurring or engineered composition which may comprise a DNA binding polypeptide which may comprise a N-terminal capping region, a DNA binding domain which may comprise at least one or more TALE monomers or half-monomers and a C-terminal capping region, wherein these three parts of the polypeptide are arranged in a predetermined N-terminus to C-terminus orientation and wherein the polypeptide includes at least one or more repressor domains. In an advantageous embodiment of the invention the polypeptide is encoded by and expressed from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to mammalian DNA.

[0148] For example, in some advantageous embodiments of the invention, the effector domain is a transcriptional inhibitor (i.e., a repressor domain), such as an mSin interaction domain (SID), SID4X or a Krüppel-associated box (KRAB). As used herein the SID domain is an interaction domain which is present in several transcriptional repressor proteins and may function with additional repressor domains and corepressors. As used herein, SID4X is a tandem repeat of four SID domains linker together by short peptide linkers. As used herein, the KRAB domain is a domain that is usually found in the N-terminal of several zinc finger protein based transcription factors. The KRAB domain may consist of 75 amino acids which repression may be accomplished by a module of about 45 amino acids. Hence, preferred embodiments of the invention may use KRAB domains or fragments thereof as repressor domains.

[0149] The present invention also provides for a method of activating expression of a mammalian genomic locus of interest, which may comprise contacting the genomic locus with a non-naturally occurring or engineered composition which may comprise a DNA binding polypeptide which may comprise a N-terminal capping region, a DNA binding domain which may comprise at least one or more TALE monomers or half-monomers and a C-terminal capping region, wherein these three parts are arranged in a predetermined N-terminus to C-terminus orientation and wherein the polypeptide includes at least one or more activator domains. In an advantageous embodiment of the invention the polypeptide is encoded by and expressed from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to mammalian DNA.

[0150] In some embodiments the effector domain is an enhancer of transcription (i.e., an activation domain), such as the VP64 or p65 or VP16 activation domains. A graphical

comparison of the effect these different activation domains have on Sox2 mRNA level is provided in FIG. 26.

[0151] Provided herein are nucleic acid molecules encoding the dTALE polypeptides described herein. As used herein, the term “encoding” is open. Thus, a nucleic acid molecule encoding a dTALE polypeptide may also encode other polypeptides and may include additional non-coding nucleic acid sequences (e.g., promoters, enhancers). As used herein and as mentioned previously, the term “nucleic acid molecule” is intended to include DNA molecules (i.e., cDNA or genomic DNA) and RNA molecules (i.e., mRNA) and analogs of the DNA or RNA generated using nucleotide analogs in any number of forms and/or conformations.

[0152] In certain embodiments, the dTALE-encoding nucleic acid described herein is isolated. As described previously, an “isolated” nucleic acid is free of sequences which naturally flank the nucleic acid (i.e., sequences located at the 5' and 3' ends of the nucleic acid) in the nucleic acid (e.g., genomic DNA) of the organism from which the nucleic acid is derived and is substantially free of cellular material of the organism from which the nucleic acid is derived.

[0153] In certain embodiments the dTALE-encoding nucleic acid is part of a vector. As used herein, the term “vector” refers to a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked. One type of vector is a “plasmid”, which refers to a circular double-stranded DNA loop into which additional DNA segments may be ligated. Another type of vector is a viral vector, wherein additional DNA segments may be ligated into the viral genome. Certain vectors are capable of autonomous replication in a host cell into which they are introduced (e.g., bacterial vectors having a bacterial origin of replication and episomal mammalian vectors). Other vectors (e.g., non-episomal mammalian vectors) are integrated into the genome of a host cell upon introduction into the host cell, and thereby are replicated along with the host genome.

[0154] In certain embodiments, the dTALE nucleic acid molecule described herein is an expression vector. As used herein, “expression vectors” are vectors capable of directing the expression of dTALE polypeptide. Such expression vectors include one or more regulatory sequences operably linked to a sequence that encodes a dTALE polypeptide, thereby allowing dTALE polypeptide to be expressed in a host cell. Within a recombinant expression vector, “operably linked” means that the nucleotide sequence of interest is linked to the regulatory sequence(s) in a manner which allows for expression of the nucleotide sequence (e.g., in an *in vitro* transcription/translation system or in a host cell when the vector is introduced into the host cell). The term “regulatory sequence” includes promoters, enhancers and other expression control elements (e.g., polyadenylation signals). Regulatory sequences include constitutive regulatory signals, inducible regulatory signals and tissue-specific regulatory signals.

[0155] In addition, advantageous embodiments of the invention include host cells, cell lines and transgenic organisms (e.g., plants, fungi, animals) which may comprise these DNA-binding polypeptides/nucleic acids and/or modified by these polypeptides (e.g., genomic modification that is passed into the next generation). Further preferred embodiments include cells and cell lines which include but are not limited to plant cells, insect cells, bacterial cells, yeast cells, viral cells, human cells, primate cells, rat cells, mouse cells, zebrafish cells, madin-darby canine cells, hamster cells,

xenopus cells and stem cells. Advantageous embodiments of the invention are the cell and cell lines being of animal origin, most preferably of mammalian origin. In a preferred embodiment, the DNA binding polypeptide further may comprise a reporter or selection marker. In advantageous embodiments the selection marker may be a fluorescent marker, while in other aspects, the reporter is an enzyme.

[0156] Further advantageous embodiments of the invention include host cells which may comprise these polypeptides/nucleic acids and/or modified by these polypeptides (e.g., genomic modification that is passed into the next generation). The host cell may be stably transformed or transiently transfected or a combination thereof with one or more of these protein expression vectors. In other embodiments, the one or more protein expression vectors express one or fusion proteins in the host cell. In another embodiment, the host cell may further comprise an exogenous polynucleotide donor sequence.

[0157] As described previously and as used herein, a “vector” is a tool that allows or facilitates the transfer of an entity from one environment to another. It is a replicon, such as a plasmid, phage, or cosmid, into which another DNA segment may be inserted so as to bring about the replication of the inserted segment. Generally, a vector is capable of replication when associated with the proper control elements. The term “vector” includes cloning and expression vectors, as well as viral vectors and integrating vectors. An “expression vector” is a vector that includes one or more expression control sequences, and an “expression control sequence” is a DNA sequence that controls and regulates the transcription and/or translation of another DNA sequence. Suitable expression vectors include, without limitation, plasmids and viral vectors derived from, for example, bacteriophage, baculoviruses, tobacco mosaic virus, herpes viruses, cytomegalovirus, retroviruses, vaccinia viruses, adenoviruses, and adeno-associated viruses. Numerous vectors and expression systems are commercially available from such corporations as Novagen (Madison, Wis.), Clontech (Palo Alto, Calif.), Stratagene (La Jolla, Calif.), and Invitrogen/Life Technologies (Carlsbad, Calif.). By way of example, some vectors used in recombinant DNA techniques allow entities, such as a segment of DNA (such as a heterologous DNA segment, such as a heterologous cDNA segment), to be transferred into a target cell. The present invention comprehends recombinant vectors that may include viral vectors, bacterial vectors, protozoan vectors, DNA vectors, or recombinants thereof. With regards to recombination and cloning methods, mention is made of U.S. patent application Ser. No. 10/815,730, the contents of which are herein incorporated by reference in their entirety.

[0158] A vector may have one or more restriction endonuclease recognition sites (whether type I, II or IIs) at which the sequences may be cut in a determinable fashion without loss of an essential biological function of the vector, and into which a nucleic acid fragment may be spliced or inserted in order to bring about its replication and cloning. Vectors may also comprise one or more recombination sites that permit exchange of nucleic acid sequences between two nucleic acid molecules. Vectors may further provide primer sites, e.g., for PCR, transcriptional and/or translational initiation and/or regulation sites, recombinational signals, replicons, selectable markers, etc. A vector may further contain one or more selectable markers suitable for use in the identification of cells transformed with the vector.

[0159] As mentioned previously, vectors capable of directing the expression of genes and/or nucleic acid sequence to which they are operatively linked, in an appropriate host cell (e.g., a prokaryotic cell, eukaryotic cell, or mammalian cell), are referred to herein as “expression vectors.” If translation of the desired nucleic acid sequence is required, such as for example, the mRNA encoding a dTALE polypeptide, the vector also typically may comprise sequences required for proper translation of the nucleotide sequence. The term “expression” as used herein with regards to expression vectors, refers to the biosynthesis of a nucleic acid sequence product, i.e., to the transcription and/or translation of a nucleotide sequence, for example, a nucleic acid sequence encoding a dTALE polypeptide in a cell. Expression also refers to biosynthesis of a microRNA or RNAi molecule, which refers to expression and transcription of an RNAi agent such as siRNA, shRNA, and antisense DNA, that do not require translation to polypeptide sequences.

[0160] In general, expression vectors of utility in the methods of generating and compositions which may comprise polypeptides of the invention described herein are often in the form of “plasmids,” which refer to circular double-stranded DNA loops which, in their vector form, are not bound to a chromosome. In some embodiments of the aspects described herein, all components of a given dTALE polypeptide may be encoded in a single vector. For example, in some embodiments, a vector may be constructed that contains or may comprise all components necessary for a functional dTALE polypeptide as described herein. In some embodiments, individual components (e.g., one or more monomer units and one or more effector domains) may be separately encoded in different vectors and introduced into one or more cells separately. Moreover, any vector described herein may itself comprise predetermined dTALE polypeptide encoding component sequences, such as an effector domain and/or dTALE monomer unit, at any location or combination of locations, such as 5' to, 3' to, or both 5' and 3' to the exogenous nucleic acid molecule which may comprise one or more component dTALE encoding sequences to be cloned in. Such expression vectors are termed herein as which may comprise “backbone sequences.”

[0161] Several embodiments of the invention relate to vectors that include but are not limited to plasmids, episomes, bacteriophages, or viral vectors, and such vectors may integrate into a host cell's genome or replicate autonomously in the particular cellular system used. In some embodiments of the compositions and methods described herein, the vector used is an episomal vector, i.e., a nucleic acid capable of extra-chromosomal replication and may include sequences from bacteria, viruses or phages. Other embodiments of the invention relate to vectors derived from bacterial plasmids, bacteriophages, yeast episomes, yeast chromosomal elements, and viruses, vectors derived from combinations thereof, such as those derived from plasmid and bacteriophage genetic elements, cosmids and phagemids. In some embodiments, a vector may be a plasmid, bacteriophage, bacterial artificial chromosome (BAC) or yeast artificial chromosome (YAC). A vector may be a single- or double-stranded DNA, RNA, or phage vector.

[0162] Viral vectors include, but are not limited to, retroviral vectors, such as lentiviral vectors or gammaretroviral vectors, adenoviral vectors, and baculoviral vectors. For example, a lentiviral vector may be used in the form of lentiviral particles. Other forms of expression vectors known by

those skilled in the art which serve equivalent functions may also be used. Expression vectors may be used for stable or transient expression of the polypeptide encoded by the nucleic acid sequence being expressed. A vector may be a self-replicating extrachromosomal vector or a vector which integrates into a host genome. One type of vector is a genomic integrated vector, or “integrated vector”, which may become integrated into the chromosomal DNA or RNA of a host cell, cellular system, or non-cellular system. In some embodiments, the nucleic acid sequence encoding the dTALE polypeptides or component sequences, such as an effector domain sequence and/or dTALE monomer unit sequence, described herein, integrates into the chromosomal DNA or RNA of a host cell, cellular system, or non-cellular system along with components of the vector sequence.

[0163] The recombinant expression vectors used herein comprise a dTALE nucleic acid in a form suitable for expression of the nucleic acid in a host cell, which indicates that the recombinant expression vector(s) include one or more regulatory sequences, selected on the basis of the host cell(s) to be used for expression, which is operatively linked to the nucleic acid sequence to be expressed.

[0164] As used herein, the term “regulatory sequence” is intended to include promoters, enhancers and other expression control elements (e.g., 5' and 3' untranslated regions (UTRs) and polyadenylation signals). With regards to regulatory sequences, mention is made of U.S. patent application Ser. No. 10/491,026, the contents of which are incorporated by reference herein in their entirety.

[0165] The terms “promoter”, “promoter element” or “promoter sequence” are equivalents and as used herein, refer to a DNA sequence which when operatively linked to a nucleotide sequence of interest is capable of controlling the transcription of the nucleotide sequence of interest into mRNA. Promoters may be constitutive, inducible or regulatable. The term “tissue-specific” as it applies to a promoter refers to a promoter that is capable of directing selective expression of a nucleotide sequence of interest to a specific type of tissue in the relative absence of expression of the same nucleotide sequence of interest in a different type of tissue. Tissue specificity of a promoter may be evaluated by methods known in the art. The term “cell-type specific” as applied to a promoter refers to a promoter, which is capable of directing selective expression of a nucleotide sequence of interest in a specific type of cell in the relative absence of expression of the same nucleotide sequence of interest in a different type of cell within the same tissue. The term “cell-type specific” when applied to a promoter also means a promoter capable of promoting selective expression of a nucleotide sequence of interest in a region within a single tissue. Cell-type specificity of a promoter may be assessed using methods well known in the art., e.g., GUS activity staining or immunohistochemical staining. The term “minimal promoter” as used herein refers to the minimal nucleic acid sequence which may comprise a promoter element while also maintaining a functional promoter. A minimal promoter may comprise an inducible, constitutive or tissue-specific promoter. With regards to promoters, mention is made of PCT publication WO 2011/028929 and U.S. application Ser. No. 12/511,940, the contents of which are incorporated by reference herein in their entirety.

[0166] In advantageous embodiments of the invention, the expression vectors described herein may be introduced into host cells to thereby produce proteins or peptides, including fusion proteins or peptides, encoded by nucleic acids as

described herein (e.g., dTALE polypeptides, variant forms of dTALE polypeptides, dTALE fusion proteins, etc.).

[0167] In some embodiments, the recombinant expression vectors which may comprise a nucleic acid encoding a dTALE polypeptide described herein further comprise a 5' UTR sequence and/or a 3' UTR sequence, thereby providing the nucleic acid sequence transcribed from the expression vector additional stability and translational efficiency.

[0168] Certain embodiments of the invention may relate to the use of prokaryotic vectors and variants and derivatives thereof. Other embodiments of the invention may relate to the use of eukaryotic expression vectors. With regards to these prokaryotic and eukaryotic vectors, mention is made of U.S. Pat. No. 6,750,059, the contents of which are incorporated by reference herein in their entirety. Other embodiments of the invention may relate to the use of viral vectors, with regards to which mention is made of U.S. patent application Ser. No. 13/092,085, the contents of which are incorporated by reference herein in their entirety.

[0169] In some embodiments of the aspects described herein, a dTALE polypeptide is expressed using a yeast expression vector. Examples of vectors for expression in yeast *S. cerevisiae* include, but are not limited to, pYepSec1 (Baldari, et al., (1987) *EMBO J.* 6:229-234), pMFa (Kurjan and Herskowitz, (1982) *Cell* 30:933-943), pJRY88 (Schultz et al., (1987) *Gene* 54:113-123), and pYES2 (Invitrogen Corporation, San Diego, Calif.).

[0170] In other embodiments of the invention, a dTALE polypeptide is expressed in insect cells using, for example, baculovirus expression vectors. Baculovirus vectors available for expression of proteins in cultured insect cells (e.g., Sf 9 cells) include, but are not limited to, the pAc series (Smith et al. (1983) *Mol. Cell. Biol.* 3:2156-2165) and the pVL series (Lucklow and Summers (1989) *Virology* 170:31-39).

[0171] In some embodiments of the aspects described herein, a dTALE polypeptide is expressed in mammalian cells using a mammalian expression vector. Non-limiting examples of mammalian expression vectors include pCDM8 (Seed, B. (1987) *Nature* 329:840) and pMT2PC (Kaufman et al. (1987) *EMBO J.* 6:187-195). When used in mammalian cells, the expression vector's control functions are often provided by viral regulatory elements. For example, commonly used promoters are derived from polyoma, Adenovirus 2, cytomegalovirus and Simian Virus 40. With regards to viral regulatory elements, mention is made of U.S. patent application Ser. No. 13/248,967, the contents of which are incorporated by reference herein in their entirety.

[0172] In some such embodiments, the mammalian expression vector is capable of directing expression of the nucleic acid encoding the dTALE polypeptide in a particular cell type (e.g., tissue-specific regulatory elements are used to express the nucleic acid). Tissue-specific regulatory elements are known in the art and in this regard, mention is made of U.S. Pat. No. 7,776,321, the contents of which are incorporated by reference herein in their entirety.

[0173] The vectors which may comprise nucleic acid sequences encoding the dTALE polypeptides described herein may be "introduced" into cells as polynucleotides, preferably DNA, by techniques well known in the art for introducing DNA and RNA into cells. The term "transduction" refers to any method whereby a nucleic acid sequence is introduced into a cell, e.g., by transfection, lipofection, electroporation (methods whereby an instrument is used to create micro-sized holes transiently in the plasma membrane of cells

under an electric discharge, see, e.g., Banerjee et al., *Med. Chem.* 42:4292-99 (1999); Godbey et al., *Gene Ther.* 6:1380-88 (1999); Kichler et al., *Gene Ther.* 5:855-60 (1998); Birchall et al., *J. Pharm.* 183:195-207 (1999)), biolistics, passive uptake, lipid:nucleic acid complexes, viral vector transduction, injection, contacting with naked DNA, gene gun (whereby the nucleic acid is coupled to a nanoparticle of an inert solid (commonly gold) which is then "shot" directly into the target cell's nucleus), calcium phosphate, DEAE dextran, lipofectin, lipofectamine, DIMRIE C™, Superfect™, and Effectin™ (Qiagen™), Unifectin™, Maxifectin™, DOTMA, DOGS™ (Transfectam; dioctadecylamidoglycylspermine), DOPE (1,2-dioleoyl-sn-glycero-3-phosphoethanolamine), DOTAP (1,2-dioleoyl-3-trimethylammonium propane), DDAB (dimethyl dioctadecylammonium bromide), DHDEAB (N,N-di-n-hexadecyl-N,N-dihydroxyethyl ammonium bromide), HDEAB (N-n-hexadecyl-N,N-dihydroxyethylammonium bromide), polybrene, poly(ethylenimine) (PEI), sono-poration (transfection via the application of sonic forces to cells), optical transfection (methods whereby a tiny (~1 μm diameter) hole is transiently generated in the plasma membrane of a cell using a highly focused laser), magnetofection (refers to a transfection method, that uses magnetic force to deliver exogenous nucleic acids coupled to magnetic nanoparticles into target cells), impalefection (carried out by impaling cells by elongated nanostructures, such as carbon nanofibers or silicon nanowires which were coupled to exogenous nucleic acids), and the like. In this regard, mention is made of U.S. patent application Ser. No. 13/088,009, the contents of which are incorporated by reference herein in their entirety.

[0174] The nucleic acid sequences encoding the dTALE polypeptides or the vectors which may comprise the nucleic acid sequences encoding the dTALE polypeptides described herein may be introduced into a cell using any method known to one of skill in the art. The term "transformation" as used herein refers to the introduction of genetic material (e.g., a vector which may comprise a nucleic acid sequence encoding a dTALE polypeptide) into a cell, tissue or organism. Transformation of a cell may be stable or transient. The term "transient transformation" or "transiently transformed" refers to the introduction of one or more transgenes into a cell in the absence of integration of the transgene into the host cell's genome. Transient transformation may be detected by, for example, enzyme-linked immunosorbent assay (ELISA), which detects the presence of a polypeptide encoded by one or more of the transgenes. For example, a nucleic acid sequence encoding a dTALE polypeptide may further comprise a constitutive promoter operably linked to a second output product, such as a reporter protein. Expression of that reporter protein indicates that a cell has been transformed or transfected with the nucleic acid sequence encoding a dTALE polypeptide. Alternatively, or in combination, transient transformation may be detected by detecting the activity of the dTALE polypeptide. The term "transient transformant" refers to a cell which has transiently incorporated one or more transgenes.

[0175] In contrast, the term "stable transformation" or "stably transformed" refers to the introduction and integration of one or more transgenes into the genome of a cell or cellular system, preferably resulting in chromosomal integration and stable heritability through meiosis. Stable transformation of a cell may be detected by Southern blot hybridization of genomic DNA of the cell with nucleic acid sequences, which

are capable of binding to one or more of the transgenes. Alternatively, stable transformation of a cell may also be detected by the polymerase chain reaction of genomic DNA of the cell to amplify transgene sequences. The term “stable transformant” refers to a cell, which has stably integrated one or more transgenes into the genomic DNA. Thus, a stable transformant is distinguished from a transient transformant in that, whereas genomic DNA from the stable transformant contains one or more transgenes, genomic DNA from the transient transformant does not contain a transgene. Transformation also includes introduction of genetic material into plant cells in the form of plant viral vectors involving epichromosomal replication and gene expression, which may exhibit variable properties with respect to meiotic stability. Transformed cells, tissues, or plants are understood to encompass not only the end product of a transformation process, but also transgenic progeny thereof.

[0176] For stable transfection of mammalian cells, it is known that, depending upon the expression vector and transfection technique used, only a small fraction of cells may integrate the foreign DNA into their genome. In order to identify and select these integrants, a gene that encodes a selectable biomarker (e.g., resistance to antibiotics) is generally introduced into the host cells along with the gene of interest. Selectable markers include those which confer resistance to drugs, such as G418, hygromycin and methotrexate. Nucleic acid encoding a selectable biomarker may be introduced into a host cell on the same vector as that encoding dTALE or may be introduced on a separate vector. Cells stably transfected with the introduced nucleic acid may be identified by drug selection (e.g., cells that have incorporated the selectable biomarker gene survive, while the other cells die). With regards to transformation, mention is made to U.S. Pat. No. 6,620,986, the contents of which are incorporated by reference herein in their entirety.

[0177] A host cell, such as a prokaryotic or eukaryotic host cell in culture, may be used to produce (i.e., express) a dTALE polypeptide as described herein, or may be the cell in which the dTALE polypeptide is expressed to mediate its effect on a target gene sequence. A “host cell” as used herein may be any cell, including non-plant, moneran, fungal, prokaryotic or eukaryotic cell. As defined herein, a “cell” or “cellular system” is the basic structural and functional unit of all known independently living organisms. It is the smallest unit of life that is classified as a living thing, and is often called the building block of life. Some organisms, such as most bacteria, are unicellular (consist of a single cell). Other organisms, such as humans, are multicellular. A “natural cell,” as defined herein, refers to any prokaryotic or eukaryotic cell found naturally. A “prokaryotic cell” may comprise a cell envelope and a cytoplasmic region that contains the cell genome (DNA) and ribosomes and various sorts of inclusions. In other embodiments, the cell or cellular system is an artificial or synthetic cell. As defined herein, an “artificial cell” or a “synthetic cell” is a minimal cell formed from artificial parts that may do many things a natural cell may do, such as transcribe and translate proteins and generate ATP.

[0178] For example, a dTALE polypeptide may be expressed in bacterial cells, such as *E. coli*; insect cells, such as SF9 or SF-21 cells from *Spodoptera frugiperda* or S2 cells from *Drosophila melanogaster*; plant cells, such as a tobacco plant cell; yeast or fungal cells, such as a cell from *Pichia pastoris*, *Rhizopus*, *Aspergillus*, or *S. cerevisiae*; animal cells, such as nematode, insect, plant, bird, reptile, or mammalian

cells (such as, for example, cells from a mouse, rat, rabbit, hamster, gerbil, dog, cat, goat, pig, cow, horse, whale, monkey, or human, e.g., 293FT cells, Fao hepatoma cells, primary hepatocytes, Chinese hamster ovary cells (CHO), or COS cells). The cells may be primary cells, immortalized cells, stem cells, or transformed cells. Other suitable host cells are known to those skilled in the art. With regards to host cells, mention is made of U.S. patent application Ser. No. 13/088,009, the contents of which are incorporated by reference herein in their entirety.

[0179] In some embodiments of the aspects described herein, a primary somatic cell is used as the host cell for expression of a dTALE polypeptide and/or is the cell type in which the dTALE polypeptide is expressed to mediate its effect on a target gene sequence via its nucleic acid binding domain. Essentially any primary somatic cell type may be used as a host cell for expressing a dTALE polypeptide. Some non-limiting examples of primary cells include, but are not limited to, fibroblast, epithelial, endothelial, neuronal, adipose, cardiac, skeletal muscle, immune cells, hepatic, splenic, lung, circulating blood cells, gastrointestinal, renal, bone marrow, and pancreatic cells. The cell may be a primary cell isolated from any somatic tissue including, but not limited to, brain, liver, lung, gut, stomach, intestine, fat, muscle, uterus, skin, spleen, endocrine organ, bone, etc. The term “somatic cell” as used herein, further encompasses primary cells grown in culture, provided that the somatic cells are not immortalized. With regards to these cells, mention is made of U.S. patent application Ser. No. 13/147,713, the contents of which are incorporated by reference herein in their entirety.

[0180] Where the cell is maintained under in vitro conditions, conventional tissue culture conditions and methods may be used, and are known to those of skill in the art. Isolation and culture methods for various cells are well within the abilities of one skilled in the art.

[0181] Further, the parental cell may be from any mammalian species, with non-limiting examples including a murine, bovine, simian, porcine, equine, ovine, or human cell. In some embodiments, the cell is a human cell. In an alternate embodiment, the cell is from a non-human organism such as a non-human mammal.

[0182] The dTALE polypeptides described herein may be used to repress or activate transcription of known pluripotency factors, such as SOX2 in 293FT cells. Other factors include but are not limited to KLF4, c-Myc, and Oct-4. Accordingly, in some embodiments of the aspects described herein, cells of a cell line are used as the host cell for expression of a dTALE polypeptide and/or are the cell type in which the dTALE polypeptide is expressed to mediate its effect on a target gene sequence via its nucleic acid binding domain. In some such embodiments, the host cell is a mammalian cell line. In some such embodiments, the mammalian cell line is a human cell line.

[0183] Examples of human cell lines useful with the compositions and methods provided herein include, but are not limited to, 293T (embryonic kidney), BT-549 (breast), DMS 114 (small cell lung), DU145 (prostate), HT-1080 (fibrosarcoma), HEK 293 (embryonic kidney), HeLa (cervical carcinoma), HepG2 (hepatocellular carcinoma), HL-60(TB) (leukemia), HS 578T (breast), HT-29 (colon adenocarcinoma), Jurkat (T lymphocyte), M14 (melanoma), MCF7 (mammary), MDA-MB-453 (mammary epithelial), PERC6® (E1-transformed embryonal retina), RXF 393 (renal), SF-268 (CNS), SF-295 (CNS), THP-1 (monocyte-derived macroph-

ages), TK-10 (renal), U293 (kidney), UACC-257 (melanoma), and XF 498 (CNS). In this regard, mention is made of U.S. Pat. No. 8,183,038, the contents of which are incorporated by reference herein in their entirety.

[0184] Examples of non-human primate cell lines useful with the compositions and methods provided herein include, but are not limited to, monkey kidney (CVI-76) cells, African green monkey kidney (VERO-76) cells, green monkey fibroblast (Cos-1) cells, and monkey kidney (CVI) cells transformed by SV40 (Cos-7). Additional mammalian cell lines are known to those of ordinary skill in the art and are catalogued at the American Type Culture Collection catalog (ATCC®, Manassas, Va.). With regard to non-human primate cell lines, mention is made of U.S. Pat. No. 5,168,050, the contents of which are incorporated by reference herein in their entirety.

[0185] Examples of rodent cell lines useful with the compositions and methods provided herein include, but are not limited to, mouse Sertoli (TM4) cells, mouse mammary tumor (MMT) cells, rat hepatoma (HTC) cells, mouse myeloma (NS0) cells, murine hybridoma (Sp2/0) cells, mouse thymoma (EL4) cells, Chinese Hamster Ovary (CHO) cells and CHO cell derivatives, murine embryonic (NIH/3T3, 3T3 L1) cells, rat myocardial (H9c2) cells, mouse myoblast (C2C12) cells, and mouse kidney (miMCD-3) cells. Aspects of rodent cell lines are further described in PCT publication WO/2011/11990, the contents of which are incorporated by reference herein in their entirety.

[0186] In other advantageous embodiments of the invention, a stem cell is used as the host cell for expression of the polypeptides of the invention and/or is the cell type in which the dTALE polypeptide is expressed to mediate its effect on a target gene sequence via its nucleic acid binding domain. As used herein, stem cells refer to undifferentiated cells defined by their ability at the single cell level to both self-renew and differentiate to produce progeny cells, including self-renewing progenitors, non-renewing progenitors, and terminally differentiated cells. Stem cells, depending on their level of differentiation, are also characterized by their ability to differentiate in vitro into functional cells of various cell lineages from multiple germ layers (endoderm, mesoderm and ectoderm), as well as to give rise to tissues of multiple germ layers following transplantation and to contribute substantially to most, if not all, tissues following injection into blastocysts. (mention is made of U.S. Pat. Nos. 5,750,376, 5,851,832, 5,753,506, 5,589,376, 5,824,489, 5,654,183, 5,693,482, 5,672,499, and 5,849,553, all herein incorporated in their entireties by reference). Stem cells that may be used in the compositions and methods which may comprise dTALE polypeptides and nucleic acid sequences encoding dTALE polypeptides described herein may be naturally occurring stem cells or “induced” stem cells generated using the compositions, kits, and methods described herein, or by any method or composition known to one of skill in the art.

[0187] Stem cells may be obtained from any mammalian species, e.g., human, primate, equine, bovine, porcine, canine, feline, rodent, e.g., mice, rats, hamsters, etc. Stem cells are classified by their developmental potential as: (1) totipotent, meaning able to give rise to all embryonic and extraembryonic cell types; (2) pluripotent, meaning able to give rise to all embryonic cell types; (3) multipotent, meaning able to give rise to a subset of cell lineages, but all within a particular tissue, organ, or physiological system (for example, hematopoietic stem cells (HSC) may produce prog-

eny that include HSC (self-renewal), blood cell restricted oligopotent progenitors and the cell types and elements (e.g., platelets) that are normal components of the blood); (4) oligopotent, meaning able to give rise to a more restricted subset of cell lineages than multipotent stem cells; and (5) unipotent, meaning able to give rise to a single cell lineage (e.g., spermatogenic stem cells).

[0188] DNA binding polypeptides of the invention may be used in conjunction with stem cells that include but are not limited to embryonic cells of various types, exemplified by human embryonic stem (hES) cells, described by Thomson et al. (1998) *Science* 282:1145; embryonic stem cells from other primates, such as Rhesus stem cells (Thomson et al. (1995) *Proc. Natl. Acad. Sci. USA* 92:7844); marmoset stem cells (Thomson et al. (1996) *Biol. Reprod.* 55:254); and human embryonic germ (hEG) cells (Shambloft et al., *Proc. Natl. Acad. Sci. USA* 95:13726, 1998). Also of interest are lineage-committed stem cells, such as hematopoietic or pancreatic stem cells. In some embodiments, the host cell transfected with the expression vector which may comprise a sequence encoding a dTALE polypeptide is a multipotent stem cell or progenitor cell. Examples of multipotent cells useful in methods provided herein include, but are not limited to, murine embryonic stem (ES-D3) cells, human umbilical vein endothelial (HuVEC) cells, human umbilical artery smooth muscle (HuASMC) cells, human differentiated stem (HKB-II) cells, and human mesenchymal stem (hMSC) cells. An additional stem cell type of interest for use with the compositions and methods described herein are cancer stem cells. With regards to stem cells, mention is made of PCT publication WO/2011/119901, the contents of which are incorporated by reference herein in their entirety.

[0189] Cells derived from embryonic sources may include embryonic stem cells or stem cell lines obtained from a stem cell bank or other recognized depository institution. Other means of producing stem cell lines include the method of Chung et al. (2006) which may comprise taking a blastomere cell from an early stage embryo prior to formation of the blastocyst (at around the 8-cell stage). The technique corresponds to the pre-implantation genetic diagnosis technique routinely practiced in assisted reproduction clinics. The single blastomere cell is then co-cultured with established ES-cell lines and then separated from them to form fully competent ES cell lines.

[0190] Cells may also be derived from human umbilical cord blood cells (HUCBC), which are recognized as a rich source of hematopoietic and mesenchymal stem cells (Broxmeyer et al., 1992 *Proc. Natl. Acad. Sci. USA* 89:4109-4113). Cord blood cells are used as a source of transplantable stem and progenitor cells and as a source of marrow repopulating cells for the treatment of malignant diseases (e.g., acute lymphoid leukemia, acute myeloid leukemia, chronic myeloid leukemia, myelodysplastic syndrome, and neuroblastoma) and non-malignant diseases such as Fanconi's anemia and aplastic anemia (Kohli-Kumar et al., 1993 *Br. J. Haematol.* 85:419-422; Wagner et al., 1992 *Blood* 79: 1874-1881; Lu et al., 1996 *Crit. Rev. Oncol. Hematol.* 22:61-78; Lu et al., 1995 *Cell Transplantation* 4:493-503). One advantage of HUCBC for use with the methods and compositions described herein is the immature immunity of these cells, which is very similar to fetal cells, and thus significantly reduces the risk for rejection by the host (Taylor & Bryson, 1985 *J. Immunol.* 134:1493-1497). With regards to cord

blood cells, mention is made of U.S. application Ser. No. 10/777,425, the contents of which are incorporated by reference herein in their entirety.

[0191] In other embodiments of the aspects described herein, cancer stem cells are used as the host cells for expression of a dTALE polypeptide described herein, in order to, for example, differentiate or alter the phenotype of a cancer stem cell to a non-tumorigenic state by activating one or more target gene sequences. Examples of tumors from which samples containing cancer stem cells may be isolated from or enriched, for use with the compositions and methods described herein, include sarcomas and carcinomas such as, but not limited to: fibrosarcoma, myxosarcoma, liposarcoma, chondrosarcoma, osteogenic sarcoma, chordoma, angiosarcoma, endotheliosarcoma, lymphangiosarcoma, mesothelioma, Ewing's tumor, lymphangi endotheliosarcoma, synovium, leiomyosarcoma, rhabdomyosarcoma, colon carcinoma, pancreatic cancer, breast cancer, ovarian cancer, prostate cancer, squamous cell carcinoma, basal cell carcinoma, adenocarcinoma, sweat gland carcinoma, sebaceous gland carcinoma, papillary carcinoma, papillary adenocarcinomas, cystadenocarcinoma, medullary carcinoma, bronchogenic carcinoma, renal cell carcinoma, hepatoma, bile duct carcinoma, choriocarcinoma, seminoma, embryonal carcinoma, Wilms' tumor, cervical cancer, testicular tumor, lung carcinoma, small cell lung carcinoma, bladder carcinoma, epithelial carcinoma, astrocytic tumors (e.g., diffuse, infiltrating gliomas, anaplastic astrocytoma, glioblastoma, gliosarcoma, pilocytic astrocytoma, pleomorphic xanthoastrocytoma), oligodendroglial tumors and mixed gliomas (e.g., oligodendroglioma, anaplastic oligodendroglioma, oligoastrocytoma, anaplastic oligoastrocytoma), ependymal tumors (e.g., ependymoma, anaplastic ependymoma, myxopapillary ependymoma, subependymoma), choroid plexus tumors, neuroepithelial tumors of uncertain origin (astroblastoma, chordoid glioma, gliomatosis cerebri), neuronal and mixed-neuronal-glioma tumors (e.g., ganglioglioma and gangliocytoma, desmoplastic infantile astrocytoma and ganglioglioma, dysembryoplastic neuroepithelial tumor, central neurocytoma, cerebellar liponeurocytoma, paraganglioglioma), pineal parenchymal tumors, embryonal tumors (medulloepithelioma, ependymblastoma, medulloblastoma, primitive neuroectodermal tumor, atypical teratoid/rhabdoid tumor), peripheral neuroblastic tumors, tumors of cranial and peripheral nerves (e.g., schwannoma, neurofibroma, perineurioma, malignant peripheral nerve sheath tumor), meningeal tumors (e.g., meningiomas, mesenchymal, non-meningothelial tumors, haemangiopericytomas, melanocytic lesions), germ cell tumors, tumors of the sellar region (e.g., craniopharyngioma, granular cell tumor of the neurohypophysis), hemangioblastoma, melanoma, and retinoblastoma. Additionally, the stem cell isolation methods of the invention are applicable to isolating stem cells from tissues other than characterized tumors (e.g., from tissues of diseases such as the so called "stem cell pathologies"). With regards to tumor and cancer stem cells, mention is made of U.S. application Ser. No. 10/195,117, the contents of which are incorporated by reference herein in their entirety.

[0192] In other aspects, methods for producing dTALE protein using host cells are further provided. In some embodiments of these methods, the method includes culturing the host cell (into which a recombinant expression vector encoding a dTALE polypeptide has been introduced) in a suitable medium until dTALE polypeptide is produced. In some such

embodiments, the method further may comprise isolating the dTALE polypeptide produced from the medium or the host cell.

[0193] The term "heterologous" or "exogenous" when used with reference to a nucleic acid, indicates that the nucleic acid is in a cell or a virus where it is not normally found in nature; or, may comprise two or more subsequences that are not found in the same relationship to each other as are normally found in nature, or is recombinantly engineered so that its level of expression, or physical relationship to other nucleic acids or other molecules in a cell, or structure, is not normally found in nature. For instance, a heterologous nucleic acid is typically recombinantly produced, having two or more sequences from unrelated genes arranged in a manner not found in nature; e.g., a human gene operably linked to a promoter sequence inserted into an adenovirus-based vector of the invention. As an example, a heterologous nucleic acid of interest may encode an immunogenic gene product, wherein the adenovirus is administered therapeutically or prophylactically as a carrier or drug-vaccine composition. Heterologous sequences may comprise various combinations of promoters and sequences, examples of which are described in detail herein.

[0194] The present invention also provides for pharmaceutical compositions which may comprise the DNA binding polypeptides of the invention or the nucleic acids encoding them. In a preferred embodiment the composition may comprise one or more pharmaceutically acceptable excipients. Pharmaceutically acceptable carrier or excipients, are known to those of skill in the art. See, for example, *Remington's Pharmaceutical Sciences*, 17th ed., 1985; and PCT publication WO 00/42219, the contents of which are incorporated by reference herein in their entirety.

[0195] As used herein, the terms "drug composition", "drug", "vaccinal composition", "vaccine", "vaccine composition", "therapeutic composition" and "therapeutic-immunologic composition" cover any composition that induces protection against an antigen or pathogen. In some embodiments, the protection may be due to an inhibition or prevention of infection by a pathogen. In other embodiments, the protection may be induced by an immune response against the antigen(s) of interest, or which efficaciously protects against the antigen; for instance, after administration or injection into the subject, elicits a protective immune response against the targeted antigen or immunogen, or provides efficacious protection against the antigen or immunogen expressed from the inventive adenovirus vectors of the invention. The term "pharmaceutical composition" means any composition that is delivered to a subject. In some embodiments, the composition may be delivered to inhibit or prevent infection by a pathogen.

[0196] The terms "immunogenic composition" and "immunological composition" and "immunogenic or immunological composition" cover any composition that confers in a subject a therapeutic effect and/or elicits in a subject an immune response against the antigen, immunogen, or pathogen of interest; for instance, after administration into a subject, elicits an immune response against the targeted immunogen or antigen of interest.

[0197] An "immunological response" to a composition, vaccine, antigen, immunogen, pathogen or ligand is the development in the host of a cellular and/or antibody-mediated immune response to the composition, vaccine, antigen, immunogen, pathogen or ligand of interest. Usually, an

“immunological response” includes but is not limited to one or more of the following effects: the production of antibodies, B cells, helper T cells, and/or cytotoxic T cells, directed specifically to an antigen or antigens included in the composition or vaccine of interest. Preferably, the host displays both a rapid (e.g., within <24 hrs.) therapeutic effect and a long-term protective immunological response such that resistance to new infection is enhanced and/or the clinical severity of the disease reduced. Such protection is demonstrated by either a reduction or lack of symptoms normally displayed by an infected host, a quicker recovery time and/or a lowered viral titer in the infected host.

[0198] A “therapeutically effective amount” or an “immunologically effective amount” is an amount or concentration of the recombinant vector encoding the gene of interest, that, when administered to a subject, produces a therapeutic response or an immune response to the gene product of interest.

[0199] Hence, particularly advantageous embodiments of the invention relate to the administration of a therapeutically effective amount of the polypeptide or polypeptides of the invention to target tissues and cells in an animal in need thereof. In preferred embodiments, the animal is a mammal. Formulations suitable for parenteral administration, such as, for example, by intravenous, intramuscular, intradermal, and subcutaneous routes, include aqueous and non-aqueous, isotonic sterile injection solutions, which may contain antioxidants, buffers, bacteriostats, and solutes that render the formulation isotonic with the blood of the intended recipient, and aqueous and non-aqueous sterile suspensions that may include suspending agents, solubilizers, thickening agents, stabilizers, and preservatives. In the practice of this invention, compositions may be administered, for example, by intravenous infusion, orally, topically, intraperitoneally, intravesically or intrathecally. The formulations of compounds may be presented in unit-dose or multi-dose sealed containers, such as ampules and vials. Injection solutions and suspensions may be prepared from sterile powders, granules, and tablets of the kind previously described.

[0200] The dTALES or polypeptides of the invention may also be supplied as components of diagnostic kits. In one embodiment they allow for the rapid identification of genomic markers of interest. In a further embodiment, these proteins may be purified from cells and used in diagnostic kits or for diagnostic reagents for uses such as analyzing the allele type of a gene of interest, measuring mRNA expression levels, etc. The polypeptides of the invention may be attached to silicon chips or beads for multichannel or microfluidic analyses. In yet a further aspect, the polypeptides of the invention may be utilized in kits used to facilitate genomic manipulation by the user and so may provide a polypeptide with an effector domain, for example, a TALEN that cleaves a desired target or a safe harbor locus within a genome. The TALEN may be provided either as nucleic acid (e.g., DNA or RNA) or may be provided as protein. In some instances, the protein may be formulated to increase stability, or may be provided in a dried form. In some instances, the kits are used for diagnostic purposes. In some embodiments of the invention, the TALE-fusion included in the kit is a transcriptional regulator. In other embodiments, the TALE-fusion may comprise a reporter. In yet another embodiment, the kit may comprise any additional component which aids in the construction and delivery of the DNA binding polypeptides of the invention.

[0201] The dTALE-expressing nucleic acid molecules described herein may be constructed, for example, using the methods described in Zhang et al., *Nature Biotechnology* 29:149-153 (2011) (Further described in Example 2). These nucleic acids encode for the polypeptides of the invention that are characterized by all the embodiments described herein.

EXAMPLES

Example 1

Targeting the SOX2 Gene Promoter with SID and KRAB Repression Domains

[0202] TALEs targeting the promoter of the human SOX2 gene with the mSin interaction domain (SID) or the Krüppel-associated box (KRAB) repression domain were engineered. TALEs were constructed using a Golden-Gate-like cut-ligation strategy. Different truncations of the KRAB domain and SID were codon optimized for mammalian expression and synthesized with flanking NheI and XbaI restriction sites. All repressor domains were cloned into the TALE backbone by replacing the VP64 activation domain using NheI and XbaI restriction sites and verified by sequencing. FIG. 1 depicts a schematic of an exemplary TALE-repressor architecture, while the amino acid sequences of the TALE repressors are provided in FIG. 2. When TALE repressors were introduced into HEK 293FT cells using liposomal transfection, the SID domain repressed the endogenous SOX2 locus 26% more effectively than the KRAB domain (FIG. 1).

[0203] To identify an RVD specific for G residues, 23 RVDs were evaluated for residue binding (FIGS. 3 and 4). To directly compare the DNA binding specificity and activity of the RVDs, a set of 23 12.5-repeat TALEs were designed where RVDs 5 and 6 were systematically substituted with the 23 test RVDs (RVD-TALEs; FIG. 3). Each RVD-TALE was used to assess the base-preference and activity strength of its corresponding RVD, which was measured by comparing each RVD-TALE’s transcriptional activation of four base-specific luciferase reporter plasmids with A, G, T, and C substituted in the 5th and 6th positions of the TALE binding site (A-, G-, T-, or C-reporters; FIG. 3). Luciferase reporter assays were performed by co-transfecting HEK 293FT cells with TALE expression and luciferase reporter plasmids, as well as a control *Gaussia* luciferase plasmid (pCMV-Gluc, New England BioLabs). HEK 293FT cells were seeded into 24-well plates the day prior to transfection at densities of 2×10^5 cells/well. Approximately 24 h after initial seeding, cells were transfected using Lipofectamine2000 (Invitrogen) following the manufacturer’s protocol. For each well of the 24-well plates 700 ng of dTALE and 50 ng of each reporter plasmids were used to transfect HEK 293FT cells.

[0204] The 23 RVD-TALEs exhibited a wide range of DNA base preferences and biological activities in the reporter assay. In particular, NH— and HN-TALEs activated the G-reporter preferentially and at levels similar to the NN-TALE. The NH-TALE also exhibited significantly higher specificity for the G-reporter than the NN-TALE (ratio of G- to A-reporter activations: 16.4 for NH-TALE and 3.5 for NN-TALE; FIG. 4). Additionally, the RVD NA exhibited similar levels of reporter activation for all four bases.

[0205] To further investigate NH and HN as G-specific RVDs, the specificity and activity strength of NN, NK, NH, and HN were compared. Two 18 bp targets within the CACNA1C locus in the human genome were selected and

four TALEs for each target, using NN, NK, NH, or HN as the G-targeting RVD, were constructed (FIGS. 5A-B). Amino acid sequences of exemplary CACNA1C TALEs are provided in FIG. 6A-F. A luciferase assay was designed to further characterize the G-specificity of each RVD. For each CACNA1C target site, two luciferase reporters were constructed, one with the original genomic target sequence, and the other with all of the Gs in the target sequences replaced with As (G-to-A reporter), and compared the activity of each TALE on the wild type and G-to-A reporter (FIG. 5A). Luciferase reporter plasmids were designed and synthesized by cloning the TALE binding site upstream of the minimal CMV promoter driving the expression of a *Cypridina* luciferase gene.

[0206] Dual luciferase reporter assays were carried out with the BioLux *Gaussia* luciferase flex assay kit and BioLux *Cypridina* luciferase assay kit (New England Biolabs) following the manufacturer's recommended protocol. Briefly, media from each well of transfected cells were collected 48 hours after transfection. For each sample, 20 μ L of the media were added into a 96-well assay plate, mixed with each one of the dual luciferase assay mixes. After brief incubation, as indicated in the manufacturer's protocol, luminescence levels of each sample were measured using the Varioskan flash multimode reader (Thermo Scientific). The fold induction of the luciferase reporters was calculated according to the fold change of luminescence level in the *Cypridina* luciferase assay, normalized to the corresponding luminescence level in the *Gaussia* luciferase assay to control for sample differences.

[0207] The TALE with NH as the G-targeting RVD exhibited the highest levels of G-specificity across the CACNA1C targets (less than 10% activation of the G-to-A reporter; FIG. 5A), whereas the TALE with HN as the G-targeting RVD was able to activate the G-to-A luciferase reporters with at least 60% activity.

[0208] Using qRT-PCR, the levels of transcriptional modulation by TALEs carrying different G-targeting RVDs were compared (NN, NK, and NH; FIG. 5B and FIG. 7). HEK 293FT cells were seeded into 24-well plates. 1 μ g of TALE plasmid was transfected using Lipofectamine 2000 (Invitrogen) according to manufacturer's protocol. Transfected cells were cultured at 37° C. for 72 hours before RNA extraction. At least 100,000 cells were harvested and subsequently processed for total RNA extraction using the RNeasy Plus Mini Kit (Qiagen). cDNA was generated using the High Capacity RNA-to-cDNA Master Mix (Applied Biosystems) according to the manufacturer's recommended protocol. After cDNA synthesis, cDNA from each samples were added to the qRT-PCR assay with the TaqMan Advanced PCR Master Mix (Applied Biosystems) using a StepOne Plus qRT-PCR machine.

[0209] The fold activation in the transcriptional levels of SOX2 and CACNA1C mRNA were detected using standard TaqMan Gene Expression Assays with probes having the best coverage (Applied Biosystems; SOX2; Hs01053049_s1; CACNA1C; Hs00167681_m1). For both CACNA1C targets, TALEs carrying the VP64 activation domain and using NH as the G-targeting RVD were able to achieve similar levels of transcriptional activation as TALEs using NN (~5 and ~3 folds of activation for targets 1 and 2) and twice as much as TALEs using NK (FIG. 5B and FIG. 7). TALEs targeting the SID repression domain to the first CACNA1C target (FIG. 7) showed that the TALE repressor using NH as the G-targeting

RVD was able to achieve the same level of transcriptional repression as the NN-containing TALE repressor (~4 fold repression), while the TALE repressor using NK was significantly less active (~2 fold repression).

Example 2

A Transcription Activator-Like Effector Toolbox for Genome Editing

[0210] Customized TALEs may be used for a wide variety of genome engineering applications, including transcriptional modulation and genome editing. Here, Applicants describe a toolbox for rapid construction of custom TALE transcription factors (TALE-TFs) and nucleases (TALENs) using a hierarchical ligation procedure. This toolbox facilitates affordable and rapid construction of custom TALE-TFs and TALENs within 1 week and may be easily scaled up to construct TALEs for multiple targets in parallel. Applicants also provide details for testing the activity in mammalian cells of custom TALE-TFs and TALENs using quantitative reverse-transcription PCR and Surveyor nuclease, respectively. The TALE toolbox enables a broad range of biological applications.

[0211] Systematic reverse-engineering of the functional architecture of the mammalian genome requires the ability to perform precise perturbations on gene sequences and transcription levels. Tools capable of facilitating targeted genome editing and transcription modulation are essential for elucidating the genetic and epigenetic basis of diverse biological functions and diseases. The recent discovery of the TALE code (1, 2) has enabled the generation of custom TALE DNA-binding domains with programmable specificity (3, 4, 5, 6, 7, 8, 9, 10, 11, 12). When coupled to effector domains, customized TALEs provide a promising platform for achieving a wide variety of targeted genome manipulations (3, 4, 5, 8, 11, 13, 14). Here Applicants describe an improved protocol for rapid construction of customized TALEs and methods to apply these TALEs to achieve endogenous transcriptional activation (3, 4, 5, 8) and site-specific genome editing (4, 7, 9, 11, 12, 13, 14, 15). Investigators should be able to use this protocol to construct TALEs for targets of their choice in less than 1 week.

[0212] TALEs are natural bacterial effector proteins used by *Xanthomonas* sp. to modulate gene transcription in host plants to facilitate bacterial colonization (16, 17). The central region of the protein contains tandem repeats of 34-aa sequences (termed monomers) that are required for DNA recognition and binding (18, 19, 20, 21) (FIG. 8). Naturally occurring TALEs were found to have a variable number of monomers, ranging from 1.5 to 33.5 (ref. 16). Although the sequence of each monomer is highly conserved, they differ primarily in two positions termed the repeat variable diresidues (RVDs, 12th and 13th positions). Recent reports have found that the identity of these two residues determines the nucleotide-binding specificity of each TALE repeat and that a simple cipher specifies the target base of each RVD (NI=A, HD=C, NG=T, NN=G or A) (1, 2). Thus, each monomer targets one nucleotide and the linear sequence of monomers in a TALE specifies the target DNA sequence in the 5' to 3' orientation. The natural TALE-binding sites within plant genomes always begin with a thymine (1, 2), which is presumably specified by a cryptic signal within the nonrepetitive N terminus of TALEs. The tandem repeat DNA-binding domain always ends with a half-length repeat (0.5 repeat,

FIG. 8). Therefore, the length of the DNA sequence being targeted is equal to the number of full repeat monomers plus two.

[0213] Comparison with Other Genome Manipulation Methods:

[0214] For targeted gene insertion and knockout, there are several techniques that were used widely in the past, such as homologous gene targeting (22, 23, 24), transposases (25, 26), site-specific recombinases (27), meganucleases (28) and integrating viral vectors (29, 30). However, most of these tools target a preferred DNA sequence and cannot be easily engineered to function at noncanonical DNA target sites. The most promising, programmable DNA-binding domain has been the artificial zinc-finger (ZF) technology, which enables arrays of ZF modules to be assembled into a tandem array and target new DNA-binding sites in the genome. Each finger module in a ZF array targets three DNA bases (31, 32). In comparison, TALE DNA-binding monomers target single nucleotides and are much more modular than ZF modules. For instance, when two independent ZF modules are assembled into a new array, the resulting target site cannot be easily predicted based on the known binding sites for the individual finger modules. Most of the intellectual property surrounding the ZF technology platform is proprietary and expensive (>\$10,000 per target site). A public effort for ZF technology development also exists through the Zinc Finger Consortium, but the publicly available ZF modules may only target a subset of the 64 possible trinucleotide combinations (33, 34, 35). TALEs theoretically may target any sequence and have already been used in many organisms with impressive success (FIG. 9). Although TALEs seem superior in many ways, ZFs have a longer track record in DNA-targeting applications (32), including their use in human clinical trials (36). Despite their relatively recent development, early results with TALEs were promising and it seems that they may be applied in the same way as ZFs for many DNA-targeting applications (e.g., transcriptional modulator (3, 4, 5, 8), nuclease (4, 7, 9, 11, 12, 13, 14, 15), recombinase (37, 38, 39), transposase (40, 41)).

[0215] Constructing Customized TALE-TFs and TALENs:

[0216] Because of the repetitive nature of TALEs, construction of the DNA-binding monomers may be difficult. Previously, a hierarchical ligation strategy was used to overcome the difficulty of assembling the monomers into ordered multimer arrays, taking advantage of degeneracy in the codons surrounding the monomer junction and Type II restriction enzymes (3, 6, 7, 8, 9, 10). In the present protocol, Applicants use the same basic strategy used (3) to construct TALE-TFs to modulate transcription of endogenous human genes. Applicants have further improved the TALE assembly system with a few optimizations, including maximizing the dissimilarity of ligation adaptors to minimize misligations and combining separate digest and ligation steps into single Golden Gate (42, 43, 44) reactions. Briefly, each nucleotide-specific monomer sequence is amplified with ligation adaptors that uniquely specify the monomer position within the TALE tandem repeats. Once this monomer library is produced, it may conveniently be reused for the assembly of many TALEs. For each TALE desired, the appropriate monomers are first ligated into hexamers, which are then amplified via PCR. Then, a second Golden Gate digestion-ligation with the appropriate TALE cloning backbone (FIG. 8) yields a fully assembled, sequence-specific TALE. The backbone contains a ccdB negative selection cassette flanked by the TALE N and

C termini, which is replaced by the tandem repeat DNA-binding domain when the TALE has been successfully constructed. ccdB selects against cells transformed with an empty backbone, thereby yielding clones with tandem repeats inserted (7).

[0217] Assemblies of monomeric DNA-binding domains may be inserted into the appropriate TALE-TF or TALEN cloning backbones to construct customized TALE-TFs and TALENs. TALE-TFs are constructed by replacing the natural activation domain within the TALE C terminus with the synthetic transcription activation domain VP64 (ref 3; FIG. 8). By targeting a binding site upstream of the transcription start site, TALE-TFs recruit the transcription complex in a site-specific manner and initiate gene transcription. TALENs are constructed by fusing a C-terminal truncation (+63 aa) of the TALE DNA-binding domain (4) with the nonspecific FokI endonuclease catalytic domain (FIG. 8). The +63-aa C-terminal truncation has also been shown to function as the minimal C terminus sufficient for transcriptional modulation (3). TALENs form dimers through binding to two target sequences separated by ~17 bases. Between the pair of binding sites, the FokI catalytic domains dimerize and function as molecular scissors by introducing double-strand breaks (DSBs; FIG. 8). Normally, DSBs are repaired by the nonhomologous end joining (45) pathway (NHEJ), resulting in small deletions and functional gene knockout. Alternatively, TALEN-mediated DSBs may stimulate homologous recombination, enabling site-specific insertion of an exogenous donor DNA template (4, 13).

[0218] Applicants also present a short procedure for verifying correct TALE assembly by using colony PCR to verify the correct insert length followed by DNA sequencing. With this cloning procedure, high efficiency (correct length) and high accuracy (correct sequence) is routinely achieved. The cloning procedure is modular in several ways: TALEs to target DNA sequences of different lengths are constructed, and the protocol is the same for producing either TALE-TFs or TALENs. The backbone vectors may be modified with different promoters to achieve cell type-specific expression.

[0219] The present protocol includes functional assays for evaluating TALE-TF and TALEN activity in human cells. This step is important because some variability in TALE activity on the endogenous genome has been observed, possibly because of epigenetic repression and/or inaccessible chromatin at certain loci. For TALE-TFs, Applicants performed quantitative reverse-transcription PCR (qRT-PCR) to quantify changes in gene expression. For TALENs, Applicants used the Surveyor mutation detection assay (i.e., the base-mismatch cleaving endonuclease Cel2) to quantify NHEJ. These assays are standard and were described elsewhere (46, 47). Functional characterization is integral to TALE production and is presented in this Application with the assembly procedure. Other functional assays, such as plasmid-based reporter constructs (3, 7), restriction sites destroyed by NHEJ (48) or other enzymes that detect DNA mismatch (49), may also be used to validate TALE activity.

[0220] Applicants' protocol (FIG. 2) begins with the generation of a monomer library, which takes 1 d and may be reused for building many TALEs. Using the monomer library, several TALEs may be constructed in a single day with an additional 2 d for transformation and sequence verification. To assess TALE function on the endogenous genome, ~3 d are taken to go from mammalian cell transfection to qRT-PCR or Surveyor results.

[0221] Comparison with Other TALE Assembly Procedures:

[0222] A number of TALE assembly procedures have described the use of Golden Gate cloning to construct customized TALE DNA-binding domains (3, 6, 7, 8, 9, 10). These methods rely on the use of a large collection of plasmids (typically over 50 plasmids) encoding repeat monomers and intermediate cloning vectors. Applicants' PCR-based approach requires substantially less initial plasmid preparation, as the monomer library may be amplified on one 96-well PCR plate, and it facilitates more rapid construction of custom TALEs. Plasmid-based amplification has a much lower mutation/error rate but, the combination of a high-fidelity polymerase and the short length of the monomer template (~100 nt) results in accurate assembly. For building similar-length TALEs to those presented in this protocol, the plasmid-based approaches also require an additional transformation and colony selection that extends the time needed to build TALEs. Thus, these alternative assembly protocols require a greater time investment both up-front (for monomer library preparation) and on a recurring basis (for each new TALE). For laboratories seeking to produce TALEs quickly, Applicants' protocol requires only a few hours to prepare a complete monomer library and less than 1 d to proceed from monomers to the final transformation into bacteria.

[0223] Targeting Limitations:

[0224] There are a few key limitations with the TALE technology. Although the RVD cipher is known, it is still not well understood as to why different TALEs designed according to the same cipher act on their target sites in the native genome with different levels of activity. It is possible that there are yet-unknown sequence dependencies for efficient binding or site-specific constraints (e.g., chromatin states) that are responsible for differences in functional activity. Therefore, at least two or three TALE-TFs or TALEN pairs for each target locus are to be constructed. In addition, it is possible that engineered TALEs may have off-target effects—i.e., binding unintended genomic loci—which may be difficult to detect without additional functional assays at these loci. Given the relatively early state of TALE technology development, these issues remain to be addressed in a conclusive manner.

[0225] TALE-TF Target Site Selection:

[0226] The programmable nature of TALEs allows for a virtually arbitrary selection of target DNA-binding sites. As previously reported, the N terminus of the TALE requires that the target site begin with a thymine nucleotide. For TALE-TFs, Applicants have successfully targeted 14- to 20-bp sequences within 200 bp of the transcription start site (FIG. 8). It may be advantageous to select a longer sequence to reduce off-target activation, as it is known from reporter activation assays that TALEs interact less efficiently with targets containing more than one mismatching base. In the present assembly protocol, ligation of 18 monomers into a backbone containing a nucleotide-specific final 0.5 monomer is described; combined with the initial thymine requirement, this yields a total sequence specificity of 20 nt. Specifically, the TALE-TF-binding site takes the form 5'-TN¹⁹-3'. When selecting TALE-TF-targeting sites for modulating endogenous gene transcription, it is recommended that multiple target sites within the proximal promoter region be targeted (targeting either the sense or antisense strand), as epigenetic and local chromatin dynamics might impede TALE binding.

Larger TALEs might be beneficial for TALE-TFs targeting genes with less unique regions upstream of their transcription start site.

[0227] TALEN Target Site Selection:

[0228] Because TALENs function as dimers, a pair of TALENs, referred to as the left and right TALENs, need to be designed to target a given site in the genome. The left and right TALENs target sequences on opposite strands of DNA (FIG. 8). As with TALE-TF, Applicants designed each TALEN to target a 20-bp sequence. TALENs are engineered as a fusion of the TALE DNA-binding domain and a monomeric FokI catalytic domain. To facilitate FokI dimerization, the left and right TALEN target sites are chosen with a spacing of approximately 14-20 bases. Therefore, for a pair of TALENs, each targeting 20-bp sequences, the complete target site should have the form 5'-TN¹⁹N¹⁴⁻²⁰N¹⁹A-3', where the left TALEN targets 5'-TN¹⁹-3' and the right TALEN targets the antisense strand of 5'-N¹⁹A-3' (N=A, G, T or C). TALENs should have fewer off-target effects because of the dimerization requirement for the FokI nuclease, although no significant off-target effects are observed in limited sequencing verifications (13). Because DSB formation only occurs if the spacer between the left and right TALEN-binding sites (FIG. 8) is approximately 14-20 bases, nuclease activity is restricted to genomic sites with both the specific sequences of the left TALEN and the right TALEN with this small range of spacing distances between those sites. These constraints should greatly reduce potential off-target effects.

[0229] TALE Monomer Design:

[0230] To ensure that all synthesized TALEs are transcribed at a similar level, all of the monomers are optimized to share identical DNA sequences except in the variable diresidues, and they are codon-optimized for expression in human cells (FIG. 11). This should minimize any difference in translation due to codon availability.

[0231] Construction Strategy:

[0232] Synthesis of monomeric TALE DNA-binding domains in a precise order is challenging because of their highly repetitive nature. Applicants previously took advantage of codon redundancy at the junctions between neighboring monomers and devised a hierarchical ligation strategy to construct ordered assemblies of multiple monomers. In this protocol, Applicants describe a similar strategy, but with several important improvements that make the procedure easier, more flexible and more reliable (FIG. 12).

[0233] Previously (3), the digestion and ligation steps were carried out separately with an intervening DNA purification step. This improved protocol adopts the powerful Golden Gate cloning technique (42, 43, 44) requiring less hands-on time and resulting in a more efficient reaction. The Golden Gate procedure involves combining the restriction enzyme and ligase together in a single reaction with a mutually compatible buffer. The reaction is cycled between optimal temperatures for digestion and ligation. Golden Gate digestion-ligation capitalizes on Type II restriction enzymes, for which the recognition sequence is spatially separated from where the cut is made. During a Golden Gate reaction, the correctly ligated products no longer contain restriction enzyme recognition sites and cannot be further digested. In this manner, Golden Gate drives the reaction toward the correct ligation product, as the number of cycles of digestion and ligation increases.

[0234] For the hierarchical ligation steps, Applicants optimized previous cloning strategy for faster TALE production.

The improved design takes advantage of a circularization step that allows only properly assembled hexameric intermediates to be preserved (FIG. 12). Correctly ligated hexamers consist of six monomers ligated together in a closed circle, and incomplete ligation products are left as linear DNA. After this ligation step, an exonuclease degrades all noncircular DNA, leaving intact only the complete circular hexamers. Without circularization and exonuclease treatment, the correct ligation product would need to be gel purified before proceeding. The combination of Golden Gate digestion-ligation and circularization reduces the overall hands-on time required for TALE assembly.

[0235] Primer Design for Monomer Library Preparation.

[0236] Each monomer in the tandem repeat must have its position uniquely specified. The monomer primers are designed to add ligation adaptors that enforce this positioning. The Applicants' protocol uses a hierarchical ligation strategy: For the 18-mer tandem repeat, monomers are first ligated into hexamers. Then, three hexamers are ligated together to form the 18-mer. By breaking down the assembly into two steps, unique ligation junctions for each monomer in the 18-mer are not needed. Instead, the same set of ligation junctions internal to each hexamer are reused in all three hexamers (first ligation step), whereas unique (external) ligation junctions are used to flank each hexamer (second ligation step). As shown in FIG. 13, the internal primers used to amplify the monomers within each hexamer are the same, but the external primers differ between the hexamers. By reusing the same internal primers between different hexamers, the protocol herein minimizes the number of primers necessary for monomer amplification.

[0237] Controls.

[0238] As a negative control for Golden Gate assembly, it is recommended that a separate reaction with only the TALE-TF or TALEN backbone be performed. Transformation of this negative control should result in few or no colonies because of the omission of the tandem repeats and resulting relegation of the toxic *ccdB* insert. After completing the TALE cloning, colony PCR or restriction digests to screen for correct length clones are used. For the final verification of proper assembly, the entire length of the tandem repeats is sequenced. Owing to limits in Sanger sequencing read length, other TALE assembly protocols have difficulty sequencing the entire tandem repeat region (7, 9, 10). The similarity of the monomers within the region makes primer annealing to specific monomers impossible. This problem is overcome by slightly modifying the codon usage at the 5' end of monomer 7 to create a unique annealing site, so that a TALE with an 18-mer DNA-binding array may be verified through a combination of three staggered sequencing reads. Specifically, during the monomer amplification, the codons for the first five amino acids in monomer 7 are mutated via PCR to use different but synonymous codons, creating a unique priming site without changing the encoded TALE protein. This modification allows each hexamer in the 18-mer to be sequenced with a separate sequencing read and requires only a standard read length of ~700 bp for complete sequence verification. For TALEs containing more than 18 full monomer repeats, a third unique priming site is introduced for sequencing at the 3' end of the 18th monomer using a similar approach. For the construction of TALEs containing up to 24 full monomers with the entire tandem repeat region easily sequenced.

[0239] Building TALEs that target DNA sequences of different lengths: In the main protocol, hierarchical ligation

strategy is presented for the construction of TALEs that contain 18 full monomer repeats; however the general approach may be adapted to construct TALEs of any length. The TALEs containing 18 full repeat monomers bind to 20-bp DNA sequences, where the first and last bases are specified by the N-terminus and the 0.5 repeat, respectively (FIG. 8). This length was chosen because, empirically 20-bp sequences tend to be unique within the human genome. Nevertheless, for different species (e.g., with larger or more repetitive genomes) or for repetitive regions within the human genome, it may be advantageous to construct longer or shorter TALEs. For certain genomic loci, it might also be difficult to identify TALEN target sites that satisfy the spacing constraints when the binding sites for both left and right TALENs are restricted to 20-bp sequences. The main protocol is modified for the construction of TALEs containing up to 24 full monomer repeats by changing the order in which particular primers are used during the preparation of the monomer library plate (as described in Procedure steps 1-9). All other steps remain essentially the same. A plate of the monomer amplification primers (similar to FIG. 13) may be prepared for building TALEs with 24 full monomer repeats, which bind to 26-bp DNA sequences, as illustrated below. In this case, a fourth circular hexamer, corresponding to monomers 19 through 24, is also built and treated identically as the other three circular hexamers (1-6, 7-12 and 13-18) (FIG. 14). For building shorter TALEs, only a single change to monomer amplification is needed: the final monomer should be amplified with the Ex-R4 reverse primer. For example, to build TALEs with 17 monomers instead of 18, the monomer templates (NI, NG, NN, HD) should be amplified with the forward/reverse primer combination IN-F5/Ex-R4. During Gel purification (Step 20 in Procedure) the desired PCR amplicon is a pentamer containing monomers 13-17 and it runs faster than the hexamers (1-6, 7-12). After purification, it is ensured that the pentameric and hexameric intermediates are used at an equimolar ratio in the final Golden Gate digestion-ligation.

[0240] Design of Functional Validation Assays.

[0241] For TALE-TFs, qRT-PCR quantitatively measures the increase in transcription driven by the TALE-TF. For TALENs, the Surveyor assay provides a functional validation of TALEN cutting and quantifies the cutting efficiency of a particular pair of TALENs. These assays should be performed in the same cell type as intended for the TALE application, as TALE efficacy may vary between cell types, presumably because of differences in chromatin state or epigenetic modifications.

[0242] For qRT-PCR, commercially available probes are used to measure increased transcription of the TALE-TF-targeted gene. For most genes in the human or mouse genomes, specific probes may be purchased (e.g., TaqMan gene expression probes from Applied Biosystems). There are a wide variety of qRT-PCR protocols, and although one of them is described here others may be substituted. For example, a more economical option is to design custom, transcript-specific primers (e.g., with NCBI Primer-BLAST) and use a standard fluorescent dye to detect amplified double-stranded DNA (e.g., SYBR Green).

[0243] For Surveyor, the recommendations given by the assay manufacturer are followed when designing specific primers for genomic PCR. Design primers are typically designed that are ~30 nt long and with melting temperatures of ~65° C. The primers should flank the TALEN target site and generate an amplicon of approximately 300-800 bp with

the TALEN target site near the middle. During the design, it is checked that the primers are specific over the intended genome using NCBI Primer-BLAST (see NCBI primer-blast website). Before using the primers for Surveyor, the primers and specific PCR cycling parameters should be tested to ensure that amplification results in a single clean band. In difficult cases in which a single-band product cannot be achieved, it is acceptable to gel-extract the correct-length band before proceeding with heteroduplex reannealing and Surveyor nuclease digestion.

Reagents

[0244] TALE construction: TALE monomer template plasmids (Addgene): pNI_v2, pNG_v2, pNN_v2, pHD_v2

[0245] TALE transcriptional activator (TALE-TF) plasmids (Addgene): pTALE-TF_v2 (NI), pTALE-TF_v2 (NG), pTALE-TF_v2 (NN), pTALE-TF_v2 (HD)

[0246] TALE nuclease (TALEN) backbone plasmids (Addgene): pTALEN_v2 (NI), pTALEN_v2 (NG), pTALEN_v2 (NN), pTALEN_v2 (HD). These plasmids may be obtained individually or bundled together as a single kit from the Zhang Lab plasmid collection at Addgene (see add-gene website). See FIG. 11 for plasmid sequences.

[0247] PCR primers for TALE construction (FIG. 15, Integrated DNA Technologies, custom DNA oligonucleotides)

[0248] Herculase II fusion polymerase (Agilent Technologies, cat. no. 600679)

[0249] Critical:

[0250] Standard Taq polymerase, which lacks 3'-5' exonuclease proofreading activity, has lower fidelity and may lead to errors in the final assembled TALE. Herculase II is a high-fidelity polymerase (equivalent fidelity to Pfu) that produces high yields of PCR product with minimal optimization. Other high-fidelity polymerases may be substituted.

[0251] Herculase II reaction buffer (5×; Agilent Technologies, included with polymerase)

Taq-B polymerase (Enzymatics, cat. no. P725L)

Taq-B buffer (10×; Enzymatics, included with polymerase)

dNTP solution mix (25 mM (each); Enzymatics, cat. no. N205L)

MinElute gel extraction kit (Qiagen, cat. no. 28606)

[0252] Critical:

[0253] MinElute columns should be stored at 4° C. until use.

QIAprep spin miniprep kit (Qiagen, cat. no. 27106)

QIAquick 96 PCR purification (Qiagen, cat. no. 28181)

UltraPure DNase/RNase-free distilled water (Invitrogen, cat. no. 10977-023)

UltraPure TBE buffer (10×; Invitrogen, cat. no. 15581-028)

[0254] SeaKem LE agarose (Lonza, cat. no. 50004)

SYBR Safe DNA stain (10,000×; Invitrogen, cat. no. S33102)

Low-DNA mass ladder (Invitrogen, cat. no. 10068-013)

1-kb Plus DNA ladder (Invitrogen, cat. no. 10787-018)

TrackIt CyanOrange loading buffer (Invitrogen, cat. no. 10482-028)

[0255] Restriction enzymes: BsmBI (Esp3I) (Fermentas/ThermoScientific, cat. no. ER0451),

BsaI-HF (New England Biolabs, cat. no. R3535L), AfeI (New England Biolabs, cat. no. R0652S)

Fermentas Tango Buffer and 10× NEBuffer 4 (included with enzymes)

Bovine serum albumin (100×; New England Biolabs, included with BsaI-HF)

DL-dithiothreitol (DTT; Fermentas/ThermoScientific, cat. no. R0862)

T7 DNA ligase (3,000 U μl⁻¹; Enzymatics, cat. no. L602L)

[0256] Critical:

[0257] Do not substitute the more commonly used T4 ligase. T7 ligase has 1,000-fold higher activity on the sticky ends than on the blunt ends and higher overall activity than commercially available concentrated T4 ligases.

Adenosine 5'-triphosphate (10 mM; New England Biolabs, cat. no. P0756S)

PlasmidSafe ATP-dependent DNase (Epicentre, cat. no. E3101K)

One Shot Stbl3 chemically competent *Escherichia coli* (*E. coli*) (Invitrogen, cat. no. C7373-03)

[0258] SOC medium (New England Biolabs, cat. no. B9020S)

LB medium (Sigma, cat. no. L3022)

LB agar medium (Sigma, cat. no. L2897)

Ampicillin, sterile filtered (100 mg ml⁻¹; Sigma, cat. no. A5354)

TALEN and TALE-TF functional validation in mammalian cells

HEK293FT cells (Invitrogen, cat. no. R700-07)

Dulbecco's minimum Eagle's medium (DMEM, 1×, high glucose; Invitrogen, cat. no. 10313-039)

[0259] Dulbecco's phosphate-buffered saline (DPBS, 1×; Invitrogen, cat. no. 14190-250)

Fetal bovine serum, qualified and heat inactivated (Invitrogen, cat. no. 10438-034)

Opti-MEM I reduced-serum medium (FBS; Invitrogen, cat. no. 11058-021)

GlutaMAX-I (100×; Invitrogen, cat. no. 35050079)

Penicillin-streptomycin (100×; Invitrogen, cat. no. 15140-163)

[0260] Trypsin, 0.05% (wt/vol) (1×) with EDTA-4Na (Invitrogen, cat. no. 25300-062)

Lipofectamine 2000 transfection reagent (Invitrogen, cat. no. 11668027)

QuickExtract DNA extraction solution (Epicentre, cat. no. QE09050)

Herculase II fusion polymerase

[0261] Critical:

[0262] As Surveyor assay is sensitive to single-base mismatches, it is important to use only a high-fidelity polymerase. Other high-fidelity polymerases may be substituted; refer to the Surveyor manual for PCR buffer compatibility details.

[0263] Herculase II reaction buffer (5×)

Surveyor mutation detection kit for standard gel electrophoresis (Transgenomic, cat. no. 706025)

[0264] Critical:

[0265] The Surveyor assay includes the Cel2 base-mismatch nuclease. Alternatives include the Cell, T7, mung bean and S1 nucleases (50, 51). Of these, Cell has been applied extensively for mutation detection (52, 53, 54) and established protocols are available for its purification (52, 54).

[0266] Primers for Surveyor assay of TALEN cutting efficiency (Integrated DNA Technologies, custom DNA oligo

nucleotides; see Experimental design for further information on primer design)

[0267] RNeasy mini kit (Qiagen, cat. no. 74104)

QIAshredder (Qiagen, cat. no. 79654)

[0268] RNase ZAP (Applied Biosystems, cat. no. AM9780)

iScript cDNA synthesis kit (Bio-Rad, cat. no. 170-8890)

TaqMan universal master mix (Applied Biosystems, cat. no. 4364341)

TaqMan gene expression assay probes for the TALE-TF-targeted gene (Applied Biosystems, Refer to website of appliedbiosystems/genomic-products/gene-expression).

Equipment

[0269] 96-well thermocycler with programmable temperature stepping functionality (Applied Biosystems Veriti, cat. no. 4375786)

[0270] Critical:

[0271] Programmable temperature stepping is needed for the TALEN (Surveyor) functional assay. Other steps only require a PCR-capable thermocycler.

qPCR system (96 well; StepOnePlus real-time PCR system, Applied Biosystems, cat. no. 4376600)

Optical plates (96 well; MicroAmp, Applied Biosystems, cat. no. N801-0560)

PCR plates (96 well; Axygen, cat. no. PCR-96-FS-C)

Strip PCR tubes (8 well; Applied Biosystems, cat. no. N801-0580)

QIAvac 96 vacuum manifold (Qiagen, cat. no. 19504)

[0272] Gel electrophoresis system (PowerPac basic power supply, Bio-Rad, cat. no. 164-5050, and Sub-Cell GT System gel tray, Bio-Rad, cat. no. 170-4401)

Digital gel imaging system (GelDoc EZ, Bio-Rad, cat. no. 170-8270, and blue sample tray, Bio-Rad, cat. no. 170-8273)

Blue light transilluminator and orange filter goggles (Safe-Imager 2.0, Invitrogen, cat. no. G6600)

Sterile 20- μ l pipette tips for colony picking

Gel quantification software (Bio-Rad, ImageLab, included with GelDoc EZ, or open-source ImageJ from the National Institutes of Health, available at the NIH website)

[0273] TALE reference sequence generator (Zhang Lab, visit the website for tale effectors under tools)

Petri dishes (60 mm \times 15 mm; BD Biosciences, cat. no. 351007)

Incubator for bacteria plates (Quincy Lab, cat. no. 12-140E)

Shaking incubator for bacteria suspension culture (Infors HT Ecotron)

Cell culture-treated polystyrene plates (6 well; Corning, cat. no. 3506)

UV spectrophotometer (NanoDrop 2000c, Thermo Scientific)

Kimwipes (Kimberly-Clark).

Reagent Setup

[0274] Tris-borate EDTA (TBE) electrophoresis solution Dilute TBE buffer in distilled water to 1 \times working solution for casting agarose gels and for use as a buffer for gel electrophoresis. Buffer may be stored at room temperature (18-22 $^{\circ}$ C.) for at least 1 year.

[0275] BSA, 10 \times

Dilute 100 \times BSA (supplied with BsaI-HF) to 10 \times concentration and store it at -20 $^{\circ}$ C. for at least 1 year in 20- μ l aliquots.

[0276] ATP, 10 mM

Divide 10 mM ATP into 50- μ l aliquots and store at -20 $^{\circ}$ C. for up to 1 year; avoid repeated freeze-thaw cycles.

[0277] DTT, 10 mM

Prepare 10 mM DTT solution in distilled water and store in 20-1A1 aliquots at -70 $^{\circ}$ C. for up to 2 years; for each reaction, use a new aliquot, as DTT is easily oxidized.

[0278] D10 culture medium

For culture of HEK293FT cells, prepare D10 culture medium by supplementing DMEM with 1 \times GlutaMAX and 10% (vol/vol) FBS. As indicated in the protocol, this medium may also be supplemented with 1 \times penicillin-streptomycin. D10 medium may be made in advance and stored at 4 $^{\circ}$ C. for up to 1 month.

Procedure

[0279] Steps 1-9: Amplification and normalization of monomer library with ligation adaptors for 18-mer TALE DNA-binding domain construction (Timing: 6 h)

[0280] 1. Prepare diluted forward and reverse monomer primer mixes. In a 96-well PCR plate, prepare primer mixes for amplifying a TALE monomer library (FIG. 12, stage 1). Mix forward and reverse primers for each of the 18 positions according to the first two rows (A and B) of FIG. 13 and achieve a final concentration of 10 μ M for each primer. If multichannel pipettes are used, arrange the oligonucleotide primers in the order indicated in FIG. 13 to allow for easy pipetting. Typically, prepare 50- μ l mixes for each primer pair (40 μ l of ddH₂O, 5 μ l of 100 μ M forward primer, 5 μ l of 100 μ M reverse primer).

[0281] 2. Set up two 96-well monomer library plates according to the organization shown in FIG. 13; each plate contains a total of 72 PCRs (18 positions for each monomer \times 4 types of monomers). Although it is acceptable to have smaller-volume PCRs, the monomer set is typically made in larger quantities, as one monomer library plate may be used repeatedly for the construction of many TALEs. Each PCR should be made up as follows to a total volume of 200 μ l, and then split between the two 96-well plates so that each well contains a 100- μ l PCR:

Component	Amount (μ l)	Final concentration
Monomer template plasmid (5 ng μ l ⁻¹)	2	50 pg μ l ⁻¹
dNTP, 100 mM (25 mM each)	2	1 mM
Herculase II PCR buffer, 5 \times	40	1 \times
Primer mix, 20 μ M (10 μ M forward primer and 10 μ M reverse primers from Step 1)	4	200 nM
Herculase II Fusion polymerase	2	
Distilled water	150	
Total	200 (for 2 reactions)	

[0282] Perform PCR on the reactions from Step 2 using the following cycling conditions:

Cycle number	Denature	Anneal	Extend
1	95 $^{\circ}$ C., 2 min		
2-31	95 $^{\circ}$ C., 20 s	60 $^{\circ}$ C., 20 s	72 $^{\circ}$ C., 10 s
32			72 $^{\circ}$ C., 3 min

[0283] 4. After the reaction has completed, use gel electrophoresis to verify that monomer amplification was successful.

ful. Cast a 2% (wt/vol) agarose gel in 1×TBE electrophoresis buffer with 1×SYBR Safe dye. The gel should have enough lanes to run out 2 μl of each PCR product from Step 3. Run the gel at 15 V cm⁻¹ for 20 min. It is not necessary to check all 72 reactions at this step; it is sufficient to check all 18 reactions for one type of monomer template. Successful amplification should show an ~100-bp product. Monomers positioned at the ends of each hexamer (monomers 1, 6, 7, 12, 13 and 18) should be slightly longer than the other monomers because of the length difference of the longer external primers.

[0284] 5. Pool both of the 100-μl PCR plates into a single deep-well plate. Purify the combined reactions using the QIAquick 96 PCR purification kit according to the manufacturer's directions. Elute the DNA from each well using 100 μl of Buffer EB (included with the kit), prewarmed to 55° C. Alternatively, PCR products may also be purified using individual columns found in standard PCR cleanup kits.

[0285] Critical step: Before eluting the DNA, let the 96-well column plate air-dry, preferably at 37° C., for 30 min on a clean Kimwipe so that all residual ethanol has enough time to evaporate.

[0286] 6. Normalization of monomer concentration. Cast a 2% (wt/vol) agarose gel. The gel should have enough lanes to run out 2 μl of each purified PCR product from Step 5. Include in one lane 10 μl of the quantitative DNA ladder. Run the gel at 20 V cm⁻¹ for 20 min.

[0287] 7. Image the gel using a quantitative gel imaging system. Monomers 1, 6, 7, 12, 13 and 18 are ~170 bp in size, whereas the other monomers are ~150 bp in size (FIG. 16, lanes 1-6). Make sure the exposure is short enough so that none of the bands are saturated.

[0288] 8. Quantify the integrated intensity of each PCR product band using ImageJ or other gel quantification software. Use the quantitative ladder with known DNA mass (5, 10, 20, 40, 100 ng) to generate a linear fit and quantify the concentration of each purified PCR product.

[0289] 9. Adjust the plate of purified PCR products by adding Buffer EB so that each monomer has the same molar concentration. As monomers 1, 6, 7, 12, 13 and 18 are longer than the other monomers, it is necessary to adjust them to a slightly higher concentration. For example, monomers 1, 6, 7, 12, 13 and 18 are adjusted to 18 ng μl⁻¹ and the other monomers to 15 ng μl⁻¹.

[0290] Critical step: For subsequent digestion and ligation reactions, it is important that all monomers are at equimolar concentrations.

[0291] Pause point: Amplified monomers may be stored at -20° C. for several months and may be reused for assembling additional TALEs.

[0292] Steps 10-28: Construction of custom 20-bp-targeting TALEs (Timing: 1.5 d (5 h hands-on time)).

[0293] 10. Select target sequence(s). Typical TALE recognition sequences are identified in the 5' to 3' direction and begin with a 5' thymine. The procedure below describes the construction of TALEs that bind a 20-bp target sequence (5'-

T₀N₁N₂N₃N₄N₅N₆N₇N₈N₉N₁₀N₁₁N₁₂N₁₃N₁₄N₁₅N₁₆N₁₇N₁₈N₁₉-3', where N=A, G, T or C), where the first base (typically a thymine) and the last base are specified by sequences within the TALE backbone vector. The middle 18 bp are specified by the RVDs within the middle tandem repeat of 18 monomers according to the cipher NI=A, HD=C, NG=T and NN=G or A. For targeting shorter or longer sequences, see Box 1.

[0294] 11. Divide target sequences into hexamers. Divide N₁-N₁₈ into subsequences of length 6 (N₁N₂N₃N₄N₅N₆, N₇N₈N₉N₁₀N₁₁N₁₂ and N₁₃N₁₄N₁₅N₁₆N₁₇N₁₈). For example, a TALE targeting 5'-TGAAGCACTTACTTTA-GAAA-3' (SEQ ID NO: 28) may be divided into hexamers as (T) GAAGCA CTTACT TTAGAA (A) (SEQ ID NO: 28), where the initial thymine and final adenine (in parentheses) are encoded by the appropriate backbone. In this example, the three hexamers are: hexamer 1=NN-NI-NI-NN-HD-NI, hexamer 2=HD-NG-NG-NI-HD-NG and hexamer 3=NG-NG-NI-NN-NI-NI. Because of the adenine in the final position, one of the NI backbones is used: pTALE-TF_v2(NI) or pTALEN_v2(NI).

[0295] 12. Assembling hexamers using Golden Gate digestion-ligation (FIG. 12, stage 2). Prepare one reaction tube for each hexamer. Using the monomer plate schematic (FIG. 13), pipette 1 μl of each normalized monomer into the corresponding hexamer reaction tube. Repeat this for all hexamers. For example, for the target from Step 10, set up tube 1 (1 μl from each of G1, A2, A3, G4, E5 and A6), tube 2 (1 μl from each of E7, C8, C9, A10, E11 and C12) and tube 3 (1 μl from each of D1, D2, B3, H4, B5 and B6). To construct a TALE with 18 full repeats, three separate hexamer tubes are used.

[0296] Critical step: Pay close attention when pipetting the monomers; it is very easy to accidentally pipette from the wrong well during this step.

[0297] 13. To perform a simultaneous digestion-ligation (Golden Gate) reaction to assemble each hexamer (FIG. 12, stage 2), add the following reagents to each hexamer tube:

Component	Amount (μl)	Final concentration
Esp3I (BsmBI), 10 U μl ⁻¹	0.75	0.375 U μl ⁻¹
Tango buffer, 10×	1	1×
DTT, 10 mM	1	1 mM
T7 ligase, 3,000 U μl ⁻¹	0.25	75 U μl ⁻¹
ATP, 10 mM	1	1 mM
	4	
Six monomers	6 × 1	
Total	10	

[0298] Critical step: DTT is easily oxidized in air. It should be freshly made or thawed from aliquots stored at -70° C. and used immediately.

[0299] 14. Place each hexamer tube in a thermocycler to carry out the Golden Gate reactions using the following cycling conditions for—3 h:

Cycle number	Digest	Ligate
1-15	Hold at 4° C.	37° C., 5 min
		20° C., 5 min

[0300] Pause point: This reaction may be left to run overnight.

[0301] 15. Run out the ligation product on a gel to check for ~700-bp bands corresponding to the hexamer products (FIG. 16, lane 7). Cast a 2% (wt/vol) agarose gel in 1×TBE electrophoresis buffer with 2×SYBR Safe dye. The additional dye helps to visualize faint bands. The gel should have enough lanes to run out each Golden Gate reaction from Step 14; load

3 μ l of each ligation product in separate lanes. Include 1 μ g of the 1-kb Plus DNA ladder in one lane. Run the gel at 15 V cm^{-1} until there is separation of the 650-bp ladder band from neighboring bands.

[0302] 16. Exonuclease treatment to degrade noncircular ligation products (FIG. 12, stage 3). During the Golden Gate reaction, only fully ligated hexamers should be able to circularize. PlasmidSafe exonuclease selectively degrades noncircular (incomplete) ligation products. Add the following reagents to each hexamer reaction tube:

Component	Amount (μ l)	Final concentration
PlasmidSafe DNase, 10 U μl^{-1}	1	0.66 U μl^{-1}
PlasmidSafe reaction buffer, 10 \times	1	1 \times
ATP, 10 mM	1	1 mM
	3	
Golden Gate reaction from Step 14	7	
Total	10	

[0303] 17. Incubate each hexamer reaction tube with PlasmidSafe at 37 $^{\circ}$ C. for 30 min; follow by inactivation at 70 $^{\circ}$ C. for 30 min.

[0304] Pause point: After completion, the reaction may be frozen and continued later. The circular DNA should be stable for at least 1 week.

[0305] 18. Hexamer PCR (FIG. 12, stage 4). Amplify each PlasmidSafe-treated hexamer in a 50- μ l PCR using high-fidelity Herculase II polymerase and the hexamer forward and reverse primers (Hex-F and Hex-R; FIG. 15). Add the following reagents to each PCR:

Component	Amount (μ l)	Final concentration
dNTP, 100 mM (25 mM each)	0.5	1 mM
Herculase II reaction buffer, 5 \times	10	1 \times
Hex-F and Hex-R primers, 10 μ M each	1	200 nM
Herculase II Fusion DNA polymerase	0.5	1 \times
Distilled water	37	
	49	
PlasmidSafe-treated hexamer from Step 17	1	
Total	50	

[0306] 19. Perform PCR on the reactions in Step 18 using the following cycling conditions:

Cycle number	Denature	Anneal	Extend
1	95 $^{\circ}$ C., 2 min		
2-36	95 $^{\circ}$ C., 20 s	60 $^{\circ}$ C., 20 s	72 $^{\circ}$ C., 30 s
37			72 $^{\circ}$ C., 3 min

[0307] 20. Gel purification of amplified hexamers. Because of the highly repetitive template, it is necessary to purify the amplified hexamer product from the other amplicons. Cast a 2% (wt/vol) agarose gel in 1 \times TBE electrophoresis buffer with 1 \times SYBR Safe dye. The gel should have enough lanes to run

out each PCR product from Step 19, and the comb size should be big enough to load 40-50 μ l of PCR product. Include 1 μ g of the 1-kb Plus DNA ladder in one lane. Run the gel at 15 V cm^{-1} until there is separation of the 650-bp ladder band from neighboring bands. Use a clean razor blade to excise each hexamer band, which should be nearly aligned with the 650-bp band from the ladder (FIG. 16, lane 9).

[0308] Caution: Wear appropriate personal protective equipment, including a face mask, to minimize risks associated with prolonged light or mutagenic DNA dye exposure.

[0309] Critical step: Avoid any cross-contamination by ethanol sterilization of work surfaces, razor blades, etc. during the gel extraction and between each individual band excision.

[0310] 21. Purify the hexamer gel bands from Step 20 using the MinElute gel extraction kit according to the manufacturer's directions. Elute the DNA from each reaction using 20 μ l of Buffer EB prewarmed to 55 $^{\circ}$ C.

[0311] 22. Gel normalization of purified hexamer concentrations. Cast a 2% (wt/vol) agarose gel in 1 \times TBE electrophoresis buffer with 1 \times SYBR Safe dye. The gel should have enough lanes to run out 2 μ l of each purified hexamer from Step 21. Include 10 μ l of the quantitative DNA ladder in one lane. Run the gel at 15 V cm^{-1} until all lanes of the quantitative ladder are clearly separated. Each hexamer lane should contain only a single (purified) band.

[0312] 23. Image the gel using a quantitative gel imaging system. Each lane should have only the \sim 700-bp hexamer product. Make sure the exposure is short enough so that none of the bands are saturated.

[0313] 24. Quantify the integrated intensity of each hexamer band using ImageJ or other gel quantification software. Use the quantitative ladder with known DNA mass (5, 10, 20, 40, 100 ng) to generate a linear fit and quantify the concentration of each purified hexamer.

[0314] 25. Adjust the concentration of each hexamer to 20 ng μl^{-1} by adding Buffer EB.

[0315] 26. Golden Gate assembly of hexamers into TALE backbone (FIG. 12, stage 5). Combine the hexamers and the appropriate TALE backbone vector (transcription factor or nuclease) in a Golden Gate digestion-ligation. For example, a TALE backbone with NI as the 0.5 repeat for the target sequence in Step 10 is used as NI9=A. For this ligation, a 1:1 molar ratio of insert to vector works well. Set up one reaction tube for each TALE. In addition, prepare a negative control ligation by including the TALE backbone vector without any hexamers.

Component	TALE (μ l)	Negative control (μ l)	Final concentration
TALE backbone vector (100 ng μl^{-1})	1	1	10 ng μl^{-1}
Bsal-HF (20 U μl^{-1})	0.75	0.75	1.5 U μl^{-1}
NEBuffer 4, 10 \times	1	1	1 \times
BSA, 10 \times	1	1	1 \times
ATP, 10 mM	1	1	1 mM
T7 ligase (3,000 U μl^{-1})	0.25	0.25	75 U μl^{-1}
	5	5	
Three purified hexamers (20 ng μl^{-1})	3 (1 each)		2 ng μl^{-1} each
Distilled water	2	5	
Total	10	10	

[0316] Critical step: As a negative control, set up a separate reaction substituting an equal volume of water in place of the purified hexamers (i.e., including only the TALEN or TALE-TF backbone).

[0317] 27. Place the tubes from Step 26 in a thermocycler to carry out the Golden Gate reactions using the following cycling conditions for ~4 h:

Cycle number	Digest	Ligate	Inactivate
1-20	37° C., 5 min	20° C., 5 min	
21			80° C., 20 min

[0318] Pause point: Ligation products may be frozen at -20° C. and stored for at least 1 month for transformation into bacteria at a later time.

[0319] 28. Although it is not necessary, it is possible to run out the ligation product on a gel to check for ~1.8-kbp band corresponding to the properly assembled 18-mer tandem repeat. To check the ligation product, cast a 2% (wt/vol) agarose gel in 1×TBE electrophoresis buffer with 2×SYBR Safe dye. The additional dye helps to visualize faint bands. Load 5 µl of the ligation product from Step 27. Include 1 µg of the 1-kb Plus DNA ladder in one lane. Run the gel at 15 V cm⁻¹ until there is clear separation of the 1,650- and 2,000-bp ladder bands. Alternatively, proceed directly to transformation (Step 29) without running a gel; transformation is very sensitive and, even when a clear band cannot be visualized on the gel, there is often enough plasmid for transformation of high-competency cells.

[0320] Steps 29-38: Verifying the correct TALE repeat assembly (Timing: 3 d (4 h hands-on time))

[0321] 29. Transformation. Transform the ligation products from Step 27 into a competent *E. coli* strain; e.g., Stb13 for routine transformation. Transformation may be done according to the protocol supplied with the cells. Briefly, add 5 µl of the ligation product to 50 µl of ice-cold chemically competent Stb13 cells, incubate on ice for 5 min, incubate at 42° C. for 45 s, return immediately to ice for 5 min, add 250 µl of SOC medium, incubate at 37° C. for 1 h on a shaking incubator (250 r.p.m.), plate 100 µl of the transformation on an LB plate containing 100 µg ml⁻¹ ampicillin and incubate overnight at 37° C.

[0322] 30. Inspect all plates from Step 29 for bacterial colony growth. Typically, few colonies on the negative control plates are seen (only backbone in the Golden Gate digestion-ligation) and tens to hundreds of colonies on the complete TALE ligation plates.

[0323] 31. For each TALE plate, pick eight colonies to check the assembly fidelity. Use a sterile 20-µl pipette tip to touch a single colony, streak onto a single square on a pre-warmed, new, gridded LB-ampicillin plate to save the colony, and then swirl the tip in 100 µl of distilled water to dissolve the colony for colony PCR. Repeat this procedure for all colonies to be checked, streaking each new colony into a separate square on the gridded LB-ampicillin plate. After finishing, incubate the gridded plate at 37° C. for at least 4 h to grow the colony streaks.

[0324] 32. Colony PCR. By using the colonies selected in Step 31 as templates, set up colony PCR to verify that the correctly assembled tandem 18-mer repeat has been ligated into the TALE backbone. The colony PCR is found to be sensitive to excessive template concentration, and therefore

typically 1 µl of the 100-µl colony suspension from Step 31 is used. For colony PCR, use primers TALE-Seq-F1 and TALE-Seq-R1 for amplification (FIG. 15). Set up the following colony PCR:

Component	Amount (µl)	Final concentration
Colony suspension from Step 31	1	
dNTP, 100 mM (25 mM each)	0.25	1 mM
Taq-B polymerase buffer, 10×	2.5	1×
TALE-Seq-F1 and TALE-Seq-R1 primers, 10 µM each	0.25	100 nM
Taq-B polymerase (5 U µl ⁻¹)	0.1	0.02 U µl ⁻¹
Distilled water	20.9	
Total	25	

[0325] 33. Perform colony PCR on the reactions in Step 32 using the following cycling conditions:

Cycle number	Denature	Anneal	Extend
1	94° C., 3 min		
2-31	94° C., 30 s	60° C., 30 s	68° C., 2 min
32			68° C., 5 min

[0326] 34. To check the colony PCR result, cast a 1% (wt/vol) agarose gel in 1×TBE electrophoresis buffer with 1×SYBR Safe dye. The gel should have enough lanes to run out 10 µl of each PCR product from Step 33. Include 1 µg of the 1-kb Plus DNA ladder in one lane. Run the gel at 15 V cm⁻¹ until there is clear separation of the 1,650- and 2,000-bp ladder bands.

[0327] 35. Image the gel and identify which colonies have the correct insert size. For an insert of 18 monomers (three hexamers ligated into the TALE backbone vector), the product should be a single band of size 2,175 bp (FIG. 16b, lane 1). Incorrect ligation products show bands of different sizes. In place of colony PCR, plasmid DNA from prepared clones may be digested with AfeI. In both backbones (TALE-TF and TALEN), AfeI cuts four times. For both backbones, one fragment contains the entire tandem repeat region and should be 2,118 bp in size for a correctly assembled 18-mer. For the TALE-TF backbone, the correct clone produces four bands with sizes 165, 2,118, 3,435 and 3,544 bp (FIG. 16b, lane 2). The 3,435- and 3,544-bp bands are difficult to separate on a 1% (wt/vol) agarose gel, and therefore a correct clone shows three bands with the middle 2,118-bp band indicating an intact tandem 18-mer repeat (FIG. 16b, lane 2). For the TALEN backbone, the correct clone produces four bands with sizes 165, 2,118, 2,803 and 3,236 bp.

[0328] 36. Miniprep and sequencing. For each clone with the correct band size, inoculate a colony from the gridded plate into 3 ml of LB medium with 100 µg ml⁻¹ ampicillin and incubate it at 37° C. in a shaking incubator overnight.

[0329] 37. Isolate plasmid DNA from overnight cultures using a QIAprep Spin miniprep kit according to the manufacturer's instructions.

[0330] 38. Verify the sequence of each clone by sequencing the tandem repeat region using sequencing primers (Table 2) TALE-Seq-F1 (forward primer annealing just before the first monomer), TALE-Seq-F2 (forward primer annealing at the

beginning of the seventh monomer) and TALE-Seq-R1 (reverse primer annealing after the final 0.5 monomer). For most TALEs, reads from all three primers are necessary to unambiguously verify the entire sequence. Reference sequences for each custom TALE may be generated using the Applicants' free online software (available at the website of talefactors under the section "tools"). After entering the target site sequence, the Applicants' software generates a TALE-TF or TALEN reference sequence in either FASTA format or as an annotated GenBank vector map (*.gb file) that may be viewed using standard plasmid editor software (e.g., everyVECTOR, Vector NTI or LaserGene SeqBuilder). Detailed instructions may be found on the website mentioned above.

[0331] Steps 39-45: Transfection of TALE-TF and TALEN into HEK293FT cells (Timing: 2 d (1 h hands-on time))

[0332] 39. Plate HEK293FT cells onto six-well plates in D10 culture medium without antibiotics ~24 h before transfection at a seeding density of around 1×10^6 cells per well and a seeding volume of 2 ml. Scale up and down the culture according to the manufacturer's manual provided with the 293FT cells, if needed.

[0333] 40. Prepare DNA for transfection. Quantify the DNA concentration of the TALE plasmids used for transfection using reliable methods (such as UV spectrophotometry or gel quantification).

[0334] Critical step: The DNA concentration of the TALE plasmids are quantified to guarantee that an accurate amount of TALE DNA is used during the transfection.

[0335] 41. Prepare the DNA-Opti-MEM mix as follows using option A if you are testing transcriptional modulation, or option B if you are testing nuclease activity.

[0336] A. DNA-Opti-MEM Mix for Testing Transcriptional Modulation.

[0337] i. Mix 4 μ g of TALE-TF plasmid DNA with 250 μ l of Opti-MEM medium. Include controls (e.g., RFP plasmid or mock transfection) to monitor transfection efficiency and cell health, respectively.

[0338] B. DNA-Opti-MEM Mix for Testing Nuclease Activity.

[0339] i. Mix 2 μ g of the left and 2 μ g of the right TALEN (FIG. 17) plasmid DNA with 250 μ l of Opti-MEM medium. Control transfections should be done by omitting one or both of the TALENs. Also include controls (e.g., an RFP plasmid or mock transfection) to monitor transfection efficiency and cell health, respectively. For all transfections, make sure the total amount of DNA transfected is the same across conditions—when omitting one or both TALENs, supplement with empty vector DNA to maintain the same total DNA amount.

[0340] 42. Prepare the Lipofectamine-Opti-MEM solution by diluting 10 μ l of Lipofectamine 2000 with 250 μ l of Opti-MEM. Mix the solution thoroughly by tapping the tube and incubating for 5 min at room temperature.

[0341] 43. Add the Lipofectamine-Opti-MEM solution to the DNA-Opti-MEM solution to form the DNA-Lipofectamine complex. Mix well by gently pipetting up and down. Incubate for 20 min at room temperature.

[0342] Critical step: Make sure the complex is thoroughly mixed. Insufficient mixing results in lower transfection efficiency.

[0343] Pause point: The transfection complex remains stable for 6 h at room temperature.

[0344] 44. Add 500 μ l of the DNA-Lipofectamine complex to each well of the six-well plates from Step 39 directly. Mix gently by rocking the plates back and forth.

[0345] 45. Incubate cells at 37° C. with 5% CO₂ for 24 h. At this point, determine the transfection efficiency by estimating the fraction of fluorescent cells in the positive control transfection (e.g., RFP plasmid) using a fluorescence microscope.

[0346] Critical step: If incubation beyond 48 h is needed, change the culture medium with fresh D10 supplemented with antibiotics on a daily basis. This will not affect the transfection efficiency.

[0347] Step 46: TALE Functional Characterization.

[0348] 46. To measure TALEN cutting efficiency using Surveyor nuclease follow option A, or to measure TALE-TF transcriptional activation using qRT-PCR, follow option B.

[0349] A. Measuring TALEN Cutting Efficiency Using Surveyor Nuclease (Timing: 6 h (3 h Hands-on Time)).

[0350] i. Remove culture medium from each well from Step 45 and add 100 μ l of QuickExtract DNA extraction solution to each well and pipette thoroughly to lyse cells. Transfer the lysate to a PCR tube.

[0351] ii. Extract DNA from the lysate from Step 46A(i) using the following cycling conditions:

Cycle number	Condition
1	68° C., 15 min
2	95° C., 8 min

[0352] iii. PCR amplification of the region surrounding TALEN target site. Prepare the following PCR using the genomic DNA from Step 46A(ii):

Component	Amount (μ l)	Final concentration
gDNA from Step 46A(ii)	0.5	
dNTP, 100 mM (25 mM each)	0.5	1 mM
Herculase II reaction buffer, 5 \times	10	1 \times
Target-specific Surveyor forward and reverse primers, 10 μ M each (see EXPERIMENTAL DESIGN)	1	200 nM
Herculase II Fusion DNA polymerase	0.5	1 \times
Distilled water	37.5	
Total	50	

[0353] Critical step: The Surveyor procedure (Steps 46A (iii-xv)) is carried out according to the manufacturer's protocol and is described in greater detail in the Surveyor manual. Brief details are provided here, as mutation detection by mismatch endonuclease is not a very common procedure.

[0354] Critical step: When performing the Surveyor assay for the first time, carrying out the positive control reaction included with the Surveyor nuclease kit is suggested.

[0355] iv. Perform PCR using the following cycling conditions:

Cycle number	Denature	Anneal	Extend
1	95° C., 3 min		
2-36	95° C., 30 s	55° C., 15 s	72° C., 30 s
37			72° C., 5 min

[0356] v. Check the PCR result by running 5 μ l of PCR product on a 2% (wt/vol) agarose gel in 1 \times TBE electrophoresis buffer with 1 \times SYBR Safe dye. Include 10 μ l of the quantitative DNA ladder in one lane. Run the gel at 15 V cm⁻¹ until all bands are clearly separated. For all templates, it is important to make sure that there is only a single band corresponding to the intended product for the primer pair. The size of this band should be the same as calculated from the distance between the two primer annealing sites in the genome.

[0357] Critical step: If multiple amplicons are generated from the PCR, redesign primers and reoptimize the PCR conditions to avoid off-target amplification.

[0358] vi. Image the gel using a quantitative gel imaging system. Make sure the exposure is short enough so that none of the bands are saturated. Quantify the integrated intensity of each PCR product using ImageJ or other gel quantification software. Use the quantitative ladder with known DNA mass (5, 10, 20, 40, 100 ng) to generate a linear fit. Adjust the DNA concentration of the PCR product by diluting it with 1 \times Herculase II reaction buffer so that it is in the range of 25–80 ng μ l⁻¹.

[0359] vii. DNA heteroduplex formation. At this point, the amplified PCR product includes a mixture of both modified and unmodified genomic DNA (TALEN-modified DNA has a few bases of sequence deletion near the TALEN cut site because of NHEJ exonuclease activity). For Surveyor mismatch detection, this mixture of products must first be melted and reannealed such that heteroduplexes are formed. DNA heteroduplexes contain strands of DNA that are slightly different but annealed (imperfectly) together. Given the presence of both unmodified and modified DNA in a sample, a heteroduplex may include one strand of unmodified DNA and one strand of TALEN-modified DNA. Heteroduplexes may also be formed from reannealing of two different TALEN-modified products, as NHEJ exonuclease activity may produce different mutations. To cross-hybridize wild type and TALEN-modified PCR products into hetero- and homoduplexes, all strands are melted and then slowly reannealed (FIG. 17b). Place 300 ng of the PCR product from Step 46A(vi) in a thermocycler tube and bring it to a total volume of 20 μ l with 1 \times Herculase II reaction buffer.

[0360] viii. Perform cross-hybridization on the diluted PCR amplicon from Step 46A(vii) using the following cycling conditions:

Cycle number	Condition
1	95° C., 10 min
2	95–85° C., –2° C. s ⁻¹
3	85° C., 1 min
4	85–75° C., –0.3° C. s ⁻¹
5	75° C., 1 min
6	75–65° C., –0.3° C. s ⁻¹
7	65° C., 1 min
8	65–55° C., –0.3° C. s ⁻¹
9	55° C., 1 min
10	55–45° C., –0.3° C. s ⁻¹
11	45° C., 1 min
12	45–35° C., –0.3° C. s ⁻¹
13	35° C., 1 min
14	35–25° C., –0.3° C. s ⁻¹
15	25° C., 1 min

[0361] ix. Surveyor Nuclease S digestion. To treat the cross-hybridized homo- and heteroduplexes using Surveyor

Nuclease S to determine TALEN cleavage efficiency (FIG. 17b), add the following components together on ice and mix by pipetting gently:

Component	Amount (μ l)	Final concentration
MgCl ₂ solution, 0.15M	2	15 mM
Surveyor nuclease S	1	1 \times
Surveyor enhancer S	1	1 \times
	4	
Reannealed duplexes from Step 46A(viii)	16	
Total	20	

[0362] x. Incubate the reaction from Step 46A(ix) at 42° C. for 1 h.

[0363] xi. Add 2 μ l of the Stop Solution from the Surveyor kit.

[0364] Pause point: The digestion product may be stored at –20° C. for analysis at a later time.

[0365] xii. Cast a 2% (wt/vol) agarose gel in 1 \times TBE electrophoresis buffer with 1 \times SYBR Safe dye. When casting the gel, it is preferable to use a thin comb size (<1 mm) for the sharpest possible bands. The gel should have enough lanes to run out 20 μ l of each digestion product band from Step 46A(xi). Include 1 μ g of the 1-kb Plus DNA ladder in one lane. Run the gel at 5 V cm⁻¹ until the Orange G loading dye has migrated two-thirds of the way down the gel.

[0366] xiii. Image the gel using a quantitative gel imaging system. Make sure the exposure is short enough so that none of the bands are saturated. Each lane from samples transfected with both left and right TALENs should have a larger band corresponding to the uncut genomic amplicon (the same size as in Step 46A(v)) and smaller bands corresponding to the DNA fragments resulting from the cleavage of the genomic amplicon by Surveyor nuclease. Controls (no transfection, control plasmid transfection or transfection omitting one of the TALENs) should only have the larger band corresponding to the uncut genomic amplicon.

[0367] xiv. Quantify the integrated intensity of each band using ImageJ or other gel quantification software. For each lane, calculate the fraction of the PCR product cleaved (f_{cut}) using the following formula: f_{cut}=a/(a+b), where a=the integrated intensity of both of the cleavage product bands and b=the integrated intensity of uncleaved PCR product band. A sample Surveyor gel for TALENs targeting human AAVS1 is shown in FIG. 17c.

[0368] xv. Estimate the percentage of TALEN-mediated gene modification using the following formula (47):

$$100 \times (1 - (1 - f_{cut})^{1/2})$$

[0369] This calculation may be derived from the binomial probability distribution given a few conditions: that strand reassortment during the duplex formation is random, that there is a negligible probability of the identical mutations reannealing during duplex formation and that the Surveyor nuclease digestion is complete.

[0370] B. Measuring TALE-TF Transcriptional Activation Using qRT-PCR (Timing: 5 h (3 h Hands-on Time))

i. RNA extraction. Aspirate the medium in each well of the six-well plates from Step 45 at 72 h after transfection.

[0371] Critical step: Use proper RNA handling techniques to prevent RNA degradation, including cleaning bench surfaces and pipettes with RNaseZAP. Use RNase-free consumables and reagents.

ii. Wash the cells in each well twice with 1 ml of DPBS.

iii. Harvest approximately 1×10^6 cells for subsequent total RNA extraction by trypsinizing the cells with 500 μ l trypsin with EDTA. Incubate for 1-2 min to let the cells detach from the bottom of the wells.

[0372] Critical step: Do not leave the cells in trypsin for longer than a few minutes.

iv. Neutralize the trypsin by adding 2 ml of D10 medium.

v. In a 15-ml centrifuge tube, centrifuge the cell suspension at 300 g for 5 min at 4° C. Carefully aspirate all of the supernatant.

[0373] Critical step: Incomplete removal of the supernatant may result in inhibition of cell lysis.

Pause point: Cells may be frozen at -80° C. for 24 h.

vi. Extract and purify RNA from the cells in Step 46B(v) using the RNeasy mini kit and QIAshredder following the manufacturer's directions. Elute the RNA from each column using 30 μ l of nuclease-free water.

vii. Measure the RNA concentration using a UV spectrophotometer.

viii. cDNA reverse transcription. Generate cDNA using the iScript cDNA synthesis kit according to the manufacturer's directions. For matched negative controls, perform the reverse transcription without the reverse-transcriptase enzyme.

ix. Quantitative PCR. Thaw on ice the appropriate TaqMan probe for the target gene and for an endogenous control gene.

[0374] Critical step: Protect the probes from light and do not allow the thawed probes to stay on ice for an extended time.

x. By following the TaqMan Universal PCR Master Mix manufacturer's directions, prepare four technical replicate qPCRs for each sample in optical thermocycler strip tubes or 96-well plates. Set up negative controls for nonspecific amplification as indicated in the directions: namely, RNA template processed without reverse transcriptase ('no RT') and a no-template control.

xi. Briefly centrifuge the samples to remove any bubbles and amplify them in a TaqMan-compatible qRT-PCR machine with the following cycling parameters.

Cycle number	Denature	Anneal and extend
1	95° C., 10 min	
2-41	92° C., 15 sec	60° C., 1 min

xii. Analyze data and calculate the level of gene activation using the $\Delta\Delta C_t$ method^{46, 55}. TALE-TF results from qRT-PCR assay of SOX2 activation in HEK293 cells are shown in FIG. 17d, e.

[0375] Critical step: The $\Delta\Delta C_t$ method assumes that amplification efficiency is 100% (i.e., the number of amplicons doubles after each cycle). For new probes (such as custom TaqMan probes), amplification from a template dilution series (spanning at least five orders of magnitude) should be performed to characterize amplification efficiency. For standard TaqMan gene expression assay probes, this is not necessary, as they are designed to have 100 \pm 10% amplification efficiency.

Troubleshooting Table:

Step	Problem	Possible reason	Solution
4	Uneven amplification across monomers	Not using Herculase II Fusion polymerase	Optimize annealing temperature and Mg ²⁺ and DMSO concentrations
8	Low DNA concentration after elution	Residual ethanol on purification column Incorrect vacuum pressure during DNA binding	Air-dry columns before elution at 37° C. for a longer period of time Adjust vacuum pressure according to the manufacturer's suggestions
15	No visible hexamer band (~700 bp)	Equimolar amounts of monomers were not added Degraded DTT or ATP	Gel-normalize the monomer concentration Use fresh stocks of DTT and ATP, which degrade easily
	No visible hexamer band (~700 bp) but smaller bands present	Wrong monomer(s) added during pipetting Monomer concentration is too low	Re-select monomers Increase the number of Golden Gate digestion-ligation cycles and/or increase the concentration of monomers to >20 ng μ l ⁻¹ ; there is no detrimental effect to using more monomers in an equimolar ratio
20	No visible hexamer band (~700 bp)	Unsuccessful Golden Gate digestion-ligation	Verify on a gel that the Golden Gate digestion-ligation product from Step 15 is visible; increase the monomer concentration
24	Low concentration for purified hexamers	Unsuccessful gel extraction	Ensure that there is no residual ethanol during elution or increase PCR reaction volume
28	No visible 18-mer band (~1.8 kbp)	Unsuccessful Golden Gate digestion-ligation	Increase hexamer concentration in Golden Gate digestion-ligation in Step 26 or proceed directly to transformation in Step 29
30	More than a few colonies on negative control plate	Compromised TALE backbone	Perform a restriction digest of the backbone to verify integrity

-continued

Troubleshooting Table:			
Step	Problem	Possible reason	Solution
35	Colony PCR bands are smeared	Too much template	Dilute colony suspension 10× to 100×
38	Monomers assembled in incorrect order	Misligation	Misligation occurs at a very low frequency; analyze two additional clones
45	Low transfection efficiency	Low DNA quality	Prepare DNA using high-quality plasmid preparation
		Suboptimal ratio of DNA to Lipofectamine 2000	Titrate the ratio of DNA to Lipofectamine 2000 to determine optimal transfection conditions
46A(v)	Multiple amplicons	Nonspecific primers	Design new primers and verify specificity using PrimerBLAST; use touchdown PCR
	No amplification	Suboptimal PCR condition	Optimize annealing temperature and Mg ²⁺ and DMSO concentrations
46A(xiii)	No cleavage bands visible	TALEN is unable to cleave the target site	Design new TALEN pairs targeting nearby sequences
46B(xii)	No increase in transcription in target mRNA	TALE-TF is unable to access the target site	Design new TALE-TFs targeting nearby sequences

[0376] Timing:

Steps 1-9, Monomer library amplification and normalization: 6 h

Steps 10-28, TALE hierarchical ligation assembly: 1.5 d (5 h hands-on time)

Steps 29-38, TALE transformation and sequence verification: 3 d (4 h hands-on time)

Steps 39-45, Transfection of TALE-TF and TALEN into HEK293FT cells: 2 d (1 h hands-on time)

Steps 46A and 46B, TALE functional characterization with qRT-PCR or Surveyor: 5-6 h (3 h hands-on time)

[0377] TALE-TFs and TALENs may facilitate site-specific transcriptional modulation (3, 4, 5, 8) and genome editing (4, 7, 9, 11, 12, 13, 14, 15) (FIG. 9). TALENs may be readily designed to introduce double-stranded breaks at specific genomic loci with high efficiency. In Applicants' experience, a pair of TALENs designed to target the human AAVS1 locus is able to achieve up to 3.6% cutting efficiency in 293FT cells, as determined by Surveyor nuclease assay (FIG. 17a-d). TALE-TFs may also robustly increase the mRNA levels of endogenous genes. For example, a TALE-TF designed to target the proximal promoter region of SOX2 in human cells is able to elevate the level of endogenous SOX2 gene expression by up to fivefold³ (FIG. 17d, e). The ability for TALE-TFs and TALENs to act at endogenous genomic loci is dependent on the chromatin state, as well as yet-to-be-determined mechanisms regulating TALE DNA binding (56, 57). For these reasons, several TALE-TFs or TALEN pairs for each genomic locus targeted are typically built. These TALE-TFs and TALENs are designed to bind to neighboring regions around a specific target site, as some binding sites might be more accessible than others. The reason why some TALEs exhibit significantly lower levels of activity remains unknown, although it is likely to be due to position- or cell-state-specific epigenetic modifications preventing access to the binding site. Because of differences in epigenetic states between different cells, it is possible that TALEs that fail to work in a particular cell type might work in a different cell type.

REFERENCES

- [0378]** 1. Boch, J. et al. Breaking the code of DNA binding specificity of TAL-type III effectors. *Science* 326, 1509-1512 (2009).
- [0379]** 2. Moscou, M. J. & Bogdanove, A. J. A simple cipher governs DNA recognition by TAL effectors. *Science* 326, 1501 (2009).
- [0380]** 3. Zhang, F. et al. Efficient construction of sequence-specific TAL effectors for modulating mammalian transcription. *Nat. Biotechnol.* 29, 149-153 (2011).
- [0381]** 4. Miller, J. C. et al. A TALE nuclease architecture for efficient genome editing. *Nat. Biotechnol.* 29, 143-148 (2011).
- [0382]** 5. Morbitzer, R., Romer, P., Boch, J. & Lahaye, T. Regulation of selected genome loci using de novo-engineered transcription activator-like effector (TALE)-type transcription factors. *Proc. Natl. Acad. Sci. USA* 107, 21617-21622 (2010).
- [0383]** 6. Weber, E., Gruetzner, R., Werner, S., Engler, C. & Marillonnet, S. Assembly of designer TAL effectors by golden gate cloning. *PLoS ONE* 6, e19722 (2011).
- [0384]** 7. Cermak, T. et al. Efficient design and assembly of custom TALEN and other TAL effector-based constructs for DNA targeting. *Nucleic Acids Res.* 39, e82 (2011).
- [0385]** 8. Geissler, R. et al. Transcriptional activators of human genes with programmable DNA-specificity. *PLoS ONE* 6, e19509 (2011).
- [0386]** 9. Li, T. et al. Modularly assembled designer TAL effector nucleases for targeted gene knockout and gene replacement in eukaryotes. *Nucleic Acids Res.* 39, 6315-6325 (2011).
- [0387]** 10. Morbitzer, R., Elsaesser, J., Hausner, J. & Lahaye, T. Assembly of custom TALE-type DNA binding domains by modular cloning. *Nucleic Acids Res.* 39, 5790-5799 (2011).
- [0388]** 11. Wood, A. J. et al. Targeted genome editing across species using ZFNs and TALENs. *Science* 333, 307 (2011).
- [0389]** 12. Christian, M. et al. Targeting DNA double-strand breaks with TAL effector nucleases. *Genetics* 186, 757-761 (2010).

- [0390] 13. Hockemeyer, D. et al. Genetic engineering of human pluripotent cells using TALE nucleases. *Nat. Biotechnol.* 29, 731-734 (2011).
- [0391] 14. Li, T. et al. TAL nucleases (TALNs): hybrid proteins composed of TAL effectors and FokI DNA-cleavage domain. *Nucleic Acids Res.* 39, 359-372 (2011).
- [0392] 15. Mahfouz, M. M. et al. De novo-engineered transcription activator-like effector (TALE) hybrid nuclease with novel DNA binding specificity creates double-strand breaks. *Proc. Natl. Acad. Sci. USA* 108, 2623-2628 (2011).
- [0393] 16. Boch, J. & Bonas, U. *Xanthomonas* AvrBs3 family-type III effectors: discovery and function. *Annu. Rev. Phytopathol.* 48, 419-436 (2010).
- [0394] 17. Bogdanove, A. J., Schornack, S. & Lahaye, T. TAL effectors: finding plant genes for disease and defense. *Curr. Opin. Plant Biol.* 13, 394-401 (2010).
- [0395] 18. Romer, P. et al. Plant pathogen recognition mediated by promoter activation of the pepper Bs3 resistance gene. *Science* 318, 645-648 (2007).
- [0396] 19. Kay, S., Hahn, S., Marois, E., Hause, G. & Bonas, U. A bacterial effector acts as a plant transcription factor and induces a cell size regulator. *Science* 318, 648-651 (2007).
- [0397] 20. Kay, S., Hahn, S., Marois, E., Wieduwild, R. & Bonas, U. Detailed analysis of the DNA recognition motifs of the *Xanthomonas* type III effectors AvrBs3 and AvrBs3Deltarep16. *Plant J.* 59, 859-871 (2009).
- [0398] 21. Romer, P. et al. Recognition of AvrBs3-like proteins is mediated by specific binding to promoters of matching pepper Bs3 alleles. *Plant Physiol.* 150, 1697-1712 (2009).
- [0399] 22. Hinnen, A., Hicks, J. B. & Fink, G. R. Transformation of yeast. *Proc. Natl. Acad. Sci. USA* 75, 1929-1933 (1978).
- [0400] 23. Szostak, J. W., Orr-Weaver, T. L., Rothstein, R. J. & Stahl, F. W. The double-strand-break repair model for recombination. *Cell* 33, 25-35 (1983).
- [0401] 24. Thomas, K. R., Folger, K. R. & Capecchi, M. R. High frequency targeting of genes to specific sites in the mammalian genome. *Cell* 44, 419-428 (1986).
- [0402] 25. Ivies, Z., Hackett, P. B., Plasterk, R. H. & Izsvak, Z. Molecular reconstruction of Sleeping Beauty, a Tc1-like transposon from fish, and its transposition in human cells. *Cell* 91, 501-510 (1997).
- [0403] 26. Kawakami, K., Shima, A. & Kawakami, N. Identification of a functional transposase of the Tol2 element, an Ac-like element from the Japanese medaka fish, and its transposition in the zebrafish germ lineage. *Proc. Natl. Acad. Sci. USA* 97, 11403-11408 (2000).
- [0404] 27. Akagi, K. et al. Cre-mediated somatic site-specific recombination in mice. *Nucleic Acids Res.* 25, 1766-1773 (1997).
- [0405] 28. Epinat, J. C. et al. A novel engineered meganuclease induces homologous recombination in yeast and mammalian cells. *Nucleic Acids Res.* 31, 2952-2962 (2003).
- [0406] 29. Lois, C., Hong, E. J., Pease, S., Brown, E. J. & Baltimore, D. Germline transmission and tissue-specific expression of transgenes delivered by lentiviral vectors. *Science* 295, 868-872 (2002).
- [0407] 30. Khan, I. F., Hirata, R. K. & Russell, D. W. AAV-mediated gene targeting methods for human cells. *Nat. Protoc.* 6, 482-501 (2011).
- [0408] 31. Pavletich, N. P. & Pabo, C. O. Zinc finger-DNA recognition: crystal structure of a Zif268-DNA complex at 2.1 Å. *Science* 252, 809-817 (1991).
- [0409] 32. Klug, A. The discovery of zinc fingers and their development for practical applications in gene regulation and genome manipulation. *Q. Rev. Biophys.* 43, 1-21 (2010).
- [0410] 33. Maeder, M. L., Thibodeau-Beganny, S., Sander, J. D., Voytas, D. F. & Joung, J. K. Oligomerized pool engineering (OPEN): an 'open-source' protocol for making customized zinc-finger arrays. *Nat. Protoc.* 4, 1471-1501 (2009).
- [0411] 34. Kim, J. S., Lee, H. J. & Carroll, D. Genome editing with modularly assembled zinc-finger nucleases. *Nat. Methods* 7, 91; author reply 91-92 (2010).
- [0412] 35. Sander, J. D. et al. Selection-free zinc-finger-nuclease engineering by context-dependent assembly (CoDA). *Nat. Methods* 8, 67-69 (2011).
- [0413] 36. Perez, E. E. et al. Establishment of HIV-1 resistance in CD4+ T cells by genome editing using zinc-finger nucleases. *Nat. Biotechnol.* 26, 808-816 (2008).
- [0414] 37. Keenholz, R. A., Rowland, S. J., Boockvar, M. R., Stark, W. M. & Rice, P. A. Structural basis for catalytic activation of a serine recombinase. *Structure* 19, 799-809 (2011).
- [0415] 38. Gersbach, C. A., Gaj, T., Gordley, R. M., Mercer, A. C. & Barbas, C. F. III. Targeted plasmid integration into the human genome by an engineered zinc-finger recombinase. *Nucleic Acids Res.* 39, 7868-7878 (2011).
- [0416] 39. Gaj, T., Mercer, A. C., Gersbach, C. A., Gordley, R. M. & Barbas, C. F. III. Structure-guided reprogramming of serine recombinase DNA sequence specificity. *Proc. Natl. Acad. Sci. USA* 108, 498-503 (2011).
- [0417] 40. Urnov, F. D. et al. Highly efficient endogenous human gene correction using designed zinc-finger nucleases. *Nature* 435, 646-651 (2005).
- [0418] 41. Wilson, M. H., Kaminski, J. M. & George, A. L. Jr. Functional zinc finger/sleeping beauty transposase chimeras exhibit attenuated overproduction inhibition. *FEBS Lett.* 579, 6205-6209 (2005).
- [0419] 42. Engler, C., Kandzia, R. & Marillonnet, S. A one pot, one step, precision cloning method with high throughput capability. *PLoS ONE* 3, e3647 (2008).
- [0420] 43. Engler, C., Gruetzner, R., Kandzia, R. & Marillonnet, S. Golden gate shuffling: a one-pot DNA shuffling method based on type II restriction enzymes. *PLoS ONE* 4, e5553 (2009).
- [0421] 44. Weber, E., Engler, C., Gruetzner, R., Werner, S. & Marillonnet, S. A modular cloning system for standardized assembly of multigene constructs. *PLoS ONE* 6, e16765 (2011).
- [0422] 45. Huertas, P. DNA resection in eukaryotes: deciding how to fix the break. *Nat. Struct. Mol. Biol.* 17, 11-16 (2010).
- [0423] 46. Nolan, T., Hands, R. E. & Bustin, S. A. Quantification of mRNA using real-time RT-PCR. *Nat. Protoc.* 1, 1559-1582 (2006).
- [0424] 47. Guschin, D. Y. et al. A rapid and general assay for monitoring endogenous gene modification. *Methods Mol. Biol.* 649, 247-256 (2010).
- [0425] 48. Zhang, F. et al. High frequency targeted mutagenesis in *Arabidopsis thaliana* using zinc finger nucleases. *Proc. Natl. Acad. Sci. USA* 107, 12028-12033 (2010).

- [0426] 49. Buzdin, A. A. in *Nucleic Acids Hybridization* (eds. Buzdin, A., Lukyanov, S.) 211-239 (Springer, 2007).
- [0427] 50. Till, B. J., Burtner, C., Comai, L. & Henikoff, S. Mismatch cleavage by single-strand specific nucleases. *Nucleic Acids Res.* 32, 2632-2641 (2004).
- [0428] 51. Babon, J. J., McKenzie, M. & Cotton, R. G. The use of resolvases T4 endonuclease VII and T7 endonuclease I in mutation detection. *Mol. Biotechnol.* 23, 73-81 (2003).
- [0429] 52. Yang, B. et al. Purification, cloning, and characterization of the CEL I nuclease. *Biochemistry* 39, 3533-3541 (2000).
- [0430] 53. Kulinski, J., Besack, D., Oleykowski, C. A., Godwin, A. K. & Yeung, A. T. CEL I enzymatic mutation detection assay. *Biotechniques* 29, 44-46, 48 (2000).
- [0431] 54. Oleykowski, C. A., Bronson Mullins, C. R., Godwin, A. K. & Yeung, A. T. Mutation detection using a novel plant endonuclease. *Nucleic Acids Res.* 26, 4597-4602 (1998).
- [0432] 55. Pfaffl, M. W. A new mathematical model for relative quantification in real-time RT-PCR. *Nucleic Acids Res.* 29, e45 (2001).
- [0433] 56. Murakami, M. T. et al. The repeat domain of the type III effector protein PthA shows a TPR-like structure and undergoes conformational changes upon DNA interaction. *Proteins* 78, 3386-3395 (2010).
- [0434] 57. Scholze, H. & Boch, J. TAL effectors are remote controls for gene activation. *Curr. Opin. Microbiol.* 14, 47-53 (2011).
- [0435] 58. Huang, P. et al. Heritable gene targeting in zebrafish using customized TALENs. *Nat. Biotechnol.* 29, 699-700 (2011).
- [0436] 59. Sander, J. D. et al. Targeted gene disruption in somatic zebrafish cells using engineered TALENs. *Nat. Biotechnol.* 29, 697-698 (2011).
- [0437] 60. Tesson, L. et al. Knockout rats generated by embryo microinjection of TALENs. *Nat. Biotechnol.* 29, 695-696 (2011).

Example 3

Comprehensive Interrogation of Natural TALE DNA Binding Modules and Transcriptional Repressor Domains

[0438] A family of sequence-specific DNA binding protein, transcription activator-like effector (TALE), harbors modular repetitive DNA binding domains that have enabled customizable designer transcriptional factors and nucleases for genome engineering. Presented here are two improvements to the TALE toolbox for achieving efficient activation and repression of endogenous gene expression in mammalian cells. First, the naturally occurring repeat variable diresidue (RVD) Asn-His (NH) has high biological activity and specificity for guanine, a highly prevalent base in mammalian genomes. Second, an effective TALE transcriptional repressor architecture for targeted inhibition of transcription in mammalian cells is reported. These results further improve the TALE toolbox for achieving precise and effective genome engineering. Transcription activator-like effectors (TALEs) are bacterial effector proteins found in *Xanthomonas* sp. and *Ralstonia* sp. Each TALE contains a DNA binding domain consisting of 34 amino acid tandem repeat modules, where the 12th and 13th residues of each module, referred to as repeat variable diresidues (RVDs), specify the target DNA

base (1, 2). Four of the most abundant RVDs from naturally occurring TALEs have established a simple code for DNA recognition (e.g., NI for adenine, HD for cytosine, NG for thymine, and NN for guanine or adenine) (1, 2). Using this simple code, TALEs were developed into a versatile platform for achieving precise genomic and transcriptomic perturbations across a diverse range of biological systems (3, 8). However, two limitations remain: first, there lacks a RVD capable of robustly and specifically recognizing the DNA base guanine, a highly prevalent base in mammalian genomes (9); and second, a viable TALE transcriptional repressor for mammalian applications has remained elusive, which repressor is highly desirable for a variety of synthetic biology and disease-modeling applications (9). To address these two limitations, series of screens were conducted and it was found that: first, of all naturally occurring TALE RVDs, the previously unidentified RVD Asn-His (NH) may be used to achieve guanine-specific recognition; and second, the mSin Interaction Domain (SID) (10) may be fused to TALEs to facilitate targeted transcriptional repression of endogenous mammalian gene expression. These advances further improve the power and precision of TALE-based genome engineering technologies, enabling efficient bimodal control of mammalian transcriptional processes.

[0439] Screening of Novel TALE RVDs:

[0440] Previously, the RVD NK was reported to have more specificity for guanine than NN (4). However, recent studies have shown that substitution of NK with NN leads to substantially lower levels of activity (11). To identify a more specific guanine-binding RVD with higher biological activity, a total of 23 naturally occurring RVDs were identified and evaluated (FIG. 18a) from the set of known *Xanthomonas* TALE sequences in Genbank. In order to directly compare the DNA binding specificity and activity of all RVDs in an unbiased manner, a set of 2312.5-repeat TALEs were designed where RVDs 5 and 6 were systematically substituted with the 23 naturally occurring RVDs (RVD-TALEs; FIG. 18a). This design allowed the maintenance of a consistent RVD context surrounding the two varied RVD positions. Additionally, a Gaussian luciferase gene (Gluc) with a 2A peptide linker was fused to the RVD-TALEs to control for the differences in TALE protein expression levels (FIG. 18a). Each RVD-TALE (e.g. NI-TALE, HD-TALE, etc.) was used to assess the base-preference and activity strength of its corresponding RVD—this is measured by comparing each RVD-TALE's ability to activate transcription from each of the four base-specific *Cypridina* luciferase reporter (Cluc) plasmids with A, G, T, and C substituted in the 6th and 7th positions of the TALE binding site (A-, G-, T-, or C-reporters; FIG. 18a).

[0441] The 23 RVD-TALEs exhibited a wide range of DNA base preferences and biological activities in the reporter assay (FIG. 18b). In particular, NH— and HN-TALEs activated the guanine-reporter preferentially and at similar levels as the NN-TALE. Interestingly, the NH-TALE also exhibited significantly higher specificity for the G-reporter than the NN-TALE (ratio of G- to A-reporter activations: 16.9 for NH-TALE and 2.7 for NN-TALE; FIG. 18b), suggesting that NH might be a more optimal RVD for targeting guanines. Computational analysis of TALE-RVD specificity using a recently published crystal structure of TALE-dsDNA complex (12) also suggests that NH has a significantly higher affinity for guanine than NN (FIG. 20). It was found that substitution of NN with NH in one repeat within the TALE DNA binding domain resulted in a gain of 0.86 ± 0.67 kcal/mol in free

energy ($\Delta\Delta G$) in the DNA bound state (FIG. 20). This result could be explained by the observation that the imidazole ring on the histidine residue (NH RVD) has a more compact base-stacking interaction with the target guanine base (FIG. 20b), indicating that NH would be able to bind guanine more tightly than NN, thus suggesting a possible mechanism for the increased specificity of NH for guanine. Additionally, the RVD NA exhibited similar levels of reporter activation for all four bases and may be a promising candidate for high efficiency targeting of degenerate DNA sequences in scenarios where non-specific binding is desired (13).

[0442] Relative Activity and Specificity of Guanine-Binding RVDs:

[0443] To determine whether NH and HN are suitable replacements for NN as the G-specific RVD, specificity and activity strength of NN, NK, NH, and HN were directly compared. Two 18 bp targets within the CACNA1C locus in the human genome were chosen and four TALEs for each target were constructed, using NN, NK, NH, or HN as the G-targeting RVD (FIG. 19a). Since the screening result (FIG. 18b) suggested that HN might be less discriminatory than NH when the targeted base is A instead of G, a luciferase assay was first designed to further characterize the G-specificity of each RVD. For each CACNA1C target site, four luciferase reporters were constructed: wild type genomic target, and wild type target with 2, 4, or all guanines mutated into adenines (FIG. 19a, G-to-A reporters), and compared the activity of each TALE using these reporters (FIG. 19a). For both CACNA1C target sites, it was found that the TALE with NH as the G-targeting RVD exhibited significantly higher specificity for guanine over adenine than the corresponding NK-, HN-, and NN-containing TALEs. For target site 1, introduction of 2 G to A mutations led to 35.4% (TALE1-NN), 40.3% (TALE1-NK), 71.4% (TALE1-NH), and 30.8% (TALE1-HN) of reduction in luciferase activity. For target site 2, two G-to-A mutations led to 21.8% (TALE2-NN), 36.3% (TALE2-NK), 66.1% (TALE2-NH), and 13.9% (TALE2-HN) reduction in reporter activity. Additional G-to-A mutations resulted in further reduction of reporter activity, with NH exhibiting the highest level of discrimination (FIG. 19a). Additionally, NH TALEs exhibited significantly higher levels of reporter induction than NK TALEs (1.9 times for site 1 and 2.7 times for site 2), and comparable to NN and NH TALEs (FIG. 19a). Thus, focus was placed on the RVDs NN, NK, and NH in subsequent experiments to assess their usefulness in modulating transcription at endogenous human genome targets.

[0444] Evaluation of Guanine-Binding RVDs at Endogenous Genome Loci:

[0445] Using qRT-PCR, the performance of NN, NK, NH, and HN for targeting endogenous genomic sequences was further compared. The ability of NN-, NK-, NH-, and HN-TALEs to activate CACNA1C transcription by targeting the two endogenous target sites was tested (FIG. 19b). To control for differences in TALE expression levels, all TALEs were fused to 2A-GFP and exhibited similar levels of GFP fluorescence (3). Using qRT-PCR, it was found that the endogenous activity of each TALE corresponded to the reporter assay. Both TALE1-NH and TALE2-NH were able to achieve similar levels of transcriptional activation as TALE 1-NN and TALE2-NN (~5 and ~3 folds of activation for targets 1 and 2, respectively) and twice more than TALE 1-NK and TALE2-NK (FIG. 19b). Although TALE1-HN and TALE2-HN exhibited comparable activity with TALEs bearing RVDs NN and

NH, the lack of specificity in distinguishing guanine and adenosine bases as shown in previous test (FIG. 19a) does not warrant the superiority of HN over existing guanine-binding RVDs. On the other hand, based on all the results from specificity and endogenous activity tests, the RVD NH seems to be a more suitable substitute for NN than NK when higher targeting specificity is desired, as it also provides higher levels of biological activity. Further testing using additional endogenous genomic targets helps validate the broad utility of NH as a highly specific G-targeting RVD.

[0446] Development of Mammalian TALE Transcriptional Repressors:

[0447] Having identified NH as a more specific G-recognizing RVD, a mammalian TALE repressor architecture to enable researchers to suppress transcription of endogenous genes was developed. TALE repressors have the potential to suppress the expression of genes as well as non-coding transcripts such as microRNAs, rendering them a highly desirable tool for testing the causal role of specific genetic elements. In order to identify a suitable repression domain for use with TALEs in mammalian cells, a TALE targeting the promoter of the human SOX2 gene was used to evaluate the transcriptional repression activity of a collection of candidate repression domains (FIG. 21a). Repression domains across a range of eukaryotic host species were selected to increase the chance of finding a potent synthetic repressor, including the PIE-1 repression domain (PIE-1)(14) from *Caenorhabditis elegans*, the QA domain within the Ubx gene (Ubx-QA)(15) from *Drosophila melanogaster*, the IAA28 repression domain (IAA28-RD)(16) from *Arabidopsis thaliana*, the mSin interaction domain (SID)(10), Tbx3 repression domain (Tbx3-RD), and the Krüppel-associated box (KRAB)(17) repression domain from *Homo Sapiens* (FIG. 20b). Since different truncations of KRAB were known to exhibit varying levels of transcriptional repression (17), three different truncations of KRAB were tested (FIG. 21c). These candidate TALE repressors were expressed in HEK 293FT cells and it was found that TALEs carrying two widely used mammalian transcriptional repression domains, the SID (10) and KRAB (17) domains, were able to repress endogenous SOX2 expression, while the other domains had little effect on transcriptional activity (FIG. 21c). To control for potential perturbation of SOX2 transcription due to TALE binding, expression of the SOX2-targeting TALE DNA binding domain alone without any effector domain had no effect (similar to mock or expression of GFP) on the transcriptional activity of SOX2 (FIG. 21c, Null condition). Since the SID domain was able to achieve 26% more transcriptional repression of the endogenous SOX2 locus than the KRAB domain (FIG. 21c), it was decided to use the SID domain for subsequent studies.

[0448] To further test the effectiveness of the SID repressor domain for down regulating endogenous transcription, SID was combined with CACNA1C-target TALEs from the previous experiment (FIG. 19, FIG. 21d). Using qRT-PCR, it was found that replacement of the VP64 domain on CACNA1C-targeting TALEs with SID was able to repress CACNA1C transcription. Additionally, similar to the transcriptional activation study (FIG. 19b, left), the NH-containing TALE repressor was able to achieve a similar level of transcriptional repression as the NN-containing TALE (~4 fold repression), while the TALE repressor using NK was significantly less active (~2 fold repression) (FIG. 21d). These data demon-

strate that SID is indeed a suitable repression domain, while also further supporting NH as a more suitable G-targeting RVD than NK.

Discussion

[0449] TALEs may be easily customized to recognize specific sequences on the endogenous genome. Here, a series of screens were conducted to address two important limitations of the TALE toolbox. Together, the identification of a more stringent G-specific RVD with uncompromised activity

strength as well as a robust TALE repressor architecture further expands the utility of TALEs for probing mammalian transcription and genome function.

Methods

[0450] Construction of TALE Activators, Repressors and Reporters:

[0451] All TALE activators and repressors were constructed as previously described using a hierarchical ligation strategy (3). The sequences for all constructs used in this study may be found in the table below:

TALE repressor screening constructs amino acid sequences	
>SOX2 TALE repressor (KRAB 1-97)	MSRTRLPSPPAPSPAFSADSFSDLLRQFDPDLFNTSL FDSLPPFGAHTTEAATGEWDEVQSGLRAADAPPPT MRVAVTAARPPRAKPAARRRAAQPDSASPAAQVD LRTLGYSQQQEKKPKVRSVAQHHEALVGHGF THAHIVALSQHPAALGTAVKYQDMI AALPEATH EAVGVGKQWSGARALEALLTVAGELRGPPLQLD TGQLLKI AKRGGVTAVEAVHAWRNALTGAPLNLT PEQVVAIASNGGGKQALETVQRLLPVLCQAHGLTPEQ EQVVAIASNGGGKQALETVQRLLPVLCQAHGLTPEQ QVVAIASNI GGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNGGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNGGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNGGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNI GGKQALETVQRLLPVLCQAHGLTPEQ VVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNI GGRPALESIVAQLSRPDPALAAALNDHLV ALACLGGRPALDAVKKGLPHAPALI KRTNRRIPER TSHRVADHAQVVRVVGFFQCHSHPAQAFDDAMT QFGMSRHGLLQLFRRVGVTELEARSGLTLPASQR WDRILQASGMKRAKPSPTSTQTPDQASLHAFADSL ERDL DAPSPMHEGDQTRASASP KKKR KVEASMDA KSLTAWSR TLVTFKDV FVDFTR EEWKLLDTAQQIV YRNVMLENYKNLVS LGYQLTKPDVILRLEKGEPP WLVEREIHQETHPDSETA FEIKSSV (SEQ ID NO: 29)
>SOX2 TALE repressor (KRAB 1-75)	MSRTRLPSPPAPSPAFSADSFSDLLRQFDPDLFNTSL FDSLPPFGAHTTEAATGEWDEVQSGLRAADAPPPT MRVAVTAARPPRAKPAARRRAAQPDSASPAAQVD LRTLGYSQQQEKKPKVRSVAQHHEALVGHGF THAHIVALSQHPAALGTAVKYQDMI AALPEATH EAVGVGKQWSGARALEALLTVAGELRGPPLQLD TGQLLKI AKRGGVTAVEAVHAWRNALTGAPLNLT PEQVVAIASNGGGKQALETVQRLLPVLCQAHGLTPEQ EQVVAIASNGGGKQALETVQRLLPVLCQAHGLTPEQ QVVAIASNI GGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNGGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNGGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNGGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNI GGKQALETVQRLLPVLCQAHGLTPEQ VVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNI GGRPALESIVAQLSRPDPALAAALNDHLV ALACLGGRPALDAVKKGLPHAPALI KRTNRRIPER TSHRVADHAQVVRVVGFFQCHSHPAQAFDDAMT QFGMSRHGLLQLFRRVGVTELEARSGLTLPASQR WDRILQASGMKRAKPSPTSTQTPDQASLHAFADSL ERDL DAPSPMHEGDQTRASASP KKKR KVEASMDA KSLTAWSR TLVTFKDV FVDFTR EEWKLLDTAQQIV YRNVMLENYKNLVS LGYQLTKPDVILRLEKGEPP WL (SEQ ID NO: 30)
>SOX2 TALE repressor (KRAB 11-75)	MSRTRLPSPPAPSPAFSADSFSDLLRQFDPDLFNTSL FDSLPPFGAHTTEAATGEWDEVQSGLRAADAPPPT

-continued

MRVAVTAARPPRAKPAPRRRAAQPSDASPAAQVD
 LRTLGYSQQQEKIKPKVRS TVAQHHEALVGHGF
 THAHIVALSQHPAALGTAVVKYQDMI AALPEATH
 EAI VGVKQWSGARALEALLTVAGELRGPPLQLD
 TGQLLKI AKRGGVTAVEAVHAWRNAL TGAPLNLT
 PEQVVAIASNNGGKQALETVQRLLPVLCAHGLTPE
 EQVVAIASNNGGKQALETVQRLLPVLCAHGLTPE
 QVVAIASNI GGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASNNGGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASHHDGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASHHDGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASHHDGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASHHDGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASNNGGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASNI GGKQALETVQRLLPVLCAHGLTPEQV
 VA IASHDGGKQALETVQRLLPVLCAHGLTPEQV
 VA IASNI GGRPALES IVAQLSRDPALAAL TNDHLV
 ALACLGRRPALDAVKKGLPHAPALIKRTNRRIPER
 TSHRVADHAQVVRVVGFFQCHSHPAQAFDDAMT
 QFGMSRHGLLQLFRRVGVTELEARSGLTLPASQR
 WDRILQASGMKRAKPSPTSTQTPDQASLHAFADSL
 ERDL DAPSPMHEGDQTRASASPKKKR KVEASRTL
 VTFKDVFDFTREEWKLLDTAQQIVYRNVMLENY
 KNLVSLGYQLTKPDVILRLEKGEPEWL
 (SEQ ID NO: 31)

>SOX2 TALE repressor (mSin Interaction Domain, SID) MSRTLSPSPAPSPAFSADSFSDLLRQFDPSPSLFNTSL
 FDSLPPFGAHHTEAATGEWDEVQSGLRAADAPPPT
 MRVAVTAARPPRAKPAPRRRAAQPSDASPAAQVD
 LRTLGYSQQQEKIKPKVRS TVAQHHEALVGHGF
 THAHIVALSQHPAALGTAVVKYQDMI AALPEATH
 EAI VGVKQWSGARALEALLTVAGELRGPPLQLD
 TGQLLKI AKRGGVTAVEAVHAWRNAL TGAPLNLT
 PEQVVAIASNNGGKQALETVQRLLPVLCAHGLTPE
 EQVVAIASNNGGKQALETVQRLLPVLCAHGLTPE
 QVVAIASNI GGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASNNGGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASHHDGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASHHDGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASHHDGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASHHDGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASHHDGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASNNGGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASNI GGKQALETVQRLLPVLCAHGLTPEQV
 VA IASHDGGKQALETVQRLLPVLCAHGLTPEQV
 VA IASNI GGRPALES IVAQLSRDPALAAL TNDHLV
 ALACLGRRPALDAVKKGLPHAPALIKRTNRRIPER
 TSHRVADHAQVVRVVGFFQCHSHPAQAFDDAMT
 QFGMSRHGLLQLFRRVGVTELEARSGLTLPASQR
 WDRILQASGMKRAKPSPTSTQTPDQASLHAFADSL
 ERDL DAPSPMHEGDQTRASASPKKKR KVEASMI
 QMLLEAADYLERREREAHEGYASMLP
 (SEQ ID NO: 32)

>SOX2 TALE repressor candidate (PIE-1) MSRTLSPSPAPSPAFSADSFSDLLRQFDPSPSLFNTSL
 FDSLPPFGAHHTEAATGEWDEVQSGLRAADAPPPT
 MRVAVTAARPPRAKPAPRRRAAQPSDASPAAQVD
 LRTLGYSQQQEKIKPKVRS TVAQHHEALVGHGF
 THAHIVALSQHPAALGTAVVKYQDMI AALPEATH
 EAI VGVKQWSGARALEALLTVAGELRGPPLQLD
 TGQLLKI AKRGGVTAVEAVHAWRNAL TGAPLNLT
 PEQVVAIASNNGGKQALETVQRLLPVLCAHGLTPE
 EQVVAIASNNGGKQALETVQRLLPVLCAHGLTPE
 QVVAIASNI GGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASNNGGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASHHDGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASHHDGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASHHDGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASHHDGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASNNGGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASNI GGKQALETVQRLLPVLCAHGLTPEQV
 VA IASHDGGKQALETVQRLLPVLCAHGLTPEQV
 VA IASNI GGRPALES IVAQLSRDPALAAL TNDHLV
 ALACLGRRPALDAVKKGLPHAPALIKRTNRRIPER
 TSHRVADHAQVVRVVGFFQCHSHPAQAFDDAMT

-continued

<p>>SOX2 TALE negative control (Null)</p>	<p>VVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQV VAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV VAIASNIGGRPALESIVAQLSRDPALAAALNDHLV ALACLGGRPALDAVKKGLPHAPALIKRTNRRIPER TSHRVADHAQVVRVLGFFQCHSHPAQAFDDAMT QFGMSRHGLLQLFRRVGVTELEARSGLTLPASQR WDRILQASGMKRAKPSPTSTQTPDQASLHAFADSL ERDLDAFSPMHEGDQTRAS (SEQ ID NO: 36)</p>
<p>>CACNA1C Site 1 NN activator (TALE1 -NK)</p>	<p>MSRTRLPSPPAPSPAFSADSFSDLLRQFDPFLNNTSL FDLPPFGAHHTEAATGEWDEVQSGLRADAPPPT MRVAVTAARPPRAKPAARRRAAQPSDASPAQVD LRTLGYSQQQEKIKPKVRS TVAQHHEALVGHGF THAHIVALSQHPAALGTVAVKYQDMI AALPEATH EAVGVGKQWSGARALEALLTVAGELRGPPLQLD TGQLLKI AKRGGVTAVEAVHAWRNALTGAPLNL T PEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQ EQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQ QVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQ VVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQV VAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV VAIASNIGGRPALESIVAQLSRDPALAAALNDHLV ALACLGGRPALDAVKKGLPHAPALIKRTNRRIPER TSHRVADHAQVVRVLGFFQCHSHPAQAFDDAMT QFGMSRHGLLQLFRRVGVTELEARSGLTLPASQR WDRILQASGMKRAKPSPTSTQTPDQASLHAFADSL ERDLDAFSPMHEGDQTRASASPKKKRKEAS (SEQ ID NO: 37)</p>

CACNA1C TALEs amino acid sequences

<p>>CACNA1C Site 1 NN activator (TALE1 -NK)</p>	<p>MSRTRLPSPPAPSPAFSADSFSDLLRQFDPFLNNTSLFDSL PPFGAHHTEAATGEWDEVQSGLRADAPPPTMRVAVTA ARPPRAKPAARRRAAQPSDASPAQVDLRTLGYSQQQ EKIKPKVRS TVAQHHEALVGHGFTHAHIVALSQHPAALG TVAVKYQDMI AALPEATHEAVGVGKQWSGARALEALL TVAGELRGPPLQLDTGQLLKI AKRGGVTAVEAVHAWRN ALTGAPLNL TPEQVVAIASHDGGKQALETVQRLLPVLCQ AHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGL TPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQV VAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIAS HDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGG KQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQAL ETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQ RLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPV LCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQA HGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQV EQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQV VAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASH DGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGK QALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE TVQRLLPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQL SRDPALAAALNDHLVALACLGGRPALDAVKKGLPHAP ALIKRTNRRIPERTSHRVADHAQVVRVLGFFQCHSHPAQ AFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLTLP SQRWDRILQASGMKRAKPSPTSTQTPDQASLHAFADSL ERDLDAFSPMHEGDQTRASASPKKKRKEASGSGRADAL DDFDLMLGSDALDDFDLMLGSDALDDFDLMLGSD ALDDFDLMLIN (SEQ ID NO: 38)</p>
<p>>CACNA1C Site 1 NK activator (TALE1 -NK)</p>	<p>MSRTRLPSPPAPSPAFSADSFSDLLRQFDPFLNNTSLFDSL PPFGAHHTEAATGEWDEVQSGLRADAPPPTMRVAVTA ARPPRAKPAARRRAAQPSDASPAQVDLRTLGYSQQQ EKIKPKVRS TVAQHHEALVGHGFTHAHIVALSQHPAALG TVAVKYQDMI AALPEATHEAVGVGKQWSGARALEALL TVAGELRGPPLQLDTGQLLKI AKRGGVTAVEAVHAWRN</p>

-continued

ALTGAPLNLTPSEQVVAIASHDGGKQALETVQRLLPVLCQ
 AHGLTPEQVVAIASNKGKQALETVQRLLPVLCQAHGL
 TPEQVVAIASNKGKQALETVQRLLPVLCQAHGLTPEQV
 VAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIAS
 HDGGKQALETVQRLLPVLCXMHGLTPEQVVAIASHDGG
 KQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQAL
 ETVQRLLPVLCQAHGLTPEQVVAIASNGGKQALETVQ
 RLLPVLCQAHGLTPEQVVAIASNKGKQALETVQRLLPV
 LCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQA
 HGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLT
 EQVVAIASNKGKQALETVQRLLPVLCQAHGLTPEQV
 VAIASNKGKQALETVQRLLPVLCQAHGLTPEQVVAIASH
 DGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGK
 QALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE
 TVQRLLPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQL
 SRPDPALAAALNDHLVALACLGGRPALDAVKKGLPHAP
 ALIKRTNRRIPERTSHRVADHAQVVRVLFQCHSHPAQ
 AFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLTPPA
 SQRWDRILQASGMKRAKPSPTSTQTPDQASLHAFADSLE
 RDLDPSPMHEGDQTRASASPKKRKVEASGSGRADAL
 DDFDLMLGSDALDDFDLMLGSDALDDFDLMLGSD
 ALDDFDLMLIN (SEQ ID NO: 39)

>CACNA1C Site 1 NH
 activator (TALE1-NH)

MSRTRLPSPPAPSPAFSADSFSDLLRQFDPSPFNLSLFDL
 PPFGAHHEAATGEWDEVQSGLRADAPPPTMRVAVTA
 ARPPRAKPAARRRAAQPSDASPAQVLDLRTLGYSQQQQ
 EKI KPKVRS TVAQHHEALVGHGPTHAHIVALSQHPAALG
 TVAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALL
 TVAGELRGPPLQLDTGQLLKI AKRGGVTAVEAVHAWRN
 ALTGAPLNLTPSEQVVAIASHDGGKQALETVQRLLPVLCQ
 AHGLTPEQVVAIASNHGGKQALETVQRLLPVLCQAHGL
 TPEQVVAIASNHGGKQALETVQRLLPVLCQAHGLTPEQV
 VAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIAS
 HDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGG
 KQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQAL
 ETVQRLLPVLCQAHGLTPEQVVAIASNGGKQALETVQ
 RLLPVLCQAHGLTPEQVVAIASNHGGKQALETVQRLLPV
 LCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQA
 HGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLT
 EQVVAIASNHGGKQALETVQRLLPVLCQAHGLTPEQV
 VAIASNHGGKQALETVQRLLPVLCQAHGLTPEQVVAIASH
 DGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGK
 QALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE
 TVQRLLPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQL
 SRPDPALAAALNDHLVALACLGGRPALDAVKKGLPHAP
 ALIKRTNRRIPERTSHRVADHAQVVRVLFQCHSHPAQ
 AFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLTPPA
 SQRWDRILQASGMKRAKPSPTSTQTPDQASLHAFADSLE
 RDLDPSPMHEGDQTRASASPKKRKVEASGSGRADAL
 DDFDLMLGSDALDDFDLMLGSDALDDFDLMLGSD
 ALDDFDLMLIN (SEQ ID NO: 40)

>CACNA1C Site 1 HN
 activator (TALE1-HN)

MSRTRLPSPPAPSPAFSADSFSDLLRQFDPSPFNLSLFDL
 PPFGAHHEAATGEWDEVQSGLRADAPPPTMRVAVTA
 ARPPRAKPAARRRAAQPSDASPAQVLDLRTLGYSQQQQ
 EKI KPKVRS TVAQHHEALVGHGPTHAHIVALSQHPAALG
 TVAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALL
 TVAGELRGPPLQLDTGQLLKI AKRGGVTAVEAVHAWRN
 ALTGAPLNLTPSEQVVAIASHDGGKQALETVQRLLPVLCQ
 AHGLTPEQVVAIASNHGGKQALETVQRLLPVLCQAHGL
 TPEQVVAIASNHGGKQALETVQRLLPVLCQAHGLTPEQV
 VAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIAS
 HDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGG
 KQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQAL
 ETVQRLLPVLCQAHGLTPEQVVAIASNGGKQALETVQ
 RLLPVLCQAHGLTPEQVVAIASNHGGKQALETVQRLLPV
 LCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQA
 HGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLT
 EQVVAIASNHGGKQALETVQRLLPVLCQAHGLTPEQV
 VAIASNHGGKQALETVQRLLPVLCQAHGLTPEQVVAIASH
 DGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGK
 QALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE
 TVQRLLPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQL
 SRPDPALAAALNDHLVALACLGGRPALDAVKKGLPHAP
 ALIKRTNRRIPERTSHRVADHAQVVRVLFQCHSHPAQ
 AFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLTPPA
 SQRWDRILQASGMKRAKPSPTSTQTPDQASLHAFADSLE

-continued

RDL DAPS PMHEGDQTRASASPKKKRKEASGSGRADAL
 DDFDLMLGSDALDDFDLMLGSDALDDFDLMLGSD
 ALDDFDLMLIN (SEQ ID NO: 41)

>CACNA1C Site 2 NN
 activator (TALE2-NN)

MSRTRLPSPPAPSPAFSADSFSDLLRQFDP SLFNTSLFDSL
 PPF GAHHT EAA TGEWDEVQSG LRAADAPPPTMRVAVTA
 ARPPRAKPAPRRRAAQPSDASPAQV DLR TLGYSQQQQ
 EKIKPKVRS TVAQHHEALVGHGFTHAHIVALSQHPAALG
 TVAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALL
 TVAGELRGPPLQLDTGQLLKI AKRGGVTAVEAVHAWRN
 ALTGAPLNL TPEQVVAIASNNGGKQALETVQRLLPVLCQ
 AHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGL
 TPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQV
 VAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAIAS
 NNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNIGGK
 QALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE
 TVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQ
 RLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPV
 LCQAHGLTPEQVVAIASKGGGKQALETVQRLLPVLCQAH
 GLTPEQVVAIASNIGGKQALETVQRLLPVLCQAHGLTPE
 QVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAI
 ASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNN
 GGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQ
 ALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALE
 TVQRLLPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQLS
 RPD PALAAL TNDHLVALACLGGRPALDAVKKGLPHAPA
 LIKRTNRRIPERTSHRVADHAQVVRV LGFFQCHSHPAQA
 FDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLTLPAS
 QRWDRI LQASGMKRAKPSPTSTQTPDQASLHAFADSLER
 DLDAPS PMHEGDQTRASASPKKKRKEASGSGRADALD
 DFDLMLGSDALDDFDLMLGSDALDDFDLMLGSDA
 LDDFDLMLIN (SEQ ID NO: 42)

>CACNA1C Site 2 NK
 activator (TALE2-NK)

MSRTRLPSPPAPSPAFSADSFSDLLRQFDP SLFNTSLFDSL
 PPF GAHHT EAA TGEWDEVQSG LRAADAPPPTMRVAVTA
 ARPPRAKPAPRRRAAQPSDASPAQV DLR TLGYSQQQQ
 EKIKPKVRS TVAQHHEALVGHGFTHAHIVALSQHPAALG
 TVAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALL
 TVAGELRGPPLQLDTGQLLKI AKRGGVTAVEAVHAWRN
 ALTGAPLNL TPEQVVAIASNKGKQALETVQRLLPVLCQ
 AHGLTPEQVVAIASNKGKQALETVQRLLPVLCQAHGL
 TPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQV
 VAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAIAS
 NKGKQALETVQRLLPVLCQAHGLTPEQVVAIASNIGGK
 QALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE
 TVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQ
 RLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPV
 LCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAH
 GLTPEQVVAIASNIGGKQALETVQRLLPVLCQAHGLTPE
 QVVAIASNKGKQALETVQRLLPVLCQAHGLTPEQVVAI
 ASNKGKQALETVQRLLPVLCQAHGLTPEQVVAIASNK
 GKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQ
 ALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALE
 TVQRLLPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQLS
 RPD PALAAL TNDHLVALACLGGRPALDAVKKGLPHAPA
 LIKRTNRRIPERTSHRVADHAQVVRV LGFFQCHSHPAQA
 FDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLTLPAS
 QRWDRI LQASGMKRAKPSPTSTQTPDQASLHAFADSLER
 DLDAPS PMHEGDQTRASASPKKKRKEASGSGRADALD
 DFDLMLGSDALDDFDLMLGSDALDDFDLMLGSDA
 LDDFDLMLIN (SEQ ID NO: 43)

>CACNA1C Site 2 NH
 activator (TALE2-NH)

MSRTRLPSPPAPSPAFSADSFSDLLRQFDP SLFNTSLFDSL
 PPF GAHHT EAA TGEWDEVQSG LRAADAPPPTMRVAVTA
 ARPPRAKPAPRRRAAQPSDASPAQV DLR TLGYSQQQQ
 EKIKPKVRS TVAQHHEALVGHGFTHAHIVALSQHPAALG
 TVAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALL
 TVAGELRGPPLQLDTGQLLKI AKRGGVTAVEAVHAWRN
 ALTGAPLNL TPEQVVAIASNHGGKQALETVQRLLPVLCQ
 AHGLTPEQVVAIASNHGGKQALETVQRLLPVLCQAHGL
 AHGLTPEQVVAIASNHGGKQALETVQRLLPVLCQAHGL
 TPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQV
 VAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAIAS
 NHGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNIGGK
 QALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE
 TVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQ
 RLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPV
 LCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAI

-continued

CQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAH
GLTPEQVVAIASNIGGKQALETVQRLLPVLCQAHGLTPE
QVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAI
ASNHGKQALETVQRLLPVLCQAHGLTPEQVVAIASNH
GGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQ
ALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALET
VQRLLPVLCQAHGLTPEQVVAIASNIGRPALESIVAQLS
RPDPALAAL TNDHLVALACLGGRPALDAVKKGLPHAPA
LIKRTNRRIPERTSHRVADHAQVVRVLFQCHSHPAQA
FDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLTLPAS
QRWDRILQASGMKRAKPSPTSTQTPDQASLHAFADSLER
DLDPSPMHEGDQTRASASPKKRKVEASGSGRADALD
DFDLMLGSDALDDFDLMLGSDALDDFDLMLGSDA
LDDFDLMLIN (SEQ ID NO: 44)

>CACNA1C Site 2 HN
activator (TALE1-HN) MSRTRLSPSPAPSPAFSADSFSDLLRQFDPFLFNTSLFDSL
PPFGAHHTEAATGEWDEVQSGLRAADAPPTMRVAVTA
ARPPRAKAPRRRAAQPSDASPAQVLDLRTLGYSQQQQ
EKIKPKVRS TVAQHHEALVGHGFTHAHIVALSQHPAALG
TVAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALL
TVAGELRGPPLQLDTGQLLKI AKRGGVTAVEAVHAWRN
ALTGAPLNL TPEQVVAIASNNGGKQALETVQRLLPVLCQ
AHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGL
TPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQV
VAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAIAS
HNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNIGGK
QALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE
TVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQ
LLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPV
CQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAH
GLTPEQVVAIASNIGGKQALETVQRLLPVLCQAHGLTPE
QVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAI
ASHNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHN
GGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQ
ALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALET
VQRLLPVLCQAHGLTPEQVVAIASNIGRPALESIVAQLS
RPDPALAAL TNDHLVALACLGGRPALDAVKKGLPHAPA
LIKRTNRRIPERTSHRVADHAQVVRVLFQCHSHPAQA
FDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLTLPAS
QRWDRILQASGMKRAKPSPTSTQTPDQASLHAFADSLER
DLDPSPMHEGDQTRASASPKKRKVEASGSGRADALD
DFDLMLGSDALDDFDLMLGSDALDDFDLMLGSDA
LDDFDLMLIN (SEQ ID NO: 45)

>CACNA1C Site 1 NN
repressor (TALE1-NK) MSRTRLSPSPAPSPAFSADSFSDLLRQFDPFLFNTSLFDSL
PPFGAHHTEAATGEWDEVQSGLRAADAPPTMRVAVTA
ARPPRAKAPRRRAAQPSDASPAQVLDLRTLGYSQQQQ
EKIKPKVRS TVAQHHEALVGHGFTHAHIVALSQHPAALG
TVAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALL
TVAGELRGPPLQLDTGQLLKI AKRGGVTAVEAVHAWRN
ALTGAPLNL TPEQVVAIASHDGGKQALETVQRLLPVLCQ
AHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGL
TPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQV
VAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIAS
HDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGG
KQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQAL
ETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQ
RLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPV
LCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQA
HGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLT
PEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQV
AIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVAIASH
DGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGK
QALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE
TVQRLLPVLCQAHGLTPEQVVAIASNIGRPALESIVAQL
SRDPALAAL TNDHLVALACLGGRPALDAVKKGLPHAPA
ALIKRTNRRIPERTSHRVADHAQVVRVLFQCHSHPAQ
AFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLTLP
SQRWDRILQASGMKRAKPSPTSTQTPDQASLHAFADSL
ERDLDPSPMHEGDQTRASASPKKRKVEASMNQMLLE
AADYLERREAEHGYASMLP (SEQ ID NO: 46)

>CACNA1C Site 1 NK
repressor (TALE1-NK) MSRTRLSPSPAPSPAFSADSFSDLLRQFDPFLFNTSLFDSL
PPFGAHHTEAATGEWDEVQSGLRAADAPPTMRVAVTA
ARPPRAKAPRRRAAQPSDASPAQVLDLRTLGYSQQQQ
EKIKPKVRS TVAQHHEALVGHGFTHAHIVALSQHPAALG
TVAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALL

-continued

TVAGELRGPPLQLDTGQLLKI AKRGGVTAVEAVHAWRN
 ALTGAPLNL TPEQVVAIASHDGGKQALETVQRLLPVLCQ
 AHGLTPEQVVAIASNKGKQALETVQRLLPVLCQAHGL
 TPEQVVAIASNKGKQALETVQRLLPVLCQAHGLTPEQV
 VAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIAS
 HDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGG
 KQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQAL
 ETVQRLLPVLCQAHGLTPEQVVAIASNKGKQALETVQ
 RLLPVLCQAHGLTPEQVVAIASNKGKQALETVQRLLPV
 LCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQA
 HGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLT
 EQVVAIASNKGKQALETVQRLLPVLCQAHGLTPEQVV
 AIASNKGKQALETVQRLLPVLCQAHGLTPEQVVAIASH
 DGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGK
 QALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE
 TVQRLLPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQL
 SRPDPALAAALNDHLVALACLGGRPALDAVKKGLPHAP
 ALIKRTNRRIPERTSHRVADHAQVVRVLGFFQCHSHPAQ
 AFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLTPPA
 SQRWDRILQASGMKRAKPSPTSTQTPDQASLHAFADSLE
 RDLADAPSPMHEGDQTRASASPKKRRKVEASMNIQMLLE
 AADYLERREREAEHGYASMLP (SEQ ID NO: 47)

>CACNA1C Site 1 NH
 repressor (TALE1-NH)

MSRTRLPSPAPSPAFSADSFSDLRQFDPSPFNTSLFDSL
 PPFGAHHEAATGEWDEVQSGLRADAPPPTMRVAVTA
 ARPRAKPAARRAAQPSDASPAQVLDLRTLGYSQQQQ
 EKI KPKVRS TVAQHHEALVGHGPTHAI VALSQHPAALG
 TVAVKYQDMIAALPEATHEAIVGVGKQWSGARALEALL
 TVAGELRGPPLQLDTGQLLKI AKRGGVTAVEAVHAWRN
 ALTGAPLNL TPEQVVAIASHDGGKQALETVQRLLPVLCQ
 AHGLTPEQVVAIASNHGGKQALETVQRLLPVLCQAHGL
 TPEQVVAIASNHGGKQALETVQRLLPVLCQAHGLTPEQV
 VAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIAS
 HDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGG
 KQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQAL
 ETVQRLLPVLCQAHGLTPEQVVAIASNKGKQALETVQ
 RLLPVLCQAHGLTPEQVVAIASNHGGKQALETVQRLLPV
 LCQAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQA
 HGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLT
 EQVVAIASNHGGKQALETVQRLLPVLCQAHGLTPEQVV
 AIASNKGKQALETVQRLLPVLCQAHGLTPEQVVAIASH
 DGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGK
 QALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALE
 TVQRLLPVLCQAHGLTPEQVVAIASNIGGRPALESIVAQL
 SRPDPALAAALNDHLVALACLGGRPALDAVKKGLPHAP
 ALIKRTNRRIPERTSHRVADHAQVVRVLGFFQCHSHPAQ
 AFDDAMTQFGMSRHGLLQLFRRVGVTELEARSGLTPPA
 SQRWDRILQASGMKRAKPSPTSTQTPDQASLHAFADSLE
 RDLADAPSPMHEGDQTRASASPKKRRKVEASMNIQMLLE
 AADYLERREREAEHGYASMLP (SEQ ID NO: 48)

[0452] The KRAB fragments utilized in this application are as follows:

KRAB (1-97) (SEQ ID NO: 344)
 MDAKSLTAWSRTLVTFKDVVFDFTRREEWKLDDTAQQIVYRNVMLENYK
 NLVSLGYQLTKPDVILRLEKGEPEPWLVEREIHQETHPDSETAFEIKSSV
 KRAB (1-75) (SEQ ID NO: 345)
 MDAKSLTAWSRTLVTFKDVVFDFTRREEWKLDDTAQQIVYRNVMLENYK
 NLVSLGYQLTKPDVILRLEKGEPEPWL
 KRAB (11-75) (SEQ ID NO: 346)
 RTLVTFKDVVFDFTRREEWKLDDTAQQIVYRNVMLENYK NLVSLGYQLT
 KPDVILRLEKGEPEPWL

[0453] To control for differences in the expression of each TALE, all TALEs are in-frame fused with the *Gaussia*

luciferase (Gluc) gene via a 2A linker. The Gluc gene is translated in an equimolar amount as TALEs. Truncation variants of the Krüppel-associated box (KRAB) domain, the PIE-1 repression domain (PIE-1), the QA domain within the Ubx gene (Ubx-QA), the IAA28 repression domain (IAA28-RD), Tbx3 repression domain (Tbx3-RD), and the mSin interaction domain (SID) were codon optimized for mammalian expression and synthesized with flanking NheI and XbaI restriction sites (Genscript). All repressor domains were cloned into the TALE backbone by replacing the VP64 activation domain using NheI and XbaI restriction sites. To control for any effect on transcription resulting from TALE binding, expression vectors carrying the TALE DNA binding domain alone were constructed using PCR cloning. The coding regions of all constructs were completely verified using Sanger sequencing.

[0454] All luciferase reporter plasmids were designed and synthesized by inserting the TALE binding site upstream of the minimal CMV promoter driving the expression of a *Cyp-*

ridina luciferase (Cluc) gene (FIG. 18), similar to minCMV-mCherry reporter used in previous studies (3).

[0455] Cell Culture and Luciferase Reporter Activation Assay:

[0456] Maintenance of human embryonic kidney cell line HEK 293FT (Invitrogen) were carried out with Dulbecco's modified Eagle's Medium (DMEM) supplemented with 10% fetal bovine serum (HyClone), 2 mM GlutaMAX (Invitrogen), 100 U/mL Penicillin, and 100 µg/mL Streptomycin, under 37° C., 5% CO₂ incubation condition.

[0457] Luciferase reporter assays were performed by co-transfecting HEK 293FT cells with TALE-2A-luciferase expression and luciferase reporter plasmids. In the case of the reporter-only control, cells were co-transfected with a control *Gaussia* luciferase plasmid (pCMV-Gluc, New England Biolabs). HEK 293FT cells were seeded into 24-well plates the day prior to transfection at densities of 2×10⁵ cells/well. Approximately 24 h after initial seeding, cells were transfected using Lipofectamine2000 (Invitrogen) following the manufacturer's protocol. For each well of the 24-well plates 700 ng of dTALE and 50 ng of each reporter plasmids were used to transfect HEK 293FT cells.

[0458] Dual luciferase reporter assays were carried out with the BioLux *Gaussia* luciferase flex assay kit and BioLux *Cypridina* luciferase assay kit (New England Biolabs) following the manufacturer's recommended protocol. Briefly, media from each well of transfected cells were collected 48 hours after transfection. For each sample, 20 µL of the media were added into a 96-well assay plate, mixed with each one of the dual luciferase assay mixes. After brief incubation, as indicated in the manufacturer's protocol, luminescence levels of each sample were measured using the Varioskan flash multimode reader (Thermo Scientific).

[0459] The activity of each TALE is determined by measuring the level of luciferase reporter induction, calculated as the level of Cluc induction in the presence of TALE activator minus the level of Cluc induction without TALE activator. The activity of each TALE is normalized to the level of TALE expression as determined by the Gluc activity level (each TALE is in-frame fused to 2A-Gluc), to control for differences in cell number, sample preparation, transfection efficiency, and protein expression level. The concentrations of all DNA used in transfection experiments were determined using gel analysis.

[0460] The base preference of each RVD was determined according to the induction of each base-specific reporters by the corresponding RVD screening TALE (RVD-TALE, FIG. 18a). Statistical analysis was performed using one-way analysis of variance (ANOVA) tests. Each RVD was tested by taking the reporter with the highest luciferase activity as the putative preferred base and comparing it with the remaining three bases as a group. For a given RVD, if the putative preferred base gave statistically significant test results (p<0.05, one-way ANOVA), that RVD was classified as having a single preferred base, otherwise that RVD was tagged as not having a single preferred base.

[0461] Endogenous Gene Transcriptional Activation Assay:

[0462] For the endogenous gene transcriptional level assay to test the biological activities of TALE activators and TALE repressors, HEK 293FT cells were seeded into 24-well plates. 1 µg of TALE plasmid was transfected using Lipofectamine2000 (Invitrogen) according to manufacturer's protocol. Transfected cells were cultured at 37° C. for 72 hours

before RNA extraction. At least 100,000 cells were harvested and subsequently processed for total RNA extraction using the RNAeasyPlus Mini Kit (Qiagen). cDNA was generated using the High Capacity RNA-to-cDNA Master Mix (Applied Biosystems) according to the manufacturer's recommended protocol. After cDNA synthesis, cDNA from each sample was added to the qRT-PCR assay with the Taqman Advanced PCR Master Mix (Applied Biosystems) using a StepOne Plus qRT-PCR machine. The fold activation in the transcriptional levels of SOX2 and CACNA1C mRNA were detected using standard TaqMan Gene Expression Assays with probes having the best coverage (Applied Biosystems; SOX2, Hs01053049_s1; CACNA1C, Hs00167681_m1).

[0463] Computational analysis of RVD specificity:

[0464] To assess the guanine-specificity of NH, extensive computational simulations were performed to compare the relative binding affinities between guanine and NN or NH using free energy perturbation (FEP) (18, 19), a widely used approach for calculating binding affinities for a variety of biological interactions, such as ligand-receptor binding, protein-protein interaction, and protein-nucleic acid binding (20, 21). Molecular dynamics simulations were carried out as previously described (20, 21). Calculations were based on the recently released crystal structure of the TALE PthXol bound to DNA (PDB ID: 3UGM)(12). A fragment of the crystal structure containing repeats 11-18 of PthXol (RVD sequence was used: HD[11]-NG[12]-NI[13]-HD[14]-NG[15]-NN[16]-NG[17]-NI[18], repeat number specified in square brackets) and the corresponding double-stranded DNA molecule containing the TALE binding sequence (5'-CTACT-GTA-3') to compare the binding affinities of RVDs NN, NK, and NH for guanine. Since the 16th repeat in the structure is NN, NN was computationally mutated into NH or NK and the binding affinity of each configuration (NN:G, NH:G) was calculated. The affinity was calculated as the gain of free energy (ΔΔG) in the DNA bound state taking NN:G as reference (ΔΔG=0).

REFERENCES

- [0465] 1. Boch, J. et al. Breaking the code of DNA binding specificity of TAL-type III effectors. *Science* 326, 1509-1512 (2009).
- [0466] 2. Moscou, M. J. & Bogdanove, A. J. A simple cipher governs DNA recognition by TAL effectors. *Science* 326, 1501 (2009).
- [0467] 3. Zhang, F. et al. Efficient construction of sequence-specific TAL effectors for modulating mammalian transcription. *Nat. Biotechnol.* 29, 149-153 (2011).
- [0468] 4. Morbitzer, R., Romer, P., Boch, J. & Lahaye, T. Regulation of selected genome loci using de novo-engineered transcription activator-like effector (TALE)-type transcription factors. *Proc. Natl. Acad. Sci. USA* 107, 21617-21622 (2010).
- [0469] 5. Miller, J. C. et al. A TALE nuclease architecture for efficient genome editing. *Nat. Biotechnol.* 29, 143-148 (2011).
- [0470] 6. Geißler, R. et al. Transcriptional Activators of Human Genes with Programmable DNA-Specificity. *PLoS One* 6, e19509 (2011).
- [0471] 7. Sanjana, N. E. et al. A transcription activator-like effector toolbox for genome engineering. *Nat. Protoc.* 7, 171-192 (2012).

- [0472] 8. Mahfouz, M. M. et al. Targeted transcriptional repression using a chimeric TALE-SRDX repressor protein. *Plant. Mol. Biol.* 78, 311-321 (2012).
- [0473] 9. Bogdanove, A. J. & Voytas, D. F. TAL effectors: customizable proteins for DNA targeting. *Science* 333, 1843-1846 (2011).
- [0474] 10. Ayer, D. E., Laherty, C. D., Lawrence, Q. A., Armstrong, A. P. & Eisenman, R. N. Mad proteins contain a dominant transcription repression domain. *Mol. Cell. Biol.* 16, 5772-5781 (1996).
- [0475] 11. Huang, P. et al. Heritable gene targeting in zebrafish using customized TALENs. *Nat. Biotechnol.* 29, 699-700 (2011).
- [0476] 12. Mak, A. N., Bradley, P., Cernadas, R. A., Bogdanove, A. J. & Stoddard, B. L. The crystal structure of TAL effector PthXol bound to its DNA target. *Science* 335, 716-719 (2012).
- [0477] 13. Scholze, H. & Boch, J. TAL effectors are remote controls for gene activation. *Curr. Opin. Microbiol.* 14, 47-53 (2011).
- [0478] 14. Batchelder, C. et al. Transcriptional repression by the *Caenorhabditis elegans* germ-line protein PIE-1. *Genes Dev.* 13, 202-212 (1999).
- [0479] 15. Tour, E., Hittinger, C. T. & McGinnis, W. Evolutionarily conserved domains required for activation and repression functions of the *Drosophila* Hox protein Ultrabithorax. *Development* 132, 5271-5281 (2005).
- [0480] 16. Tiwari, S. B., Hagen, G. & Guilfoyle, T. J. Aux/IAA proteins contain a potent transcriptional repression domain. *Plant Cell* 16, 533-543 (2004).
- [0481] 17. Margolin, J. F. et al. Kruppel-associated boxes are potent transcriptional repression domains. *Proc. Natl. Acad. Sci. USA* 91, 4509-4513 (1994).
- [0482] 18. Almlof, M., Aqvist, J., Smalas, A. O. & Brandsdal, B. O. Probing the effect of point mutations at protein-protein interfaces with free energy calculations. *Biophys. J.* 90, 433-442 (2006).
- [0483] 19. Wang, J., Deng, Y. & Roux, B. Absolute binding free energy calculations using molecular dynamics simulations with restraining potentials. *Biophys. J.* 91, 2798-2814 (2006).
- [0484] 20. Zhou, R., Das, P. & Royyuru, A. K. Single mutation induced H3N2 hemagglutinin antibody neutralization: a free energy perturbation study. *J. Phys. Chem. B* 112, 15813-15820 (2008).
- [0485] 21. Chodera, J. D. et al. Alchemical free energy methods for drug discovery: progress and challenges. *Curr. Opin. Struct. Biol.* 21, 150-160 (2011).

Example 4

Development of Mammalian TALE Transcriptional Repressors with SID4X Domain

[0486] TALE repressors have the potential to suppress the expression of genes as well as non-coding transcripts such as microRNAs, rendering them a highly desirable tool for testing the causal role of specific genetic elements.

[0487] After identifying SID (mSin interaction domain) as a robust novel repressor domain to be used with TALEs, more active repression domain architecture based on SID domain for use with TALEs in mammalian cells were further designed and verified. This domain is called SID4X, which is a tandem repeat of four SID domains linked by short peptide linkers. For testing different TALE repressor architectures, a TALE targeting the promoter of the mouse (*Mus musculus*) p11 (s100a10) gene was used to evaluate the transcriptional repression activity of a series of candidate TALE repressor architectures (FIG. 22a). Since different truncations of TALE are known to exhibit varying levels of transcriptional activation activity, two different truncations of TALE fused to SID or SID4X domain were tested, one version with 136 and 183 amino acids at N- and C-termini flanking the DNA binding tandem repeats, with another one retaining 240 and 183 amino acids at N- and C-termini (FIG. 22b, c). The candidate TALE repressors were expressed in mouse Neuro2A cells and it was found that TALEs carrying both SID and SID4X domains were able to repress endogenous p11 expression up to 4.8 folds, while the GFP-encoding negative control construct had no effect on transcriptional of target gene (FIG. 22b, c). To control for potential perturbation of p11 transcription due to TALE binding, expression of the p11-targeting TALE DNA binding domain (with the same N- and C-termini truncations as the tested constructs) without any effector domain had no effect on the transcriptional activity of endogenous p11 (FIG. 22b, c, null constructs).

[0488] Because the constructs harboring SID4X domain were able to achieve 167% and 66% more transcriptional repression of the endogenous p11 locus than the SID domain depending on the truncations of TALE DNA binding domain (FIG. 22c), it was concluded that a truncated TALE DNA binding domain, bearing 136 and 183 amino acids at N- and C-termini respectively, fused to the SID4X domain is a potent TALE repressor architecture that enables down-regulation of target gene expression and is more active than the previous design employing SID domain.

Methods

[0489] Construction of TALE activators and repressors: All TALE activators or repressors were constructed as previously described using a hierarchical ligation strategy. The following sequences for all constructs were used:

Repressor domain and TALE repressor constructs amino acid sequences

```
>SID
MNIQMLLEAADYLERREREAEHGYASMLP
(SEQ ID NO: 49)

>SID4X
MNIQMLLEAADYLERREREAEHGYASMLPGSG
MNIQMLLEAADYLERREREAEHGYASMLPGSG
MNIQMLLEAADYLERREREAEHGYASMLPGSG
MNIQMLLEAADYLERREREAEHGYASMLPSR
(SEQ ID NO: 50)
```

-continued

Repressor domain and TALE repressor constructs amino acid sequences

>p11 TALE(+240/+183) -VP64 MSRTRLPSPPAPSPAFSADSFSDLLRQFDPSLFNT
 SLFDSLPPFGAHHTEATGEWDEVQSGLRADA
 PPPTMRVAVTAARPPRAKPAARRRAAQPSDASP
 AAQVDLRTLGYSQQQQEKIKPKVIRSTVAQHHE
 ALVGHGFTHAHIVALSQHPAALGTVAVKYQDM
 IAALPEATHEAIVGVGKQWSGARALEALLTVAG
 ELRGPPLQLDTGQLLKIAKRGGVTAVEAVHAW
 RNALTGAPLNLTPVQVVAIASNNGGKQALETVQ
 RLLPVLCAHGLTPEQVVAIASHDGGKQALETV
 QRLLPVLCAHGLTPEQVVAIASHDGGKQALET
 VQRLLPVLCAHGLTPEQVVAIASNNGGKQALE
 TVQRLLPVLCAHGLTPEQVVAIASNNGGKQAL
 ETVQRLLPVLCAHGLTPEQVVAIASHDGGKQA
 LETVQRLLPVLCAHGLTPEQVVAIASHDGGKQ
 ALETVQRLLPVLCAHGLTPEQVVAIASHDGGK
 QALETVQRLLPVLCAHGLTPEQVVAIASNNGG
 KQALETVQRLLPVLCAHGLTPEQVVAIASHDG
 GKQALETVQRLLPVLCAHGLTPEQVVAIASHD
 GGKQALETVQRLLPVLCAHGLTPEQVVAIASN
 IGGKQALETVQRLLPVLCAHGLTPEQVVAIAS
 NNGGKQALETVQRLLPVLCAHGLTPEQVVAIA
 SNNGGKQALETVQRLLPVLCAHGLTPEQVVAI
 ASHDGGKQALETVQRLLPVLCAHGLTPEQVVA
 IASNNGGKQALETVQRLLPVLCAHGLTPEQV
 VAIASHDGGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASHDGGKQALETVQRLLPVLCAHGLTPE
 QVVAIASNNGGGRPALESIVAQLSRPDPALAALT
 N
 DHLVALACLGGRPALDAVKKGLPHAPALIKRTN
 RRIPERTSHRVADHAQVVRVLGFFQCHSHPAQA
 FDDAMTQFGMSRHGLLQLFRRVGVTELEARSQ
 TLPASQRWDRILQASGMKRAKPSPTSTQTPDQ
 ASLHAFADSLEERDLAPSPMHEGDQTRASASPK
 KKRKVEASGSGRADALDDDFDLMLGSDALDDF
 DLDMLGSDALDDDFDLMLGSDALDDDFDLMLI
 N (SEQ ID NO: 51)

>p11 TALE(+136/+183) -SID MVDLRTLGYSQQQQEKIKPKVIRSTVAQHHEAL
 VGHGFTHAHIVALSQHPAALGTVAVKYQDMIA
 ALPEATHEAIVGVGKQWSGARALEALLTVAGE
 LRGPPLQLDTGQLLKIAKRGGVTAVEAVHAWR
 NALTGAPLNLTPVQVVAIASNNGGKQALETVQR
 LLPVLCAHGLTPEQVVAIASHDGGKQALETVQ
 RLLPVLCAHGLTPEQVVAIASHDGGKQALETV
 QRLLPVLCAHGLTPEQVVAIASNNGGKQALET
 VQRLLPVLCAHGLTPEQVVAIASNNGGKQALE
 TVQRLLPVLCAHGLTPEQVVAIASHDGGKQAL
 ETVQRLLPVLCAHGLTPEQVVAIASHDGGKQA
 LETVQRLLPVLCAHGLTPEQVVAIASHDGGKQ
 ALETVQRLLPVLCAHGLTPEQVVAIASNNGGK
 QALETVQRLLPVLCAHGLTPEQVVAIASHDGG
 KQALETVQRLLPVLCAHGLTPEQVVAIASHDG
 GKQALETVQRLLPVLCAHGLTPEQVVAIASNI
 GGKQALETVQRLLPVLCAHGLTPEQVVAIASN
 NGGKQALETVQRLLPVLCAHGLTPEQVVAIAS
 NNGGKQALETVQRLLPVLCAHGLTPEQVVAIA
 SHDGGKQALETVQRLLPVLCAHGLTPEQVVAI
 ASNNGGKQALETVQRLLPVLCAHGLTPEQVVA
 IASHDGGKQALETVQRLLPVLCAHGLTPEQV
 VVAIASHDGGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASHDGGGRPALESIVAQLSRPDPALAALT
 N
 HLVALACLGGRPALDAVKKGLPHAPALIKRTNR
 RRIPERTSHRVADHAQVVRVLGFFQCHSHPAQAF
 DDAMTQFGMSRHGLLQLFRRVGVTELEARSQ
 TLPASQRWDRILQASGMKRAKPSPTSTQTPDQ
 ASLHAFADSLEERDLAPSPMHEGDQTRASASPK
 KKRKVEASGSGMNIQMLLEADYLERREREAHE
 GYASMLP (SEQ ID NO: 52)

>p11 TALE(+136/+183) -SID4X MVDLRTLGYSQQQQEKIKPKVIRSTVAQHHEAL
 VGHGFTHAHIVALSQHPAALGTVAVKYQDMIA
 ALPEATHEAIVGVGKQWSGARALEALLTVAGE
 LRGPPLQLDTGQLLKIAKRGGVTAVEAVHAWR
 NALTGAPLNLTPVQVVAIASNNGGKQALETVQR
 LLPVLCAHGLTPEQVVAIASHDGGKQALETVQ

-continued

Repressor domain and TALE repressor constructs amino acid sequences

RLLPVLCAHGLTPEQVVAIASHDGGKQALETV
 QRLLPVLCAHGLTPEQVVAIASNNGGKQALET
 VQRLLPVLCAHGLTPEQVVAIASNNGGKQALE
 TVQRLLPVLCAHGLTPEQVVAIASHDGGKQAL
 ETVQRLLPVLCAHGLTPEQVVAIASHDGGKQ
 LETVQRLLPVLCAHGLTPEQVVAIASHDGGKQ
 ALETVQRLLPVLCAHGLTPEQVVAIASNNGGK
 QALETVQRLLPVLCAHGLTPEQVVAIASHDGG
 KQALETVQRLLPVLCAHGLTPEQVVAIASHDG
 GKQALETVQRLLPVLCAHGLTPEQVVAIASNI
 GGKQALETVQRLLPVLCAHGLTPEQVVAIASN
 NNGKQALETVQRLLPVLCAHGLTPEQVVAIAS
 NNGGKQALETVQRLLPVLCAHGLTPEQVVAIA
 SHDGGKQALETVQRLLPVLCAHGLTPEQVVAI
 ASNNGGKQALETVQRLLPVLCAHGLTPEQVV
 AIASHDGGKQALETVQRLLPVLCAHGLTPEQV
 VAIASHDGGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASHDGGRPALESIVAQLSRPDPALAALTND
 HLVALACLGGRPALDAVKKGLPHAPALIKRTNR
 RIPERTSHRVADHAQVVRVLFQCHSHPAQAF
 DDAMTQFGMSRHGLLQLFRRVGVTELEARS
 GTLPPASQRWDRILQASGMKRAKPSPTSTQTPDQ
 SLHAFADSLERDLDAPSPMHEGDQTRASASPK
 KRKVEASGSGMNIQMLLEADYLERREREAEH
 GYASMLPGSGMNIQMLLEADYLERREREAEH
 GYASMLPGSGMNIQMLLEADYLERREREAEH
 GYASMLPSR (SEQ ID NO: 53)

>p11 TALE(+240/+183) -SID MSRTRLSPSPAPSPAFSADSFSDLLRQFDPDSLNT
 SLFDSLPPFGAHHTEAATGEWDEVQSGLRAADA
 PPPTMRVAVTAARPPRAKAPRRRAAQPSDASP
 AAQVDLRTLGYSSQQQEKIKPKVRSTVAQHHE
 ALVGHGFTHAHIVALSQHPAALGTAVVKYQDM
 IAALPEATHEAIVGVGKQWSGARALEALLTVAG
 ELRGPPLQLDTGQLLKI AKRGGVTAVEAVHAW
 RNALTGAPLNLTPQVVAIASNNGGKQALETVQ
 RLLPVLCAHGLTPEQVVAIASHDGGKQALETV
 QRLLPVLCAHGLTPEQVVAIASHDGGKQALET
 VQRLLPVLCAHGLTPEQVVAIASNNGGKQALE
 TVQRLLPVLCAHGLTPEQVVAIASNNGGKQAL
 ETVQRLLPVLCAHGLTPEQVVAIASHDGGKQ
 ALETVQRLLPVLCAHGLTPEQVVAIASHDGGK
 QALETVQRLLPVLCAHGLTPEQVVAIASNNGG
 KQALETVQRLLPVLCAHGLTPEQVVAIASHDG
 GKQALETVQRLLPVLCAHGLTPEQVVAIASHD
 GGKQALETVQRLLPVLCAHGLTPEQVVAIASN
 IGGKQALETVQRLLPVLCAHGLTPEQVVAIAS
 NNGGKQALETVQRLLPVLCAHGLTPEQVVAIA
 SNNGGKQALETVQRLLPVLCAHGLTPEQVVAI
 ASHDGGKQALETVQRLLPVLCAHGLTPEQVV
 AIASNNGGKQALETVQRLLPVLCAHGLTPEQV
 VAIASHDGGKQALETVQRLLPVLCAHGLTPEQ
 VVAIASHDGGKQALETVQRLLPVLCAHGLTPE
 QVVAIASHDGGRPALESIVAQLSRPDPALAALTND
 DHLVALACLGGRPALDAVKKGLPHAPALIKRTN
 RIPERTSHRVADHAQVVRVLFQCHSHPAQAF
 FDDAMTQFGMSRHGLLQLFRRVGVTELEARS
 GTLPPASQRWDRILQASGMKRAKPSPTSTQTPDQ
 ASLHAFADSLERDLDAPSPMHEGDQTRASASPK
 KRKVEASGSGMNIQMLLEADYLERREREAEH
 HGYASMLP (SEQ ID NO: 54)

>P11 TALE(+240/+183) -SID4X MSRTRLSPSPAPSPAFSADSFSDLLRQFDPDSLNT
 SLFDSLPPFGAHHTEAATGEWDEVQSGLRAADA
 PPPTMRVAVTAARPPRAKAPRRRAAQPSDASP
 AAQVDLRTLGYSSQQQEKIKPKVRSTVAQHHE
 ALVGHGFTHAHIVALSQHPAALGTAVVKYQDM
 IAALPEATHEAIVGVGKQWSGARALEALLTVAG
 ELRGPPLQLDTGQLLKI AKRGGVTAVEAVHAW
 RNALTGAPLNLTPQVVAIASNNGGKQALETVQ
 RLLPVLCAHGLTPEQVVAIASHDGGKQALETV
 QRLLPVLCAHGLTPEQVVAIASHDGGKQALET
 VQRLLPVLCAHGLTPEQVVAIASNNGGKQALE

-continued

Repressor domain and TALE repressor constructs amino acid sequences

```

TVQRLLPVLCQAHGLTPEQVVAIASNNGGKQAL
ETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQA
LETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQ
ALETVQRLLPVLCQAHGLTPEQVVAIASHDGGK
QALETVQRLLPVLCQAHGLTPEQVVAIASNNGG
KQALETVQRLLPVLCQAHGLTPEQVVAIASHDG
GKQALETVQRLLPVLCQAHGLTPEQVVAIASHD
GGKQALETVQRLLPVLCQAHGLTPEQVVAIASN
IGGKQALETVQRLLPVLCQAHGLTPEQVVAIAS
NNGGKQALETVQRLLPVLCQAHGLTPEQVVAIA
SNNGGKQALETVQRLLPVLCQAHGLTPEQVVAI
ASHDGGKQALETVQRLLPVLCQAHGLTPEQVV
AIASNNGGKQALETVQRLLPVLCQAHGLTPEQV
VAIASHDGGKQALETVQRLLPVLCQAHGLTPEQ
VVAIASHDGGKQALETVQRLLPVLCQAHGLTPE
QVVAIASHDGGRPALESIVAQLSRPDALAALTN
DHLVALACLGGRPALDAVKKGLPHAPALIKRTN
RRIPERTSHRVADHAQVVRVLGFFQCHSHPAQA
FDDAMTQFGMSRHLLQLFRRVGVTELEARSG
TLPPASQRWDRILQASGMKRAKPSPTSTQTPDQ
ASLHAFADSLERDLAPSPMHEGDQTRASASPK
KKRKVEASGSGMNIQMLLEAADYLEREREREAE
HGYASMLPGSGMNIQMLLEAADYLEREREREAE
HGYASMLPGSGMNIQMLLEAADYLEREREREAE
HGYASMLPGSGMNIQMLLEAADYLEREREREAE
HGYASMLPSR (SEQ ID NO: 55)

```

[0490] The mSin interaction domain (SID) and SID4X domain were codon optimized for mammalian expression and synthesized with flanking *NheI* and *XbaI* restriction sites (Genscript). Truncation variants of the TALE DNA binding domains are PCR amplified and fused to the SID or the SID4X domain using *NheI* and *XbaI* restriction sites. To control for any effect on transcription resulting from TALE binding, expression vectors carrying the TALE DNA binding domain alone using PCR cloning were constructed. The coding regions of all constructs were completely verified using Sanger sequencing.

[0491] Cell culture and endogenous gene transcriptional activation assay: Maintenance of mouse neuroblastoma cell line Neuro2A (ATCC) were carried out with Dulbecco's modified Eagle's Medium (DMEM) supplemented with 5% fetal bovine serum (HyClone), 2 mM GlutaMAX (Invitrogen), 100 U/mL Penicillin, and 100 µg/mL Streptomycin, under 37° C., 5% CO₂ incubation condition.

[0492] For the endogenous gene transcriptional level assay to test the biological activities of TALE activators and TALE repressors, Neuro2A cells were seeded into 24-well plates. 1 µg of TALE plasmid was transfected using Lipofectamine-2000 (Invitrogen) according to manufacturer's protocol. Transfected cells were cultured at 37° C. for 72 hours before RNA extraction. At least 100,000 cells were harvested and subsequently processed for total RNA extraction using the Fastlane cell-to-cDNA kit (Qiagen) according to the manufacturer's recommended protocol. After cDNA synthesis, cDNA from each samples were added to the qRT-PCR assay with the Taqman Advanced PCR Master Mix (Applied Biosystems) using a StepOne Plus qRT-PCR machine. The fold activation in the transcriptional levels of SOX2 and CACNA1C mRNA were detected using standard TaqMan Gene Expression Assays with probes having the best coverage (Applied Biosystems; p11: Mm00501457_m1).

[0493] A comparison of two different types of TALE architecture is seen in FIG. 23.

Example 5

The TALE Recombinase System

[0494] Neurological and psychiatric diseases arise from a combination of genetic and environmental factors that influence the molecular, morphological, and physiological properties of neurons and glia in the brain (1). Elucidation and treatment of these diseases benefit from understanding how specific brain cell types connect and signal in neural circuits, and how genetic factors affect their cellular function. Traditional transgenic techniques were widely used to test the role of genes and mutations in diseases, as well as for targeting genetically encoded reporter and modulator expression in specific cell populations. However these conventional genome manipulation technologies have low efficiency and are largely limited to the mouse, whereas other animal models that are commonly used for neuroscience and disease studies (e.g. rats and primates) are still mostly inaccessible. Additionally, since many non-rodent animal models have long reproductive cycles, fundamentally new genome modification technologies that precisely manipulate the genomes of cells in the brain have enormous impact.

[0495] Applicants have recently pioneered a novel mammalian DNA recognition technology based on the transcriptional activator like effectors (TALE) from the microbial pathogen *Xanthomonas oryzae* (2). TALEs are naturally occurring DNA binding proteins consisting of tandem repeats of 34 amino acid peptides (FIG. 27a) (3). The repeat units within each TALE protein are identical except at the 12th and 13th positions, and the two variable amino acids in each repeat specify the DNA base being targeted (HD=C, NI=A, NG=T, NK=G, NS=A/G/T/C) (4-6). Compared to the zinc finger (ZF) technology (7), another programmable DNA binding protein, the TALE DNA recognition code is much more modular and novel TALEs with customized DNA binding sequence may be synthesized much more quickly and with much more predictable binding activity.

[0496] TALEs and ZFs may be used to generate site-specific nucleases (zinc finger nuclease and TALENs) by fusing each DNA binding domain to the catalytic domain of the FokI endonuclease (7, 8). While these site-specific nucleases have enabled precise modification of genomes in a wide range of experimental animal models, the overall efficiency of genome modification depends on the host cell's DNA damage and repair pathway (7, 8) and is too low for direct in vivo applications in the brain. Leveraging the TALE technology, Applicants developed a TALE-based site-specific recombinase (TALER) platform, consisting of recombinases and a viral delivery system, to facilitate precise insertion, deletion, or replacement of DNA sequences in the genome. Since TALEs may be programmed to recognize any DNA sequence of interest, TALER achieves precise genome modification at any location in the mammalian genome. The major benefit of TALER over site-specific nucleases is that, similar to natural site-specific DNA recombinases (e.g. Cre, Flp, Dre, and phiC31), TALERs are completely self-sufficient and do not depend on any host machinery. Therefore the efficiency of TALERs is much higher and more suitable for direct genome modification in the brain in vivo.

[0497] The TALER technology has broad impacts both within neuroscience and across many fields of biology, including but not limited to: 1. enabling functional genomic studies (knockin, knockout, mutations) in traditionally inaccessible organisms and cell types; 2. enabling targeting of optogenetic tools (Chlamydomonas channelrhodopsin-2 (ChR5), halorhodopsins (HRs), synthetic rhodopsin/GPCR chimeras, XFPs (XFP is the generic term for fluorescent proteins of different colors), genetically-encoded neural activity indicators) to specific cell types in mice as well as higher animal models such as nonhuman primates; and 3. establishing a potential therapeutic system for repairing genomic defects in genetically based neuropsychiatric diseases.

[0498] Applicants aim to gain better understanding of the genetic and environmental mechanisms underlying neuropsychiatric disease, and foster technologies that enable nervous system repair. The TALE recombinase toolkit for precise genome engineering is an indispensable piece of the technological repertoire necessary to achieving this ultimate objective.

[0499] The goal of enabling high efficiency and precise genome modification is a long sought after goal for the past decade. However, the ideal technology for achieving precise and scarless (without introduction of any exogenous sequence) genome engineering has remained challenging. While several naturally occurring recombinases, integrases, or artificial nucleases were widely used for genome engineering applications, they all suffer from one or more limitations including: difficulty in changing the DNA substrate specificity of the recombination site (9, 10), random integration into the host genome (11), and low efficiency of genome modification (11, 12). To overcome these challenges, Applicants developed a novel DNA targeting technology based on the TALE proteins from the plant pathogenic bacteria *Xanthomonas oryzae*. TALEs are programmed to target DNA sequences of interest and are used to target DNA sequences on the mammalian genome in vivo. Using this novel DNA binding protein, Applicants developed a programmable DNA recombinase platform for achieving precise genome modification in the mammalian brain in vivo.

[0500] Programmable DNA targeting using designer TALEs: TALEs are naturally occurring microbial pathogen effectors. However due to the repetitive nature of TALEs, it is extremely difficult to construct designer TALEs with novel DNA binding properties.

[0501] Applicants have pioneered a novel hierarchical ligation-based strategy for assembling individual TALE repeat monomers into a specific order and found that designer TALEs do bind to DNA sequences that are predicted based on the variable diresidue sequence in the tandem repeat region (FIGS. 12 and 28a) (2). Compared with other DNA binding protein technologies such as artificial zinc finger proteins, TALEs are much more designable and do not require sophisticated screening processes. Applicants have designed their method as a high-throughput TALE synthesis platform for constructing artificial TALEs for targeting any arbitrary DNA sequences. The system may be easily scaled up so that hundreds of designer TALEs may be constructed within a few days. This unprecedented ability to construct designer DNA binding proteins capable of targeting any desired DNA sequence is a fundamental requisite for enabling the TALE recombinase technology.

[0502] TALEs may directly interact with the mammalian genome. Since natural TALEs are used by microbial pathogens to modulate gene expression from the genome of their host plants (3, 13), it is not clear whether designer TALEs may readily bind to DNA in the mammalian genome. Due to differences in chromatin structures and methylation patterns between mammalian and plant genomes, it is necessary to verify that TALEs may directly interact with the genome in mammalian cells. Applicants have demonstrated that 1.) Designer TALEs may indeed interact with the target sequence on the endogenous genome of the host cell (2, 8), and 2.) Transcription modulators or nuclease domains may be anchored to specific sites on the endogenous genome when fused to designer TALEs (2, 8) (FIG. 28 b, c).

[0503] Designer TALE transcription factors may be functionally expressed in the brain in vivo to alter the fate of neurons. Applicants' previous studies focused on characterizing TALE activities in mammalian cells were conducted in cell lines that are actively dividing. However, whether TALEs may function properly in mitotically arrested, terminally differentiated cells such as neurons remains unknown. Applicants have designed TALE transcription factors to target the transcription factor FezF2 in post mitotic neurons. FezF2 is a master fate regulator of cortical spinal motor neuron (CSMN) development and heterologous expression of FezF2 in non-CSMN cortical progenitors may switch those cells to adopt the molecular phenotype of a CSMN neuron. When the FezF2-targeting TALE transcription activator is introduced Applicants were able achieve a similar fate switch, suggesting that the designer TALE was indeed able to bind to the FezF2 promoter in the endogenous genome and drive the expression of FezF2. These results indicate that TALE recombinases also bind to the endogenous genome in post-mitotic neurons and facilitate site-specific recombination at target sites.

[0504] Applicants have developed a complete toolkit for precise genome engineering consisting of both the TALER as well as the delivery system. This toolkit may be used both in vitro and in vivo. In addition to applications in the mammalian brain to facilitate the study of neural circuits as well as genetic factors underlying psychiatric diseases, the TALER technology has wide utility for many fields of biology to facilitate genetic and genomic perturbations

[0505] The TALER technology is developed using the following objectives:

[0506] 1. Design and optimization of a TALER architecture with high catalytic activity and specificity for mammalian genome manipulation: Applicants used protein engineering, directed evolution, and ecological prospecting approaches to identify recombinases with robust activity but lacking sequencing specificity. These recombinases are fused to TALEs that were programmed to target specific genome sequences to generate site-specific TALERS (FIG. 29a).

[0507] Currently, site specific recombinases such as Cre and FIp were widely used to facilitate genome modification. However Cre and FIp have strict sequence requirements for the recombination site. Many attempts were made to alter the site-specificity of Cre and FIp but were only able to shift the site-specificity by a few bases. This is largely due to the tight integration between DNA binding domain and catalytic domain of tyrosine recombinases.

[0508] Developing a TALER architecture: Natural recombinases may be roughly classified into two categories based on their catalytic residues: serine and tyrosine recombinases. Taking inspiration from the development of zinc finger nuclease and recombinase, where zinc finger was fused to sequence agnostic catalytic nuclease or recombinase domains, Applicants developed TALERS using the modular catalytic domain from serine recombinases. Most serine recombinases such as Gin, Hin, Tn3, and gamma-delta recombinases have catalytic domains that are separate from the DNA binding domain (FIGS. 30, 31). Applicants have generated a number of TALE recombinase fusion proteins. In a celline based assay where the TALER is used to recombine out a transcriptional stop cassette (3x poly adenylation signal plus a neomycin gene) inserted between the promoter and the mCherry or luciferase reporter, co-transfection of cells with both the TALER (fusion between TALE and the catalytic domain from the Gin serine recombinase) and the reporter construct is able to activate the expression of the reporter gene (FIGS. 32, 33). Using this reporter system, Applicants have optimized the design of TALE-recombinase fusion. Applicants know that a fragment of the N-terminus of TALE may be truncated while maintaining similar levels of DNA binding activity. By fusing the recombinase catalytic domain to different Nterm truncation mutants of TALE, as well as changing the protein sequence used as the linker between TALE and the recombinase domain, Applicants are able to identify the most active TALER architecture (FIGS. 34, 35, 36). TALER activity for all the TALE recombinase fusion proteins was determined using Luciferase reporter assays. The assays were performed by co-transfecting HEK 293FT cells with TALE Recombinase-2A-Gaussia Luciferase expression plasmid and luciferase reporter plasmids. In the case of the reporter-only control, cells were co-transfected with a control *Gaussia* luciferase plasmid (pCMV-Gluc, New England BioLabs). HEK 293FT cells were seeded into 24-well plates the day before transfection at densities of 2x10⁵ cells per well. Approximately 24 h after initial seeding, cells were transfected using Lipofectamine-2000 (Invitrogen) following the manufacturer's protocol. For each well of the 24-well plates 400 ng of TALE Recombinase and 50 ng of each reporter plasmids were used to transfect HEK 293FT cells. For the mCherry reporter assay, the protocol is similar to above, except the 293FT cells are co-transfected with TALE Recombinase-2A-GFP expression plasmid and mCherry reporter plasmids. The DNA amount is 200 ng of TALE recombinase

and 200 ng of each reporter plasmid. All images in FIGS. 28b and 33 were taken 72 h after transfection.

[0509] Dual luciferase reporter assays were carried out with the BioLux *Gaussia* luciferase flex assay kit and BioLux *Cypridina* luciferase assay kit (New England Biolabs) following the manufacturer's recommended protocol. Briefly, media from each well of transfected cells were collected 48 h or 72 h after transfection. For each sample, 20 μ l of the media were added into a 96-well assay plate and mixed with each one of the dual luciferase assay mixes. After brief incubation, as indicated in the manufacturer's protocol, luminescence levels of each sample were measured using the Varioskan flash multimode reader (Thermo Scientific).

[0510] Evolving Gin recombinase to relax substrate specificity: Although the wild type Gin recombinase consists of separate catalytic and DNA binding domains, the catalytic domain still maintains some preference for specific DNA sequences (14, 15). Therefore TALERS based on the wild type Gin has some bias for the recombination sites that are similar to the natural Gin target sequence. To generate a modified version of Gin catalytic domain that does not have any inherent sequence preferences, Applicants used directed evolution and saturation mutagenesis to evolve the Gin catalytic domain to become sequence agnostic (2, 8). It has already been shown that the Gin catalytic domain may be evolved to recognize a single but completely different recombination site (9, 10). Therefore Applicants believe that Gin has the ability to operate on the entire sequence space. Applicants have also quantified TALER activity of the Gin catalytic domain for the LoxP site. (FIG. 37)

[0511] Multiplexing recombination: The development of a single TALER architecture based on the Gin recombinase domain enables precise integration or deletion of DNA from a single site in the genome. This is useful for knock-in or knockout experiments where a reporter gene needs to be knocked into a specific locus or a specific gene need to be removed from the genome. However, some experiments need to modify multiple sites simultaneously. To achieve this Applicants have developed orthogonal sets of TALER architectures based on catalytic domains from other serine recombinases (16, 17) which include but are not limited to Hin, Tn3, and gamma-delta resolvase). These other recombinase domains utilize the same strategy utilized for developing the TALE-Gin fusion architecture.

[0512] 2. Improvement of TALE DNA targeting and specificity: the current TALE DNA binding code targets different DNA sequences with variable efficiency. Applicants optimized the amino acid repeats in TALEs through directed evolution and screening of naturally occurring repeats to improve the DNA binding property. The DNA recognition property of each TALE is specified by the variable diresidues on the repeat domains. Previous studies based on bioinformatics analysis of natural TALEs and their binding sites on the host plant genome have identified four canonical diresidues that have strong preferences for each of the four nucleic acid bases (HD=C, NI=A, NG=T, and NK=G) (4-6). However, based on biochemical and cellular transcription assays, these four diresidues may still recognize non-preferred bases. In addition, for reasons yet to be discovered, these four canonical diresidues may have completely altered DNA base preference depending on the nearby DNA sequence. As a result Applicants' success rate at generating designer TALEs with predicted binding specificity is only around 80%. Applicants have screened all naturally occurring TALE sequences

-continued

EQVVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASNIGGRPA
LESIVAQLSRPDPALAALNDHLVALACLGGRPALDAVKKGLPHAPALIK
RTNRRIPERTSHRVADKAEIPEPPKKRKKVELGTA
(SEQ ID NO: 348)

Gin134- MLIGYARVSTNGQSTDLQRDALVCAGCEQIFEDKLSGTRTDRPGLKRA
TALE1- LERLQEGDTLVVWKLDRLGRSVKHLISLVGELRERGINFRSLTDCVNTS
NtermV124 SPMGRFFPHVMGALAEVERELIVERTMAGLAAARSKGSGSGSGSGG
(TALREN5) SGTSVSRSTVAQHHEALVGHGFTHAHIVALSQHPAALGTAVKYQDMIA
ALPEATHEAIVGVKQWSGARALEALLTVAGELRGPPLQDGTGQLLKIA
KRGVTVAVEAVHAWRNALTGAPLNLTPEQVVVAIASNIGGKQALETVQR
LLPVLCQAHGLTPEQVVVAIASHDGGKQALETVQRLLPVLCQAHGLTPE
QVVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASNIGGKQAL
ETVQRLLPVLCQAHGLTPEQVVVAIASHDGGKQALETVQRLLPVLCQAH
GLTPEQVVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASHD
GGKQALETVQRLLPVLCQAHGLTPEQVVVAIASNIGGKQALETVQRLLPV
LCQAHGLTPEQVVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVVA
IASNNGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASNIGGKQALETVQ
RLLPVLCQAHGLTPEQVVVAIASNNGGKQALETVQRLLPVLCQAHGLTPE
QVVVAIASNIGGRPALESIVAQLSRPDPALAALNDHLVALACLGGRPAL
DAVKKGLPHAPALIKRTNRRIPERTSHRVADKAEIPEPPKKRKKVELGT
A (SEQ ID NO: 349)

Gin134- MLIGYARVSTNGQSTDLQRDALVCAGCEQIFEDKLSGTRTDRPGLKRA
TALE1- LERLQEGDTLVVWKLDRLGRSVKHLISLVGELRERGINFRSLTDCVNTS
Repeat 0th SPMGRFFPHVMGALAEVERELIVERTMAGLAAARSKGSGSGSGSGG
(TALREN6) SGTSLQDGTGQLLKIAKRGVTVAVEAVHAWRNALTGAPLNLTPEQVVVA
IASNIGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASHDGGKQALETVQ
RLLPVLCQAHGLTPEQVVVAIASNNGGKQALETVQRLLPVLCQAHGLTPE
QVVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASHDGGKQA
LETVQRLLPVLCQAHGLTPEQVVVAIASNNGGKQALETVQRLLPVLCQA
HGLTPEQVVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASN
IGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASHDGGKQALETVQRLLP
VLCQAHGLTPEQVVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVV
VAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASNNGGKQALETV
QRLLPVLCQAHGLTPEQVVVAIASNIGGRPALESIVAQLSRPDPALAALTN
DHLVALACLGGRPALDAVKKGLPHAPALIKRTNRRIPERTSHRVADKAE
LIPEPPKKRKKVELGTA (SEQ ID NO: 350)

Gin134- MLIGYARVSTNGQSTDLQRDALVCAGCEQIFEDKLSGTRTDRPGLKRA
TALE1- LERLQEGDTLVVWKLDRLGRSVKHLISLVGELRERGINFRSLTDCVNTS
Repeat 0th- SPMGRFFPHVMGALAEVERELIVERTMAGLAAARSKGSGSGSGSGG
No. 12 AA SGTSKRGVTVAVEAVHAWRNALTGAPLNLTPEQVVVAIASNIGGKQALE
TVQRLLPVLCQAHGLTPEQVVVAIASHDGGKQALETVQRLLPVLCQAHG
LTPEQVVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASNIGG
KQALETVQRLLPVLCQAHGLTPEQVVVAIASHDGGKQALETVQRLLPVLC
QAHGLTPEQVVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVVAI
ASHDGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASNIGGKQALETVQ
RLLPVLCQAHGLTPEQVVVAIASHDGGKQALETVQRLLPVLCQAHGLTPE
QVVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASNIGGKQ
ALETVQRLLPVLCQAHGLTPEQVVVAIASNNGGKQALETVQRLLPVLCQ
AHGLTPEQVVVAIASNIGGRPALESIVAQLSRPDPALAALNDHLVALACL
GGRPALDAVKKGLPHAPALIKRTNRRIPERTSHRVADKAEIPEPPKKR
KVELGTA (SEQ ID NO: 351)

Gin134- MLIGYARVSTNGQSTDLQRDALVCAGCEQIFEDKLSGTRTDRPGLKRA
TALE1- LERLQEGDTLVVWKLDRLGRSVKHLISLVGELRERGINFRSLTDCVNTS
Repeat 1st SPMGRFFPHVMGALAEVERELIVERTMAGLAAARSKGSGSGSGSGG
SGTSLTPEQVVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVVAIAS
HDGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASNNGGKQALETVQRL
LPVLCQAHGLTPEQVVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQV
VAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASNNGGKQALE
TVQRLLPVLCQAHGLTPEQVVVAIASHDGGKQALETVQRLLPVLCQAHG
LTPEQVVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASHDG
KQALETVQRLLPVLCQAHGLTPEQVVVAIASNNGGKQALETVQRLLPVLC
QAHGLTPEQVVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVVAI
SNGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASNIGGRPALESIVAQ
LSRPDPALAALNDHLVALACLGGRPALDAVKKGLPHAPALIKRTNRRIP
ERTSHRVADKAEIPEPPKKRKKVELGTA (SEQ ID NO: 352)

Gin134- MLIGYARVSTNGQSTDLQRDALVCAGCEQIFEDKLSGTRTDRPGLKRA
TALE1- LERLQEGDTLVVWKLDRLGRSVKHLISLVGELRERGINFRSLTDCVNTS
Repeat 1st- SPMGRFFPHVMGALAEVERELIVERTMAGLAAARSKGSGSGSGSGG
12th AA SGTSNIGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASHDGGKQALET
position VQRLLPVLCQAHGLTPEQVVVAIASNNGGKQALETVQRLLPVLCQAHGL
TPEQVVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVVAIASHDGG
KQALETVQRLLPVLCQAHGLTPEQVVVAIASNNGGKQALETVQRLLPVLC

-continued

	QAHGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIA SNIGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQR LLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPE QVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQAL ETVQRLLPVLCQAHGLTPEQVVAIASNIGGRPAALESIVAQLSRPDPALA ALTDHVALACLGGRPALDAVKKGLPHAPALIKRNNRIPERTSHRVA DKAELIPEPPKKRKRKVELGTA (SEQ ID NO: 353)
Gin134- TALE1 - 1st Repeat, 14th AA position	MLIGYARVSTNGQSTDLQRDALVCAGCEQIFEDKLSGTRTDRPGLKRA LERLQEGDTLVVWKLDRLGRSVKHLISLVGELRERGINFRSLTDCVNTS SPMGRFFPHVMGALAEVERELIVERTMAGLAAARSKGSGSGSGGGG SGTSGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQ RLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLT EQVVAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQA LETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQA HGLTPEQVVAIASHDGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNI GGKQALETVQRLLPVLCQAHGLTPEQVVAIASHDGGKQALETVQRLLP VLCQAHGLTPEQVVAIASNNGGKQALETVQRLLPVLCQAHGLTPEQV VAIASNIGGKQALETVQRLLPVLCQAHGLTPEQVVAIASNNGGKQALETV QRLLPVLCQAHGLTPEQVVAIASNIGGRPAALESIVAQLSRPDPALALTN DHLVALACLGGRPALDAVKKGLPHAPALIKRNNRIPERTSHRVADKAE LIPEPPKKRKRKVELGTA (SEQ ID NO: 354)
Gin143 constructs	All Gin143 constructs are identical to the Gin134 except that instead of having the 134 amino acid recombinase domain, all of them have the 143 amino acid recombinase domain: MLIGYARVSTNGQSTDLQRDALVCAGCEQIFEDKLSGTRTDRPGLKRA LERLQEGDTLVVWKLDRLGRSVKHLISLVGELRERGINFRSLTDCVNTS SPMGRFFPHVMGALAEVERELIVERTMAGLAAARSKRIGRPPKS (SEQ ID NO: 355)

[0521] Significance

[0522] The development of customizable recombinase system has enormous benefits for neuroscience as well as many other fields of biological research. Some of the specific impacts for neuroscience include:

[0523] Systems Neuroscience: Many systems neuroscience studies are limited by the ability to genetically restrict reporter or optogenetic proteins in non-transgenic animals (e.g. rats and nonhuman primates), and the TALER system enables researchers not working on mice to enjoy the same benefits of genetically targetable probes and activity modulators.

[0524] Molecular Neuroscience: For functional study of genes and RNAs involved in neural functions, the TALER system allows researchers to easily knockin or knockout the gene of interest in vivo, without waiting a long period of time to generate a transgenic animal.

[0525] Neuropsychiatric Diseases: Data from genome sequencing of neuropsychiatric patient population have highlighted many genetic mutations (SNPs or copy number variations) that might have a causal role in the disease manifestation. The TALER system enables researchers to introduce these disease mutations into an otherwise normal genomic background and compare the resulting phenotype. This type of comparison between different genetic mutations within an isogenic genomic background enables researchers to confidently link specific mutations with disease, and to identify novel drug targets.

REFERENCES

- [0526]** 1. Insel, T. R. & Wang, P. S. Rethinking mental illness. *Jama* 303, 1970-1971 (2010).
- [0527]** 2. Zhang, F. et al. Efficient construction of sequence-specific TAL effectors for modulating mammalian transcription. *Nature biotechnology* 29, 149-153 (2011).
- [0528]** 3. Boch, J. & Bonas, U. *Xanthomonas* AvrBs3 family-type III effectors: discovery and function. *Annual review of phytopathology* 48, 419-436 (2010).
- [0529]** 4. Boch, J. et al. Breaking the code of DNA binding specificity of TAL-type III effectors. *Science* 326, 1509-1512 (2009).
- [0530]** 5. Moscou, M. J. & Bogdanove, A. J. A simple cipher governs DNA recognition by TAL effectors. *Science* 326, 1501 (2009).
- [0531]** 6. Morbitzer, R., Romer, P., Boch, J. & Lahaye, T. Regulation of selected genome loci using de novo-engineered transcription activator-like effector (TALE)-type transcription factors. *Proceedings of the National Academy of Sciences of the United States of America* 107, 21617-21622 (2010).
- [0532]** 7. Urnov, F. D., Rebar, E. J., Holmes, M. C., Zhang, H. S. & Gregory, P. D. Genome editing with engineered zinc finger nucleases. *Nat Rev Genet.* 11, 636-646 (2010).
- [0533]** 8. Miller, J. C. et al. A TALE nuclease architecture for efficient genome editing. *Nature biotechnology* 29, 143-148 (2011).
- [0534]** 9. Gaj, T., Mercer, A. C., Gersbach, C. A., Gordley, R. M. & Barbas, C. F., 3rd Structure-guided reprogramming of serine recombinase DNA sequence specificity. *Proceedings of the National Academy of Sciences of the United States of America* 108, 498-503 (2011).
- [0535]** 10. Gersbach, C. A., Gaj, T., Gordley, R. M. & Barbas, C. F., 3rd Directed evolution of recombinase specificity by split gene reassembly. *Nucleic acids research* 38, 4198-4206 (2010).

- [0536] 11. Feng, X., Bednarz, A. L. & Colloms, S. D. Precise targeted integration by a chimeric transposase zinc-finger fusion protein. *Nucleic acids research* 38, 1204-1216 (2010).
- [0537] 12. Matrai, J., Chuah, M. K. & VandenDriessche, T. Recent advances in lentiviral vector development and applications. *Molecular therapy: the journal of the American Society of Gene Therapy* 18, 477-490 (2010).
- [0538] 13. Romer, P., Recht, S. & Lahaye, T. A single plant resistance gene promoter engineered to recognize multiple TAL effectors from disparate pathogens. *Proceedings of the National Academy of Sciences of the United States of America* 106, 20526-20531 (2009).
- [0539] 14. Klippel, A., Kanaar, R., Kahmann, R. & Cozzarelli, N. R. Analysis of strand exchange and DNA binding of enhancer-independent Gin recombinase mutants. *The EMBO journal* 12, 1047-1057 (1993).
- [0540] 15. Maeser, S. & Kahmann, R. The Gin recombinase of phage Mu can catalyze site-specific recombination in plant protoplasts. *Mol Gen Genet.* 230, 170-176 (1991).
- [0541] 16. Rice, P. A. et al. Orchestrating serine resolvases. *Biochemical Society transactions* 38, 384-387 (2010).
- [0542] 17. Grindley, N. D., Whiteson, K. L. & Rice, P. A. Mechanisms of site-specific recombination. *Annu Rev Biochem* 75, 567-605 (2006).
- [0543] 18. Loonstra, A. et al. Growth inhibition and DNA damage induced by Cre recombinase in mammalian cells. *Proceedings of the National Academy of Sciences of the United States of America* 98, 9209-9214 (2001).
- [0544] 19. Federico, M. From lentiviruses to lentivirus vectors. *Methods in molecular biology* 229, 3-15 (2003).
- [0545] 20. Tiscornia, G., Singer, O. & Verma, I. M. Production and purification of lentiviral vectors. *Nature protocols* 1, 241-245 (2006).

EQUIVALENTS

[0546] Those skilled in the art recognize, or be able to ascertain using no more than routine experimentation, many equivalents of the specific embodiments of the subject matter described herein. Such equivalents are intended to be encompassed by the following claims.

INCORPORATION BY REFERENCE

[0547] All publications, patents, and patent applications cited in this specification are herein incorporated by reference to the same extent as if each individual publication or patent application was specifically and individually indicated to be incorporated by reference.

[0548] The invention is further described by the following numbered paragraphs:

[0549] 1. A method of repressing expression of a genomic locus of interest in a mammalian cell, comprising contacting the genomic locus with a non-naturally occurring or engineered composition comprising a deoxyribonucleic acid (DNA) binding polypeptide comprising:

[0550] (a) a N-terminal capping region

[0551] (b) a DNA binding domain comprising at least five or more Transcription activator-like effector (TALE) monomers and at least one or more half-monomers specifically ordered to target the genomic locus of interest, and

[0552] (c) a C-terminal capping region

[0553] wherein (a), (b) and (c) are arranged in a predetermined N-terminus to C-terminus orientation,

[0554] wherein the polypeptide includes at least one or more repressor domains, and

[0555] wherein the polypeptide is encoded by and translated from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to DNA of the genomic locus.

[0556] 2. The method according to paragraph 1, wherein the polypeptide includes at least one mSin interaction domain (SID) repressor domain.

[0557] 3. The method according to paragraph 2, wherein the polypeptide includes at least four SID repressor domains.

[0558] 4. The method according to paragraph 1, wherein the polypeptide includes a Krüppel-associated box (KRAB) repressor domain or a fragment thereof.

[0559] 5. The method according to paragraph 1, wherein the DNA binding domain comprises (X_{1-11} - X_{12} X_{13} - X_{14-33} or 34 or 35)_z,

[0560] wherein X_{1-11} is a chain of 11 contiguous amino acids,

[0561] wherein X_{12} X_{13} is a repeat variable diresidue (RVD),

[0562] wherein X_{14-33} or 34 or 35 is a chain of 21, 22 or 23 contiguous amino acids,

[0563] wherein z is at least 5 to 40, and

[0564] wherein at least one RVD is selected from the group consisting of NI, HD, NG, NN, KN, RN, NH, NQ, SS, SN, NK, KH, RH, HH, HI, KI, RI, SI, KG, HG, RG, SD, ND, KD, RD, YG, HN, NV, NS, HA, S*, N*, KA, H*, RA, NA, and NC, wherein (*) means that the amino acid at X_{13} is absent.

[0565] 6. The method according to paragraph 5, wherein z is at least 10 to 26.

[0566] 7. The method according to paragraph 5, wherein

[0567] at least one of X_{1-11} is a sequence of 11 contiguous amino acids set forth as amino acids 1-11 in a sequence (X_{1-11} - X_{14-34} or X_{1-11} - X_{14-35}) of FIG. 24 or

[0568] at least one of X_{14-34} or X_{14-35} is a sequence of 21 or 22 contiguous amino acids set forth as amino acids 12-32 or 12-33 in a sequence (X_{1-11} - X_{14-34} or X_{1-11} - X_{14-35}) of FIG. 24.

[0569] 8. The method according to paragraph 1, wherein

[0570] the N-terminal capping region or fragment thereof comprises 147 contiguous amino acids of a wild type N-terminal capping region, or

[0571] the C-terminal capping region or fragment thereof comprises 68 contiguous amino acids of a wild type C-terminal capping region, or

[0572] the N-terminal capping region or fragment thereof comprises 136 contiguous amino acids of a wild type N-terminal capping region and the C-terminal capping region or fragment thereof comprises 183 contiguous amino acids of a wild type C-terminal capping region.

[0573] 9. A method of selectively targeting a genomic locus of interest in an animal cell, comprising contacting the genomic locus with a non-naturally occurring or engineered composition comprising a DNA binding polypeptide comprising:

[0574] (a) a N-terminal capping region

[0575] (b) a DNA binding domain comprising at least five or more Transcription activator-like effector

(TALE) monomers and at least one or more half-monomers specifically ordered to target the genomic locus of interest, and

[0576] (c) a C-terminal capping region
[0577] wherein (a), (b) and (c) are arranged in a predetermined N-terminus to C-terminus orientation,

[0578] wherein the polypeptide includes at least one or more effector domains,

[0579] wherein the polypeptide is encoded by and translated from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to DNA of the genomic locus,

[0580] wherein the DNA binding domain comprises $(X_{1-11}-X_{12}-X_{13}-X_{14-33} \text{ or } 34 \text{ or } 35)_z$,

[0581] wherein X_{1-11} is a chain of 11 contiguous amino acids,

[0582] wherein $X_{12}X_{13}$ is a repeat variable diresidue (RVD),

[0583] wherein $X_{14-33} \text{ or } 34 \text{ or } 35$ is a chain of 21, 22 or 23 contiguous amino acids,

[0584] wherein z is at least 5 to 40, and

[0585] wherein at least one RVD is selected from the group consisting of HH, KH, NH, NK, NQ, RH, RN, SS, SI, HG, KG, RG, RD, SD, NV, H*, HA, KA, N*, NA, NC, NS, RA, and S* wherein (*) means that the amino acid at X_{13} is absent.

[0586] 10. The method according to paragraph 9, wherein the at least one RVD is selected from the group consisting of (a) HH, KH, NH, NK, NQ, RH, RN, SS for recognition of guanine (G); (b) SI for recognition of adenine (A); (c) HG, KG, RG for recognition of thymine (T); (d) RD, SD for recognition of cytosine (C); (e) NV for recognition of A or G; and (f) H*, HA, KA, N*, NA, NC, NS, RA, S* for recognition of A or T or G or C, wherein (*) means that the amino acid at X_{13} is absent.

[0587] 11. The method according to paragraph 10, wherein

[0588] the RVD for the recognition of G is RN, NH, RH or KH; or

[0589] the RVD for the recognition of A is SI; or

[0590] the RVD for the recognition of T is KG or RG; and

[0591] the RVD for the recognition of C is SD or RD.

[0592] 12. The method according to paragraph 9, wherein the animal is a mammal.

[0593] 13. The method according to paragraph 9, wherein the effector domain is an activator domain, a repressor domain, a DNA methyltransferase domain, a recombinase domain or a nuclease domain.

[0594] 14. The method according to paragraph 9, wherein at least one $(X_{1-11}-X_{14-34})$ or $(X_{1-11}-X_{14-35})$ is selected from FIG. 24.

[0595] 15. The method according to paragraph 9, wherein

[0596] the N-terminal capping region or fragment thereof comprises 147 contiguous amino acids of a wild type N-terminal capping region, or

[0597] the C-terminal capping region or fragment thereof comprises 68 contiguous amino acids of a wild type C-terminal capping region, or

[0598] the N-terminal capping region or fragment thereof comprises 136 contiguous amino acids of a wild type N-terminal capping region and the C-terminal capping region or fragment thereof comprises 183 contiguous amino acids of a wild type C-terminal capping region.

[0599] 16. A method of selectively targeting a genomic locus of interest in an animal cell, comprising contacting the

genomic locus with a non-naturally occurring or engineered composition comprising a DNA binding polypeptide comprising:

[0600] (a) a N-terminal capping region

[0601] (b) a DNA binding domain comprising at least five or more Transcription activator-like effector (TALE) monomers and at least one or more half-monomers specifically ordered to target the genomic locus of interest, and

[0602] (c) a C-terminal capping region

[0603] wherein (a), (b) and (c) are arranged in a predetermined N-terminus to C-terminus orientation,

[0604] wherein the polypeptide includes at least one or more effector domains,

[0605] wherein the polypeptide is encoded by and translated from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to DNA of the genomic locus,

[0606] wherein the DNA binding domain comprises $(X_{1-11}-X_{12}-X_{13}-X_{14-33} \text{ or } 34 \text{ or } 35)_z$,

[0607] wherein X_{1-11} is a chain of 11 contiguous amino acids,

[0608] wherein $X_{12}X_{13}$ is a repeat variable diresidue (RVD),

[0609] wherein $X_{14-33} \text{ or } 34 \text{ or } 35$ is a chain of 21, 22 or 23 contiguous amino acids,

[0610] wherein z is at least 5 to 40, and

[0611] wherein at least one of the following is present

[LTLD]
or (SEQ ID NO: 1)

[LTLA]
or (SEQ ID NO: 2)

[LTQV]
at X_{1-4} ,
or (SEQ ID NO: 3)

[EQHG]
or (SEQ ID NO: 4)

[RDHG]
at positions X_{30-33}
or X_{31-34} or X_{32-35} . (SEQ ID NO: 5)

[0612] 17. The method according to paragraph 16, wherein the animal is a mammal.

[0613] 18. The method according to paragraph 16, wherein the effector domain is an activator domain, a repressor domain, a DNA methyltransferase domain, a recombinase domain or a nuclease domain.

[0614] 19. The method according to paragraph 16, wherein at least one RVD is selected from the group consisting of NI, HD, NG, NN, KN, RN, NH, NQ, SS, SN, NK, KH, RH, HH, KI, RI, HI, SI, KG, HG, RG, SD, ND, KD, RD, YG, HN, NV, NS, HA, S*, N*, KA, H*, RA, NA, and NC, wherein (*) means that the amino acid at X_{13} is absent.

[0615] 20. The method according to paragraph 16, wherein
[0616] the N-terminal capping region or fragment thereof comprises 147 contiguous amino acids of a wild type N-terminal capping region, or

- [0617] the C-terminal capping region or fragment thereof comprises 68 contiguous amino acids of a wild type C-terminal capping region, or
- [0618] the N-terminal capping region or fragment thereof comprises 136 contiguous amino acids of a wild type N-terminal capping region and the
- [0619] C-terminal capping region or fragment thereof comprises 183 contiguous amino acids of a wild type C-terminal capping region.
- [0620] 21. A method of altering expression of a genomic locus of interest in a mammalian cell, comprising contacting the genomic locus with a non-naturally occurring or engineered composition comprising a deoxyribonucleic acid (DNA) binding polypeptide comprising:
- [0621] (a) a N-terminal capping region
- [0622] (b) a DNA binding domain comprising at least five or more Transcription activator-like effector (TALE) monomers and at least one or more half-monomers specifically ordered to target the genomic locus of interest, and
- [0623] (c) a C-terminal capping region
- [0624] wherein (a), (b) and (c) are arranged in a predetermined N-terminus to C-terminus orientation,
- [0625] wherein the polypeptide includes at least one or more recombinase domains, and
- [0626] wherein the polypeptide is encoded by and translated from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to DNA of the genomic locus.
- [0627] 22. The method according to paragraph 21, wherein the polypeptide includes at least one Gin recombinase domain or a fragment thereof
- [0628] 23. The method according to paragraph 22, wherein the fragment of the Gin recombinase domain comprises 134 contiguous amino acids of the Gin recombinase domain.
- [0629] 24. The method according to paragraph 22, wherein the fragment of the Gin recombinase domain comprises 143 contiguous amino acids of the Gin recombinase domain.
- [0630] 25. The method according to paragraph 21, wherein the DNA binding domain comprises $(X_{1-11}-X_{12}X_{13}-X_{14-33}$ or 34 or $35)_2$,
- [0631] wherein X_{1-11} is a chain of 11 contiguous amino acids,
- [0632] wherein $X_{12}X_{13}$ is a repeat variable diresidue (RVD),
- [0633] wherein X_{14-33} or 34 or 35 is a chain of 21, 22 or 23 contiguous amino acids,
- [0634] wherein z is at least 5 to 40, and
- [0635] wherein at least one RVD is selected from the group consisting of NI, HD, NG, NN, KN, RN, NH, NQ, SS, SN, NK, KH, RH, HH, HI, KI, RI, SI, KG, HG, RG, SD, ND, KD, RD, YG, HN, NV, NS, HA, S*, N*, KA, H*, RA, NA, and NC, wherein (*) means that the amino acid at X_{13} is absent.
- [0636] 26. The method according to paragraph 25, wherein z is at least 10 to 26.
- [0637] 27. The method according to paragraph 25, wherein
- [0638] at least one of X_{1-11} is a sequence of 11 contiguous amino acids set forth as amino acids 1-11 in a sequence ($X_{1-11}-X_{14-34}$ or $X_{1-11}-X_{14-35}$) of FIG. 24 or
- [0639] at least one of X_{14-34} or X_{14-35} is a sequence of 21 or 22 contiguous amino acids set forth as amino acids 12-32 or 12-33 in a sequence ($X_{1-11}-X_{14-34}$ or $X_{1-11}-X_{14-35}$) of FIG. 24.
- [0640] 28. The method according to paragraph 21, wherein
- [0641] the N-terminal capping region or fragment thereof comprises 147 contiguous amino acids of a wild type N-terminal capping region, or
- [0642] the C-terminal capping region or fragment thereof comprises 68 contiguous amino acids of a wild type C-terminal capping region, or
- [0643] the N-terminal capping region or fragment thereof comprises 136 contiguous amino acids of a wild type N-terminal capping region and the C-terminal capping region or fragment thereof comprises 183 contiguous amino acids of a wild type C-terminal capping region.
- [0644] Having thus described in detail preferred embodiments of the present invention, it is to be understood that the invention defined by the above paragraphs is not to be limited to particular details set forth in the above description as many apparent variations thereof are possible without departing from the spirit or scope of the present invention.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 392

<210> SEQ ID NO 1

<211> LENGTH: 4

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic peptide

<400> SEQUENCE: 1

Leu Thr Leu Asp

1

<210> SEQ ID NO 2

<211> LENGTH: 4

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic

-continued

peptide

<400> SEQUENCE: 2

Leu Thr Leu Ala
1

<210> SEQ ID NO 3

<211> LENGTH: 4

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
peptide

<400> SEQUENCE: 3

Leu Thr Gln Val
1

<210> SEQ ID NO 4

<211> LENGTH: 4

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
peptide

<400> SEQUENCE: 4

Glu Gln His Gly
1

<210> SEQ ID NO 5

<211> LENGTH: 4

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
peptide

<400> SEQUENCE: 5

Arg Asp His Gly
1

<210> SEQ ID NO 6

<211> LENGTH: 4

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
peptide

<400> SEQUENCE: 6

Leu Thr Pro Asp
1

<210> SEQ ID NO 7

<211> LENGTH: 5

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
peptide

<400> SEQUENCE: 7

Asn Gln Ala Leu Glu
1 5

-continued

<210> SEQ ID NO 8
<211> LENGTH: 5
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic peptide

<400> SEQUENCE: 8

Lys Arg Ala Leu Glu
1 5

<210> SEQ ID NO 9
<211> LENGTH: 4
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic peptide

<400> SEQUENCE: 9

Leu Thr Pro Glu
1

<210> SEQ ID NO 10
<211> LENGTH: 7
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic peptide

<400> SEQUENCE: 10

Asn Gly Lys Gln Ala Leu Glu
1 5

<210> SEQ ID NO 11
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: Any amino acid

<400> SEQUENCE: 11

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp
20 25 30

His Gly

<210> SEQ ID NO 12
<211> LENGTH: 33
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(12)
<223> OTHER INFORMATION: Any amino acid

-continued

<400> SEQUENCE: 12

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Xaa Gly Gly Lys Gln
1 5 10 15

Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His
20 25 30

Gly

<210> SEQ ID NO 13

<211> LENGTH: 34

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<220> FEATURE:

<221> NAME/KEY: MOD_RES

<222> LOCATION: (12)..(13)

<223> OTHER INFORMATION: Any amino acid

<400> SEQUENCE: 13

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Xaa Xaa Gly Gly Lys
1 5 10 15

Gln Ala Leu Ala Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp
20 25 30

His Gly

<210> SEQ ID NO 14

<211> LENGTH: 34

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<220> FEATURE:

<221> NAME/KEY: MOD_RES

<222> LOCATION: (12)..(13)

<223> OTHER INFORMATION: Any amino acid

<400> SEQUENCE: 14

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Xaa Xaa Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Leu Gln Arg Leu Leu Pro Val Leu Cys Gln Asp
20 25 30

His Gly

<210> SEQ ID NO 15

<211> LENGTH: 34

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<220> FEATURE:

<221> NAME/KEY: MOD_RES

<222> LOCATION: (12)..(13)

<223> OTHER INFORMATION: Any amino acid

<400> SEQUENCE: 15

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Xaa Xaa Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp
20 25 30

-continued

His Gly

<210> SEQ ID NO 16
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: Any amino acid

<400> SEQUENCE: 16

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1 5 10 15

Gln Ala Leu Ala Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp
20 25 30

His Gly

<210> SEQ ID NO 17
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: Any amino acid

<400> SEQUENCE: 17

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp
20 25 30

His Gly

<210> SEQ ID NO 18
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: Any amino acid

<400> SEQUENCE: 18

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Val Leu Pro Val Leu Cys Gln Asp
20 25 30

His Gly

<210> SEQ ID NO 19
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence

-continued

```

<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: Any amino acid

```

```

<400> SEQUENCE: 19

```

```

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
 1           5             10             15

```

```

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
      20             25             30

```

His Gly

```

<210> SEQ ID NO 20
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: Any amino acid

```

```

<400> SEQUENCE: 20

```

```

Leu Thr Pro Tyr Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Ser Lys
 1           5             10             15

```

```

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp
      20             25             30

```

His Gly

```

<210> SEQ ID NO 21
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: Any amino acid

```

```

<400> SEQUENCE: 21

```

```

Leu Thr Arg Glu Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
 1           5             10             15

```

```

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp
      20             25             30

```

His Gly

```

<210> SEQ ID NO 22
<211> LENGTH: 35
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: Any amino acid

```

-continued

<400> SEQUENCE: 22

Leu Ser Thr Ala Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
 1 5 10 15
 Gln Ala Leu Glu Gly Ile Gly Glu Gln Leu Leu Lys Leu Arg Thr Ala
 20 25 30
 Pro Tyr Gly
 35

<210> SEQ ID NO 23

<211> LENGTH: 35

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<220> FEATURE:

<221> NAME/KEY: MOD_RES

<222> LOCATION: (12)..(13)

<223> OTHER INFORMATION: Any amino acid

<400> SEQUENCE: 23

Leu Ser Thr Ala Gln Val Val Ala Val Ala Ser Xaa Xaa Gly Gly Lys
 1 5 10 15
 Pro Ala Leu Glu Ala Val Arg Ala Gln Leu Leu Ala Leu Arg Ala Ala
 20 25 30
 Pro Tyr Gly
 35

<210> SEQ ID NO 24

<211> LENGTH: 288

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 24

Met Asp Pro Ile Arg Ser Arg Thr Pro Ser Pro Ala Arg Glu Leu Leu
 1 5 10 15
 Ser Gly Pro Gln Pro Asp Gly Val Gln Pro Thr Ala Asp Arg Gly Val
 20 25 30
 Ser Pro Pro Ala Gly Gly Pro Leu Asp Gly Leu Pro Ala Arg Arg Thr
 35 40 45
 Met Ser Arg Thr Arg Leu Pro Ser Pro Pro Ala Pro Ser Pro Ala Phe
 50 55 60
 Ser Ala Asp Ser Phe Ser Asp Leu Leu Arg Gln Phe Asp Pro Ser Leu
 65 70 75 80
 Phe Asn Thr Ser Leu Phe Asp Ser Leu Pro Pro Phe Gly Ala His His
 85 90 95
 Thr Glu Ala Ala Thr Gly Glu Trp Asp Glu Val Gln Ser Gly Leu Arg
 100 105 110
 Ala Ala Asp Ala Pro Pro Pro Thr Met Arg Val Ala Val Thr Ala Ala
 115 120 125
 Arg Pro Pro Arg Ala Lys Pro Ala Pro Arg Arg Arg Ala Ala Gln Pro
 130 135 140
 Ser Asp Ala Ser Pro Ala Ala Gln Val Asp Leu Arg Thr Leu Gly Tyr
 145 150 155 160
 Ser Gln Gln Gln Gln Glu Lys Ile Lys Pro Lys Val Arg Ser Thr Val

-continued

	165		170		175										
Ala	Gln	His	His	Glu	Ala	Leu	Val	Gly	His	Gly	Phe	Thr	His	Ala	His
	180							185					190		
Ile	Val	Ala	Leu	Ser	Gln	His	Pro	Ala	Ala	Leu	Gly	Thr	Val	Ala	Val
	195						200					205			
Lys	Tyr	Gln	Asp	Met	Ile	Ala	Ala	Leu	Pro	Glu	Ala	Thr	His	Glu	Ala
	210					215					220				
Ile	Val	Gly	Val	Gly	Lys	Gln	Trp	Ser	Gly	Ala	Arg	Ala	Leu	Glu	Ala
	225				230					235				240	
Leu	Leu	Thr	Val	Ala	Gly	Glu	Leu	Arg	Gly	Pro	Pro	Leu	Gln	Leu	Asp
			245						250					255	
Thr	Gly	Gln	Leu	Lys	Ile	Ala	Lys	Arg	Gly	Gly	Val	Thr	Ala	Val	
		260					265					270			
Glu	Ala	Val	His	Ala	Trp	Arg	Asn	Ala	Leu	Thr	Gly	Ala	Pro	Leu	Asn
		275					280					285			

<210> SEQ ID NO 25
 <211> LENGTH: 183
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 25

Arg	Pro	Ala	Leu	Glu	Ser	Ile	Val	Ala	Gln	Leu	Ser	Arg	Pro	Asp	Pro
1				5					10					15	
Ala	Leu	Ala	Ala	Leu	Thr	Asn	Asp	His	Leu	Val	Ala	Leu	Ala	Cys	Leu
		20						25					30		
Gly	Gly	Arg	Pro	Ala	Leu	Asp	Ala	Val	Lys	Lys	Gly	Leu	Pro	His	Ala
		35					40					45			
Pro	Ala	Leu	Ile	Lys	Arg	Thr	Asn	Arg	Arg	Ile	Pro	Glu	Arg	Thr	Ser
	50					55					60				
His	Arg	Val	Ala	Asp	His	Ala	Gln	Val	Val	Arg	Val	Leu	Gly	Phe	Phe
	65				70					75				80	
Gln	Cys	His	Ser	His	Pro	Ala	Gln	Ala	Phe	Asp	Asp	Ala	Met	Thr	Gln
			85						90					95	
Phe	Gly	Met	Ser	Arg	His	Gly	Leu	Leu	Gln	Leu	Phe	Arg	Arg	Val	Gly
		100					105						110		
Val	Thr	Glu	Leu	Glu	Ala	Arg	Ser	Gly	Thr	Leu	Pro	Pro	Ala	Ser	Gln
		115					120						125		
Arg	Trp	Asp	Arg	Ile	Leu	Gln	Ala	Ser	Gly	Met	Lys	Arg	Ala	Lys	Pro
	130					135					140				
Ser	Pro	Thr	Ser	Thr	Gln	Thr	Pro	Asp	Gln	Ala	Ser	Leu	His	Ala	Phe
	145				150					155					160
Ala	Asp	Ser	Leu	Glu	Arg	Asp	Leu	Asp	Ala	Pro	Ser	Pro	Met	His	Glu
			165						170					175	
Gly	Asp	Gln	Thr	Arg	Ala	Ser									
			180												

<210> SEQ ID NO 26
 <211> LENGTH: 11
 <212> TYPE: PRT
 <213> ORGANISM: Human immunodeficiency virus

<400> SEQUENCE: 26

-continued

Tyr Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg
1 5 10

<210> SEQ ID NO 27
<211> LENGTH: 6
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
6xHis tag

<400> SEQUENCE: 27

His His His His His His
1 5

<210> SEQ ID NO 28
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 28

tgaagcactt accttagaaa

20

<210> SEQ ID NO 29
<211> LENGTH: 955
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 29

Met Ser Arg Thr Arg Leu Pro Ser Pro Pro Ala Pro Ser Pro Ala Phe
1 5 10 15
Ser Ala Asp Ser Phe Ser Asp Leu Leu Arg Gln Phe Asp Pro Ser Leu
20 25 30
Phe Asn Thr Ser Leu Phe Asp Ser Leu Pro Pro Phe Gly Ala His His
35 40 45
Thr Glu Ala Ala Thr Gly Glu Trp Asp Glu Val Gln Ser Gly Leu Arg
50 55 60
Ala Ala Asp Ala Pro Pro Pro Thr Met Arg Val Ala Val Thr Ala Ala
65 70 75 80
Arg Pro Pro Arg Ala Lys Pro Ala Pro Arg Arg Arg Ala Ala Gln Pro
85 90 95
Ser Asp Ala Ser Pro Ala Ala Gln Val Asp Leu Arg Thr Leu Gly Tyr
100 105 110
Ser Gln Gln Gln Gln Glu Lys Ile Lys Pro Lys Val Arg Ser Thr Val
115 120 125
Ala Gln His His Glu Ala Leu Val Gly His Gly Phe Thr His Ala His
130 135 140
Ile Val Ala Leu Ser Gln His Pro Ala Ala Leu Gly Thr Val Ala Val
145 150 155 160
Lys Tyr Gln Asp Met Ile Ala Ala Leu Pro Glu Ala Thr His Glu Ala
165 170 175
Ile Val Gly Val Gly Lys Gln Trp Ser Gly Ala Arg Ala Leu Glu Ala
180 185 190

-continued

Leu Leu Thr Val Ala Gly Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp
 195 200 205
 Thr Gly Gln Leu Leu Lys Ile Ala Lys Arg Gly Gly Val Thr Ala Val
 210 215 220
 Glu Ala Val His Ala Trp Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn
 225 230 235 240
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 245 250 255
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 260 265 270
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly
 275 280 285
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 290 295 300
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 305 310 315 320
 Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 325 330 335
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 340 345 350
 Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 355 360 365
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 370 375 380
 Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 385 390 395 400
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 405 410 415
 Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 420 425 430
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 435 440 445
 Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 450 455 460
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 465 470 475 480
 Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 485 490 495
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 500 505 510
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 515 520 525
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 530 535 540
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly
 545 550 555 560
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 565 570 575
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 580 585 590
 Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val

-continued

595					600					605					
Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala
610						615					620				
Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu
625					630					635					640
Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala
				645					650					655	
Ile	Ala	Ser	Asn	Ile	Gly	Gly	Arg	Pro	Ala	Leu	Glu	Ser	Ile	Val	Ala
			660					665					670		
Gln	Leu	Ser	Arg	Pro	Asp	Pro	Ala	Leu	Ala	Ala	Leu	Thr	Asn	Asp	His
		675					680					685			
Leu	Val	Ala	Leu	Ala	Cys	Leu	Gly	Gly	Arg	Pro	Ala	Leu	Asp	Ala	Val
	690					695						700			
Lys	Lys	Gly	Leu	Pro	His	Ala	Pro	Ala	Leu	Ile	Lys	Arg	Thr	Asn	Arg
705					710					715					720
Arg	Ile	Pro	Glu	Arg	Thr	Ser	His	Arg	Val	Ala	Asp	His	Ala	Gln	Val
				725					730					735	
Val	Arg	Val	Leu	Gly	Phe	Phe	Gln	Cys	His	Ser	His	Pro	Ala	Gln	Ala
			740					745					750		
Phe	Asp	Asp	Ala	Met	Thr	Gln	Phe	Gly	Met	Ser	Arg	His	Gly	Leu	Leu
		755					760					765			
Gln	Leu	Phe	Arg	Arg	Val	Gly	Val	Thr	Glu	Leu	Glu	Ala	Arg	Ser	Gly
	770					775					780				
Thr	Leu	Pro	Pro	Ala	Ser	Gln	Arg	Trp	Asp	Arg	Ile	Leu	Gln	Ala	Ser
785					790					795					800
Gly	Met	Lys	Arg	Ala	Lys	Pro	Ser	Pro	Thr	Ser	Thr	Gln	Thr	Pro	Asp
				805					810					815	
Gln	Ala	Ser	Leu	His	Ala	Phe	Ala	Asp	Ser	Leu	Glu	Arg	Asp	Leu	Asp
			820					825					830		
Ala	Pro	Ser	Pro	Met	His	Glu	Gly	Asp	Gln	Thr	Arg	Ala	Ser	Ala	Ser
		835					840					845			
Pro	Lys	Lys	Lys	Arg	Lys	Val	Glu	Ala	Ser	Met	Asp	Ala	Lys	Ser	Leu
	850					855					860				
Thr	Ala	Trp	Ser	Arg	Thr	Leu	Val	Thr	Phe	Lys	Asp	Val	Phe	Val	Asp
865					870					875					880
Phe	Thr	Arg	Glu	Glu	Trp	Lys	Leu	Leu	Asp	Thr	Ala	Gln	Gln	Ile	Val
				885					890					895	
Tyr	Arg	Asn	Val	Met	Leu	Glu	Asn	Tyr	Lys	Asn	Leu	Val	Ser	Leu	Gly
			900					905					910		
Tyr	Gln	Leu	Thr	Lys	Pro	Asp	Val	Ile	Leu	Arg	Leu	Glu	Lys	Gly	Glu
	915						920					925			
Glu	Pro	Trp	Leu	Val	Glu	Arg	Glu	Ile	His	Gln	Glu	Thr	His	Pro	Asp
	930					935					940				
Ser	Glu	Thr	Ala	Phe	Glu	Ile	Lys	Ser	Ser	Val					
945					950					955					

<210> SEQ ID NO 30

<211> LENGTH: 933

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

-continued

<400> SEQUENCE: 30

Met Ser Arg Thr Arg Leu Pro Ser Pro Pro Ala Pro Ser Pro Ala Phe
1 5 10 15
Ser Ala Asp Ser Phe Ser Asp Leu Leu Arg Gln Phe Asp Pro Ser Leu
20 25 30
Phe Asn Thr Ser Leu Phe Asp Ser Leu Pro Pro Phe Gly Ala His His
35 40 45
Thr Glu Ala Ala Thr Gly Glu Trp Asp Glu Val Gln Ser Gly Leu Arg
50 55 60
Ala Ala Asp Ala Pro Pro Thr Met Arg Val Ala Val Thr Ala Ala
65 70 75 80
Arg Pro Pro Arg Ala Lys Pro Ala Pro Arg Arg Ala Ala Gln Pro
85 90 95
Ser Asp Ala Ser Pro Ala Ala Gln Val Asp Leu Arg Thr Leu Gly Tyr
100 105 110
Ser Gln Gln Gln Gln Glu Lys Ile Lys Pro Lys Val Arg Ser Thr Val
115 120 125
Ala Gln His His Glu Ala Leu Val Gly His Gly Phe Thr His Ala His
130 135 140
Ile Val Ala Leu Ser Gln His Pro Ala Ala Leu Gly Thr Val Ala Val
145 150 155 160
Lys Tyr Gln Asp Met Ile Ala Ala Leu Pro Glu Ala Thr His Glu Ala
165 170 175
Ile Val Gly Val Gly Lys Gln Trp Ser Gly Ala Arg Ala Leu Glu Ala
180 185 190
Leu Leu Thr Val Ala Gly Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp
195 200 205
Thr Gly Gln Leu Leu Lys Ile Ala Lys Arg Gly Gly Val Thr Ala Val
210 215 220
Glu Ala Val His Ala Trp Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn
225 230 235 240
Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
245 250 255
Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
260 265 270
His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly
275 280 285
Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
290 295 300
Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
305 310 315 320
Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
325 330 335
Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
340 345 350
Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
355 360 365
Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
370 375 380
Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
385 390 395 400

-continued

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 405 410 415

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 420 425 430

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 435 440 445

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 450 455 460

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 465 470 475 480

Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 485 490 495

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 500 505 510

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 515 520 525

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 530 535 540

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly
 545 550 555 560

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 565 570 575

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 580 585 590

Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 595 600 605

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 610 615 620

Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 625 630 635 640

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 645 650 655

Ile Ala Ser Asn Ile Gly Gly Arg Pro Ala Leu Glu Ser Ile Val Ala
 660 665 670

Gln Leu Ser Arg Pro Asp Pro Ala Leu Ala Ala Leu Thr Asn Asp His
 675 680 685

Leu Val Ala Leu Ala Cys Leu Gly Gly Arg Pro Ala Leu Asp Ala Val
 690 695 700

Lys Lys Gly Leu Pro His Ala Pro Ala Leu Ile Lys Arg Thr Asn Arg
 705 710 715 720

Arg Ile Pro Glu Arg Thr Ser His Arg Val Ala Asp His Ala Gln Val
 725 730 735

Val Arg Val Leu Gly Phe Phe Gln Cys His Ser His Pro Ala Gln Ala
 740 745 750

Phe Asp Asp Ala Met Thr Gln Phe Gly Met Ser Arg His Gly Leu Leu
 755 760 765

Gln Leu Phe Arg Arg Val Gly Val Thr Glu Leu Glu Ala Arg Ser Gly
 770 775 780

Thr Leu Pro Pro Ala Ser Gln Arg Trp Asp Arg Ile Leu Gln Ala Ser
 785 790 795 800

Gly Met Lys Arg Ala Lys Pro Ser Pro Thr Ser Thr Gln Thr Pro Asp
 805 810 815

-continued

Gln Ala Ser Leu His Ala Phe Ala Asp Ser Leu Glu Arg Asp Leu Asp
820 825 830

Ala Pro Ser Pro Met His Glu Gly Asp Gln Thr Arg Ala Ser Ala Ser
835 840 845

Pro Lys Lys Lys Arg Lys Val Glu Ala Ser Met Asp Ala Lys Ser Leu
850 855 860

Thr Ala Trp Ser Arg Thr Leu Val Thr Phe Lys Asp Val Phe Val Asp
865 870 875 880

Phe Thr Arg Glu Glu Trp Lys Leu Leu Asp Thr Ala Gln Gln Ile Val
885 890 895

Tyr Arg Asn Val Met Leu Glu Asn Tyr Lys Asn Leu Val Ser Leu Gly
900 905 910

Tyr Gln Leu Thr Lys Pro Asp Val Ile Leu Arg Leu Glu Lys Gly Glu
915 920 925

Glu Pro Trp Leu Val
930

<210> SEQ ID NO 31
<211> LENGTH: 923
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 31

Met Ser Arg Thr Arg Leu Pro Ser Pro Pro Ala Pro Ser Pro Ala Phe
1 5 10 15

Ser Ala Asp Ser Phe Ser Asp Leu Leu Arg Gln Phe Asp Pro Ser Leu
20 25 30

Phe Asn Thr Ser Leu Phe Asp Ser Leu Pro Pro Phe Gly Ala His His
35 40 45

Thr Glu Ala Ala Thr Gly Glu Trp Asp Glu Val Gln Ser Gly Leu Arg
50 55 60

Ala Ala Asp Ala Pro Pro Pro Thr Met Arg Val Ala Val Thr Ala Ala
65 70 75 80

Arg Pro Pro Arg Ala Lys Pro Ala Pro Arg Arg Arg Ala Ala Gln Pro
85 90 95

Ser Asp Ala Ser Pro Ala Ala Gln Val Asp Leu Arg Thr Leu Gly Tyr
100 105 110

Ser Gln Gln Gln Gln Glu Lys Ile Lys Pro Lys Val Arg Ser Thr Val
115 120 125

Ala Gln His His Glu Ala Leu Val Gly His Gly Phe Thr His Ala His
130 135 140

Ile Val Ala Leu Ser Gln His Pro Ala Ala Leu Gly Thr Val Ala Val
145 150 155 160

Lys Tyr Gln Asp Met Ile Ala Ala Leu Pro Glu Ala Thr His Glu Ala
165 170 175

Ile Val Gly Val Gly Lys Gln Trp Ser Gly Ala Arg Ala Leu Glu Ala
180 185 190

Leu Leu Thr Val Ala Gly Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp
195 200 205

Thr Gly Gln Leu Leu Lys Ile Ala Lys Arg Gly Gly Val Thr Ala Val
210 215 220

-continued

Glu Ala Val His Ala Trp Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn
 225 230 235 240
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 245 250 255
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 260 265 270
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly
 275 280 285
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 290 295 300
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 305 310 315 320
 Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 325 330 335
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 340 345 350
 Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 355 360 365
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 370 375 380
 Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 385 390 395 400
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 405 410 415
 Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 420 425 430
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 435 440 445
 Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 450 455 460
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 465 470 475 480
 Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 485 490 495
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 500 505 510
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 515 520 525
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 530 535 540
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly
 545 550 555 560
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 565 570 575
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 580 585 590
 Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 595 600 605
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 610 615 620
 Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu

-continued

```

625          630          635          640
Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
      645          650
Ile Ala Ser Asn Ile Gly Gly Arg Pro Ala Leu Glu Ser Ile Val Ala
      660          665          670
Gln Leu Ser Arg Pro Asp Pro Ala Leu Ala Ala Leu Thr Asn Asp His
      675          680          685
Leu Val Ala Leu Ala Cys Leu Gly Gly Arg Pro Ala Leu Asp Ala Val
      690          695          700
Lys Lys Gly Leu Pro His Ala Pro Ala Leu Ile Lys Arg Thr Asn Arg
      705          710          715          720
Arg Ile Pro Glu Arg Thr Ser His Arg Val Ala Asp His Ala Gln Val
      725          730          735
Val Arg Val Leu Gly Phe Phe Gln Cys His Ser His Pro Ala Gln Ala
      740          745          750
Phe Asp Asp Ala Met Thr Gln Phe Gly Met Ser Arg His Gly Leu Leu
      755          760          765
Gln Leu Phe Arg Arg Val Gly Val Thr Glu Leu Glu Ala Arg Ser Gly
      770          775          780
Thr Leu Pro Pro Ala Ser Gln Arg Trp Asp Arg Ile Leu Gln Ala Ser
      785          790          795          800
Gly Met Lys Arg Ala Lys Pro Ser Pro Thr Ser Thr Gln Thr Pro Asp
      805          810          815
Gln Ala Ser Leu His Ala Phe Ala Asp Ser Leu Glu Arg Asp Leu Asp
      820          825          830
Ala Pro Ser Pro Met His Glu Gly Asp Gln Thr Arg Ala Ser Ala Ser
      835          840          845
Pro Lys Lys Lys Arg Lys Val Glu Ala Ser Arg Thr Leu Val Thr Phe
      850          855          860
Lys Asp Val Phe Val Asp Phe Thr Arg Glu Glu Trp Lys Leu Leu Asp
      865          870          875          880
Thr Ala Gln Gln Ile Val Tyr Arg Asn Val Met Leu Glu Asn Tyr Lys
      885          890          895
Asn Leu Val Ser Leu Gly Tyr Gln Leu Thr Lys Pro Asp Val Ile Leu
      900          905          910
Arg Leu Glu Lys Gly Glu Glu Pro Trp Leu Val
      915          920

```

<210> SEQ ID NO 32

<211> LENGTH: 887

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 32

```

Met Ser Arg Thr Arg Leu Pro Ser Pro Pro Ala Pro Ser Pro Ala Phe
1          5          10          15
Ser Ala Asp Ser Phe Ser Asp Leu Leu Arg Gln Phe Asp Pro Ser Leu
20          25          30
Phe Asn Thr Ser Leu Phe Asp Ser Leu Pro Pro Phe Gly Ala His His
35          40          45
Thr Glu Ala Ala Thr Gly Glu Trp Asp Glu Val Gln Ser Gly Leu Arg

```

-continued

50	55	60
Ala Ala Asp Ala Pro Pro Thr Met Arg Val Ala Val Thr Ala Ala 65 70 75 80		
Arg Pro Pro Arg Ala Lys Pro Ala Pro Arg Arg Ala Ala Gln Pro 85 90 95		
Ser Asp Ala Ser Pro Ala Ala Gln Val Asp Leu Arg Thr Leu Gly Tyr 100 105 110		
Ser Gln Gln Gln Gln Glu Lys Ile Lys Pro Lys Val Arg Ser Thr Val 115 120 125		
Ala Gln His His Glu Ala Leu Val Gly His Gly Phe Thr His Ala His 130 135 140		
Ile Val Ala Leu Ser Gln His Pro Ala Ala Leu Gly Thr Val Ala Val 145 150 155 160		
Lys Tyr Gln Asp Met Ile Ala Ala Leu Pro Glu Ala Thr His Glu Ala 165 170 175		
Ile Val Gly Val Gly Lys Gln Trp Ser Gly Ala Arg Ala Leu Glu Ala 180 185 190		
Leu Leu Thr Val Ala Gly Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp 195 200 205		
Thr Gly Gln Leu Leu Lys Ile Ala Lys Arg Gly Gly Val Thr Ala Val 210 215 220		
Glu Ala Val His Ala Trp Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn 225 230 235 240		
Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys 245 250 255		
Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala 260 265 270		
His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly 275 280 285		
Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys 290 295 300		
Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn 305 310 315 320		
Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val 325 330 335		
Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala 340 345 350		
Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu 355 360 365		
Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala 370 375 380		
Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg 385 390 395 400		
Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val 405 410 415		
Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val 420 425 430		
Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu 435 440 445		
Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu 450 455 460		

-continued

Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	465	470	475	480
Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	485	490	495	
Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	500	505	510	
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys	515	520	525	
Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	530	535	540	
His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Asn	Gly	545	550	555	560
Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	565	570	575	
Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	580	585	590	
Ile	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	595	600	605	
Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	610	615	620	
Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	625	630	635	640
Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	645	650	655	
Ile	Ala	Ser	Asn	Ile	Gly	Gly	Arg	Pro	Ala	Leu	Glu	Ser	Ile	Val	Ala	660	665	670	
Gln	Leu	Ser	Arg	Pro	Asp	Pro	Ala	Leu	Ala	Ala	Leu	Thr	Asn	Asp	His	675	680	685	
Leu	Val	Ala	Leu	Ala	Cys	Leu	Gly	Gly	Arg	Pro	Ala	Leu	Asp	Ala	Val	690	695	700	
Lys	Lys	Gly	Leu	Pro	His	Ala	Pro	Ala	Leu	Ile	Lys	Arg	Thr	Asn	Arg	705	710	715	720
Arg	Ile	Pro	Glu	Arg	Thr	Ser	His	Arg	Val	Ala	Asp	His	Ala	Gln	Val	725	730	735	
Val	Arg	Val	Leu	Gly	Phe	Phe	Gln	Cys	His	Ser	His	Pro	Ala	Gln	Ala	740	745	750	
Phe	Asp	Asp	Ala	Met	Thr	Gln	Phe	Gly	Met	Ser	Arg	His	Gly	Leu	Leu	755	760	765	
Gln	Leu	Phe	Arg	Arg	Val	Gly	Val	Thr	Glu	Leu	Glu	Ala	Arg	Ser	Gly	770	775	780	
Thr	Leu	Pro	Pro	Ala	Ser	Gln	Arg	Trp	Asp	Arg	Ile	Leu	Gln	Ala	Ser	785	790	795	800
Gly	Met	Lys	Arg	Ala	Lys	Pro	Ser	Pro	Thr	Ser	Thr	Gln	Thr	Pro	Asp	805	810	815	
Gln	Ala	Ser	Leu	His	Ala	Phe	Ala	Asp	Ser	Leu	Glu	Arg	Asp	Leu	Asp	820	825	830	
Ala	Pro	Ser	Pro	Met	His	Glu	Gly	Asp	Gln	Thr	Arg	Ala	Ser	Ala	Ser	835	840	845	
Pro	Lys	Lys	Lys	Arg	Lys	Val	Glu	Ala	Ser	Met	Asn	Ile	Gln	Met	Leu	850	855	860	
Leu	Glu	Ala	Ala	Asp	Tyr	Leu	Glu	Arg	Arg	Glu	Arg	Glu	Ala	Glu	His	865	870	875	880

-continued

Gly Tyr Ala Ser Met Leu Pro
885

<210> SEQ ID NO 33
<211> LENGTH: 990
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 33

Met Ser Arg Thr Arg Leu Pro Ser Pro Pro Ala Pro Ser Pro Ala Phe
1 5 10 15
Ser Ala Asp Ser Phe Ser Asp Leu Leu Arg Gln Phe Asp Pro Ser Leu
20 25 30
Phe Asn Thr Ser Leu Phe Asp Ser Leu Pro Pro Phe Gly Ala His His
35 40 45
Thr Glu Ala Ala Thr Gly Glu Trp Asp Glu Val Gln Ser Gly Leu Arg
50 55 60
Ala Ala Asp Ala Pro Pro Pro Thr Met Arg Val Ala Val Thr Ala Ala
65 70 75 80
Arg Pro Pro Arg Ala Lys Pro Ala Pro Arg Arg Arg Ala Ala Gln Pro
85 90 95
Ser Asp Ala Ser Pro Ala Ala Gln Val Asp Leu Arg Thr Leu Gly Tyr
100 105 110
Ser Gln Gln Gln Gln Glu Lys Ile Lys Pro Lys Val Arg Ser Thr Val
115 120 125
Ala Gln His His Glu Ala Leu Val Gly His Gly Phe Thr His Ala His
130 135 140
Ile Val Ala Leu Ser Gln His Pro Ala Ala Leu Gly Thr Val Ala Val
145 150 155 160
Lys Tyr Gln Asp Met Ile Ala Ala Leu Pro Glu Ala Thr His Glu Ala
165 170 175
Ile Val Gly Val Gly Lys Gln Trp Ser Gly Ala Arg Ala Leu Glu Ala
180 185 190
Leu Leu Thr Val Ala Gly Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp
195 200 205
Thr Gly Gln Leu Leu Lys Ile Ala Lys Arg Gly Gly Val Thr Ala Val
210 215 220
Glu Ala Val His Ala Trp Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn
225 230 235 240
Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
245 250 255
Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
260 265 270
His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly
275 280 285
Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
290 295 300
Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
305 310 315 320
Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
325 330 335

-continued

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 340 345 350

Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 355 360 365

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 370 375 380

Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 385 390 395 400

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 405 410 415

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 420 425 430

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 435 440 445

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 450 455 460

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 465 470 475 480

Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 485 490 495

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 500 505 510

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 515 520 525

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 530 535 540

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly
 545 550 555 560

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 565 570 575

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 580 585 590

Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 595 600 605

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 610 615 620

Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 625 630 635 640

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 645 650 655

Ile Ala Ser Asn Ile Gly Gly Arg Pro Ala Leu Glu Ser Ile Val Ala
 660 665 670

Gln Leu Ser Arg Pro Asp Pro Ala Leu Ala Ala Leu Thr Asn Asp His
 675 680 685

Leu Val Ala Leu Ala Cys Leu Gly Gly Arg Pro Ala Leu Asp Ala Val
 690 695 700

Lys Lys Gly Leu Pro His Ala Pro Ala Leu Ile Lys Arg Thr Asn Arg
 705 710 715 720

Arg Ile Pro Glu Arg Thr Ser His Arg Val Ala Asp His Ala Gln Val
 725 730 735

Val Arg Val Leu Gly Phe Phe Gln Cys His Ser His Pro Ala Gln Ala

-continued

740					745					750					
Phe	Asp	Asp	Ala	Met	Thr	Gln	Phe	Gly	Met	Ser	Arg	His	Gly	Leu	Leu
	755						760					765			
Gln	Leu	Phe	Arg	Arg	Val	Gly	Val	Thr	Glu	Leu	Glu	Ala	Arg	Ser	Gly
	770					775						780			
Thr	Leu	Pro	Pro	Ala	Ser	Gln	Arg	Trp	Asp	Arg	Ile	Leu	Gln	Ala	Ser
785					790					795					800
Gly	Met	Lys	Arg	Ala	Lys	Pro	Ser	Pro	Thr	Ser	Thr	Gln	Thr	Pro	Asp
				805					810					815	
Gln	Ala	Ser	Leu	His	Ala	Phe	Ala	Asp	Ser	Leu	Glu	Arg	Asp	Leu	Asp
			820					825					830		
Ala	Pro	Ser	Pro	Met	His	Glu	Gly	Asp	Gln	Thr	Arg	Ala	Ser	Ala	Ser
		835					840					845			
Pro	Lys	Lys	Lys	Arg	Lys	Val	Glu	Ala	Ser	Cys	Arg	Phe	Ile	His	Val
	850					855					860				
Glu	Gln	Met	Gln	His	Phe	Asn	Ala	Asn	Ala	Thr	Val	Tyr	Ala	Pro	Pro
865					870					875					880
Ser	Ser	Asp	Cys	Pro	Pro	Ile	Ala	Tyr	Tyr	His	His	His	Pro	Gln	
			885					890					895		
His	Gln	Gln	Gln	Phe	Leu	Pro	Phe	Pro	Met	Pro	Tyr	Phe	Leu	Ala	Pro
			900					905					910		
Pro	Pro	Gln	Ala	Gln	Gln	Gly	Ala	Pro	Phe	Pro	Val	Gln	Tyr	Ile	Pro
		915					920					925			
Gln	Gln	His	Asp	Leu	Met	Asn	Ser	Gln	Pro	Met	Tyr	Ala	Pro	Met	Ala
	930					935					940				
Pro	Thr	Tyr	Tyr	Tyr	Gln	Pro	Ile	Asn	Ser	Asn	Gly	Met	Pro	Met	Met
945					950					955					960
Asp	Val	Thr	Ile	Asp	Pro	Asn	Ala	Thr	Gly	Gly	Ala	Phe	Glu	Val	Phe
				965					970					975	
Pro	Asp	Gly	Phe	Phe	Ser	Gln	Pro	Pro	Pro	Thr	Ile	Ile	Ser		
			980					985					990		

<210> SEQ ID NO 34

<211> LENGTH: 882

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 34

Met	Ser	Arg	Thr	Arg	Leu	Pro	Ser	Pro	Pro	Ala	Pro	Ser	Pro	Ala	Phe
1				5						10				15	
Ser	Ala	Asp	Ser	Phe	Ser	Asp	Leu	Leu	Arg	Gln	Phe	Asp	Pro	Ser	Leu
		20						25					30		
Phe	Asn	Thr	Ser	Leu	Phe	Asp	Ser	Leu	Pro	Pro	Phe	Gly	Ala	His	His
		35					40					45			
Thr	Glu	Ala	Ala	Thr	Gly	Glu	Trp	Asp	Glu	Val	Gln	Ser	Gly	Leu	Arg
	50					55					60				
Ala	Ala	Asp	Ala	Pro	Pro	Pro	Thr	Met	Arg	Val	Ala	Val	Thr	Ala	Ala
65					70					75					80
Arg	Pro	Pro	Arg	Ala	Lys	Pro	Ala	Pro	Arg	Arg	Arg	Ala	Ala	Gln	Pro
				85					90					95	
Ser	Asp	Ala	Ser	Pro	Ala	Ala	Gln	Val	Asp	Leu	Arg	Thr	Leu	Gly	Tyr

-continued

100					105					110					
Ser	Gln	Gln	Gln	Gln	Glu	Lys	Ile	Lys	Pro	Lys	Val	Arg	Ser	Thr	Val
			115					120					125		
Ala	Gln	His	His	Glu	Ala	Leu	Val	Gly	His	Gly	Phe	Thr	His	Ala	His
			130				135				140				
Ile	Val	Ala	Leu	Ser	Gln	His	Pro	Ala	Ala	Leu	Gly	Thr	Val	Ala	Val
			145			150					155				160
Lys	Tyr	Gln	Asp	Met	Ile	Ala	Ala	Leu	Pro	Glu	Ala	Thr	His	Glu	Ala
				165					170					175	
Ile	Val	Gly	Val	Gly	Lys	Gln	Trp	Ser	Gly	Ala	Arg	Ala	Leu	Glu	Ala
			180					185					190		
Leu	Leu	Thr	Val	Ala	Gly	Glu	Leu	Arg	Gly	Pro	Pro	Leu	Gln	Leu	Asp
			195				200					205			
Thr	Gly	Gln	Leu	Leu	Lys	Ile	Ala	Lys	Arg	Gly	Gly	Val	Thr	Ala	Val
			210				215				220				
Glu	Ala	Val	His	Ala	Trp	Arg	Asn	Ala	Leu	Thr	Gly	Ala	Pro	Leu	Asn
			225			230					235				240
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys
				245					250					255	
Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala
			260					265					270		
His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly
			275				280					285			
Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys
			290				295				300				
Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn
			305			310				315					320
Ile	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val
				325					330					335	
Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala
			340					345					350		
Ser	Asn	Gly	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu
			355				360					365			
Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala
			370				375				380				
Ile	Ala	Ser	Asn	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	
			385			390				395				400	
Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val
				405					410					415	
Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val
			420					425						430	
Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu
			435				440					445			
Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu
			450				455					460			
Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr
			465			470				475				480	
Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala
				485					490					495	
Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly
				500				505						510	

-continued

```

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
   515                               520                525

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
   530                               535                540

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly
545                               550                555                560

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
   565                               570                575

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
   580                               585                590

Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
   595                               600                605

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
   610                               615                620

Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
625                               630                635                640

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
   645                               650                655

Ile Ala Ser Asn Ile Gly Gly Arg Pro Ala Leu Glu Ser Ile Val Ala
   660                               665                670

Gln Leu Ser Arg Pro Asp Pro Ala Leu Ala Ala Leu Thr Asn Asp His
   675                               680                685

Leu Val Ala Leu Ala Cys Leu Gly Gly Arg Pro Ala Leu Asp Ala Val
   690                               695                700

Lys Lys Gly Leu Pro His Ala Pro Ala Leu Ile Lys Arg Thr Asn Arg
705                               710                715                720

Arg Ile Pro Glu Arg Thr Ser His Arg Val Ala Asp His Ala Gln Val
   725                               730                735

Val Arg Val Leu Gly Phe Phe Gln Cys His Ser His Pro Ala Gln Ala
   740                               745                750

Phe Asp Asp Ala Met Thr Gln Phe Gly Met Ser Arg His Gly Leu Leu
   755                               760                765

Gln Leu Phe Arg Arg Val Gly Val Thr Glu Leu Glu Ala Arg Ser Gly
   770                               775                780

Thr Leu Pro Pro Ala Ser Gln Arg Trp Asp Arg Ile Leu Gln Ala Ser
785                               790                795                800

Gly Met Lys Arg Ala Lys Pro Ser Pro Thr Ser Thr Gln Thr Pro Asp
   805                               810                815

Gln Ala Ser Leu His Ala Phe Ala Asp Ser Leu Glu Arg Asp Leu Asp
   820                               825                830

Ala Pro Ser Pro Met His Glu Gly Asp Gln Thr Arg Ala Ser Ala Ser
   835                               840                845

Pro Lys Lys Lys Arg Lys Val Glu Ala Ser Met Glu Glu Glu Lys Arg
   850                               855                860

Leu Glu Leu Arg Leu Ala Pro Pro Cys His Gln Phe Thr Ser Asn Asn
865                               870                875                880

Asn Ile

```

<210> SEQ ID NO 35

<211> LENGTH: 915

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

-continued

 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 35

Met Ser Arg Thr Arg Leu Pro Ser Pro Pro Ala Pro Ser Pro Ala Phe
 1 5 10 15
 Ser Ala Asp Ser Phe Ser Asp Leu Leu Arg Gln Phe Asp Pro Ser Leu
 20 25 30
 Phe Asn Thr Ser Leu Phe Asp Ser Leu Pro Pro Phe Gly Ala His His
 35 40 45
 Thr Glu Ala Ala Thr Gly Glu Trp Asp Glu Val Gln Ser Gly Leu Arg
 50 55 60
 Ala Ala Asp Ala Pro Pro Thr Met Arg Val Ala Val Thr Ala Ala
 65 70 75 80
 Arg Pro Pro Arg Ala Lys Pro Ala Pro Arg Arg Ala Ala Gln Pro
 85 90 95
 Ser Asp Ala Ser Pro Ala Ala Gln Val Asp Leu Arg Thr Leu Gly Tyr
 100 105 110
 Ser Gln Gln Gln Gln Glu Lys Ile Lys Pro Lys Val Arg Ser Thr Val
 115 120 125
 Ala Gln His His Glu Ala Leu Val Gly His Gly Phe Thr His Ala His
 130 135 140
 Ile Val Ala Leu Ser Gln His Pro Ala Ala Leu Gly Thr Val Ala Val
 145 150 155 160
 Lys Tyr Gln Asp Met Ile Ala Ala Leu Pro Glu Ala Thr His Glu Ala
 165 170 175
 Ile Val Gly Val Gly Lys Gln Trp Ser Gly Ala Arg Ala Leu Glu Ala
 180 185 190
 Leu Leu Thr Val Ala Gly Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp
 195 200 205
 Thr Gly Gln Leu Leu Lys Ile Ala Lys Arg Gly Gly Val Thr Ala Val
 210 215 220
 Glu Ala Val His Ala Trp Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn
 225 230 235 240
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 245 250 255
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 260 265 270
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly
 275 280 285
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 290 295 300
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 305 310 315 320
 Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 325 330 335
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 340 345 350
 Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 355 360 365
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 370 375 380

-continued

Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	
385					390					395					400	
Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	
				405					410					415		
Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	
			420					425						430		
Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	
		435					440						445			
Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	
		450					455				460					
Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	
465					470					475					480	
Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	
				485					490						495	
Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	
			500					505						510		
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys	
		515					520						525			
Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	
		530					535					540				
His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Asn	Gly	
545					550					555					560	
Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	
				565					570						575	
Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	
			580						585					590		
Ile	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	
		595					600							605		
Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	
		610					615					620				
Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	
625					630					635					640	
Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	
				645						650					655	
Ile	Ala	Ser	Asn	Ile	Gly	Gly	Arg	Pro	Ala	Leu	Glu	Ser	Ile	Val	Ala	
			660					665						670		
Gln	Leu	Ser	Arg	Pro	Asp	Pro	Ala	Leu	Ala	Ala	Leu	Thr	Asn	Asp	His	
			675				680						685			
Leu	Val	Ala	Leu	Ala	Cys	Leu	Gly	Gly	Arg	Pro	Ala	Leu	Asp	Ala	Val	
		690					695					700				
Lys	Lys	Gly	Leu	Pro	His	Ala	Pro	Ala	Leu	Ile	Lys	Arg	Thr	Asn	Arg	
705					710					715					720	
Arg	Ile	Pro	Glu	Arg	Thr	Ser	His	Arg	Val	Ala	Asp	His	Ala	Gln	Val	
				725					730						735	
Val	Arg	Val	Leu	Gly	Phe	Phe	Gln	Cys	His	Ser	His	Pro	Ala	Gln	Ala	
			740					745						750		
Phe	Asp	Asp	Ala	Met	Thr	Gln	Phe	Gly	Met	Ser	Arg	His	Gly	Leu	Leu	
			755				760						765			
Gln	Leu	Phe	Arg	Arg	Val	Gly	Val	Thr	Glu	Leu	Glu	Ala	Arg	Ser	Gly	
		770					775					780				
Thr	Leu	Pro	Pro	Ala	Ser	Gln	Arg	Trp	Asp	Arg	Ile	Leu	Gln	Ala	Ser	
785					790					795					800	

-continued

Gly Met Lys Arg Ala Lys Pro Ser Pro Thr Ser Thr Gln Thr Pro Asp
805 810 815

Gln Ala Ser Leu His Ala Phe Ala Asp Ser Leu Glu Arg Asp Leu Asp
820 825 830

Ala Pro Ser Pro Met His Glu Gly Asp Gln Thr Arg Ala Ser Ala Ser
835 840 845

Pro Lys Lys Lys Arg Lys Val Glu Ala Ser Leu Ala Ser Gln Gly Leu
850 855 860

Ala Met Ser Pro Phe Gly Ser Leu Phe Pro Tyr Pro Tyr Thr Tyr Met
865 870 875 880

Ala Ala Ala Ala Ala Ala Ser Ser Ala Ala Ala Ser Ser Ser Val His
885 890 895

Arg His Pro Phe Leu Asn Leu Asn Thr Met Arg Pro Arg Leu Arg Tyr
900 905 910

Ser Pro Tyr
915

<210> SEQ ID NO 36
<211> LENGTH: 846
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 36

Met Ser Arg Thr Arg Leu Pro Ser Pro Pro Ala Pro Ser Pro Ala Phe
1 5 10 15

Ser Ala Asp Ser Phe Ser Asp Leu Leu Arg Gln Phe Asp Pro Ser Leu
20 25 30

Phe Asn Thr Ser Leu Phe Asp Ser Leu Pro Pro Phe Gly Ala His His
35 40 45

Thr Glu Ala Ala Thr Gly Glu Trp Asp Glu Val Gln Ser Gly Leu Arg
50 55 60

Ala Ala Asp Ala Pro Pro Pro Thr Met Arg Val Ala Val Thr Ala Ala
65 70 75 80

Arg Pro Pro Arg Ala Lys Pro Ala Pro Arg Arg Arg Ala Ala Gln Pro
85 90 95

Ser Asp Ala Ser Pro Ala Ala Gln Val Asp Leu Arg Thr Leu Gly Tyr
100 105 110

Ser Gln Gln Gln Gln Glu Lys Ile Lys Pro Lys Val Arg Ser Thr Val
115 120 125

Ala Gln His His Glu Ala Leu Val Gly His Gly Phe Thr His Ala His
130 135 140

Ile Val Ala Leu Ser Gln His Pro Ala Ala Leu Gly Thr Val Ala Val
145 150 155 160

Lys Tyr Gln Asp Met Ile Ala Ala Leu Pro Glu Ala Thr His Glu Ala
165 170 175

Ile Val Gly Val Gly Lys Gln Trp Ser Gly Ala Arg Ala Leu Glu Ala
180 185 190

Leu Leu Thr Val Ala Gly Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp
195 200 205

Thr Gly Gln Leu Leu Lys Ile Ala Lys Arg Gly Gly Val Thr Ala Val
210 215 220

-continued

Glu Ala Val His Ala Trp Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn
 225 230 235 240
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 245 250 255
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 260 265 270
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly
 275 280 285
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 290 295 300
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 305 310 315 320
 Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 325 330 335
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 340 345 350
 Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 355 360 365
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 370 375 380
 Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 385 390 395 400
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 405 410 415
 Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 420 425 430
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 435 440 445
 Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 450 455 460
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 465 470 475 480
 Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 485 490 495
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 500 505 510
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 515 520 525
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 530 535 540
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly
 545 550 555 560
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 565 570 575
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 580 585 590
 Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 595 600 605
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 610 615 620
 Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu

-continued

130					135					140					
Ile	Val	Ala	Leu	Ser	Gln	His	Pro	Ala	Ala	Leu	Gly	Thr	Val	Ala	Val
145					150					155					160
Lys	Tyr	Gln	Asp	Met	Ile	Ala	Ala	Leu	Pro	Glu	Ala	Thr	His	Glu	Ala
				165					170					175	
Ile	Val	Gly	Val	Gly	Lys	Gln	Trp	Ser	Gly	Ala	Arg	Ala	Leu	Glu	Ala
			180					185					190		
Leu	Leu	Thr	Val	Ala	Gly	Glu	Leu	Arg	Gly	Pro	Pro	Leu	Gln	Leu	Asp
		195					200					205			
Thr	Gly	Gln	Leu	Leu	Lys	Ile	Ala	Lys	Arg	Gly	Gly	Val	Thr	Ala	Val
	210					215					220				
Glu	Ala	Val	His	Ala	Trp	Arg	Asn	Ala	Leu	Thr	Gly	Ala	Pro	Leu	Asn
225					230					235					240
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys
				245					250					255	
Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala
			260					265					270		
His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly
	275						280					285			
Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys
	290					295					300				
Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn
305					310					315					320
Ile	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val
				325					330					335	
Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala
			340					345					350		
Ser	Asn	Gly	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu
		355				360						365			
Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala
		370				375					380				
Ile	Ala	Ser	Asn	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	
385					390					395					400
Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val
				405					410					415	
Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val
			420				425						430		
Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu
		435				440					445				
Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu
		450				455					460				
Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr
465					470					475					480
Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala
				485					490					495	
Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly
			500				505					510			
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys
		515					520					525			
Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala
				530		535						540			

-continued

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly
 545 550 555 560

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 565 570 575

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 580 585 590

Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 595 600 605

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 610 615 620

Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 625 630 635 640

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 645 650 655

Ile Ala Ser Asn Ile Gly Gly Arg Pro Ala Leu Glu Ser Ile Val Ala
 660 665 670

Gln Leu Ser Arg Pro Asp Pro Ala Leu Ala Ala Leu Thr Asn Asp His
 675 680 685

Leu Val Ala Leu Ala Cys Leu Gly Gly Arg Pro Ala Leu Asp Ala Val
 690 695 700

Lys Lys Gly Leu Pro His Ala Pro Ala Leu Ile Lys Arg Thr Asn Arg
 705 710 715 720

Arg Ile Pro Glu Arg Thr Ser His Arg Val Ala Asp His Ala Gln Val
 725 730 735

Val Arg Val Leu Gly Phe Phe Gln Cys His Ser His Pro Ala Gln Ala
 740 745 750

Phe Asp Asp Ala Met Thr Gln Phe Gly Met Ser Arg His Gly Leu Leu
 755 760 765

Gln Leu Phe Arg Arg Val Gly Val Thr Glu Leu Glu Ala Arg Ser Gly
 770 775 780

Thr Leu Pro Pro Ala Ser Gln Arg Trp Asp Arg Ile Leu Gln Ala Ser
 785 790 795 800

Gly Met Lys Arg Ala Lys Pro Ser Pro Thr Ser Thr Gln Thr Pro Asp
 805 810 815

Gln Ala Ser Leu His Ala Phe Ala Asp Ser Leu Glu Arg Asp Leu Asp
 820 825 830

Ala Pro Ser Pro Met His Glu Gly Asp Gln Thr Arg Ala Ser Ala Ser
 835 840 845

Pro Lys Lys Lys Arg Lys Val Glu Ala Ser
 850 855

<210> SEQ ID NO 38
 <211> LENGTH: 1051
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 polypeptide

<400> SEQUENCE: 38

Met Ser Arg Thr Arg Leu Pro Ser Pro Pro Ala Pro Ser Pro Ala Phe
 1 5 10 15

Ser Ala Asp Ser Phe Ser Asp Leu Leu Arg Gln Phe Asp Pro Ser Leu
 20 25 30

-continued

Phe	Asn	Thr	Ser	Leu	Phe	Asp	Ser	Leu	Pro	Pro	Phe	Gly	Ala	His	His
	35						40					45			
Thr	Glu	Ala	Ala	Thr	Gly	Glu	Trp	Asp	Glu	Val	Gln	Ser	Gly	Leu	Arg
	50					55					60				
Ala	Ala	Asp	Ala	Pro	Pro	Pro	Thr	Met	Arg	Val	Ala	Val	Thr	Ala	Ala
65					70					75					80
Arg	Pro	Pro	Arg	Ala	Lys	Pro	Ala	Pro	Arg	Arg	Arg	Ala	Ala	Gln	Pro
				85					90					95	
Ser	Asp	Ala	Ser	Pro	Ala	Ala	Gln	Val	Asp	Leu	Arg	Thr	Leu	Gly	Tyr
			100					105					110		
Ser	Gln	Gln	Gln	Gln	Glu	Lys	Ile	Lys	Pro	Lys	Val	Arg	Ser	Thr	Val
		115					120					125			
Ala	Gln	His	His	Glu	Ala	Leu	Val	Gly	His	Gly	Phe	Thr	His	Ala	His
	130					135					140				
Ile	Val	Ala	Leu	Ser	Gln	His	Pro	Ala	Ala	Leu	Gly	Thr	Val	Ala	Val
145					150					155					160
Lys	Tyr	Gln	Asp	Met	Ile	Ala	Ala	Leu	Pro	Glu	Ala	Thr	His	Glu	Ala
				165					170					175	
Ile	Val	Gly	Val	Gly	Lys	Gln	Trp	Ser	Gly	Ala	Arg	Ala	Leu	Glu	Ala
			180					185					190		
Leu	Leu	Thr	Val	Ala	Gly	Glu	Leu	Arg	Gly	Pro	Pro	Leu	Gln	Leu	Asp
		195					200					205			
Thr	Gly	Gln	Leu	Leu	Lys	Ile	Ala	Lys	Arg	Gly	Gly	Val	Thr	Ala	Val
	210					215					220				
Glu	Ala	Val	His	Ala	Trp	Arg	Asn	Ala	Leu	Thr	Gly	Ala	Pro	Leu	Asn
225					230					235					240
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys
				245					250					255	
Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala
		260						265					270		
His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Asn	Gly
		275					280					285			
Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys
	290					295					300				
Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn
305					310					315					320
Asn	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val
				325					330					335	
Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala
		340						345					350		
Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu
		355					360						365		
Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala
	370					375						380			
Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg
385					390					395					400
Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val
				405						410				415	
Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val
			420						425					430	
Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu
		435					440						445		

-continued

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 450 455 460
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 465 470 475 480
 Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala
 485 490 495
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 500 505 510
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
 515 520 525
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 530 535 540
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
 545 550 555 560
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 565 570 575
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 580 585 590
 Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 595 600 605
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 610 615 620
 Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 625 630 635 640
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 645 650 655
 Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 660 665 670
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 675 680 685
 Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 690 695 700
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 705 710 715 720
 Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 725 730 735
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 740 745 750
 Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 755 760 765
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 770 775 780
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Arg
 785 790 795 800
 Pro Ala Leu Glu Ser Ile Val Ala Gln Leu Ser Arg Pro Asp Pro Ala
 805 810 815
 Leu Ala Ala Leu Thr Asn Asp His Leu Val Ala Leu Ala Cys Leu Gly
 820 825 830
 Gly Arg Pro Ala Leu Asp Ala Val Lys Lys Gly Leu Pro His Ala Pro
 835 840 845
 Ala Leu Ile Lys Arg Thr Asn Arg Arg Ile Pro Glu Arg Thr Ser His

-continued

145	150	155	160
Lys Tyr Gln Asp Met Ile Ala Ala Leu Pro Glu Ala Thr His Glu Ala 165 170 175			
Ile Val Gly Val Gly Lys Gln Trp Ser Gly Ala Arg Ala Leu Glu Ala 180 185 190			
Leu Leu Thr Val Ala Gly Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp 195 200 205			
Thr Gly Gln Leu Leu Lys Ile Ala Lys Arg Gly Gly Val Thr Ala Val 210 215 220			
Glu Ala Val His Ala Trp Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn 225 230 235 240			
Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys 245 250 255			
Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala 260 265 270			
His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Lys Gly 275 280 285			
Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys 290 295 300			
Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn 305 310 315 320			
Lys Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val 325 330 335			
Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala 340 345 350			
Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu 355 360 365			
Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala 370 375 380			
Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg 385 390 395 400			
Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val 405 410 415			
Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val 420 425 430			
Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu 435 440 445			
Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu 450 455 460			
Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr 465 470 475 480			
Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala 485 490 495			
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly 500 505 510			
Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Lys Gly Gly Lys 515 520 525			
Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala 530 535 540			
His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly 545 550 555 560			

-continued

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 565 570 575

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 580 585 590

Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 595 600 605

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 610 615 620

Ser Asn Lys Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 625 630 635 640

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 645 650 655

Ile Ala Ser Asn Lys Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 660 665 670

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 675 680 685

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 690 695 700

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 705 710 715 720

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 725 730 735

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 740 745 750

Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 755 760 765

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 770 775 780

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Arg
 785 790 795 800

Pro Ala Leu Glu Ser Ile Val Ala Gln Leu Ser Arg Pro Asp Pro Ala
 805 810 815

Leu Ala Ala Leu Thr Asn Asp His Leu Val Ala Leu Ala Cys Leu Gly
 820 825 830

Gly Arg Pro Ala Leu Asp Ala Val Lys Lys Gly Leu Pro His Ala Pro
 835 840 845

Ala Leu Ile Lys Arg Thr Asn Arg Arg Ile Pro Glu Arg Thr Ser His
 850 855 860

Arg Val Ala Asp His Ala Gln Val Val Arg Val Leu Gly Phe Phe Gln
 865 870 875 880

Cys His Ser His Pro Ala Gln Ala Phe Asp Asp Ala Met Thr Gln Phe
 885 890 895

Gly Met Ser Arg His Gly Leu Leu Gln Leu Phe Arg Arg Val Gly Val
 900 905 910

Thr Glu Leu Glu Ala Arg Ser Gly Thr Leu Pro Pro Ala Ser Gln Arg
 915 920 925

Trp Asp Arg Ile Leu Gln Ala Ser Gly Met Lys Arg Ala Lys Pro Ser
 930 935 940

Pro Thr Ser Thr Gln Thr Pro Asp Gln Ala Ser Leu His Ala Phe Ala
 945 950 955 960

Asp Ser Leu Glu Arg Asp Leu Asp Ala Pro Ser Pro Met His Glu Gly
 965 970 975

-continued

```

Asp Gln Thr Arg Ala Ser Ala Ser Pro Lys Lys Lys Arg Lys Val Glu
      980                               985                               990
Ala Ser Gly Ser Gly Arg Ala Asp Ala Leu Asp Asp Phe Asp Leu Asp
      995                               1000                               1005
Met Leu Gly Ser Asp Ala Leu Asp Asp Phe Asp Leu Asp Met Leu
      1010                               1015                               1020
Gly Ser Asp Ala Leu Asp Asp Phe Asp Leu Asp Met Leu Gly Ser
      1025                               1030                               1035
Asp Ala Leu Asp Asp Phe Asp Leu Asp Met Leu Ile Asn
      1040                               1045                               1050

```

```

<210> SEQ ID NO 40
<211> LENGTH: 1051
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polypeptide
<400> SEQUENCE: 40

```

```

Met Ser Arg Thr Arg Leu Pro Ser Pro Pro Ala Pro Ser Pro Ala Phe
 1      5      10      15
Ser Ala Asp Ser Phe Ser Asp Leu Leu Arg Gln Phe Asp Pro Ser Leu
      20      25      30
Phe Asn Thr Ser Leu Phe Asp Ser Leu Pro Pro Phe Gly Ala His His
      35      40      45
Thr Glu Ala Ala Thr Gly Glu Trp Asp Glu Val Gln Ser Gly Leu Arg
      50      55      60
Ala Ala Asp Ala Pro Pro Pro Thr Met Arg Val Ala Val Thr Ala Ala
      65      70      75      80
Arg Pro Pro Arg Ala Lys Pro Ala Pro Arg Arg Arg Ala Ala Gln Pro
      85      90      95
Ser Asp Ala Ser Pro Ala Ala Gln Val Asp Leu Arg Thr Leu Gly Tyr
      100      105      110
Ser Gln Gln Gln Gln Glu Lys Ile Lys Pro Lys Val Arg Ser Thr Val
      115      120      125
Ala Gln His His Glu Ala Leu Val Gly His Gly Phe Thr His Ala His
      130      135      140
Ile Val Ala Leu Ser Gln His Pro Ala Ala Leu Gly Thr Val Ala Val
      145      150      155      160
Lys Tyr Gln Asp Met Ile Ala Ala Leu Pro Glu Ala Thr His Glu Ala
      165      170      175
Ile Val Gly Val Gly Lys Gln Trp Ser Gly Ala Arg Ala Leu Glu Ala
      180      185      190
Leu Leu Thr Val Ala Gly Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp
      195      200      205
Thr Gly Gln Leu Leu Lys Ile Ala Lys Arg Gly Gly Val Thr Ala Val
      210      215      220
Glu Ala Val His Ala Trp Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn
      225      230      235      240
Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys
      245      250      255
Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
      260      265      270

```

-continued

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn His Gly
 275 280 285
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 290 295 300
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 305 310 315 320
 His Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 325 330 335
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 340 345 350
 Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 355 360 365
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 370 375 380
 Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 385 390 395 400
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 405 410 415
 Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 420 425 430
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 435 440 445
 Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 450 455 460
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 465 470 475 480
 Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala
 485 490 495
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 500 505 510
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn His Gly Gly Lys
 515 520 525
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 530 535 540
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
 545 550 555 560
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 565 570 575
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 580 585 590
 Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 595 600 605
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 610 615 620
 Ser Asn His Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 625 630 635 640
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 645 650 655
 Ile Ala Ser Asn His Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 660 665 670
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val

-continued

675					680					685					
Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val
690					695					700					
Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu
705					710					715					720
Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu
					725					730					735
Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr
					740					745					750
Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala
					755					760					765
Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly
					770					775					780
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Ile	Gly	Gly	Arg
					785					790					800
Pro	Ala	Leu	Glu	Ser	Ile	Val	Ala	Gln	Leu	Ser	Arg	Pro	Asp	Pro	Ala
					805					810					815
Leu	Ala	Ala	Leu	Thr	Asn	Asp	His	Leu	Val	Ala	Leu	Ala	Cys	Leu	Gly
					820					825					830
Gly	Arg	Pro	Ala	Leu	Asp	Ala	Val	Lys	Lys	Gly	Leu	Pro	His	Ala	Pro
					835					840					845
Ala	Leu	Ile	Lys	Arg	Thr	Asn	Arg	Arg	Ile	Pro	Glu	Arg	Thr	Ser	His
					850					855					860
Arg	Val	Ala	Asp	His	Ala	Gln	Val	Val	Arg	Val	Leu	Gly	Phe	Phe	Gln
					865					870					880
Cys	His	Ser	His	Pro	Ala	Gln	Ala	Phe	Asp	Asp	Ala	Met	Thr	Gln	Phe
					885					890					895
Gly	Met	Ser	Arg	His	Gly	Leu	Leu	Gln	Leu	Phe	Arg	Arg	Val	Gly	Val
					900					905					910
Thr	Glu	Leu	Glu	Ala	Arg	Ser	Gly	Thr	Leu	Pro	Pro	Ala	Ser	Gln	Arg
					915					920					925
Trp	Asp	Arg	Ile	Leu	Gln	Ala	Ser	Gly	Met	Lys	Arg	Ala	Lys	Pro	Ser
					930					935					940
Pro	Thr	Ser	Thr	Gln	Thr	Pro	Asp	Gln	Ala	Ser	Leu	His	Ala	Phe	Ala
					945					950					960
Asp	Ser	Leu	Glu	Arg	Asp	Leu	Asp	Ala	Pro	Ser	Pro	Met	His	Glu	Gly
					965					970					975
Asp	Gln	Thr	Arg	Ala	Ser	Ala	Ser	Pro	Lys	Lys	Lys	Arg	Lys	Val	Glu
					980					985					990
Ala	Ser	Gly	Ser	Gly	Arg	Ala	Asp	Ala	Leu	Asp	Asp	Phe	Asp	Leu	Asp
					995					1000					1005
Met	Leu	Gly	Ser	Asp	Ala	Leu	Asp	Asp	Phe	Asp	Leu	Asp	Met	Leu	
					1010					1015					1020
Gly	Ser	Asp	Ala	Leu	Asp	Asp	Phe	Asp	Leu	Asp	Met	Leu	Gly	Ser	
					1025					1030					1035
Asp	Ala	Leu	Asp	Asp	Phe	Asp	Leu	Asp	Met	Leu	Ile	Asn			
					1040					1045					1050

<210> SEQ ID NO 41

<211> LENGTH: 1051

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

-continued

 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 41

Met Ser Arg Thr Arg Leu Pro Ser Pro Pro Ala Pro Ser Pro Ala Phe
 1 5 10 15
 Ser Ala Asp Ser Phe Ser Asp Leu Leu Arg Gln Phe Asp Pro Ser Leu
 20 25 30
 Phe Asn Thr Ser Leu Phe Asp Ser Leu Pro Pro Phe Gly Ala His His
 35 40 45
 Thr Glu Ala Ala Thr Gly Glu Trp Asp Glu Val Gln Ser Gly Leu Arg
 50 55 60
 Ala Ala Asp Ala Pro Pro Thr Met Arg Val Ala Val Thr Ala Ala
 65 70 75 80
 Arg Pro Pro Arg Ala Lys Pro Ala Pro Arg Arg Ala Ala Gln Pro
 85 90 95
 Ser Asp Ala Ser Pro Ala Ala Gln Val Asp Leu Arg Thr Leu Gly Tyr
 100 105 110
 Ser Gln Gln Gln Gln Glu Lys Ile Lys Pro Lys Val Arg Ser Thr Val
 115 120 125
 Ala Gln His His Glu Ala Leu Val Gly His Gly Phe Thr His Ala His
 130 135 140
 Ile Val Ala Leu Ser Gln His Pro Ala Ala Leu Gly Thr Val Ala Val
 145 150 155 160
 Lys Tyr Gln Asp Met Ile Ala Ala Leu Pro Glu Ala Thr His Glu Ala
 165 170 175
 Ile Val Gly Val Gly Lys Gln Trp Ser Gly Ala Arg Ala Leu Glu Ala
 180 185 190
 Leu Leu Thr Val Ala Gly Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp
 195 200 205
 Thr Gly Gln Leu Leu Lys Ile Ala Lys Arg Gly Gly Val Thr Ala Val
 210 215 220
 Glu Ala Val His Ala Trp Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn
 225 230 235 240
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys
 245 250 255
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 260 265 270
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asn Gly
 275 280 285
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 290 295 300
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 305 310 315 320
 Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 325 330 335
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 340 345 350
 Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 355 360 365
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 370 375 380

-continued

Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	
385					390					395					400	
Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	
				405					410					415		
Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	
			420						425					430		
Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	
		435					440						445			
Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	
	450						455					460				
Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	
465					470					475					480	
Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys	Gln	Ala	
				485					490						495	
Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	
			500					505						510		
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asn	Gly	Gly	Lys	
		515					520						525			
Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	
	530						535					540				
His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	
545						550				555					560	
Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	
				565					570						575	
Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	
			580						585					590		
Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	
		595					600							605		
Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	
	610						615						620			
Ser	His	Asn	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	
625					630					635					640	
Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	
				645						650					655	
Ile	Ala	Ser	His	Asn	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	
				660					665						670	
Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	
		675					680							685		
Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	
		690					695							700		
Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	
705						710				715					720	
Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	
				725						730					735	
Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	
			740						745					750		
Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	
		755					760							765		
Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	
		770					775						780			
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Ile	Gly	Gly	Arg	
785						790					795				800	

-continued

Ser Asp Ala Ser Pro Ala Ala Gln Val Asp Leu Arg Thr Leu Gly Tyr
 100 105 110

Ser Gln Gln Gln Gln Glu Lys Ile Lys Pro Lys Val Arg Ser Thr Val
 115 120 125

Ala Gln His His Glu Ala Leu Val Gly His Gly Phe Thr His Ala His
 130 135 140

Ile Val Ala Leu Ser Gln His Pro Ala Ala Leu Gly Thr Val Ala Val
 145 150 155 160

Lys Tyr Gln Asp Met Ile Ala Ala Leu Pro Glu Ala Thr His Glu Ala
 165 170 175

Ile Val Gly Val Gly Lys Gln Trp Ser Gly Ala Arg Ala Leu Glu Ala
 180 185 190

Leu Leu Thr Val Ala Gly Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp
 195 200 205

Thr Gly Gln Leu Leu Lys Ile Ala Lys Arg Gly Gly Val Thr Ala Val
 210 215 220

Glu Ala Val His Ala Trp Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn
 225 230 235 240

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
 245 250 255

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 260 265 270

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly
 275 280 285

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 290 295 300

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 305 310 315 320

Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 325 330 335

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 340 345 350

Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 355 360 365

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 370 375 380

Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 385 390 395 400

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 405 410 415

Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val
 420 425 430

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 435 440 445

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 450 455 460

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 465 470 475 480

Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 485 490 495

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly

-continued

Thr Glu Leu Glu Ala Arg Ser Gly Thr Leu Pro Pro Ala Ser Gln Arg
 915 920 925
 Trp Asp Arg Ile Leu Gln Ala Ser Gly Met Lys Arg Ala Lys Pro Ser
 930 935 940
 Pro Thr Ser Thr Gln Thr Pro Asp Gln Ala Ser Leu His Ala Phe Ala
 945 950 955 960
 Asp Ser Leu Glu Arg Asp Leu Asp Ala Pro Ser Pro Met His Glu Gly
 965 970 975
 Asp Gln Thr Arg Ala Ser Ala Ser Pro Lys Lys Lys Arg Lys Val Glu
 980 985 990
 Ala Ser Gly Ser Gly Arg Ala Asp Ala Leu Asp Asp Phe Asp Leu Asp
 995 1000 1005
 Met Leu Gly Ser Asp Ala Leu Asp Asp Phe Asp Leu Asp Met Leu
 1010 1015 1020
 Gly Ser Asp Ala Leu Asp Asp Phe Asp Leu Asp Met Leu Gly Ser
 1025 1030 1035
 Asp Ala Leu Asp Asp Phe Asp Leu Asp Met Leu Ile Asn
 1040 1045 1050

<210> SEQ ID NO 43
 <211> LENGTH: 1051
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 polypeptide

<400> SEQUENCE: 43

Met Ser Arg Thr Arg Leu Pro Ser Pro Pro Ala Pro Ser Pro Ala Phe
 1 5 10 15
 Ser Ala Asp Ser Phe Ser Asp Leu Leu Arg Gln Phe Asp Pro Ser Leu
 20 25 30
 Phe Asn Thr Ser Leu Phe Asp Ser Leu Pro Pro Phe Gly Ala His His
 35 40 45
 Thr Glu Ala Ala Thr Gly Glu Trp Asp Glu Val Gln Ser Gly Leu Arg
 50 55 60
 Ala Ala Asp Ala Pro Pro Thr Met Arg Val Ala Val Thr Ala Ala
 65 70 75 80
 Arg Pro Pro Arg Ala Lys Pro Ala Pro Arg Arg Arg Ala Ala Gln Pro
 85 90 95
 Ser Asp Ala Ser Pro Ala Ala Gln Val Asp Leu Arg Thr Leu Gly Tyr
 100 105 110
 Ser Gln Gln Gln Gln Glu Lys Ile Lys Pro Lys Val Arg Ser Thr Val
 115 120 125
 Ala Gln His His Glu Ala Leu Val Gly His Gly Phe Thr His Ala His
 130 135 140
 Ile Val Ala Leu Ser Gln His Pro Ala Ala Leu Gly Thr Val Ala Val
 145 150 155 160
 Lys Tyr Gln Asp Met Ile Ala Ala Leu Pro Glu Ala Thr His Glu Ala
 165 170 175
 Ile Val Gly Val Gly Lys Gln Trp Ser Gly Ala Arg Ala Leu Glu Ala
 180 185 190
 Leu Leu Thr Val Ala Gly Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp
 195 200 205

-continued

Thr	Gly	Gln	Leu	Leu	Lys	Ile	Ala	Lys	Arg	Gly	Gly	Val	Thr	Ala	Val
210						215					220				
Glu	Ala	Val	His	Ala	Trp	Arg	Asn	Ala	Leu	Thr	Gly	Ala	Pro	Leu	Asn
225					230					235					240
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Lys	Gly	Gly	Lys
				245					250					255	
Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala
			260					265					270		
His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Lys	Gly
		275					280					285			
Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys
		290				295					300				
Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn
305					310					315					320
Gly	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val
				325						330				335	
Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala
			340					345					350		
Ser	Asn	Ile	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu
		355					360					365			
Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala
		370				375					380				
Ile	Ala	Ser	Asn	Lys	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg
385					390					395					400
Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val
				405						410				415	
Val	Ala	Ile	Ala	Ser	Asn	Ile	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val
			420						425					430	
Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu
		435					440					445			
Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu
		450				455					460				
Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr
465					470				475						480
Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala
				485					490					495	
Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly
			500					505					510		
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys
		515					520						525		
Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala
		530					535					540			
His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly
545					550					555					560
Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys
				565					570					575	
Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn
			580						585				590		
Ile	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val
			595				600						605		
Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala
		610					615						620		

-continued

Ser Asn Lys Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 625 630 635 640
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 645 650 655
 Ile Ala Ser Asn Lys Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 660 665 670
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 675 680 685
 Val Ala Ile Ala Ser Asn Lys Gly Gly Lys Gln Ala Leu Glu Thr Val
 690 695 700
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 705 710 715 720
 Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 725 730 735
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 740 745 750
 Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala
 755 760 765
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 770 775 780
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Arg
 785 790 795 800
 Pro Ala Leu Glu Ser Ile Val Ala Gln Leu Ser Arg Pro Asp Pro Ala
 805 810 815
 Leu Ala Ala Leu Thr Asn Asp His Leu Val Ala Leu Ala Cys Leu Gly
 820 825 830
 Gly Arg Pro Ala Leu Asp Ala Val Lys Lys Gly Leu Pro His Ala Pro
 835 840 845
 Ala Leu Ile Lys Arg Thr Asn Arg Arg Ile Pro Glu Arg Thr Ser His
 850 855 860
 Arg Val Ala Asp His Ala Gln Val Val Arg Val Leu Gly Phe Phe Gln
 865 870 875 880
 Cys His Ser His Pro Ala Gln Ala Phe Asp Asp Ala Met Thr Gln Phe
 885 890 895
 Gly Met Ser Arg His Gly Leu Leu Gln Leu Phe Arg Arg Val Gly Val
 900 905 910
 Thr Glu Leu Glu Ala Arg Ser Gly Thr Leu Pro Pro Ala Ser Gln Arg
 915 920 925
 Trp Asp Arg Ile Leu Gln Ala Ser Gly Met Lys Arg Ala Lys Pro Ser
 930 935 940
 Pro Thr Ser Thr Gln Thr Pro Asp Gln Ala Ser Leu His Ala Phe Ala
 945 950 955 960
 Asp Ser Leu Glu Arg Asp Leu Asp Ala Pro Ser Pro Met His Glu Gly
 965 970 975
 Asp Gln Thr Arg Ala Ser Ala Ser Pro Lys Lys Lys Arg Lys Val Glu
 980 985 990
 Ala Ser Gly Ser Gly Arg Ala Asp Ala Leu Asp Asp Phe Asp Leu Asp
 995 1000 1005
 Met Leu Gly Ser Asp Ala Leu Asp Asp Phe Asp Leu Asp Met Leu
 1010 1015 1020
 Gly Ser Asp Ala Leu Asp Asp Phe Asp Leu Asp Met Leu Gly Ser

-continued

1025	1030	1035
Asp Ala Leu Asp Asp Phe Asp Leu Asp Met Leu Ile Asn		
1040	1045	1050

<210> SEQ ID NO 44
 <211> LENGTH: 1051
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 44

Met Ser Arg Thr Arg Leu Pro Ser Pro Pro Ala Pro Ser Pro Ala Phe		
1	5	10 15
Ser Ala Asp Ser Phe Ser Asp Leu Leu Arg Gln Phe Asp Pro Ser Leu		
	20	25 30
Phe Asn Thr Ser Leu Phe Asp Ser Leu Pro Pro Phe Gly Ala His His		
	35	40 45
Thr Glu Ala Ala Thr Gly Glu Trp Asp Glu Val Gln Ser Gly Leu Arg		
	50	55 60
Ala Ala Asp Ala Pro Pro Pro Thr Met Arg Val Ala Val Thr Ala Ala		
65	70	75 80
Arg Pro Pro Arg Ala Lys Pro Ala Pro Arg Arg Arg Ala Ala Gln Pro		
	85	90 95
Ser Asp Ala Ser Pro Ala Ala Gln Val Asp Leu Arg Thr Leu Gly Tyr		
	100	105 110
Ser Gln Gln Gln Gln Glu Lys Ile Lys Pro Lys Val Arg Ser Thr Val		
	115	120 125
Ala Gln His His Glu Ala Leu Val Gly His Gly Phe Thr His Ala His		
	130	135 140
Ile Val Ala Leu Ser Gln His Pro Ala Ala Leu Gly Thr Val Ala Val		
145	150	155 160
Lys Tyr Gln Asp Met Ile Ala Ala Leu Pro Glu Ala Thr His Glu Ala		
	165	170 175
Ile Val Gly Val Gly Lys Gln Trp Ser Gly Ala Arg Ala Leu Glu Ala		
	180	185 190
Leu Leu Thr Val Ala Gly Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp		
	195	200 205
Thr Gly Gln Leu Leu Lys Ile Ala Lys Arg Gly Gly Val Thr Ala Val		
	210	215 220
Glu Ala Val His Ala Trp Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn		
225	230	235 240
Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn His Gly Gly Lys		
	245	250 255
Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala		
	260	265 270
His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn His Gly		
	275	280 285
Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys		
	290	295 300
Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn		
305	310	315 320
Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val		

-continued

325					330					335					
Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala
			340					345					350		
Ser	Asn	Ile	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu
	355					360						365			
Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala
	370					375					380				
Ile	Ala	Ser	Asn	His	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg
385				390						395					400
Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val
				405					410					415	
Val	Ala	Ile	Ala	Ser	Asn	Ile	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val
			420					425					430		
Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu
	435						440					445			
Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu
	450					455					460				
Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr
465				470					475						480
Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala
				485					490					495	
Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly
			500					505					510		
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys
	515						520					525			
Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala
	530					535					540				
His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly
545					550					555					560
Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys
				565					570					575	
Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn
			580					585					590		
Ile	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val
	595						600					605			
Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala
	610					615					620				
Ser	Asn	His	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu
625					630					635					640
Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala
				645					650					655	
Ile	Ala	Ser	Asn	His	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg
			660					665						670	
Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val
	675						680					685			
Val	Ala	Ile	Ala	Ser	Asn	His	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val
	690					695					700				
Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu
705					710					715					720
Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu
				725					730						735

-continued

Phe	Asn	Thr	Ser	Leu	Phe	Asp	Ser	Leu	Pro	Pro	Phe	Gly	Ala	His	His	
	35						40					45				
Thr	Glu	Ala	Ala	Thr	Gly	Glu	Trp	Asp	Glu	Val	Gln	Ser	Gly	Leu	Arg	
	50					55					60					
Ala	Ala	Asp	Ala	Pro	Pro	Pro	Thr	Met	Arg	Val	Ala	Val	Thr	Ala	Ala	
65					70					75					80	
Arg	Pro	Pro	Arg	Ala	Lys	Pro	Ala	Pro	Arg	Arg	Arg	Ala	Ala	Gln	Pro	
				85					90					95		
Ser	Asp	Ala	Ser	Pro	Ala	Ala	Gln	Val	Asp	Leu	Arg	Thr	Leu	Gly	Tyr	
			100					105					110			
Ser	Gln	Gln	Gln	Gln	Glu	Lys	Ile	Lys	Pro	Lys	Val	Arg	Ser	Thr	Val	
	115					120						125				
Ala	Gln	His	His	Glu	Ala	Leu	Val	Gly	His	Gly	Phe	Thr	His	Ala	His	
	130					135					140					
Ile	Val	Ala	Leu	Ser	Gln	His	Pro	Ala	Ala	Leu	Gly	Thr	Val	Ala	Val	
145					150					155					160	
Lys	Tyr	Gln	Asp	Met	Ile	Ala	Ala	Leu	Pro	Glu	Ala	Thr	His	Glu	Ala	
				165					170					175		
Ile	Val	Gly	Val	Gly	Lys	Gln	Trp	Ser	Gly	Ala	Arg	Ala	Leu	Glu	Ala	
		180						185					190			
Leu	Leu	Thr	Val	Ala	Gly	Glu	Leu	Arg	Gly	Pro	Pro	Leu	Gln	Leu	Asp	
		195					200					205				
Thr	Gly	Gln	Leu	Leu	Lys	Ile	Ala	Lys	Arg	Gly	Gly	Val	Thr	Ala	Val	
	210					215					220					
Glu	Ala	Val	His	Ala	Trp	Arg	Asn	Ala	Leu	Thr	Gly	Ala	Pro	Leu	Asn	
225					230					235					240	
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asn	Gly	Gly	Lys	
				245					250					255		
Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	
		260						265					270			
His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asn	Gly	
		275					280					285				
Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	
	290					295					300					
Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	
305					310					315					320	
Gly	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	
				325					330					335		
Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	
		340						345					350			
Ser	Asn	Ile	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	
	355						360						365			
Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	
	370					375						380				
Ile	Ala	Ser	His	Asn	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	
385					390					395					400	
Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	
				405					410					415		
Val	Ala	Ile	Ala	Ser	Asn	Ile	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	
		420						425						430		
Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	
	435						440						445			

-continued

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 450 455 460
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 465 470 475 480
 Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 485 490 495
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 500 505 510
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 515 520 525
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 530 535 540
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly
 545 550 555 560
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 565 570 575
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 580 585 590
 Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 595 600 605
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 610 615 620
 Ser His Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 625 630 635 640
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 645 650 655
 Ile Ala Ser His Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 660 665 670
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 675 680 685
 Val Ala Ile Ala Ser His Asn Gly Gly Lys Gln Ala Leu Glu Thr Val
 690 695 700
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 705 710 715 720
 Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 725 730 735
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 740 745 750
 Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala
 755 760 765
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 770 775 780
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Arg
 785 790 795 800
 Pro Ala Leu Glu Ser Ile Val Ala Gln Leu Ser Arg Pro Asp Pro Ala
 805 810 815
 Leu Ala Ala Leu Thr Asn Asp His Leu Val Ala Leu Ala Cys Leu Gly
 820 825 830
 Gly Arg Pro Ala Leu Asp Ala Val Lys Lys Gly Leu Pro His Ala Pro
 835 840 845
 Ala Leu Ile Lys Arg Thr Asn Arg Arg Ile Pro Glu Arg Thr Ser His

-continued

850	855	860
Arg Val Ala Asp His	Ala Gln Val Val Arg	Val Leu Gly Phe Phe Gln
865	870	875 880
Cys His Ser His Pro	Ala Gln Ala Phe Asp	Ala Met Thr Gln Phe
	885	890 895
Gly Met Ser Arg His	Gly Leu Leu Gln Leu Phe	Arg Arg Val Gly Val
	900	905 910
Thr Glu Leu Glu Ala	Arg Ser Gly Thr Leu Pro	Pro Ala Ser Gln Arg
	915	920 925
Trp Asp Arg Ile Leu	Gln Ala Ser Gly Met	Lys Arg Ala Lys Pro Ser
	930	935 940
Pro Thr Ser Thr Gln	Thr Pro Asp Gln Ala	Ser Leu His Ala Phe Ala
	945	950 955 960
Asp Ser Leu Glu Arg	Asp Leu Asp Ala Pro	Ser Pro Met His Glu Gly
	965	970 975
Asp Gln Thr Arg Ala	Ser Ala Ser Pro Lys	Lys Lys Arg Lys Val Glu
	980	985 990
Ala Ser Gly Ser Gly	Arg Ala Asp Ala Leu	Asp Asp Phe Asp Leu Asp
	995	1000 1005
Met Leu Gly Ser Asp	Ala Leu Asp Asp Phe	Asp Leu Asp Met Leu
	1010	1015 1020
Gly Ser Asp Ala Leu	Asp Asp Phe Asp Leu	Asp Met Leu Gly Ser
	1025	1030 1035
Asp Ala Leu Asp Asp	Phe Asp Leu Asp Met	Leu Gly Ser
	1040	1045 1050

<210> SEQ ID NO 46

<211> LENGTH: 1023

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 46

Met Ser Arg Thr Arg	Leu Pro Ser Pro	Pro Ala Pro Ser	Pro Ala Phe
1	5	10	15
Ser Ala Asp Ser Phe	Ser Asp Leu Leu	Arg Gln Phe Asp	Pro Ser Leu
	20	25	30
Phe Asn Thr Ser Leu	Phe Asp Ser Leu	Pro Pro Phe Gly	Ala His His
	35	40	45
Thr Glu Ala Ala Thr	Gly Glu Trp Asp	Glu Val Gln Ser	Gly Leu Arg
	50	55	60
Ala Ala Asp Ala Pro	Pro Pro Thr Met	Arg Val Ala Val	Thr Ala Ala
	65	70	75
Arg Pro Pro Arg Ala	Lys Pro Ala Pro	Arg Arg Arg Ala	Ala Gln Pro
	85	90	95
Ser Asp Ala Ser Pro	Ala Ala Gln Val	Asp Leu Arg Thr	Leu Gly Tyr
	100	105	110
Ser Gln Gln Gln Gln	Glu Lys Ile Lys	Pro Lys Val Arg	Ser Thr Val
	115	120	125
Ala Gln His His Glu	Ala Leu Val Gly	His Gly Phe Thr	His Ala His
	130	135	140
Ile Val Ala Leu Ser	Gln His Pro Ala	Ala Leu Gly Thr	Val Ala Val

-continued

145	150	155	160
Lys Tyr Gln Asp Met Ile Ala Ala Leu Pro Glu Ala Thr His Glu Ala 165 170 175			
Ile Val Gly Val Gly Lys Gln Trp Ser Gly Ala Arg Ala Leu Glu Ala 180 185 190			
Leu Leu Thr Val Ala Gly Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp 195 200 205			
Thr Gly Gln Leu Leu Lys Ile Ala Lys Arg Gly Gly Val Thr Ala Val 210 215 220			
Glu Ala Val His Ala Trp Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn 225 230 235 240			
Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys 245 250 255			
Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala 260 265 270			
His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly 275 280 285			
Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys 290 295 300			
Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn 305 310 315 320			
Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val 325 330 335			
Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala 340 345 350			
Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu 355 360 365			
Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala 370 375 380			
Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg 385 390 395 400			
Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val 405 410 415			
Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val 420 425 430			
Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu 435 440 445			
Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu 450 455 460			
Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr 465 470 475 480			
Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala 485 490 495			
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly 500 505 510			
Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys 515 520 525			
Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala 530 535 540			
His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly 545 550 555 560			

-continued

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 565 570 575

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 580 585 590

Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 595 600 605

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 610 615 620

Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 625 630 635 640

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 645 650 655

Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 660 665 670

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 675 680 685

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 690 695 700

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 705 710 715 720

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 725 730 735

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 740 745 750

Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 755 760 765

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 770 775 780

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Arg
 785 790 795 800

Pro Ala Leu Glu Ser Ile Val Ala Gln Leu Ser Arg Pro Asp Pro Ala
 805 810 815

Leu Ala Ala Leu Thr Asn Asp His Leu Val Ala Leu Ala Cys Leu Gly
 820 825 830

Gly Arg Pro Ala Leu Asp Ala Val Lys Lys Gly Leu Pro His Ala Pro
 835 840 845

Ala Leu Ile Lys Arg Thr Asn Arg Arg Ile Pro Glu Arg Thr Ser His
 850 855 860

Arg Val Ala Asp His Ala Gln Val Val Arg Val Leu Gly Phe Phe Gln
 865 870 875 880

Cys His Ser His Pro Ala Gln Ala Phe Asp Asp Ala Met Thr Gln Phe
 885 890 895

Gly Met Ser Arg His Gly Leu Leu Gln Leu Phe Arg Arg Val Gly Val
 900 905 910

Thr Glu Leu Glu Ala Arg Ser Gly Thr Leu Pro Pro Ala Ser Gln Arg
 915 920 925

Trp Asp Arg Ile Leu Gln Ala Ser Gly Met Lys Arg Ala Lys Pro Ser
 930 935 940

Pro Thr Ser Thr Gln Thr Pro Asp Gln Ala Ser Leu His Ala Phe Ala
 945 950 955 960

Asp Ser Leu Glu Arg Asp Leu Asp Ala Pro Ser Pro Met His Glu Gly
 965 970 975

-continued

Asp Gln Thr Arg Ala Ser Ala Ser Pro Lys Lys Lys Arg Lys Val Glu
 980 985 990

Ala Ser Met Asn Ile Gln Met Leu Leu Glu Ala Ala Asp Tyr Leu Glu
 995 1000 1005

Arg Arg Glu Arg Glu Ala Glu His Gly Tyr Ala Ser Met Leu Pro
 1010 1015 1020

<210> SEQ ID NO 47
 <211> LENGTH: 1023
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 polypeptide

<400> SEQUENCE: 47

Met Ser Arg Thr Arg Leu Pro Ser Pro Pro Ala Pro Ser Pro Ala Phe
 1 5 10 15

Ser Ala Asp Ser Phe Ser Asp Leu Leu Arg Gln Phe Asp Pro Ser Leu
 20 25 30

Phe Asn Thr Ser Leu Phe Asp Ser Leu Pro Pro Phe Gly Ala His His
 35 40 45

Thr Glu Ala Ala Thr Gly Glu Trp Asp Glu Val Gln Ser Gly Leu Arg
 50 55 60

Ala Ala Asp Ala Pro Pro Pro Thr Met Arg Val Ala Val Thr Ala Ala
 65 70 75 80

Arg Pro Pro Arg Ala Lys Pro Ala Pro Arg Arg Arg Ala Ala Gln Pro
 85 90 95

Ser Asp Ala Ser Pro Ala Ala Gln Val Asp Leu Arg Thr Leu Gly Tyr
 100 105 110

Ser Gln Gln Gln Gln Glu Lys Ile Lys Pro Lys Val Arg Ser Thr Val
 115 120 125

Ala Gln His His Glu Ala Leu Val Gly His Gly Phe Thr His Ala His
 130 135 140

Ile Val Ala Leu Ser Gln His Pro Ala Ala Leu Gly Thr Val Ala Val
 145 150 155 160

Lys Tyr Gln Asp Met Ile Ala Ala Leu Pro Glu Ala Thr His Glu Ala
 165 170 175

Ile Val Gly Val Gly Lys Gln Trp Ser Gly Ala Arg Ala Leu Glu Ala
 180 185 190

Leu Leu Thr Val Ala Gly Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp
 195 200 205

Thr Gly Gln Leu Leu Lys Ile Ala Lys Arg Gly Gly Val Thr Ala Val
 210 215 220

Glu Ala Val His Ala Trp Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn
 225 230 235 240

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys
 245 250 255

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 260 265 270

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Lys Gly
 275 280 285

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 290 295 300

-continued

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 305 310 315 320
 Lys Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 325 330 335
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 340 345 350
 Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 355 360 365
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 370 375 380
 Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 385 390 395 400
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 405 410 415
 Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 420 425 430
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 435 440 445
 Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 450 455 460
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 465 470 475 480
 Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala
 485 490 495
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 500 505 510
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Lys Gly Gly Lys
 515 520 525
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 530 535 540
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
 545 550 555 560
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 565 570 575
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 580 585 590
 Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 595 600 605
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 610 615 620
 Ser Asn Lys Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 625 630 635 640
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 645 650 655
 Ile Ala Ser Asn Lys Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 660 665 670
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 675 680 685
 Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 690 695 700
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu

-continued

```

705          710          715          720
Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
      725          730          735
Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
      740          745          750
Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
      755          760          765
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
      770          775          780
Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Arg
      785          790          795          800
Pro Ala Leu Glu Ser Ile Val Ala Gln Leu Ser Arg Pro Asp Pro Ala
      805          810          815
Leu Ala Ala Leu Thr Asn Asp His Leu Val Ala Leu Ala Cys Leu Gly
      820          825          830
Gly Arg Pro Ala Leu Asp Ala Val Lys Lys Gly Leu Pro His Ala Pro
      835          840          845
Ala Leu Ile Lys Arg Thr Asn Arg Arg Ile Pro Glu Arg Thr Ser His
      850          855          860
Arg Val Ala Asp His Ala Gln Val Val Arg Val Leu Gly Phe Phe Gln
      865          870          875          880
Cys His Ser His Pro Ala Gln Ala Phe Asp Asp Ala Met Thr Gln Phe
      885          890          895
Gly Met Ser Arg His Gly Leu Leu Gln Leu Phe Arg Arg Val Gly Val
      900          905          910
Thr Glu Leu Glu Ala Arg Ser Gly Thr Leu Pro Pro Ala Ser Gln Arg
      915          920          925
Trp Asp Arg Ile Leu Gln Ala Ser Gly Met Lys Arg Ala Lys Pro Ser
      930          935          940
Pro Thr Ser Thr Gln Thr Pro Asp Gln Ala Ser Leu His Ala Phe Ala
      945          950          955          960
Asp Ser Leu Glu Arg Asp Leu Asp Ala Pro Ser Pro Met His Glu Gly
      965          970          975
Asp Gln Thr Arg Ala Ser Ala Ser Pro Lys Lys Lys Arg Lys Val Glu
      980          985          990
Ala Ser Met Asn Ile Gln Met Leu Leu Glu Ala Ala Asp Tyr Leu Glu
      995          1000          1005
Arg Arg Glu Arg Glu Ala Glu His Gly Tyr Ala Ser Met Leu Pro
      1010          1015          1020

```

<210> SEQ ID NO 48

<211> LENGTH: 1023

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 48

```

Met Ser Arg Thr Arg Leu Pro Ser Pro Pro Ala Pro Ser Pro Ala Phe
1          5          10          15
Ser Ala Asp Ser Phe Ser Asp Leu Leu Arg Gln Phe Asp Pro Ser Leu
20         25         30
Phe Asn Thr Ser Leu Phe Asp Ser Leu Pro Pro Phe Gly Ala His His

```

-continued

35				40				45							
Thr	Glu	Ala	Ala	Thr	Gly	Glu	Trp	Asp	Glu	Val	Gln	Ser	Gly	Leu	Arg
50					55					60					
Ala	Ala	Asp	Ala	Pro	Pro	Thr	Met	Arg	Val	Ala	Val	Thr	Ala	Ala	
65				70					75					80	
Arg	Pro	Pro	Arg	Ala	Lys	Pro	Ala	Pro	Arg	Arg	Ala	Ala	Gln	Pro	
			85						90				95		
Ser	Asp	Ala	Ser	Pro	Ala	Ala	Gln	Val	Asp	Leu	Arg	Thr	Leu	Gly	Tyr
		100							105				110		
Ser	Gln	Gln	Gln	Gln	Glu	Lys	Ile	Lys	Pro	Lys	Val	Arg	Ser	Thr	Val
		115					120						125		
Ala	Gln	His	His	Glu	Ala	Leu	Val	Gly	His	Gly	Phe	Thr	His	Ala	His
		130				135					140				
Ile	Val	Ala	Leu	Ser	Gln	His	Pro	Ala	Ala	Leu	Gly	Thr	Val	Ala	Val
					150					155					160
Lys	Tyr	Gln	Asp	Met	Ile	Ala	Ala	Leu	Pro	Glu	Ala	Thr	His	Glu	Ala
			165						170					175	
Ile	Val	Gly	Val	Gly	Lys	Gln	Trp	Ser	Gly	Ala	Arg	Ala	Leu	Glu	Ala
		180							185				190		
Leu	Leu	Thr	Val	Ala	Gly	Glu	Leu	Arg	Gly	Pro	Pro	Leu	Gln	Leu	Asp
		195					200						205		
Thr	Gly	Gln	Leu	Leu	Lys	Ile	Ala	Lys	Arg	Gly	Gly	Val	Thr	Ala	Val
		210					215				220				
Glu	Ala	Val	His	Ala	Trp	Arg	Asn	Ala	Leu	Thr	Gly	Ala	Pro	Leu	Asn
					230					235					240
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys
			245						250					255	
Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala
		260							265				270		
His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	His	Gly
		275					280						285		
Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys
		290				295				300					
Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn
					310					315					320
His	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val
			325						330					335	
Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala
		340							345				350		
Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu
		355					360						365		
Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala
		370					375				380				
Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg
					390					395					400
Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val
			405						410					415	
Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val
			420						425					430	
Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu
		435					440							445	

-continued

Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	450	455	460	
Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	465	470	475	480
Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys	Gln	Ala	485	490	495	
Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	500	505	510	
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	His	Gly	Gly	Lys	515	520	525	
Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	530	535	540	
His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	545	550	555	560
Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	565	570	575	
Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	580	585	590	
Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	595	600	605	
Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	610	615	620	
Ser	Asn	His	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	625	630	635	640
Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	645	650	655	
Ile	Ala	Ser	Asn	His	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	660	665	670	
Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	675	680	685	
Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	690	695	700	
Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	705	710	715	720
Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	725	730	735	
Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	740	745	750	
Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	755	760	765	
Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	770	775	780	
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Ile	Gly	Gly	Arg	785	790	795	800
Pro	Ala	Leu	Glu	Ser	Ile	Val	Ala	Gln	Leu	Ser	Arg	Pro	Asp	Pro	Ala	805	810	815	
Leu	Ala	Ala	Leu	Thr	Asn	Asp	His	Leu	Val	Ala	Leu	Ala	Cys	Leu	Gly	820	825	830	
Gly	Arg	Pro	Ala	Leu	Asp	Ala	Val	Lys	Lys	Gly	Leu	Pro	His	Ala	Pro	835	840	845	
Ala	Leu	Ile	Lys	Arg	Thr	Asn	Arg	Arg	Ile	Pro	Glu	Arg	Thr	Ser	His	850	855	860	

-continued

Arg Val Ala Asp His Ala Gln Val Val Arg Val Leu Gly Phe Phe Gln
 865 870 875 880

Cys His Ser His Pro Ala Gln Ala Phe Asp Asp Ala Met Thr Gln Phe
 885 890 895

Gly Met Ser Arg His Gly Leu Leu Gln Leu Phe Arg Arg Val Gly Val
 900 905 910

Thr Glu Leu Glu Ala Arg Ser Gly Thr Leu Pro Pro Ala Ser Gln Arg
 915 920 925

Trp Asp Arg Ile Leu Gln Ala Ser Gly Met Lys Arg Ala Lys Pro Ser
 930 935 940

Pro Thr Ser Thr Gln Thr Pro Asp Gln Ala Ser Leu His Ala Phe Ala
 945 950 955 960

Asp Ser Leu Glu Arg Asp Leu Asp Ala Pro Ser Pro Met His Glu Gly
 965 970 975

Asp Gln Thr Arg Ala Ser Ala Ser Pro Lys Lys Lys Arg Lys Val Glu
 980 985 990

Ala Ser Met Asn Ile Gln Met Leu Leu Glu Ala Ala Asp Tyr Leu Glu
 995 1000 1005

Arg Arg Glu Arg Glu Ala Glu His Gly Tyr Ala Ser Met Leu Pro
 1010 1015 1020

<210> SEQ ID NO 49
 <211> LENGTH: 29
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 peptide

<400> SEQUENCE: 49

Met Asn Ile Gln Met Leu Leu Glu Ala Ala Asp Tyr Leu Glu Arg Arg
 1 5 10 15

Glu Arg Glu Ala Glu His Gly Tyr Ala Ser Met Leu Pro
 20 25

<210> SEQ ID NO 50
 <211> LENGTH: 127
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 polypeptide

<400> SEQUENCE: 50

Met Asn Ile Gln Met Leu Leu Glu Ala Ala Asp Tyr Leu Glu Arg Arg
 1 5 10 15

Glu Arg Glu Ala Glu His Gly Tyr Ala Ser Met Leu Pro Gly Ser Gly
 20 25 30

Met Asn Ile Gln Met Leu Leu Glu Ala Ala Asp Tyr Leu Glu Arg Arg
 35 40 45

Glu Arg Glu Ala Glu His Gly Tyr Ala Ser Met Leu Pro Gly Ser Gly
 50 55 60

Met Asn Ile Gln Met Leu Leu Glu Ala Ala Asp Tyr Leu Glu Arg Arg
 65 70 75 80

Glu Arg Glu Ala Glu His Gly Tyr Ala Ser Met Leu Pro Gly Ser Gly
 85 90 95

-continued

Met Asn Ile Gln Met Leu Leu Glu Ala Ala Asp Tyr Leu Glu Arg Arg
 100 105 110

Glu Arg Glu Ala Glu His Gly Tyr Ala Ser Met Leu Pro Ser Arg
 115 120 125

<210> SEQ ID NO 51

<211> LENGTH: 1119

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 51

Met Ser Arg Thr Arg Leu Pro Ser Pro Pro Ala Pro Ser Pro Ala Phe
 1 5 10 15

Ser Ala Asp Ser Phe Ser Asp Leu Leu Arg Gln Phe Asp Pro Ser Leu
 20 25 30

Phe Asn Thr Ser Leu Phe Asp Ser Leu Pro Pro Phe Gly Ala His His
 35 40 45

Thr Glu Ala Ala Thr Gly Glu Trp Asp Glu Val Gln Ser Gly Leu Arg
 50 55 60

Ala Ala Asp Ala Pro Pro Thr Met Arg Val Ala Val Thr Ala Ala
 65 70 75 80

Arg Pro Pro Arg Ala Lys Pro Ala Pro Arg Arg Ala Ala Gln Pro
 85 90 95

Ser Asp Ala Ser Pro Ala Ala Gln Val Asp Leu Arg Thr Leu Gly Tyr
 100 105 110

Ser Gln Gln Gln Gln Glu Lys Ile Lys Pro Lys Val Arg Ser Thr Val
 115 120 125

Ala Gln His His Glu Ala Leu Val Gly His Gly Phe Thr His Ala His
 130 135 140

Ile Val Ala Leu Ser Gln His Pro Ala Ala Leu Gly Thr Val Ala Val
 145 150 155 160

Lys Tyr Gln Asp Met Ile Ala Ala Leu Pro Glu Ala Thr His Glu Ala
 165 170 175

Ile Val Gly Val Gly Lys Gln Trp Ser Gly Ala Arg Ala Leu Glu Ala
 180 185 190

Leu Leu Thr Val Ala Gly Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp
 195 200 205

Thr Gly Gln Leu Leu Lys Ile Ala Lys Arg Gly Gly Val Thr Ala Val
 210 215 220

Glu Ala Val His Ala Trp Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn
 225 230 235 240

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
 245 250 255

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 260 265 270

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
 275 280 285

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 290 295 300

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 305 310 315 320

-continued

Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 325 330 335

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 340 345 350

Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 355 360 365

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 370 375 380

Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 385 390 395 400

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 405 410 415

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 420 425 430

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 435 440 445

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 450 455 460

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 465 470 475 480

Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 485 490 495

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 500 505 510

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 515 520 525

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 530 535 540

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
 545 550 555 560

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 565 570 575

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 580 585 590

Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 595 600 605

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 610 615 620

Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 625 630 635 640

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 645 650 655

Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 660 665 670

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 675 680 685

Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val
 690 695 700

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 705 710 715 720

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 725 730 735

-continued

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 740 745 750
 Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala
 755 760 765
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 770 775 780
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys
 785 790 795 800
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 805 810 815
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
 820 825 830
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 835 840 845
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 850 855 860
 Gly Gly Gly Arg Pro Ala Leu Glu Ser Ile Val Ala Gln Leu Ser Arg
 865 870 875 880
 Pro Asp Pro Ala Leu Ala Ala Leu Thr Asn Asp His Leu Val Ala Leu
 885 890 895
 Ala Cys Leu Gly Gly Arg Pro Ala Leu Asp Ala Val Lys Lys Gly Leu
 900 905 910
 Pro His Ala Pro Ala Leu Ile Lys Arg Thr Asn Arg Arg Ile Pro Glu
 915 920 925
 Arg Thr Ser His Arg Val Ala Asp His Ala Gln Val Val Arg Val Leu
 930 935 940
 Gly Phe Phe Gln Cys His Ser His Pro Ala Gln Ala Phe Asp Asp Ala
 945 950 955 960
 Met Thr Gln Phe Gly Met Ser Arg His Gly Leu Leu Gln Leu Phe Arg
 965 970 975
 Arg Val Gly Val Thr Glu Leu Glu Ala Arg Ser Gly Thr Leu Pro Pro
 980 985 990
 Ala Ser Gln Arg Trp Asp Arg Ile Leu Gln Ala Ser Gly Met Lys Arg
 995 1000 1005
 Ala Lys Pro Ser Pro Thr Ser Thr Gln Thr Pro Asp Gln Ala Ser
 1010 1015 1020
 Leu His Ala Phe Ala Asp Ser Leu Glu Arg Asp Leu Asp Ala Pro
 1025 1030 1035
 Ser Pro Met His Glu Gly Asp Gln Thr Arg Ala Ser Ala Ser Pro
 1040 1045 1050
 Lys Lys Lys Arg Lys Val Glu Ala Ser Gly Ser Gly Arg Ala Asp
 1055 1060 1065
 Ala Leu Asp Asp Phe Asp Leu Asp Met Leu Gly Ser Asp Ala Leu Asp
 1070 1075 1080
 Asp Asp Phe Asp Leu Asp Met Leu Gly Ser Asp Ala Leu Asp Asp
 1085 1090 1095
 Phe Asp Leu Asp Met Leu Gly Ser Asp Ala Leu Asp Asp Phe Asp
 1100 1105 1110
 Leu Asp Met Leu Ile Asn
 1115

-continued

```

<210> SEQ ID NO 52
<211> LENGTH: 991
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polypeptide

<400> SEQUENCE: 52

Met Val Asp Leu Arg Thr Leu Gly Tyr Ser Gln Gln Gln Gln Glu Lys
 1           5           10           15

Ile Lys Pro Lys Val Arg Ser Thr Val Ala Gln His His Glu Ala Leu
 20           25           30

Val Gly His Gly Phe Thr His Ala His Ile Val Ala Leu Ser Gln His
 35           40           45

Pro Ala Ala Leu Gly Thr Val Ala Val Lys Tyr Gln Asp Met Ile Ala
 50           55           60

Ala Leu Pro Glu Ala Thr His Glu Ala Ile Val Gly Val Gly Lys Gln
 65           70           75           80

Trp Ser Gly Ala Arg Ala Leu Glu Ala Leu Leu Thr Val Ala Gly Glu
 85           90           95

Leu Arg Gly Pro Pro Leu Gln Leu Asp Thr Gly Gln Leu Leu Lys Ile
 100          105          110

Ala Lys Arg Gly Gly Val Thr Ala Val Glu Ala Val His Ala Trp Arg
 115          120          125

Asn Ala Leu Thr Gly Ala Pro Leu Asn Leu Thr Pro Glu Gln Val Val
 130          135          140

Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln
 145          150          155          160

Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln
 165          170          175

Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr
 180          185          190

Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro
 195          200          205

Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu
 210          215          220

Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu
 225          230          235          240

Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln
 245          250          255

Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His
 260          265          270

Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly
 275          280          285

Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln
 290          295          300

Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp
 305          310          315          320

Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu
 325          330          335

Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser
 340          345          350

His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro

```

-continued

355					360					365					
Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile
370					375					380					
Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu
385					390					395					400
Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val
				405					410					415	
Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln
				420					425					430	
Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln
				435					440					445	
Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr
450					455					460					
Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro
465					470					475					480
Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu
				485					490					495	
Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu
				500					505					510	
Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Ile	Gly	Gly	Lys	Gln
				515					520					525	
Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His
530					535					540					
Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Asn	Gly	Gly
545					550					555					560
Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln
				565					570					575	
Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Asn
				580					585					590	
Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu
				595					600					605	
Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser
610					615					620					
His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro
625					630					635					640
Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile
				645					650					655	
Ala	Ser	Asn	Gly	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu
				660					665					670	
Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val
				675					680					685	
Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln
690					695					700					
Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln
705					710					715					720
Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr
				725					730					735	
Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro
				740					745					750	
Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Arg	Pro	Ala	Leu
				755					760					765	

-continued

Glu Ser Ile Val Ala Gln Leu Ser Arg Pro Asp Pro Ala Leu Ala Ala
 770 775 780
 Leu Thr Asn Asp His Leu Val Ala Leu Ala Cys Leu Gly Gly Arg Pro
 785 790 795 800
 Ala Leu Asp Ala Val Lys Lys Gly Leu Pro His Ala Pro Ala Leu Ile
 805 810 815
 Lys Arg Thr Asn Arg Arg Ile Pro Glu Arg Thr Ser His Arg Val Ala
 820 825 830
 Asp His Ala Gln Val Val Arg Val Leu Gly Phe Phe Gln Cys His Ser
 835 840 845
 His Pro Ala Gln Ala Phe Asp Asp Ala Met Thr Gln Phe Gly Met Ser
 850 855 860
 Arg His Gly Leu Leu Gln Leu Phe Arg Arg Val Gly Val Thr Glu Leu
 865 870 875 880
 Glu Ala Arg Ser Gly Thr Leu Pro Pro Ala Ser Gln Arg Trp Asp Arg
 885 890 895
 Ile Leu Gln Ala Ser Gly Met Lys Arg Ala Lys Pro Ser Pro Thr Ser
 900 905 910
 Thr Gln Thr Pro Asp Gln Ala Ser Leu His Ala Phe Ala Asp Ser Leu
 915 920 925
 Glu Arg Asp Leu Asp Ala Pro Ser Pro Met His Glu Gly Asp Gln Thr
 930 935 940
 Arg Ala Ser Ala Ser Pro Lys Lys Lys Arg Lys Val Glu Ala Ser Gly
 945 950 955 960
 Ser Gly Met Asn Ile Gln Met Leu Leu Glu Ala Ala Asp Tyr Leu Glu
 965 970 975
 Arg Arg Glu Arg Glu Ala Glu His Gly Tyr Ala Ser Met Leu Pro
 980 985 990

<210> SEQ ID NO 53

<211> LENGTH: 1089

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 53

Met Val Asp Leu Arg Thr Leu Gly Tyr Ser Gln Gln Gln Gln Glu Lys
 1 5 10 15
 Ile Lys Pro Lys Val Arg Ser Thr Val Ala Gln His His Glu Ala Leu
 20 25 30
 Val Gly His Gly Phe Thr His Ala His Ile Val Ala Leu Ser Gln His
 35 40 45
 Pro Ala Ala Leu Gly Thr Val Ala Val Lys Tyr Gln Asp Met Ile Ala
 50 55 60
 Ala Leu Pro Glu Ala Thr His Glu Ala Ile Val Gly Val Gly Lys Gln
 65 70 75 80
 Trp Ser Gly Ala Arg Ala Leu Glu Ala Leu Leu Thr Val Ala Gly Glu
 85 90 95
 Leu Arg Gly Pro Pro Leu Gln Leu Asp Thr Gly Gln Leu Leu Lys Ile
 100 105 110
 Ala Lys Arg Gly Gly Val Thr Ala Val Glu Ala Val His Ala Trp Arg
 115 120 125

-continued

Asn	Ala	Leu	Thr	Gly	Ala	Pro	Leu	Asn	Leu	Thr	Pro	Glu	Gln	Val	Val	130	135	140	
Ala	Ile	Ala	Ser	Asn	Asn	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	145	150	155	160
Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	165	170	175	
Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	180	185	190	
Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	195	200	205	
Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	210	215	220	
Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	225	230	235	240
Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys	Gln	245	250	255	
Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	260	265	270	
Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Asn	Gly	Gly	275	280	285	
Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	290	295	300	
Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	305	310	315	320
Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	325	330	335	
Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	340	345	350	
His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	355	360	365	
Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	370	375	380	
Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	385	390	395	400
Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	405	410	415	
Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	420	425	430	
Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	435	440	445	
Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	450	455	460	
Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	465	470	475	480
Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	485	490	495	
Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	500	505	510	
Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Ile	Gly	Gly	Lys	Gln	515	520	525	
Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	530	535	540	

-continued

Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly
 545 550 555 560
 Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln
 565 570 575
 Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn
 580 585 590
 Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu
 595 600 605
 Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser
 610 615 620
 His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro
 625 630 635 640
 Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile
 645 650 655
 Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu
 660 665 670
 Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val
 675 680 685
 Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln
 690 695 700
 Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln
 705 710 715 720
 Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr
 725 730 735
 Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro
 740 745 750
 Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Arg Pro Ala Leu
 755 760 765
 Glu Ser Ile Val Ala Gln Leu Ser Arg Pro Asp Pro Ala Leu Ala Ala
 770 775 780
 Leu Thr Asn Asp His Leu Val Ala Leu Ala Cys Leu Gly Gly Arg Pro
 785 790 795 800
 Ala Leu Asp Ala Val Lys Lys Gly Leu Pro His Ala Pro Ala Leu Ile
 805 810 815
 Lys Arg Thr Asn Arg Arg Ile Pro Glu Arg Thr Ser His Arg Val Ala
 820 825 830
 Asp His Ala Gln Val Val Arg Val Leu Gly Phe Phe Gln Cys His Ser
 835 840 845
 His Pro Ala Gln Ala Phe Asp Asp Ala Met Thr Gln Phe Gly Met Ser
 850 855 860
 Arg His Gly Leu Leu Gln Leu Phe Arg Arg Val Gly Val Thr Glu Leu
 865 870 875 880
 Glu Ala Arg Ser Gly Thr Leu Pro Pro Ala Ser Gln Arg Trp Asp Arg
 885 890 895
 Ile Leu Gln Ala Ser Gly Met Lys Arg Ala Lys Pro Ser Pro Thr Ser
 900 905 910
 Thr Gln Thr Pro Asp Gln Ala Ser Leu His Ala Phe Ala Asp Ser Leu
 915 920 925
 Glu Arg Asp Leu Asp Ala Pro Ser Pro Met His Glu Gly Asp Gln Thr
 930 935 940
 Arg Ala Ser Ala Ser Pro Lys Lys Lys Arg Lys Val Glu Ala Ser Gly

-continued

945				950					955				960		
Ser	Gly	Met	Asn	Ile	Gln	Met	Leu	Leu	Glu	Ala	Ala	Asp	Tyr	Leu	Glu
				965					970					975	
Arg	Arg	Glu	Arg	Glu	Ala	Glu	His	Gly	Tyr	Ala	Ser	Met	Leu	Pro	Gly
				980				985						990	
Ser	Gly	Met	Asn	Ile	Gln	Met	Leu	Leu	Glu	Ala	Ala	Asp	Tyr	Leu	Glu
				995			1000						1005		
Arg	Arg	Glu	Arg	Glu	Ala	Glu	His	Gly	Tyr	Ala	Ser	Met	Leu	Pro	
				1010			1015						1020		
Gly	Ser	Gly	Met	Asn	Ile	Gln	Met	Leu	Leu	Glu	Ala	Ala	Asp	Tyr	
				1025			1030						1035		
Leu	Glu	Arg	Arg	Glu	Arg	Glu	Ala	Glu	His	Gly	Tyr	Ala	Ser	Met	
				1040			1045						1050		
Leu	Pro	Gly	Ser	Gly	Met	Asn	Ile	Gln	Met	Leu	Leu	Glu	Ala	Ala	
				1055			1060						1065		
Asp	Tyr	Leu	Glu	Arg	Arg	Glu	Arg	Glu	Ala	Glu	His	Gly	Tyr	Ala	
				1070			1075						1080		
Ser	Met	Leu	Pro	Ser	Arg										
				1085											

<210> SEQ ID NO 54

<211> LENGTH: 1094

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 54

Met	Ser	Arg	Thr	Arg	Leu	Pro	Ser	Pro	Pro	Ala	Pro	Ser	Pro	Ala	Phe
1				5					10					15	
Ser	Ala	Asp	Ser	Phe	Ser	Asp	Leu	Leu	Arg	Gln	Phe	Asp	Pro	Ser	Leu
				20				25					30		
Phe	Asn	Thr	Ser	Leu	Phe	Asp	Ser	Leu	Pro	Pro	Phe	Gly	Ala	His	His
				35				40					45		
Thr	Glu	Ala	Ala	Thr	Gly	Glu	Trp	Asp	Glu	Val	Gln	Ser	Gly	Leu	Arg
				50			55						60		
Ala	Ala	Asp	Ala	Pro	Pro	Pro	Thr	Met	Arg	Val	Ala	Val	Thr	Ala	Ala
				65			70				75			80	
Arg	Pro	Pro	Arg	Ala	Lys	Pro	Ala	Pro	Arg	Arg	Arg	Ala	Ala	Gln	Pro
				85					90					95	
Ser	Asp	Ala	Ser	Pro	Ala	Ala	Gln	Val	Asp	Leu	Arg	Thr	Leu	Gly	Tyr
				100					105					110	
Ser	Gln	Gln	Gln	Gln	Glu	Lys	Ile	Lys	Pro	Lys	Val	Arg	Ser	Thr	Val
				115				120						125	
Ala	Gln	His	His	Glu	Ala	Leu	Val	Gly	His	Gly	Phe	Thr	His	Ala	His
				130			135						140		
Ile	Val	Ala	Leu	Ser	Gln	His	Pro	Ala	Ala	Leu	Gly	Thr	Val	Ala	Val
				145			150					155			160
Lys	Tyr	Gln	Asp	Met	Ile	Ala	Ala	Leu	Pro	Glu	Ala	Thr	His	Glu	Ala
				165					170					175	
Ile	Val	Gly	Val	Gly	Lys	Gln	Trp	Ser	Gly	Ala	Arg	Ala	Leu	Glu	Ala
				180				185						190	
Leu	Leu	Thr	Val	Ala	Gly	Glu	Leu	Arg	Gly	Pro	Pro	Leu	Gln	Leu	Asp

-continued

195				200				205							
Thr	Gly	Gln	Leu	Leu	Lys	Ile	Ala	Lys	Arg	Gly	Gly	Val	Thr	Ala	Val
210						215					220				
Glu	Ala	Val	His	Ala	Trp	Arg	Asn	Ala	Leu	Thr	Gly	Ala	Pro	Leu	Asn
225					230					235				240	
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Asn	Gly	Gly	Lys
				245					250				255		
Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala
			260						265				270		
His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly
		275					280					285			
Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys
		290				295					300				
Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His
305					310					315					320
Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val
				325					330					335	
Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala
			340						345				350		
Ser	Asn	Gly	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu
		355				360						365			
Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala
		370				375					380				
Ile	Ala	Ser	Asn	Asn	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg
385					390					395					400
Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val
				405					410					415	
Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val
			420						425				430		
Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu
		435					440				445				
Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu
		450				455					460				
Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr
465					470					475				480	
Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala
				485					490					495	
Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly
			500						505				510		
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys
		515					520					525			
Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala
		530				535					540				
His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly
545					550					555					560
Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys
				565					570					575	
Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His
			580						585					590	
Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val
			595				600							605	

-continued

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 610 615 620

Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 625 630 635 640

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 645 650 655

Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 660 665 670

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 675 680 685

Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val
 690 695 700

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 705 710 715 720

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 725 730 735

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 740 745 750

Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala
 755 760 765

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 770 775 780

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys
 785 790 795 800

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 805 810 815

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
 820 825 830

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 835 840 845

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 850 855 860

Asp Gly Gly Arg Pro Ala Leu Glu Ser Ile Val Ala Gln Leu Ser Arg
 865 870 875 880

Pro Asp Pro Ala Leu Ala Ala Leu Thr Asn Asp His Leu Val Ala Leu
 885 890 895

Ala Cys Leu Gly Gly Arg Pro Ala Leu Asp Ala Val Lys Lys Gly Leu
 900 905 910

Pro His Ala Pro Ala Leu Ile Lys Arg Thr Asn Arg Arg Ile Pro Glu
 915 920 925

Arg Thr Ser His Arg Val Ala Asp His Ala Gln Val Val Arg Val Leu
 930 935 940

Gly Phe Phe Gln Cys His Ser His Pro Ala Gln Ala Phe Asp Asp Ala
 945 950 955 960

Met Thr Gln Phe Gly Met Ser Arg His Gly Leu Leu Gln Leu Phe Arg
 965 970 975

Arg Val Gly Val Thr Glu Leu Glu Ala Arg Ser Gly Thr Leu Pro Pro
 980 985 990

Ala Ser Gln Arg Trp Asp Arg Ile Leu Gln Ala Ser Gly Met Lys Arg
 995 1000 1005

Ala Lys Pro Ser Pro Thr Ser Thr Gln Thr Pro Asp Gln Ala Ser
 1010 1015 1020

-continued

Leu His Ala Phe Ala Asp Ser Leu Glu Arg Asp Leu Asp Ala Pro
 1025 1030 1035

Ser Pro Met His Glu Gly Asp Gln Thr Arg Ala Ser Ala Ser Pro
 1040 1045 1050

Lys Lys Lys Arg Lys Val Glu Ala Ser Gly Ser Gly Met Asn Ile
 1055 1060 1065

Gln Met Leu Leu Glu Ala Ala Asp Tyr Leu Glu Arg Arg Glu Arg
 1070 1075 1080

Glu Ala Glu His Gly Tyr Ala Ser Met Leu Pro
 1085 1090

<210> SEQ ID NO 55
 <211> LENGTH: 1192
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 polypeptide

<400> SEQUENCE: 55

Met Ser Arg Thr Arg Leu Pro Ser Pro Pro Ala Pro Ser Pro Ala Phe
 1 5 10 15

Ser Ala Asp Ser Phe Ser Asp Leu Leu Arg Gln Phe Asp Pro Ser Leu
 20 25 30

Phe Asn Thr Ser Leu Phe Asp Ser Leu Pro Pro Phe Gly Ala His His
 35 40 45

Thr Glu Ala Ala Thr Gly Glu Trp Asp Glu Val Gln Ser Gly Leu Arg
 50 55 60

Ala Ala Asp Ala Pro Pro Pro Thr Met Arg Val Ala Val Thr Ala Ala
 65 70 75 80

Arg Pro Pro Arg Ala Lys Pro Ala Pro Arg Arg Arg Ala Ala Gln Pro
 85 90 95

Ser Asp Ala Ser Pro Ala Ala Gln Val Asp Leu Arg Thr Leu Gly Tyr
 100 105 110

Ser Gln Gln Gln Gln Glu Lys Ile Lys Pro Lys Val Arg Ser Thr Val
 115 120 125

Ala Gln His His Glu Ala Leu Val Gly His Gly Phe Thr His Ala His
 130 135 140

Ile Val Ala Leu Ser Gln His Pro Ala Ala Leu Gly Thr Val Ala Val
 145 150 155 160

Lys Tyr Gln Asp Met Ile Ala Ala Leu Pro Glu Ala Thr His Glu Ala
 165 170 175

Ile Val Gly Val Gly Lys Gln Trp Ser Gly Ala Arg Ala Leu Glu Ala
 180 185 190

Leu Leu Thr Val Ala Gly Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp
 195 200 205

Thr Gly Gln Leu Leu Lys Ile Ala Lys Arg Gly Gly Val Thr Ala Val
 210 215 220

Glu Ala Val His Ala Trp Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn
 225 230 235 240

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
 245 250 255

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 260 265 270

-continued

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
 275 280 285
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 290 295 300
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 305 310 315 320
 Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 325 330 335
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 340 345 350
 Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 355 360 365
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 370 375 380
 Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 385 390 395 400
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 405 410 415
 Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 420 425 430
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 435 440 445
 Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 450 455 460
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 465 470 475 480
 Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 485 490 495
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 500 505 510
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 515 520 525
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 530 535 540
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
 545 550 555 560
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 565 570 575
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 580 585 590
 Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 595 600 605
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 610 615 620
 Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 625 630 635 640
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 645 650 655
 Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 660 665 670
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val

-continued

675					680					685					
Val	Ala	Ile	Ala	Ser	Asn	Asn	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val
690					695					700					
Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu
705					710					715					720
Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu
				725					730					735	
Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr
			740					745					750		
Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys	Gln	Ala
			755				760					765			
Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly
	770					775					780				
Leu	Thr	Pro	Glu	Gln	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	
	785					790					795			800	
Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala
				805					810					815	
His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly
			820					825					830		
Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys
		835					840					845			
Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His
		850					855					860			
Asp	Gly	Gly	Arg	Pro	Ala	Leu	Glu	Ser	Ile	Val	Ala	Gln	Leu	Ser	Arg
	865					870					875			880	
Pro	Asp	Pro	Ala	Leu	Ala	Ala	Leu	Thr	Asn	Asp	His	Leu	Val	Ala	Leu
				885					890					895	
Ala	Cys	Leu	Gly	Gly	Arg	Pro	Ala	Leu	Asp	Ala	Val	Lys	Lys	Gly	Leu
			900					905					910		
Pro	His	Ala	Pro	Ala	Leu	Ile	Lys	Arg	Thr	Asn	Arg	Arg	Ile	Pro	Glu
		915					920					925			
Arg	Thr	Ser	His	Arg	Val	Ala	Asp	His	Ala	Gln	Val	Val	Arg	Val	Leu
		930					935					940			
Gly	Phe	Phe	Gln	Cys	His	Ser	His	Pro	Ala	Gln	Ala	Phe	Asp	Asp	Ala
				945			950					955		960	
Met	Thr	Gln	Phe	Gly	Met	Ser	Arg	His	Gly	Leu	Leu	Gln	Leu	Phe	Arg
				965					970					975	
Arg	Val	Gly	Val	Thr	Glu	Leu	Glu	Ala	Arg	Ser	Gly	Thr	Leu	Pro	Pro
			980					985					990		
Ala	Ser	Gln	Arg	Trp	Asp	Arg	Ile	Leu	Gln	Ala	Ser	Gly	Met	Lys	Arg
			995				1000					1005			
Ala	Lys	Pro	Ser	Pro	Thr	Ser	Thr	Gln	Thr	Pro	Asp	Gln	Ala	Ser	
		1010					1015					1020			
Leu	His	Ala	Phe	Ala	Asp	Ser	Leu	Glu	Arg	Asp	Leu	Asp	Ala	Pro	
		1025					1030					1035			
Ser	Pro	Met	His	Glu	Gly	Asp	Gln	Thr	Arg	Ala	Ser	Ala	Ser	Pro	
		1040					1045					1050			
Lys	Lys	Lys	Arg	Lys	Val	Glu	Ala	Ser	Gly	Ser	Gly	Met	Asn	Ile	
		1055					1060					1065			
Gln	Met	Leu	Leu	Glu	Ala	Ala	Asp	Tyr	Leu	Glu	Arg	Arg	Glu	Arg	
				1070			1075					1080			

-continued

Glu Ala Glu His Gly Tyr Ala Ser Met Leu Pro Gly Ser Gly Met
 1085 1090 1095

Asn Ile Gln Met Leu Leu Glu Ala Ala Asp Tyr Leu Glu Arg Arg
 1100 1105 1110

Glu Arg Glu Ala Glu His Gly Tyr Ala Ser Met Leu Pro Gly Ser
 1115 1120 1125

Gly Met Asn Ile Gln Met Leu Leu Glu Ala Ala Asp Tyr Leu Glu
 1130 1135 1140

Arg Arg Glu Arg Glu Ala Glu His Gly Tyr Ala Ser Met Leu Pro
 1145 1150 1155

Gly Ser Gly Met Asn Ile Gln Met Leu Leu Glu Ala Ala Asp Tyr
 1160 1165 1170

Leu Glu Arg Arg Glu Arg Glu Ala Glu His Gly Tyr Ala Ser Met
 1175 1180 1185

Leu Pro Ser Arg
 1190

<210> SEQ ID NO 56
 <211> LENGTH: 14
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 oligonucleotide

<400> SEQUENCE: 56

ttcttaatta taac 14

<210> SEQ ID NO 57
 <211> LENGTH: 14
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 oligonucleotide

<400> SEQUENCE: 57

ttcttttta taac 14

<210> SEQ ID NO 58
 <211> LENGTH: 14
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 oligonucleotide

<400> SEQUENCE: 58

ttcttggtta taac 14

<210> SEQ ID NO 59
 <211> LENGTH: 14
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 oligonucleotide

<400> SEQUENCE: 59

ttcttcctta taac 14

-continued

```

<210> SEQ ID NO 60
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 60
tcaacccta ccaaccca 18

<210> SEQ ID NO 61
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 61
taataaacct taaaacta 18

<210> SEQ ID NO 62
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 62
tggtagacct tagggcta 18

<210> SEQ ID NO 63
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 63
tcggccctg ccggccca 18

<210> SEQ ID NO 64
<211> LENGTH: 14
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 64
tttattccct gacc 14

<210> SEQ ID NO 65
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 65
Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
1 5 10 15
Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
20 25 30
His Gly

<210> SEQ ID NO 66
<211> LENGTH: 102
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:

```

-continued

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 66

ctcaccaccag agcaggtcgt ggcaattgcg agcaacatcg ggggaaagca ggcactcgaa 60

accgtccaga ggttgctgcc tgtgctgtgc caagcgacg ga 102

<210> SEQ ID NO 67

<211> LENGTH: 102

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 67

ctcaccaccag agcaggtcgt ggcaattgcg agcaacggag ggggaaagca ggcactcgaa 60

accgtccaga ggttgctgcc tgtgctgtgc caagcgacg ga 102

<210> SEQ ID NO 68

<211> LENGTH: 102

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 68

ctcaccaccag agcaggtcgt ggcaattgcg agcaacaacg ggggaaagca ggcactcgaa 60

accgtccaga ggttgctgcc tgtgctgtgc caagcgacg ga 102

<210> SEQ ID NO 69

<211> LENGTH: 102

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 69

ctcaccaccag agcaggtcgt ggcaattgcg agccatgacg ggggaaagca ggcactcgaa 60

accgtccaga ggttgctgcc tgtgctgtgc caagcgacg ga 102

<210> SEQ ID NO 70

<211> LENGTH: 3782

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 70

atgtcgcgga cccggtcccc ttcccccccc gcaccagacc cagcgttttc ggcgactcg 60

ttctcagacc tgcttaggca gttcgacccc tcaactgtta acacatcgtt gttcgactcc 120

cttctccgtt ttggggcgca ccatacggag gcggccaccg gggagtggga tgaggtgcag 180

tcgggattga gagctcgcgga tgcaccaccc ccaaccatgc gggtagccgt caccgctgcc 240

cgaccgccga gggcgaagcc cgcaccaagc cggagggcag cgcaaccgtc cgacgcaagc 300

cccgcagcgc aagtagatgtt gagaactttg ggatattcac agcagcagca ggaaaagatc 360

-continued

aagcccaaaag	tgaggctgac	agtcgogcag	catcacgaag	cgctggtggg	tcatgggttt	420
acacatgccc	acatcgtagc	cttgtogcag	cacctgcag	cccttgccac	ggtcgccgtc	480
aagtaccagg	acatgattgc	ggcgtgccc	gaagccacac	atgaggcgat	cgctgggtgtg	540
gggaaacagt	ggagcggagc	ccgagcgctt	gaggccctgt	tgacggctgc	gggagagctg	600
agagggcctc	cccttcagct	ggacacgggc	cagttgctga	agatcgcgaa	gcggggagga	660
gtcacggcgg	tcgagggcgt	gcacgcgtgg	cgcaatgcgc	tcacgggagc	accctcaac	720
ctgacagaga	ccgcggccc	attaggcacc	ccaggcttta	cactttatgc	ttccggctcg	780
tataatgtgt	ggattttgag	ttaggatccg	tcgagatatt	caggagctaa	ggaagctaaa	840
atggagaaaa	aaatcactgg	atataccacc	gttgatatat	cccaatggca	tcgtaaagaa	900
cattttgagg	catttcagtc	agttgctcaa	tgtacctata	accagaccgt	tcagctggat	960
attacggcct	ttttaagac	cgtaaagaaa	aataagcaca	agttttatcc	ggcctttatt	1020
cacattcttg	ccgcctgat	gaatgctcat	ccggaattcc	gtatggcaat	gaaagacggg	1080
gagctggtga	tatgggatag	tgttcaccct	tgttacaccg	ttttccatga	gcaaaactgaa	1140
acgttttcat	cgctctggag	tgaataccac	gacgatttcc	ggcagtttct	acacatatat	1200
tcgcaagatg	tggcgtgta	cggtgaaaac	ctggcctatt	tcctaaagg	gtttattgag	1260
aatatgtttt	tcgtctcagc	caatccctgg	gtgagtttca	ccagttttga	tttaaacgtg	1320
gccaatatgg	acaacttctt	cgccccggtt	ttcaccatgg	gcaaatatta	tacgcaaggc	1380
gacaaggtgc	tgatgccgct	ggcgattcag	gttcatcatg	ccgtttgtga	tggcttccat	1440
gtcggcagaa	tgcttaata	attacaacag	tactgcgatg	agtggcaggg	cggggcgtaa	1500
agatctggat	ccggcttact	aaaagccaga	taacagtatg	cgtatttgcg	cgetgatatt	1560
tcgggtataa	gaatatatac	tgatatgtat	accggaagta	tgtcaaaaag	aggtatgcta	1620
tgaagcagcg	tattacagtg	acagttgaca	gcgacagcta	tcagttgctc	aaggcatata	1680
tgatgtcaat	atctccggtc	tggttaagcag	aacctgcag	aatgaagccc	gtcgtctgcg	1740
tgccgaacgc	tggaaagcgg	aaaatcagga	agggatggct	gaggtcggcc	ggtttattga	1800
aatgaacggc	tcttttgctg	acgagaacag	gggctgggtg	aatgcagttt	aaggtttaca	1860
cctataaaaag	agagagccgt	tatcgtctgt	ttgtggatgt	acagagtgat	attattgaca	1920
cgcccgggcg	acggatgggt	atccccctgg	ccagtgcacg	tctgctgtca	gataaagtct	1980
cccgtgaaact	ttaccgggtg	gtgcatatcg	gggatgaaag	ctggcgcatg	atgaccaccg	2040
atatggccag	tgtgccggtc	tccgttatcg	gggaagaagt	ggctgatctc	agccaccggc	2100
aaaatgacat	caaaaacgcc	attaacctga	tgttctgggg	aatataaatg	tcaggctccc	2160
ttatacacag	ccagctcgca	ggtcgacggt	ctcgactcac	gcctgagcag	gtagtggtca	2220
ttgcatccaa	tatcgggggc	agaccgcac	tggagtcaat	cgtggcccag	ctttcgagggc	2280
cggaacccgc	gctggccgca	ctcactaatg	atcatcttgt	agcgtggcc	tgctcggcg	2340
gacgacccgc	cttggatcgc	gtgaagaagg	ggctcccgca	cgccctgca	ttgattaagc	2400
ggaccaacag	aaggattccc	gagaggacat	cacatcgagt	ggcagatcac	gcgcaagtgg	2460
tccgcgtgct	cggattcttc	cagtgctcact	cccccccg	acaagcgttc	gatgacgcca	2520
tgactcaatt	tggatgtcgc	agacacggac	tgctgcagct	ctttcgtaga	gtcgggtgca	2580
cagaactcga	ggcccgcctg	ggcacactgc	ctcccgcctc	ccagcgggtg	gacaggatc	2640
tccaagcag	cggtatgaaa	cgccggaagc	cttcacctac	gtcaactcag	acaactgacc	2700

-continued

```

aggcgagcct tcatgcgttc gcagactcgc tggagagggga tttggacgcg ccctcgccca 2760
tgcataaagg ggaccaaact cgcgcgtcag ctagcccaaa gaagaagaga aaggtggagg 2820
ccagcgggttc cggacggggt gacgcattgg acgattttga tctggatatg ctgggaagtg 2880
acgcctcga tgattttgac cttgacatgc ttggttcgga tgccttgat gactttgacc 2940
tcgacatgct cggcagtgc gcccttgatg atttcgaact ggacatgctg attaactcta 3000
gaggcagtgg agagggcaga ggaagtctgc taacatgagg tgacgtcgag gagaatcctg 3060
gcccagtgg caagggcgag gagctgttca cgggggtggt gcccatcctg gtcgagctgg 3120
acggcgacgt aaacggccac aagttcagcg tgtccggcga gggcgagggc gatgccacct 3180
acggcaagct gaccctgaag ttcactcga ccaccggcaa gctgccctg cctgggcca 3240
ccctcgtgac caccctgacc tacggcgtgc agtgcttcag ccgctacccc gaccacatga 3300
agcagcacga cttctcaag tccgccatgc ccgaaggcta cgtccaggag cgcacatct 3360
tcttcaagga cgacggcaac tacaagacc gcgccgaggt gaagttcgag ggcgacacc 3420
tggtgaaccg catcgagctg aagggcatcg acttcaagga ggacggcaac atcctggggc 3480
acaagctgga gtacaactac aacagccaca acgtctatat catggccgac aagcagaaga 3540
acggcatcaa ggtgaacttc aagatccgcc acaacatcga ggacggcagc gtgcagctcg 3600
ccgaccacta ccagcagaac accccatcgc gcgacggccc cgtgctgctg cccgacaacc 3660
actacctgag caccctgacc gccctgagca aagaccccaa cgagaagcgc gatcacatgg 3720
tctctgtgga gttcgtgacc gccgcgggga tcaactctcg catggacgag ctgtacaagt 3780
aa 3782

```

<210> SEQ ID NO 71

<211> LENGTH: 3782

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 71

```

atgtcgcgga cccggctccc ttcccccccc gcaccagccc cagcgttttc ggcgactcg 60
ttctcagacc tgcttaggca gttcgacccc tcaactgtta acacatcgtt gttcgactcc 120
cttctccctg ttggggcgca ccatacggag cgcgccaccg gggagtggga tgaggtgcag 180
tcgggattga gagctcggga tgcaccaccc ccaaccatgc gggtgccctg caccgctgce 240
cgaccgccga gggcgaagcc cgcaccaagg cggagggcag cgaaccgctc cgacgcaagc 300
cccgcagcgc aagtagatgt gagaactttg ggatattcac agcagcagca ggaagaagatc 360
aagcccaaa tgaggtcgac agtcgcgcag catcacgaag cgctggtggg tcatgggttt 420
acacatgccc acatcgtagc cttgtcgcag caccctgcag cccttggeac ggtcgccctc 480
aagtaaccag acatgattgc ggcgttgccg gaagccacac atgaggggat cgtcggtgtg 540
gggaaacagt ggagcggagc ccgagcgtt gaggccctgt tgacggctgc gggagagctg 600
agagggcctc cccttcagct ggacacgggc cagttgctga agatcgcgaa gcggggagga 660
gtcacggcgg tcgagggcgt gcacgcgtgg cgcaatgcgc tcacgggagc acccctcaac 720
ctgacagaga ccgcccgcgc attagaccac ccaggcttta cactttatgc ttccggctcg 780
tataatgtgt ggattttgag ttaggatccg tcgagatttt caggagctaa ggaagctaaa 840

```

-continued

atggagaaaa	aatcactgg	atataaccacc	gttgatatat	cccaatggca	tcgtaaagaa	900
cattttgagg	catttcagtc	agttgctcaa	tgtacctata	accagaccgt	tcagctggat	960
attacggcct	ttttaagac	cgtaaagaaa	aataagcaca	agttttatcc	ggcctttatt	1020
cacattcttg	cccgcctgat	gaatgctcat	cgggaattcc	gtatggcaat	gaaagacggg	1080
gagctggtga	tatgggatag	tgttcaccct	tgttacaccg	ttttocatga	gcaaaactgaa	1140
acgttttcat	cgctctggag	tgaataccac	gacgatttcc	ggcagtttct	acacatatat	1200
tcgcaagatg	tggcgtgta	cggtgaaaac	ctggcctatt	tcctaaagg	gtttattgag	1260
aatatgtttt	tcgtctcagc	caatccctgg	gtgagtttca	ccagttttga	tttaaacgtg	1320
gccaatatgg	acaacttctt	cgccccggtt	ttcacctatg	gcaaatatta	tacgcaaggc	1380
gacaaggtgc	tgatgccgct	ggcgattcag	gttcatcatg	ccgtttgtga	tggcttccat	1440
gtcggcagaa	tgcttaata	attacaacag	tactgcatg	agtggcaggg	cggggcgtaa	1500
agatctggat	ccggcttact	aaaagccaga	taacagtatg	cgtatttgcg	cgctgatttt	1560
tcgcgataaa	gaatatatac	tgatatgtat	accggaagta	tgtcaaaaag	aggatgcta	1620
tgaagcagcg	tattacagtg	acagttgaca	gcgacagcta	tcagttgctc	aaggcatata	1680
tgatgtcaat	atctccggtc	tggaagcac	aacctgcag	aatgaagccc	gtcgtctgcg	1740
tgccgaacgc	tggaaacgcg	aaaatcagga	agggatggct	gaggtcggcc	ggtttattga	1800
aatgaacggc	tcttttgctg	acgagaacag	gggctggtga	aatgcagttt	aaggtttaca	1860
ctataaaaag	agagagccgt	tatcgtctgt	ttgtggatgt	acagagtgat	attattgaca	1920
cgcccgggcg	acggatgggt	atccccctgg	ccagtgcacg	tctgctgtca	gataaagtct	1980
cccgtagaact	ttaccgggtg	gtgcatatcg	gggatgaaag	ctggcgcatg	atgaccaccg	2040
atatggccag	tgtgccggtc	tccgttatcg	gggaagaagt	ggctgatctc	agccaccgcg	2100
aaaatgacat	caaaaacgcc	attaacctga	tgttctgggg	aatataaatg	tcaggctccc	2160
ttatacacag	ccagtctgca	ggtcgacggt	ctcgactcac	gcctgagcag	gtagtggtca	2220
ttgcatccaa	tggcgggggc	agaccgcac	tggagtcaat	cgtggcccag	ctttcgaggc	2280
cggaccccgc	gctggccgca	ctcactaatg	atcatcttgt	agcgtggcc	tgctcggcg	2340
gacgaccgcg	cttggatgcg	gtgaagaagg	ggctcccgca	cgcgcctgca	ttgattaagc	2400
ggaccaacag	aaggattccc	gagaggacat	cacatcgagt	ggcagatcac	gcgcaagtgg	2460
tccgcgtgct	cggattcttc	cagtgtcact	cccaccccgc	acaagcgttc	gatgacgcca	2520
tgactcaatt	tggatgtcg	agacacggac	tgctgcagct	ctttcgtaga	gtcgggtgca	2580
cagaactcga	ggcccgcctg	ggcacactgc	ctcccgcctc	ccagcgggtg	gacaggatcc	2640
tccaagcgag	cggtatgaaa	cgcgcgaagc	cttcacctac	gtcaactcag	acacctgacc	2700
aggcgagcct	tcatgcgctc	gcagactcgc	tggagagggg	tttggacgcg	ccctcgccca	2760
tgcatgaagg	ggaccaaact	cgcgcgtcag	ctagcccca	gaagaagaga	aagggtggagg	2820
ccagcggctc	cggacgggct	gacgcattgg	acgattttga	tctggatgat	ctgggaagtg	2880
acgcctcga	tgattttgac	cttgacatgc	ttggttcgga	tgcccttgat	gactttgacc	2940
tcgacatgct	cggcagtgac	gcccttgatg	atttcgacct	ggacatgctg	attaactcta	3000
gaggcagtg	agagggcaga	ggaagtctgc	taacatgcgg	tgacgtcgag	gagaatcctg	3060
gcccagtgag	caagggcgag	gagctgttca	ccgggggtgg	gccatcctg	gtcagcgtgg	3120

-continued

```

acggcgacgt aaacggccac aagttcagcg tgtccggcga gggcgagggc gatgccacct 3180
acggcaagct gaccctgaag ttcattctgca ccaccggcaa gctgcccgtg cectggceca 3240
ccctcgtgac caccctgacc tacggcgtgc agtgcttcag ccgctacccc gaccacatga 3300
agcagcacga cttcttcaag tccgccatgc ccgaaggcta cgtccaggag cgcaccatct 3360
tcttcaagga cgacggcaac tacaagacc gcgcccaggt gaagtctgag ggcgacccc 3420
tggtgaaccg catcgagctg aagggcatcg acttcaagga ggacggcaac atcctggggc 3480
acaagctgga gtacaactac aacagccaca acgtctatat catggccgac aagcagaaga 3540
acggcatcaa ggtgaacttc aagatccgcc acaacatcga ggacggcagc gtgcagctcg 3600
ccgaccacta ccagcagaac acccccatcg gcgacggccc cgtgctgctg cccgacaacc 3660
actacctgag caccctgacc gccctgagca aagaccccaa cgagaagcgc gatcacatgg 3720
tctgctgga gttcgtgacc gccgcccggg tcaactctcg catggacgag ctgtacaagt 3780
aa 3782

```

<210> SEQ ID NO 72

<211> LENGTH: 3782

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 72

```

atgtcgcgga cccggtctcc tccccaccc gcaccagcc cagcgttttc ggcgactcg 60
ttctcagacc tgcttaggca gttcgacccc tcaactgtta acacatcgtt gttcgactcc 120
cttctccctg ttggggcgca ccatacggag gcggccaccg gggagtggga tgaggtgcag 180
tcgggattga gagctcgcgga tgcaccaccc ccaaccatgc gggtagccgt caccgctgcc 240
cgaccgccga gggcgaagcc cgcaccaagg cggagggcag cgcaaccgtc cgacgcaagc 300
cccgcagcgc aagtagatgt gagaaacttg ggatattcac agcagcagca ggaagaagatc 360
aagcccaaa gtaggtcgac agtcgcgcag catcacgaag cgctgggtggg tcatgggttt 420
acacatgccc acatcgtage cttgtcgcag caccctgcag cccttgccac ggtcgcctgc 480
aagtaccagg acatgattgc ggcgttgccg gaagccacac atgaggggat cgtcgtgtgt 540
gggaaacagt ggagcggagc ccgagcgtt gaggccctgt tgacggctgc gggagagctg 600
agagggcctc cccttcagct ggacacgggc cagttgctga agatcgcgaa gcggggagga 660
gtcacggcgg tcgagggcgt gcacgcgtgg cgcaatgcgc tcacgggagc acccctcaac 720
ctgacagaga ccgcccgcgc attaggcacc ccaggcttta cactttatgc ttcggctcg 780
tataatgtgt ggattttgag ttaggatccg tcgagatatt caggagctaa ggaagctaaa 840
atggagaaaa aatcactcgg atataccacc gttgatatat cccaatggca tcgtaaagaa 900
cattttgagg catttcagtc agttgctcaa tgtacctata accagaccgt tcagctggat 960
attacggcct ttttaagac cgtaaagaaa aataagcaca agttttatcc ggcctttatt 1020
cacattcttg ccgcctgat gaatgctcat ccggaattcc gtatggcaat gaaagacggt 1080
gagctgggta tatgggatag tgttaccctc tgttacaccg ttttccatga gaaaactgaa 1140
acgttttcat cgctctggag tgaataccac gacgatttcc ggcagtttct acacatatat 1200
tcgcaagatg tggcgtgtta cggtgaaaac ctggcctatt tcctaaagg gtttattgag 1260

```

-continued

aatatgtttt	tcgtctcagc	caatccctgg	gtgagtttca	ccagttttga	tttaaacgtg	1320
gccaatatgg	acaacttctt	cgccccggtt	ttcaccatgg	gcaaatatta	tacgcaaggc	1380
gacaaggtgc	tgatgccgct	ggcgattcag	gttcatcatg	ccgtttgtga	tggettccat	1440
gtcggcagaa	tgcttaataa	attacaacag	tactgcatg	agtggcaggg	cggggcgtaa	1500
agatctggat	ccggcttact	aaaagccaga	taacagtatg	cgtatttgcg	cgctgatatt	1560
tcggtataa	gaatatatac	tgatatgat	acccgaagta	tgtcaaaaag	aggatgcta	1620
tgaagcagcg	tattacagtg	acagttgaca	gcgacagcta	tcagttgctc	aaggcatata	1680
tgatgtcaat	atctccggtc	tggttaagc	aaccatgcag	aatgaagccc	gtcgtctgcg	1740
tgccgaacgc	tgaaagcgg	aaaatcagga	agggatggct	gaggtcgccc	ggtttattga	1800
aatgaacggc	tcttttgctg	acgagaacag	gggctgggtg	aatgcagttt	aaggtttaca	1860
ccataaaaag	agagagccgt	tatcgtctgt	ttgtggatgt	acagagtgat	attattgaca	1920
cgcccgggcg	acggatgggt	atccccctgg	ccagtgcacg	tctgctgtca	gataaagtct	1980
cccgtgaact	ttaccgggtg	gtgcatatcg	gggatgaaag	ctggcgcag	atgaccaccg	2040
atatggccag	tgtgccggtc	tccgttatcg	gggaagaagt	ggctgatctc	agccaccgcg	2100
aaaaatgacat	caaaaacgcc	attaacctga	tgttctgggg	aatataaatg	tcaggctccc	2160
ttatacacag	ccagtctgca	ggtcgacggt	ctcgactcac	gcctgagcag	gtagtggcta	2220
ttgcatccaa	taacgggggc	agaccgcac	tggagtcaat	cgtggcccag	ctttcgaggc	2280
cggacccccg	gctggccgca	ctcactaatg	atcatcttgt	agcgtggcc	tgccctcgcg	2340
gacgacccgc	cttggatgcg	gtgaagaagg	ggctcccgca	cgcgcctgca	ttgattaagc	2400
ggaccaacag	aaggattccc	gagaggacat	cacatcgagt	ggcagatcac	gcgcaagtgg	2460
tccgctgctc	cggattcttc	cagtgtcact	cccacccgc	acaagcgttc	gatgacgcca	2520
tgactcaatt	tggtatgctg	agacacggac	tgctgcagct	ctttcgtaga	gtcgggtgca	2580
cagaactcga	ggcccctcg	ggcacactgc	ctcccgcctc	ccagcgggtg	gacaggatcc	2640
tccaagcgag	cggtatgaaa	cgcgcgaagc	cttcacctac	gtcaactcag	acacctgacc	2700
aggcgagcct	tcatgcttc	gcagactcgc	tggagagga	tttggacgcg	ccctcgccca	2760
tgcatgaagg	ggaccaaaact	cgcgcgtcag	ctagcccca	gaagaagaga	aaggtggagg	2820
ccagcggttc	cggacgggct	gacgcattgg	acgattttga	tctggatgat	ctgggaagtg	2880
acgcctcga	tgattttgac	cttgacatgc	ttggttcgga	tgcccttgat	gactttgacc	2940
tcgacatgct	cggcagtgac	gcccttgatg	atttcgacct	ggacatgctg	attaactcta	3000
gaggcagtg	agagggcaga	ggaagtctgc	taacatgctg	tgacgtcgag	gagaatcctg	3060
gcccagtgag	caagggcgag	gagctgttca	ccgggggtgt	gccatcctg	gtcgagctgg	3120
acggcgacgt	aaacggccac	aagttcagcg	tgtccggcga	gggcgagggc	gatgccacct	3180
acggcaagct	gacctgaag	ttcatctgca	ccaccggcaa	gctgcccgtg	ccctggccca	3240
ccctcgtgac	cacctgacc	tacggcgtgc	agtgtctcag	ccgtacccc	gaccacatga	3300
agcagcacga	cttcttcaag	tccgccatgc	ccgaaggcta	cgtccaggag	cgcaccatct	3360
tcttcaagga	cgacggcaac	tacaagacc	gcccgcaggt	gaagttcgag	ggcgacacc	3420
tggtgaacgg	catcgagctg	aagggcatcg	acttcaagga	ggacggcaac	atcctggggc	3480
acaagctgga	gtacaactac	aacagccaca	acgtctatat	catggccgac	aagcagaaga	3540
acggcatcaa	ggtgaacttc	aagatccgcc	acaacatcga	ggacggcagc	gtgcagctcg	3600

-continued

```

ccgaccacta ccagcagaac acccccatcg gcgacggccc cgtgctgctg cccgacaacc 3660
actacctgag caccctgagc gccctgagca aagaccccaa cgagaagcgc gatcacatgg 3720
tctgctgga gttcgtgacc gccgcggga tcaactctcg catggacgag ctgtacaagt 3780
aa 3782

```

```

<210> SEQ ID NO 73
<211> LENGTH: 3782
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polynucleotide

```

```

<400> SEQUENCE: 73

```

```

atgtcgcgga cccggtctcc ttccccacc gcaccagcc cagcgtttc ggcgactcg 60
ttctcagacc tgcttaggca gttcgacccc tcaactgtta acacatcggt gttcgactcc 120
cttctccgt ttggggcgca ccatacggag gcggccacc gggagtggga tgaggtgcag 180
tcgggattga gagctcggga tgcaccacc ccaacctgc gggtagccgt caccgctgcc 240
cgaccgccga gggcgaagcc cgcaccaag cggagggcag cgcaaccgtc cgacgcaagc 300
cccgcagcgc aagtagatgt gagaacttt ggatattcac agcagcagca gaaaaagatc 360
aagcccaag tgaggtcgac agtcgagcag catcacgaag cgctgggtgg tcatgggttt 420
acacatgccc acatcgtage cttgtgcag caccctgcag cccttggcac ggtcgccgtc 480
aagtaccag acatgattgc ggcgttgcg gaagccacac atgagcgat cgtcggtgtg 540
gggaaacagt ggagcggagc ccgagcgtt gaggccctgt tgacgggtgc gggagagctg 600
agagggcctc cccttcagct ggacacgggc cagttgctga agatcgcgaa gcggggagga 660
gtcacggcgg tcgagcgggt gcacgcgtgg cgcaatgcgc tcacgggagc acccctcaac 720
ctgacagaga ccgcccgcg attagacc ccagcgttta cactttatgc ttcggctcg 780
tataatgtgt ggattttgag ttaggatccg tcgagatgtt caggagctaa ggaagctaaa 840
atggagaaaa aaatcactgg atataccacc gttgatata ccaatggca tcgtaaagaa 900
cattttgagg catttcagtc agttgctcaa tgtacctata accagaccgt tcagctggat 960
attacggcct ttttaagac cgtaaagaaa aataagcaca agttttatcc ggcctttatt 1020
cacattcttg cccgctgat gaatgctcat ccggaattcc gtagggcaat gaaagcgggt 1080
gagctgggta tatgggatag tttcaccct tgttacaccg ttttccatga gcaaaactgaa 1140
acgttttcat cgctctggag tgaataccac gacgatttcc ggcagtttct acacatata 1200
tcgcaagatg tggcgtgtta cgggtgaaaac ctggcctatt tcctaaagg gtttattgag 1260
aatatgtttt tcgtctcagc caatccctgg gtgagtttca ccagttttga tttaaactgt 1320
gccaatatgg acaacttctt cccccctgt ttcaccatgg gcaaatatta tacgcaaggc 1380
gacaagggtc tgatgcgctt ggcgattcag gttcatcatg ccgtttgtga tggcttccat 1440
gtcggcagaa tgcttaatga attacaacag tactgcatg agtggcaggg cggggcgtaa 1500
agatctggat ccggcttact aaaagccaga taacagatg cgtatttgcg cgctgatttt 1560
tcgggataaa gaatatatac tgatatgtat acccgaagta tgcataaaag aggtatgcta 1620
tgaagcagcg tattacagtg acagttgaca gcgacagcta tcagttgctc aaggcatata 1680
tgatgtcaat atctccggtc tggtaaagc aacctgcag aatgaagccc gtcgtctgctg 1740

```

-continued

```

tgccgaacgc tggaaagcgg aaaatcagga agggatggct gaggtcgccc ggtttattga 1800
aatgaacggc tcttttgctg acgagaacag gggctgggtga aatgcagttt aaggtttaca 1860
cctataaaaag agagagccgt tatcgtctgt ttgtggatgt acagagtgat attattgaca 1920
cgcccgggcg acggatgggt atccccctgg ccagtgcacg tctgctgtca gataaagtct 1980
cccgtagaact ttaccgggtg gtgcataatc gggatgaaag ctggcgcatg atgaccaccg 2040
atatggccag tgtgcccgtc tccgttatcg ggaagaagt ggctgatctc agccaccggc 2100
aaaaatgacat caaaaacgcc attaacctga tgttctgggg aatataaatg tcaggctccc 2160
ttatacacag ccagtctgca ggtcgacggt ctcgactcac gcctgagcag gtagtggcta 2220
ttgcatccca tgacggggc agaccgcac tggagtcaat cgtggcccag ctttcgaggc 2280
cggacccccg gctggccgca ctcaactaat atcatcttgt agcgtggcc tgcctcggcg 2340
gacgaccccg cttggatgcg gtgaagaagg ggctcccgca cgcgcctgca ttgattaagc 2400
ggaccaacag aaggattccc gagaggacat cacatcgagt ggcagatcac gcgcaagtgg 2460
tccgctgctc cggattcttc cagtgtcact cccacccccg acaagcgttc gatgacgcca 2520
tgactcaatt tggatgtcgc agacacggac tgcctgcagct ctttcgtaga gtcgggtgca 2580
cagaactcga ggcccctcgc ggcacactgc ctcccgcctc ccagcgggtg gacaggatc 2640
tccaagcgag cggatgaaa cgcgcgaagc cttcacctac gtcaactcag acacctgacc 2700
aggcgagcct tcatgcttc gcagactcgc tggagagga tttggacgcg ccctcgcca 2760
tgcatgaagg ggaccaaact cgcgcgtcag ctagcccaa gaagaagaga aaggtggagg 2820
ccagcggttc cggacgggct gacgcattgg acgattttga tctggatag ctgggaagtg 2880
acgcccctga tgattttgac cttgacatgc ttggttcgga tgcccctgat gactttgacc 2940
tcgacatgct cggcagtgc gccctgatg atttcgacct ggacatgctg attaacctca 3000
gaggcagtgg agagggcaga ggaagtctgc taacatgcgg tgacgtcgag gagaatcctg 3060
gcccagtgag caaggcgag gagctgttca ccgggggtgt gccatcctg gtcgagctgg 3120
acggcgacgt aaacggccac aagttcagcg tgtccggcga gggcgagggc gatgccacct 3180
acggcaagct gaccctgaag ttcattcgc ccaccggcaa gctgcccgtg ccctggcca 3240
ccctcgtgac caccctgacc tacggcgtgc agtgcttcag ccgctacccc gaccacatga 3300
agcagcacga cttcttcaag tccgccatgc ccgaaggcta cgtccaggag cgcaccatct 3360
tcttcaagga cgacggcaac tacaagacc gcgccgaggt gaagtctgag ggcgacacc 3420
tggatgaacc catcgagctg aaggcatcgc acttcaagga ggacggcaac atcctggggc 3480
acaagctgga gtacaactac aacagccaca acgtctatat catggccgac aagcagaaga 3540
acggcatcaa ggtgaacttc aagatccgc acaacatcga ggacggcagc gtcgagctcg 3600
ccgaccacta ccagcagaac acccccctcg gcgacggccc cgtgctgctg cccgacaacc 3660
actacctgag caccctgctc gccctgagca aagaccccaa cgagaagcgc gatcacatgg 3720
tcctgctgga gttcgtgacc gccgcggga tcaactctcg catggacgag ctgtacaagt 3780
aa 3782

```

<210> SEQ ID NO 74

<211> LENGTH: 2855

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

-continued

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 74

```

atggactata aggaccacga cggagactac aaggatcatg atattgatta caaagacgat      60
gacgataaga tggcccaaaa gaagaagcgg aaggtcggta tccacggagt cccagcagcc      120
gtagatttga gaactttggg atattcacag cagcagcagg aaaagatcaa gcccaaagtg      180
aggtcgacag tcgcgcagca tcacgaagcg ctggtgggtc atgggtttac acatgcccac      240
atcgtagcct tgtcgcagca ccctgcagcc cttggcacgg tcgccgtcaa gtaccaggac      300
atgattgcgg cgttgccgga agccacacat gaggcgatcg tcggtgtggg gaaacagtgg      360
agcggagccc gagcgttga ggccctgtg acggtcggg gagagctgag agggcctccc      420
cttcagctgg acacgggcca gttgtgaag atcgcgaagc ggggaggagt cacggcggtc      480
gaggcgggtg acgctggcg caatgcgctc acgggagcac ccctcaacct gacagagacc      540
gcgcccgcat taggcacccc aggetttaca ctttatgctt cgggctcgta taatgtgtgg      600
attttgagtt aggatccgtc gagattttca ggagctaagg aagctaaaat ggagaaaaaa      660
atcactggat ataccaccgt tgatatatcc caatggcatc gtaaagaaca ttttgaggca      720
tttcagtcag ttgctcaatg tacctataac cagaccgttc agctggatat tacggccttt      780
ttaaagaccg taaagaaaaa taagcacaag ttttatccgg cctttatca cattcttgcc      840
cgctgatga atgctcatcc ggaattccgt atggcaatga aagacggtga gctggtgata      900
tgggatagtg ttcacccttg ttacaccggt ttccatgagc aaactgaaac gttttcatcg      960
ctctggagtg aataccacga cgatttccgg cagtttctac acatatatc gcaagatgtg     1020
gcgtgttacg gtgaaaaacct ggcctatttc cctaaagggt ttattgagaa tatgtttttc     1080
gtctcagcca atcccgggtg gagtttcacc agttttgatt taaacgtggc caatatggac     1140
aacttcttcg cccccgtttt caccatgggc aaatattata cgcaaggcga caaggtgctg     1200
atgccgctgg cgattcaggt tcatcatgcc gtttgatg gcttccatgt cggcagaatg     1260
cttaatgaat tacaacagta ctgcgatgag tggcagggcg gggcgtaaag atctggatcc     1320
ggcttactaa aagccagata acagtatcgc tatttgccgc ctgatttttg cgtataaga     1380
atatatactg atatgtatac ccgaagtatg tcaaaaagag gtatgctatg aagcagcgtg     1440
ttacagtgac agttgacagc gacagctatc agttgctcaa ggcataatg atgtcaatat     1500
ctccggtctg gtaagcacia ccatgcagaa tgaagcccgt cgtctgcgtg ccgaacgctg     1560
gaaagcggaa aatcaggaag ggatggctga ggtcgcccgg tttattgaaa tgaacggctc     1620
ttttgctgac gagaacaggg gctggtgaaa tgcagtttaa ggtttacacc tataaaagag     1680
agagccgtta tcgtctgttt gtggatgtac agagtgatat tattgacacg cccgggagcag     1740
ggatggtgat cccccggccc agtgcaagtc tgctgtcaga taaagtctcc cgtgaaacttt     1800
acccggtggt gcatacggg gatgaaagct ggcgatgat gaccaccgat atggccagtg     1860
tgccggtctc cgttatcggg gaagaagtgg ctgatctcag ccaccgcgaa aatgacatca     1920
aaaaacccat taacctgatg ttctggggaa tataaatgct aggctccctt atacacagcc     1980
agtctgcagg tcgacggtct cgactcacgc ctgagcaggt agtggctatt gcatccaaca     2040
tcgggggagc acccgcactg gagtcaatcg tggcccagct ttcgaggccg gacccccgac     2100
tgccgcgact cactaatgat catctttagc cgctggcctg cctcggcgga cgacccgct     2160

```


-continued

tggatgcggt gaagaagggg ctcccgcacg cgcctgcatt gattaagcgg accaacagaa	2220
ggattcccga gaggacatca catcgagtgg caggttccca actcgtgaag agtgaacttg	2280
aggagaaaaa gtcggagctg cggcacaaaat tgaaatacgt accgcatgaa tacatcgaac	2340
ttatcgaat tgctaggaac tcgactcaag acagaatcct tgagatgaag gtaatggagt	2400
tctttatgaa ggtttatgga taccgagggg agcatctcgg tggatcacga aaacccgacg	2460
gagcaatcta tacggtgggg agcccgattg attacggagt gatcgtcgac acgaaagcct	2520
acagcggggt gtacaatcct cccatcgggc aggcagatga gatgcaacgt tatgtcgaag	2580
aaaaacagac caggaacaaa cacatcaatc caaatgagtg gtggaaagtg tacccttcat	2640
cagtgaccga gtttaagttt ttgtttgtct ctgggcattt caaaggcaac tataaggccc	2700
agctcacacg gttgaatcac attacgaact gcaatggtgc ggttttgtcc gtagaggaac	2760
tgctcattgg tggagaaatg atcaaagcgg gaactctgac actggaagaa gtcagacgca	2820
agtttaacaa tggcgagatc aatttccgct cataa	2855

<210> SEQ ID NO 75

<211> LENGTH: 2855

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 75

atggactata aggaccacga cgggactac aaggatcatg atattgatta caaagacgat	60
gacgataaga tggcccaaaa gaagaagcgg aaggtcggta tccacggagt cccagcagcc	120
gtagatttga gaactttggg atattcacag cagcagcagg aaaagatcaa gcccaagtg	180
aggtcgacag tcgcgagca tcacgaagcg ctggtgggtc atgggtttac acatgcccac	240
atcgtagcct tgtcgcagca cctgcagcc cttggcacgg tcgccgtcaa gtaccaggac	300
atgattgceg cgttgccgga agccacacat gaggcgcgctc tcggtgtggg gaaacagtgg	360
agcggagccc gagcgttga ggccctgttg acggtcgcgg gagagctgag agggcctccc	420
cttcagctgg acacgggcca gttgtgaag atcgcgaagc ggggaggagt cacggcggtc	480
gaggcgggtg acgctgtggc caatgcgctc acgggagcac ccctcaacct gacagagacc	540
gcgcccgcat taggcacccc aggccttaca ctttatgctt ccggctcgta taatgtgtgg	600
atthtgagtt aggatccgct gagatthtca ggagctaagg aagctaaaat ggagaaaaa	660
atcactggat ataccaccgt tgatatatcc caatggcatc gtaaagaaca ttttgaggca	720
tttcagtcag ttgctcaatg tacctataac cagaccgttc agctggatat tacggccttt	780
ttaaagaccg taaagaaaaa taagcacaag ttttatccgg cctttatca cattcttgcc	840
cgcctgatga atgctcatcc ggaattccgt atggcaatga aagacggtga gctggtgata	900
tgggatagtg ttcacccttg ttacaccggt ttccatgagc aaactgaaac gttttcatcg	960
ctctggagtg aataccacga cgatttccgg cagtttttac acatatattc gcaagatgtg	1020
gcgtgttacg gtgaaaaacct ggcctatttc cctaaagggg ttattgagaa tatgtttttc	1080
gtctcagcca atcccctgggt gagtttcacc agttttgatt taaacgtggc caatatggac	1140
aaacttcttc cccccgtttt caccatgggc aaatattata cgcaaggcga caaggtgctg	1200
atgccgctgg cgattcaggt tcacatgccc gtttggatg gcttccatgt cggcagaatg	1260

-continued

```

cttaatgaat tacaacagta ctgcatgag tggcagggcg gggcgtaaag atctggatcc 1320
ggcttactaa aagccagata acagtatgcg tatttgccg ctgatttttg cggataaaga 1380
atatatactg atatgtatac ccgaagtatg tcaaaaagag gtatgctatg aagcagcgt 1440
ttacagtgac agttgacagc gacagctatc agttgctcaa ggcatatatg atgtcaatat 1500
ctccggtctg gtaagcacia ccatgcagaa tgaagcccg cgtctgctg cgaacgctg 1560
gaaagcggaa aatcaggaag ggatggctga ggtcgcccg tttattgaaa tgaacggctc 1620
ttttgctgac gagaacaggg gctggtgaaa tgcagttaa ggtttacacc tataaaagag 1680
agagccgta tcgtctgttt gtggatgtac agagtgatat tattgacacg cccgggagc 1740
ggatggatgat cccctggcc agtgcacgct tgctgctcaga taaagtctcc cgtgaacttt 1800
accggtggt gcatatcggg gatgaaagct ggcgatgat gaccaccgat atggccagt 1860
tgccggtctc cgttatcggg gaagaagtgg ctgatctcag ccaccgcgaa aatgacatca 1920
aaaaacccat taacctgatg ttctgggaa tataaatgct aggtccctt atacacagcc 1980
agtctgcagg tcgacggtct cgactcacgc ctgagcaggt agtggctatt gcatccaacg 2040
gagggggcag acccgcactg gagtcaatcg tggcccagct ttcgagggcg gaccccgcg 2100
tgccgcact cactaatgat catctgtag cgtggcctg cctcggcgga cgacccgct 2160
tggatgcggt gaagaagggg ctcccgcacg cgctgcatt gattaagcgg accaacagaa 2220
ggattcccga gaggacatca catcgagtgg caggttcca actcgtgaag agtgaacttg 2280
aggagaaaaa gtcggagctg cggcacaaat tgaatacgt accgatgaa tacatcgaa 2340
ttatcgaat tgctaggaac tcgactcaag acagaatcct tgagatgaag gtaatggagt 2400
tctttatgaa ggtttatgga taccgagggg agcatctcgg tggatcacga aaaccgagc 2460
gagcaatcta tacggtgggg agcccattg attacggagt gatcgtcgac acgaaagcct 2520
acagcgtggt gtacaatcct cccatcgggc aggcagatga gatgcaacgt tatgctgaag 2580
aaaaacagac caggaacaaa cacatcaatc caaatgagtg gtgaaagtg taccctcat 2640
cagtgaccga gtttaagttt ttgtttgct ctgggcattt caaaggcaac tataaggccc 2700
agctcacacg gttgaatcac attacgaact gcaatggtgc ggtttgtcc gtagaggaac 2760
tgctcattgg tggagaaatg atcaaagcgg gaactctgac actggaagaa gtcagacgca 2820
agtttaacaa tggcgagatc aattccgct cataa 2855

```

<210> SEQ ID NO 76

<211> LENGTH: 2855

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 76

```

atggactata aggaccacga cggagactac aaggatcatg atattgatta caaagacgat 60
gacgataaga tggcccaaaa gaagaagcgg aaggtcggta tccacggagt cccagcagcc 120
gtagatttga gaactttggg atattcacag cagcagcagg aaaagatcaa gcccaaagt 180
aggctgacag tcgcgacga tcacgaagcg ctggtgggtc atgggtttac acatgcccac 240
atcgtagcct tgtcgcagca ccctgcagcc cttggcagcg tcgccgtaa gtaccaggac 300
atgattgcgg cgttgccgga agccacacat gaggcagatc tcggtgtggg gaaacagtgg 360

```

-continued

agcggagccc gagcgcttga ggcctgttg acggtcgcgg gagagctgag agggcctccc	420
cttcagctgg acacgggcca gttgctgaag atcgcgaagc ggggaggagt cacggcggtc	480
gaggcgggtgc acgctgtggc caatgcgctc acgggagcac ccctcaacct gacagagacc	540
gcggccgcat taggcacccc aggctttaca ctttatgctt ccggctcgta taatgtgtgg	600
atthtgagtt aggatccgtc gagatthtca ggagctaagg aagctaaaat ggagaaaaaa	660
atcactggat ataccaccgt tgatataatc caatggcatc gtaaagaaca ththgaggca	720
thtcagtcag thgctcaatg tacctataac cagaccgttc agctggatat tacggcctth	780
thaaagaccg taagaaaaa taagcacaag ththtatccg cctthattca cattcttgc	840
cgctgatga atgctcatcc ggaatccgt atggcaatga aagacggatg gctggatgata	900
tgggatagtg thcacccttg thacaccgtt thccatgagc aaactgaaac gththcatcg	960
ctctggagtg aataaccaga cgatttccgg cagthttctac acatataatc gcaagatgtg	1020
gcgtgttacg tgaaaaacct ggcctatthc cctaaagggt thattgagaa thgtththc	1080
gtctcagcca atccctgggt gagtthcacc agththgatt thaacgtggc caatatggac	1140
aaactcttcg cccccgtht caccatgggc aaatattata cgcaaggcga caaggtgctg	1200
atgcccgttg cgattcaggt tcatcatgcc gththgtgat gcttccatgt cggcagaatg	1260
cttaatgaat tacaacagta ctgcgatgag tggcagggcg gggcgtaaag atctggatcc	1320
ggcttactaa aagccagata acagtatgag ththtgcgcg ctgattthtg cgtataaga	1380
atataactg atatgtatac ccgaagtatg tcaaaaagag gtatgctatg aagcagcgtg	1440
thacagtgac agthgacagc gacagctatc agthgctcaa ggcatatatg atgtcaatat	1500
ctccggtctg gtaagcacia ccatgcagaa tgaagcccgt cgtctgcgtg ccgaacgctg	1560
gaaagcggaa aatcaggaag ggatggctga ggtcgcgccg ththattgaaa tgaacggctc	1620
ththtctgac gagaacaggg gctggtgaaa tgcagthtaa gththacacc tataaaagag	1680
agagccgtha thgtctgtht thggatgtac agagtgatat ththgacacg cccgggagac	1740
ggatggatg cccccgtgac agthcacgct thgtgtcaga thaaagtctc cgtgaactth	1800
accggtggt gcatatcggg gatgaaagct ggcgatgat gaccaccgat atggccagtg	1860
thccggtctc cgttatcggg gaagaagtgg ctgatctcag ccaccgcgaa aatgacatca	1920
aaaaacccat thacctgat thctggggaa tataaatgtc aggtctcctt atacacagcc	1980
agthtgcagg thgacggctc cgactcacgc ctgagcaggt agthggctatt gcatccaaca	2040
acgggggag accccgactg gactcaatcg thggccagct thcagggccg gacccccgc	2100
thggccgact cactaatgat catctgtgag cgtggcctg cctcggcgga cgacccgcct	2160
thgatgcggt gaagaagggg ctcccgcacg cgcctgcatt gattaagcgg accaacagaa	2220
ggattcccga gaggacatca catcgagtgg caggttccca actcgtgaag agthgaactg	2280
aggagaaaaa thcggagctg cggcacaaat thaaatacgt accgatgaa thacatcgaac	2340
thtatcgaat thctaggaac thgactcaag acagaatcct thgagatgaag gthaatggag	2400
thctthtgaa gththtatgga thaccgagga agcatctcgg thgatcacga aaacccgacg	2460
gagcaatcta thcggthggg agcccgatg ththacggag thctgctgac acgaaagcct	2520
acagcggthg thacaatctt cccatcgggc aggcagatga gatgcaacgt ththtgcgaag	2580
aaaaacagac caggaacaaa cacatcaatc caaatgagth thggaaagth thctctcat	2640
cagthgaccg ththtaagth thgththgct thgggcattt caaaggcaac thaaagccc	2700

-continued

```

agctcacacg gttgaatcac attacgaact gcaatggtgc ggttttgtcc gtagaggaac 2760
tgctcattgg tggagaaatg atcaaagcgg gaactctgac actggaagaa gtcagacgca 2820
agtttaacaa tggcgagatc aatttcgct cataa 2855

```

```

<210> SEQ ID NO 77
<211> LENGTH: 2855
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polynucleotide

```

```

<400> SEQUENCE: 77

```

```

atggactata aggaccacga cggagactac aaggatcatg atattgatta caaagacgat 60
gacgataaga tggcccaaaa gaagaagcgg aaggtcggta tccacggagt cccagcagcc 120
gtagatttga gaactttggg atattcacag cagcagcagg aaaagatcaa gcccaaagtg 180
aggtcgacag tcgcgacgca tcacgaagcg ctggtgggtc atgggtttac acatgccccac 240
atcgtagcct tgtcgcagca cctgcagcc cttggcacgg tcgccgtcaa gtaccaggac 300
atgattgcgg cgttgccgga agccacacat gaggcgatcg tcggtgtggg gaaacagtgg 360
agcggagccc gagcgttga ggccctgtg acggtcgcgg gagagctgag agggcctccc 420
cttcagctgg acacgggcca gttgctgaag atcgcgaagc ggggaggagt cacggcggtc 480
gaggcgggtc acgctgggcg caatgcgctc acgggagcac ccctcaacct gacagagacc 540
gcggccgcat taggcacccc aggcctttaca ctttatgctt ccggctcgta taatgtgtgg 600
atthttgagtt aggatccgct gagatthttca ggagctaagg aagctaaaaat ggagaaaaaa 660
atcactggat ataccaccgt tgatatatcc caatggcatc gtaaagaaca thttgaggca 720
thtcagtcag thgctcaatg tacctataac cagaccgttc agctggatat tacggccttt 780
thaaagaccg taaagaaaaa taagcacaag thttatccgg cctthattca cattcttgcc 840
cgctgatga atgctcatcc ggaattccgt atggcaatga aagacgggta gctggtgata 900
tggtgatagt thcacccttg thacaccgtt thccatgagc aaactgaaac gthttcatcg 960
ctctggagtg aataccacga cgatttccgg cagthttctac acatataatc gcaagatgtg 1020
gcgtgttacg gtgaaaacct ggcctatttc cctaaagggt thattgagaa tatgthtttc 1080
gtctcagcca atcccgggt gagthttcacc agthttgatt taaacgtggc caatatggac 1140
aactthttcg cccccgtttt caccatgggc aaatattata cgcaaggcga caaggtgctg 1200
atgccgctgg cgattcaggt tcatcatgcc gthttgtgat gcttccatgt cgcgagaatg 1260
cttaatgaat tacaacagta ctgcatgag tggcagggcg gggcgtaaag atctggatcc 1320
ggcttactaa aagccagata acagtatgcy thtttgccg ctgattthttg cgttataaga 1380
atatatactg atatgtatac ccgaagtatg tcaaaaagag gtatgctatg aagcagcgtg 1440
thtacagtgc agttgacagc gacagctatc agthttgctcaa ggcatatatg atgtcaatat 1500
ctccggtctg gtaagcacia ccatgcagaa tgaagcccgt cgtctgctg cgaacgctg 1560
gaaagcggaa aatcaggaag ggatggctga ggtcgcccgg thttattgaaa tgaacggctc 1620
thttgctgac gagaacaggg gctggtgaaa tgcagthttaa gthttacacc tataaaagag 1680
agagccgtta tcgtctgtht gtggatgtac agagtgatg thttgacagc cccgggctgac 1740
ggatggtgat ccccctggcc agtgcacgct tgctgtcaga taaagtctcc cgtgaacttt 1800

```

-continued

```

accgggtggt gcataatcggg gatgaaagct ggcgcatgat gaccaccgat atggccagtg 1860
tgccggtctc cgttatcggg gaagaagtgg ctgatctcag ccaccgcaa aatgacatca 1920
aaaaacccat taacctgatg ttctggggaa tataaatgtc aggtccctt atacacagcc 1980
agtctgcagg tcgacggtct cgactcacgc ctgagcaggt agtggctatt gcatcccatg 2040
acgggggagc acccgcaactg gagtcaatcg tggcccagct ttcgaggccg gaccccgcc 2100
tggccgcact cactaatgat catctttag cgctggcctg cctcggcgga cgaccgcct 2160
tggatgaggg gaagaagggg ctcccgcacg cgctgcatt gattaagcgg accaacagaa 2220
ggattccccg gaggacatca catcagtggt caggttccca actcgtgaag agtgaacttg 2280
aggagaaaaa gtcggagctg cggcacaat tgaatacgt accgcatgaa tacatcgaa 2340
ttatcgaaat tgctaggaac tcgactcaag acagaatcct tgagatgaag gtaatggagt 2400
tctttatgaa ggtttatgga taccgagga agcatctcgg tggatcacga aaaccgacg 2460
gagcaatcta tacgggtggg agcccgatg attacggagt gatcgtcgac acgaaagcct 2520
acagcgggtg gtacaatctt cccatcgggc aggcagatga gatgcaactg tatgtcgaag 2580
aaaaatcagc caggaacaaa cacatcaatc caaatgagtg gtgaaagtg taccctcat 2640
cagtgaccga gtttaagttt ttgttgtct ctgggcattt caaaggcaac tataaggccc 2700
agctcacacg gttgaatcac attacgaact gcaatggtgc ggtttgtcc gtagaggaac 2760
tgctcattgg tggagaaatg atcaaagcgg gaactctgac actggaagaa gtcagacgca 2820
agtttaacaa tggcgagatc aatttcgct cataa 2855

```

```

<210> SEQ ID NO 78
<211> LENGTH: 64
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        primer

```

```

<400> SEQUENCE: 78

```

```

tgctccgct tccgaacctt aaaccggcca acataccggt ctctgaccc cagagcaggt 60
cgtg 64

```

```

<210> SEQ ID NO 79
<211> LENGTH: 78
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        primer

```

```

<400> SEQUENCE: 79

```

```

tgctccgct tccgaacctt aaaccggcca acataccggt ctgacttac acccgaacaa 60
gtcgtggcaa ttgcgagc 78

```

```

<210> SEQ ID NO 80
<211> LENGTH: 67
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        primer

```

```

<400> SEQUENCE: 80

```

-continued

tgcgccgctc tccgaacctt aaaccggcca acataccggt ctgcgggct caccccagag 60
caggtcg 67

<210> SEQ ID NO 81
<211> LENGTH: 67
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
primer

<400> SEQUENCE: 81
tgcgccgctc tccgaacctt aaaccggcca acataccggt ctgcgggct caccccagag 60
caggtcg 67

<210> SEQ ID NO 82
<211> LENGTH: 63
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
primer

<400> SEQUENCE: 82
gctgaccgctc tccgttcagt ctgtctttcc cctttccggt ctctaagtcc gtgcgcttgg 60
cac 63

<210> SEQ ID NO 83
<211> LENGTH: 62
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
primer

<400> SEQUENCE: 83
gctgaccgctc tccgttcagt ctgtctttcc cctttccggt ctccagccgtg cgcttggcac 60
ag 62

<210> SEQ ID NO 84
<211> LENGTH: 80
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
primer

<400> SEQUENCE: 84
gctgaccgctc tccgttcagt ctgtctttcc cctttccggt ctctcccatg ggcctgacat 60
aacacaggca gcaacctctg 80

<210> SEQ ID NO 85
<211> LENGTH: 63
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
primer

<400> SEQUENCE: 85
gctgaccgctc tccgttcagt ctgtctttcc cctttccggt ctctgagtcc gtgcgcttgg 60

-continued

cac 63

<210> SEQ ID NO 86
<211> LENGTH: 48
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic primer
<400> SEQUENCE: 86
cttggtatgg acgagttgcc cgtctcgtac gccagagcag gtcgtggc 48

<210> SEQ ID NO 87
<211> LENGTH: 46
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic primer
<400> SEQUENCE: 87
ccaaagattc aaccgtcctg cgtctogaac cccagagcag gtcgtg 46

<210> SEQ ID NO 88
<211> LENGTH: 49
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic primer
<400> SEQUENCE: 88
tattcatgct tggacggact cgtctcgtt gacccagag caggtcgtg 49

<210> SEQ ID NO 89
<211> LENGTH: 49
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic primer
<400> SEQUENCE: 89
gtcctagtga ggaataccgg cgtctcgcct gacccagag caggtcgtg 49

<210> SEQ ID NO 90
<211> LENGTH: 48
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic primer
<400> SEQUENCE: 90
ttccttgata ccgtagctcg cgtctcggac accagagcag gtcgtggc 48

<210> SEQ ID NO 91
<211> LENGTH: 49
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic primer

-continued

<400> SEQUENCE: 91

tcttatcggg gcttcgttct cgtctcccgt aagtcctgtc gcttggcac 49

<210> SEQ ID NO 92

<211> LENGTH: 49

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic primer

<400> SEQUENCE: 92

cgtttctttc cggtcgtag cgtctctggt tagtccgtgc gcttggcac 49

<210> SEQ ID NO 93

<211> LENGTH: 48

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic primer

<400> SEQUENCE: 93

tgagccttat gatttcccgt cgtctctcaa cccgtgcgct tggcacag 48

<210> SEQ ID NO 94

<211> LENGTH: 48

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic primer

<400> SEQUENCE: 94

agtctgtctt tcccctttcc cgtctctcag gccgtgcgct tggcacag 48

<210> SEQ ID NO 95

<211> LENGTH: 49

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic primer

<400> SEQUENCE: 95

ccgaagaatc gcagatccta cgtctcttgt cagtccgtgc gcttggcac 49

<210> SEQ ID NO 96

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic primer

<400> SEQUENCE: 96

cttaaaccgg ccaacatacc 20

<210> SEQ ID NO 97

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic primer

-continued

<400> SEQUENCE: 97
agtctgtctt tcccccttcc 20

<210> SEQ ID NO 98
<211> LENGTH: 23
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
primer

<400> SEQUENCE: 98
ccagttgctg aagatcgcca agc 23

<210> SEQ ID NO 99
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
primer

<400> SEQUENCE: 99
acttacaccc gaacaagtcg 20

<210> SEQ ID NO 100
<211> LENGTH: 22
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
primer

<400> SEQUENCE: 100
tgccactcga tgtgatgtcc tc 22

<210> SEQ ID NO 101
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
primer

<400> SEQUENCE: 101
cccatgggcc tgacataa 18

<210> SEQ ID NO 102
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 102
tgtcccctcc accccaca 18

<210> SEQ ID NO 103
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 103
gtcctaacca ctgtcttt 18

-continued

<210> SEQ ID NO 104
<211> LENGTH: 14
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 104

tttattccct gaca 14

<210> SEQ ID NO 105
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 105

tcaaccctg cgggccca 18

<210> SEQ ID NO 106
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 106

tcaaccctg ccaaccca 18

<210> SEQ ID NO 107
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 107

taatagacct taggcta 18

<210> SEQ ID NO 108
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

<400> SEQUENCE: 108

taatagacct tagaacta 18

<210> SEQ ID NO 109
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Mus musculus

<400> SEQUENCE: 109

tgctgacct caggctcct 20

<210> SEQ ID NO 110
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 110

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 111
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 111

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 112
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 112

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 113
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 113

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 114
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 114

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

-continued

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
 20 25 30

<210> SEQ ID NO 115
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 115

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
 1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln His Gly
 20 25 30

<210> SEQ ID NO 116
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 116

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
 1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
 20 25 30

<210> SEQ ID NO 117
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 117

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
 1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
 20 25 30

<210> SEQ ID NO 118
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 118

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
 1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 20 25 30

<210> SEQ ID NO 119
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:

-continued

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 119

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 120

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 120

Leu Thr Pro Asn Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 121

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 121

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 122

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 122

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 123

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 123

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly

-continued

20	25	30
<210> SEQ ID NO 124		
<211> LENGTH: 32		
<212> TYPE: PRT		
<213> ORGANISM: Artificial Sequence		
<220> FEATURE:		
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide		
<400> SEQUENCE: 124		
Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Gly Ser Lys Gln Ala		
1 5 10 15		
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly		
20 25 30		
<210> SEQ ID NO 125		
<211> LENGTH: 32		
<212> TYPE: PRT		
<213> ORGANISM: Artificial Sequence		
<220> FEATURE:		
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide		
<400> SEQUENCE: 125		
Leu Thr Gln Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala		
1 5 10 15		
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly		
20 25 30		
<210> SEQ ID NO 126		
<211> LENGTH: 32		
<212> TYPE: PRT		
<213> ORGANISM: Artificial Sequence		
<220> FEATURE:		
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide		
<400> SEQUENCE: 126		
Leu Ser Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala		
1 5 10 15		
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly		
20 25 30		
<210> SEQ ID NO 127		
<211> LENGTH: 32		
<212> TYPE: PRT		
<213> ORGANISM: Artificial Sequence		
<220> FEATURE:		
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide		
<400> SEQUENCE: 127		
Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala		
1 5 10 15		
Leu Glu Thr Leu Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly		
20 25 30		
<210> SEQ ID NO 128		
<211> LENGTH: 32		
<212> TYPE: PRT		
<213> ORGANISM: Artificial Sequence		
<220> FEATURE:		
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic		

-continued

polypeptide

<400> SEQUENCE: 128

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15Leu Glu Thr Leu Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 129

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 129

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Arg Gln Ala His Gly
20 25 30

<210> SEQ ID NO 130

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 130

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Asn Gln Ala
1 5 10 15Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 131

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 131

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15Leu Ala Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 132

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 132

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

-continued

<210> SEQ ID NO 133
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 133

Leu Thr Leu Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 134
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 134

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Cys Gly Gly Lys Gln Ala
1 5 10 15
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 135
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 135

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15
Leu Glu Thr Val Gln Gln Leu Leu Pro Val Leu Cys Glu Gln His Gly
20 25 30

<210> SEQ ID NO 136
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 136

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Gly Gly Arg Pro Ala
1 5 10 15
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 137
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

-continued

<400> SEQUENCE: 137

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Ser Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 138

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 138

Leu Thr Pro Asn Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 139

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 139

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Gly Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 140

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 140

Leu Thr Leu Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 141

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 141

Leu Thr Pro Ala Gln Ala Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

-continued

<210> SEQ ID NO 142
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 142

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Asn Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 143
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 143

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Leu Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 144
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 144

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Leu Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 145
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 145

Leu Thr Pro Asp Gln Val Val Thr Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 146
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

-continued

<400> SEQUENCE: 146

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Arg Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 147

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 147

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Asn Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 148

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 148

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Thr His Gly
20 25 30

<210> SEQ ID NO 149

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 149

Leu Pro Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 150

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 150

Leu Thr Ser Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

-continued

<210> SEQ ID NO 151
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 151

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln His Gly
20 25 30

<210> SEQ ID NO 152
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 152

Leu Ile Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 153
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 153

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Met Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 154
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 154

Leu Thr Arg Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 155
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 155

-continued

Leu Thr Pro Asp Gln Val Val Ala Thr Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 156
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 156

Leu Ile Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 157
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 157

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asn His Gly
20 25 30

<210> SEQ ID NO 158
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 158

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Lys Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 159
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 159

Leu Thr Pro Asp Gln Leu Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 160

-continued

<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 160

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Gly His Gly
20 25 30

<210> SEQ ID NO 161
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 161

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Glu His Gly
20 25 30

<210> SEQ ID NO 162
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 162

Leu Thr Leu Asp Lys Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 163
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 163

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Ser Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 164
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 164

-continued

Leu Thr Pro Asp Lys Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 165
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 165

Leu Thr Gln Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Tyr Gln Asp His Gly
20 25 30

<210> SEQ ID NO 166
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 166

Leu Thr Pro Ala Gln Val Val Ala Ile Val Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 167
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 167

Leu Thr Pro Asp Lys Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 168
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 168

Leu Thr Gln Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 169
<211> LENGTH: 32

-continued

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 169

Leu Thr Pro Asp Gln Val Met Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 170
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 170

Leu Thr Thr Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 171
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 171

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Ser Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 172
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 172

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Leu Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 173
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 173

Leu Thr Gln Glu Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala

-continued

```

1           5           10           15
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
                20           25           30

```

```

<210> SEQ ID NO 174
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polypeptide

```

```

<400> SEQUENCE: 174

```

```

Leu Thr Pro Asp Gln Val Val Thr Ile Ala Asn Gly Gly Lys Gln Ala
1           5           10           15

```

```

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
                20           25           30

```

```

<210> SEQ ID NO 175
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polypeptide

```

```

<400> SEQUENCE: 175

```

```

Leu Ser Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1           5           10           15

```

```

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys His Asp His Gly
                20           25           30

```

```

<210> SEQ ID NO 176
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polypeptide

```

```

<400> SEQUENCE: 176

```

```

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1           5           10           15

```

```

Leu Glu Met Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
                20           25           30

```

```

<210> SEQ ID NO 177
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polypeptide

```

```

<400> SEQUENCE: 177

```

```

Leu Ile Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1           5           10           15

```

```

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
                20           25           30

```

```

<210> SEQ ID NO 178
<211> LENGTH: 32
<212> TYPE: PRT

```

-continued

<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 178

Leu Thr Pro Val Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 179
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 179

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Lys Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 180
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 180

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Met Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 181
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 181

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Phe Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 182
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 182

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

-continued

Leu Glu Thr Val Gln Gln Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 183
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 183

Leu Thr Pro Ala Gln Val Val Ala Leu Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 184
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 184

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Arg Pro Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln His Gly
20 25 30

<210> SEQ ID NO 185
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 185

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Ala Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 186
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 186

Leu Thr Gln Val Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 187
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 187

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Arg Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 188
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 188

Leu Pro Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 189
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 189

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Gly Ser Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 190
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 190

Leu Ser Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Leu Gln Arg Leu Leu Pro Val Leu Cys Gln Thr His Ala
20 25 30

<210> SEQ ID NO 191
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 191

Leu Asn Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

-continued

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
 20 25 30

<210> SEQ ID NO 192
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 192

Leu Thr Pro Asp Gln Val Met Ala Ile Ala Ser Gly Gly Lys Gln Ala
 1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
 20 25 30

<210> SEQ ID NO 193
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 193

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
 1 5 10 15

Leu Glu Thr Val Arg Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 20 25 30

<210> SEQ ID NO 194
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 194

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Thr
 1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
 20 25 30

<210> SEQ ID NO 195
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 195

Leu Thr Pro Asp Gln Val Met Thr Ile Ala Ser Gly Gly Lys Gln Ala
 1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
 20 25 30

<210> SEQ ID NO 196
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:

-continued

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 196

Leu Thr Pro Ala Gln Val Val Thr Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 197

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 197

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Arg Ala His Gly
20 25 30

<210> SEQ ID NO 198

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 198

Leu Ser Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 199

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 199

Leu Thr Pro Asp Gln Val Val Gly Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 200

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 200

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala Asn Gly

-continued

20	25	30
----	----	----

<210> SEQ ID NO 201
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 201

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Thr His Gly
 20 25 30

<210> SEQ ID NO 202
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 202

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Met Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
 20 25 30

<210> SEQ ID NO 203
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 203

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Met Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
 20 25 30

<210> SEQ ID NO 204
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 204

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Ala Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
 20 25 30

<210> SEQ ID NO 205
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic

-continued

polypeptide

<400> SEQUENCE: 205

Leu Thr Pro Asp Gln Val Val Thr Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 206

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 206

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15Leu Glu Thr Val Gln Arg Leu Leu Thr Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 207

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 207

Met Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 208

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 208

Leu Ala Pro Asp Gln Val Val Ala Val Ala Ser Gly Gly Lys Gln Ala
1 5 10 15Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 209

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 209

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15Leu Lys Thr Val Gln Gln Leu Leu Pro Val Leu Cys Glu Gln His Gly
20 25 30

-continued

<210> SEQ ID NO 210
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 210

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Arg Gly Gly Lys Gln Ala
1 5 10 15
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 211
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 211

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15
Leu Glu Thr Val Gln Gln Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 212
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 212

Leu Thr Pro Asp Gln Val Leu Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15
Leu Glu Thr Leu Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 213
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 213

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Arg Gly Gly Lys Gln Ala
1 5 10 15
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 214
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

-continued

<400> SEQUENCE: 214

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Met Gln Arg Leu Leu Pro Val Leu Cys Arg Ala His Gly
20 25 30

<210> SEQ ID NO 215

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 215

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Met Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 216

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 216

Leu Thr Thr Asp Gln Val Val Thr Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 217

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 217

Leu Thr Pro Thr Gln Val Met Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 218

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 218

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

-continued

<210> SEQ ID NO 219
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 219

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Met Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 220
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 220

Leu Thr Ser Ala Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 221
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 221

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Gln Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 222
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 222

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Ala Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 223
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

-continued

<400> SEQUENCE: 223

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Met Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 224

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 224

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala Arg Gly
20 25 30

<210> SEQ ID NO 225

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 225

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Leu Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 226

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 226

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asn His Gly
20 25 30

<210> SEQ ID NO 227

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 227

Leu Thr Pro Asp Gln Val Val Thr Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Met Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

-continued

<210> SEQ ID NO 228
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 228

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Arg Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln His Gly
20 25 30

<210> SEQ ID NO 229
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 229

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Cys Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Arg Gln Ala His Gly
20 25 30

<210> SEQ ID NO 230
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 230

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Arg Asp His Gly
20 25 30

<210> SEQ ID NO 231
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 231

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Met Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 232
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 232

-continued

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Cys Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Arg His Ala His Gly
20 25 30

<210> SEQ ID NO 233
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 233

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln His His Gly
20 25 30

<210> SEQ ID NO 234
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 234

Leu Ile Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln His His Gly
20 25 30

<210> SEQ ID NO 235
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 235

Leu Thr Arg Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln His Gly
20 25 30

<210> SEQ ID NO 236
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 236

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Val Gly Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 237

-continued

<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 237

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln His Gly
20 25 30

<210> SEQ ID NO 238
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 238

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Met Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 239
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 239

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Ser Lys Gln Ala
1 5 10 15

Leu Glu Thr Met Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 240
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 240

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Lys Gln His Gly
20 25 30

<210> SEQ ID NO 241
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 241

-continued

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Thr His Gly
20 25 30

<210> SEQ ID NO 242
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 242

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Ala Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 243
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 243

Leu Thr Pro Ala Gln Val Val Thr Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln His Gly
20 25 30

<210> SEQ ID NO 244
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 244

Leu Thr Pro Ala Gln Val Met Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 245
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 245

Leu Thr Arg Glu Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Arg Gln Ala His Gly
20 25 30

<210> SEQ ID NO 246
<211> LENGTH: 32

-continued

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 246

Leu Thr Leu Ala Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 247
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 247

Leu Thr Leu Glu Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 248
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 248

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln His Gly
20 25 30

<210> SEQ ID NO 249
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 249

Leu Ser Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 250
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 250

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala

-continued

```

1           5           10           15
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln His His Gly
                20           25           30

```

```

<210> SEQ ID NO 251
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polypeptide

```

```

<400> SEQUENCE: 251

```

```

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1           5           10           15

```

```

Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Arg Gln Ala His Gly
                20           25           30

```

```

<210> SEQ ID NO 252
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polypeptide

```

```

<400> SEQUENCE: 252

```

```

Leu Ser Gln Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1           5           10           15

```

```

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
                20           25           30

```

```

<210> SEQ ID NO 253
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polypeptide

```

```

<400> SEQUENCE: 253

```

```

Leu Pro Pro Glu Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1           5           10           15

```

```

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
                20           25           30

```

```

<210> SEQ ID NO 254
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polypeptide

```

```

<400> SEQUENCE: 254

```

```

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1           5           10           15

```

```

Leu Glu Ala Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
                20           25           30

```

```

<210> SEQ ID NO 255
<211> LENGTH: 32
<212> TYPE: PRT

```

-continued

<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 255

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Glu His Gly
20 25 30

<210> SEQ ID NO 256
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 256

Leu Thr Leu Asp Gln Val Ala Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 257
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 257

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Val Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 258
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 258

Leu Ile Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 259
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 259

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

-continued

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Arg Gln Ala His Gly
20 25 30

<210> SEQ ID NO 260
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 260

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Ser Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Thr His Gly
20 25 30

<210> SEQ ID NO 261
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 261

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 262
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 262

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Val Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 263
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 263

Leu Ser Pro Asp Gln Val Val Thr Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Leu Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 264
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 264

Leu Thr Pro Val Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 265
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 265

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Gly Ser Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Thr His Gly
20 25 30

<210> SEQ ID NO 266
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 266

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Cys Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Arg Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 267
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 267

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Ser Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Phe Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 268
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 268

Leu Pro Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

-continued

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 20 25 30

<210> SEQ ID NO 269
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 269

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
 1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Phe Gln Glu His Gly
 20 25 30

<210> SEQ ID NO 270
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 270

Leu Thr Pro Ala Lys Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
 1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
 20 25 30

<210> SEQ ID NO 271
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 271

Leu Thr Pro Val Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
 1 5 10 15

Leu Ala Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
 20 25 30

<210> SEQ ID NO 272
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 272

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
 1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Gly Leu Cys Gln Asp His Gly
 20 25 30

<210> SEQ ID NO 273
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:

-continued

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 273

Leu Thr Leu Ala Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 274

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 274

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Thr Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 275

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 275

Leu Pro Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 276

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 276

Leu Thr Pro Ala Gln Ala Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 277

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 277

Leu Thr Pro Ala Gln Val Val Ala Ile Val Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Thr His Gly

-continued

20	25	30
<210> SEQ ID NO 278		
<211> LENGTH: 32		
<212> TYPE: PRT		
<213> ORGANISM: Artificial Sequence		
<220> FEATURE:		
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide		
<400> SEQUENCE: 278		
Leu Thr Pro Asp Gln Val Val Ala Val Ala Gly Gly Gly Lys Gln Ala		
1 5 10 15		
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly		
20 25 30		
<210> SEQ ID NO 279		
<211> LENGTH: 32		
<212> TYPE: PRT		
<213> ORGANISM: Artificial Sequence		
<220> FEATURE:		
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide		
<400> SEQUENCE: 279		
Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala		
1 5 10 15		
Leu Gly Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly		
20 25 30		
<210> SEQ ID NO 280		
<211> LENGTH: 32		
<212> TYPE: PRT		
<213> ORGANISM: Artificial Sequence		
<220> FEATURE:		
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide		
<400> SEQUENCE: 280		
Leu Pro Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala		
1 5 10 15		
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Ala His Gly		
20 25 30		
<210> SEQ ID NO 281		
<211> LENGTH: 32		
<212> TYPE: PRT		
<213> ORGANISM: Artificial Sequence		
<220> FEATURE:		
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide		
<400> SEQUENCE: 281		
Leu Thr Thr Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala		
1 5 10 15		
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly		
20 25 30		
<210> SEQ ID NO 282		
<211> LENGTH: 32		
<212> TYPE: PRT		
<213> ORGANISM: Artificial Sequence		
<220> FEATURE:		
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic		

-continued

polypeptide

<400> SEQUENCE: 282

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Val Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 283

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 283

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Thr His Ala
20 25 30

<210> SEQ ID NO 284

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 284

Leu Thr Leu Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Thr His Gly
20 25 30

<210> SEQ ID NO 285

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 285

Leu Thr Pro Asn Gln Leu Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 286

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 286

Leu Ser Pro Ala Gln Val Val Ala Ile Ala Ser Gly Ser Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

-continued

<210> SEQ ID NO 287
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 287

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15
Leu Glu Thr Val Gln Arg Val Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 288
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 288

Leu Thr Pro Asp Gln Val Met Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 289
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 289

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Gly Gly Arg Gln Ala
1 5 10 15
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 290
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 290

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15
Leu Glu Thr Val Gln Trp Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 291
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

-continued

<400> SEQUENCE: 291

Leu Thr Pro Asp Lys Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 292

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 292

Leu Thr Pro Ala Gln Val Met Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 293

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 293

Leu Thr Gln Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala Asn Gly
20 25 30

<210> SEQ ID NO 294

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 294

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Pro Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln His Gly
20 25 30

<210> SEQ ID NO 295

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 295

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Ser Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Met Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

-continued

<210> SEQ ID NO 296
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 296

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Ser Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Arg Gln Asp His Gly
20 25 30

<210> SEQ ID NO 297
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 297

Leu Thr Pro Tyr Gln Val Val Ala Ile Ala Ser Gly Ser Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 298
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 298

Leu Thr Pro Tyr Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 299
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 299

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Glu His Gly
20 25 30

<210> SEQ ID NO 300
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

-continued

<400> SEQUENCE: 300

Leu Thr Leu Glu Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Leu Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 301

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 301

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Arg Arg Leu Leu Gln Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 302

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 302

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Arg Gln Asp His Gly
20 25 30

<210> SEQ ID NO 303

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 303

Leu Thr Pro Asp Gln Val Val Ser Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 304

<211> LENGTH: 32

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 304

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Thr His Gly
20 25 30

-continued

<210> SEQ ID NO 305
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 305

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Lys Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 306
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 306

Leu Thr Thr Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 307
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 307

Leu Ile Pro Gln Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 308
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 308

Leu Thr Leu Thr Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 309
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 309

-continued

Leu Thr Pro Thr Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 310
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 310

Leu Thr Pro Thr Gln Val Met Ala Ile Ala Asn Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 311
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 311

Leu Thr Pro Asp Gln Val Val Ala Val Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 312
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 312

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Ser Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 313
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 313

Leu Thr Pro Gly Gln Val Val Ala Ile Ala Ser Gly Gly Lys Arg Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 314

-continued

<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 314

Leu Thr Pro Asp Gln Val Val Val Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 315
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 315

Leu Pro Pro Asp Gln Val Val Ala Ile Ala Ser Gly Ser Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 316
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 316

Leu Thr Pro Asp Gln Val Val Thr Ile Ala Asn Gly Ser Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 317
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 317

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Gln Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 318
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 318

-continued

Leu Thr Pro Asp His Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 319
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 319

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Gln Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 320
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 320

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Arg Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln His Gly
20 25 30

<210> SEQ ID NO 321
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 321

Leu His Pro Gly Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 322
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 322

Leu Thr Leu Asp Gln Val Val Ser Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 323
<211> LENGTH: 32

-continued

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 323

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Ala Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 324
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 324

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Pro Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln His Gly
20 25 30

<210> SEQ ID NO 325
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 325

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Lys Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 326
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 326

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Arg Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 327
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 327

Leu Asn Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala

-continued

```

1           5           10           15
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
                20           25           30

```

```

<210> SEQ ID NO 328
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polypeptide

```

```

<400> SEQUENCE: 328

```

```

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1           5           10           15

```

```

Leu Glu Thr Val Lys Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
                20           25           30

```

```

<210> SEQ ID NO 329
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polypeptide

```

```

<400> SEQUENCE: 329

```

```

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Asn Gly Gly Lys Gln Ala
1           5           10           15

```

```

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
                20           25           30

```

```

<210> SEQ ID NO 330
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polypeptide

```

```

<400> SEQUENCE: 330

```

```

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1           5           10           15

```

```

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Arg Asp His Gly
                20           25           30

```

```

<210> SEQ ID NO 331
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polypeptide

```

```

<400> SEQUENCE: 331

```

```

Leu Thr Pro Ala Gln Val Leu Ala Ile Ala Ser Gly Gly Lys Gln Ala
1           5           10           15

```

```

Leu Glu Thr Val Gln Arg Leu Leu Thr Val Leu Cys Gln Asp His Gly
                20           25           30

```

```

<210> SEQ ID NO 332
<211> LENGTH: 32
<212> TYPE: PRT

```

-continued

<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 332

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Met Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 333
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 333

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Gly Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 334
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 334

Leu Thr Arg Glu Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Arg Gln Ala His Gly
20 25 30

<210> SEQ ID NO 335
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 335

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Val His Gly
20 25 30

<210> SEQ ID NO 336
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 336

Leu Thr Pro Asn Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

-continued

Leu Glu Thr Val Gln Arg Leu Leu Leu Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 337
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 337

Leu Thr Pro Asp Gln Val Met Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
20 25 30

<210> SEQ ID NO 338
<211> LENGTH: 32
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 338

Leu Thr Arg Glu Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
20 25 30

<210> SEQ ID NO 339
<211> LENGTH: 33
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 339

Leu Ser Thr Ala Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
1 5 10 15

Leu Glu Gly Ile Gly Glu Gln Leu Leu Lys Leu Arg Thr Ala Pro Tyr
20 25 30

Gly

<210> SEQ ID NO 340
<211> LENGTH: 33
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide

<400> SEQUENCE: 340

Leu Ser Thr Ala Gln Val Val Ala Val Ala Ser Gly Gly Lys Pro Ala
1 5 10 15

Leu Glu Ala Val Arg Ala Gln Leu Leu Ala Leu Arg Ala Ala Pro Tyr
20 25 30

Gly

-continued

<210> SEQ ID NO 341
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 341

Leu Thr Gln Val Gln Val Val Ala Ile Ala Ser Gly Gly Lys Gln Ala
 1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
 20 25 30

<210> SEQ ID NO 342
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 342

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Asn Gly Lys Gln Ala
 1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
 20 25 30

<210> SEQ ID NO 343
 <211> LENGTH: 32
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 343

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Gly Gly Lys Arg Ala
 1 5 10 15

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp His Gly
 20 25 30

<210> SEQ ID NO 344
 <211> LENGTH: 97
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 344

Met Asp Ala Lys Ser Leu Thr Ala Trp Ser Arg Thr Leu Val Thr Phe
 1 5 10 15

Lys Asp Val Phe Val Asp Phe Thr Arg Glu Glu Trp Lys Leu Leu Asp
 20 25 30

Thr Ala Gln Gln Ile Val Tyr Arg Asn Val Met Leu Glu Asn Tyr Lys
 35 40 45

Asn Leu Val Ser Leu Gly Tyr Gln Leu Thr Lys Pro Asp Val Ile Leu
 50 55 60

Arg Leu Glu Lys Gly Glu Glu Pro Trp Leu Val Glu Arg Glu Ile His
 65 70 75 80

Gln Glu Thr His Pro Asp Ser Glu Thr Ala Phe Glu Ile Lys Ser Ser
 85 90 95

Val

-continued

<210> SEQ ID NO 345
 <211> LENGTH: 75
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 345

Met Asp Ala Lys Ser Leu Thr Ala Trp Ser Arg Thr Leu Val Thr Phe
 1 5 10 15
 Lys Asp Val Phe Val Asp Phe Thr Arg Glu Glu Trp Lys Leu Leu Asp
 20 25 30
 Thr Ala Gln Gln Ile Val Tyr Arg Asn Val Met Leu Glu Asn Tyr Lys
 35 40 45
 Asn Leu Val Ser Leu Gly Tyr Gln Leu Thr Lys Pro Asp Val Ile Leu
 50 55 60
 Arg Leu Glu Lys Gly Glu Glu Pro Trp Leu Val
 65 70 75

<210> SEQ ID NO 346
 <211> LENGTH: 65
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 346

Arg Thr Leu Val Thr Phe Lys Asp Val Phe Val Asp Phe Thr Arg Glu
 1 5 10 15
 Glu Trp Lys Leu Leu Asp Thr Ala Gln Gln Ile Val Tyr Arg Asn Val
 20 25 30
 Met Leu Glu Asn Tyr Lys Asn Leu Val Ser Leu Gly Tyr Gln Leu Thr
 35 40 45
 Lys Pro Asp Val Ile Leu Arg Leu Glu Lys Gly Glu Glu Pro Trp Leu
 50 55 60
 Val
 65

<210> SEQ ID NO 347
 <211> LENGTH: 150
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 polypeptide

<400> SEQUENCE: 347

Met Leu Ile Gly Tyr Ala Arg Val Ser Thr Asn Gly Gln Ser Thr Asp
 1 5 10 15
 Leu Gln Arg Asp Ala Leu Val Cys Ala Gly Cys Glu Gln Ile Phe Glu
 20 25 30
 Asp Lys Leu Ser Gly Thr Arg Thr Asp Arg Pro Gly Leu Lys Arg Ala
 35 40 45
 Leu Glu Arg Leu Gln Glu Gly Asp Thr Leu Val Val Trp Lys Leu Asp
 50 55 60
 Arg Leu Gly Arg Ser Val Lys His Leu Ile Ser Leu Val Gly Glu Leu
 65 70 75 80
 Arg Glu Arg Gly Ile Asn Phe Arg Ser Leu Thr Asp Cys Val Asn Thr
 85 90 95
 Ser Ser Pro Met Gly Arg Phe Phe Phe His Val Met Gly Ala Leu Ala

-continued

100 105 110
 Glu Val Glu Arg Glu Leu Ile Val Glu Arg Thr Met Ala Gly Leu Ala
 115 120 125
 Ala Ala Arg Ser Lys Gly Arg Ile Gly Gly Arg Pro Pro Lys Ser Gly
 130 135 140
 Ser Gly Glu Met Pro Tyr
 145 150

<210> SEQ ID NO 348
 <211> LENGTH: 714
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 348

Met Leu Ile Gly Tyr Ala Arg Val Ser Thr Asn Gly Gln Ser Thr Asp
 1 5 10 15
 Leu Gln Arg Asp Ala Leu Val Cys Ala Gly Cys Glu Gln Ile Phe Glu
 20 25 30
 Asp Lys Leu Ser Gly Thr Arg Thr Asp Arg Pro Gly Leu Lys Arg Ala
 35 40 45
 Leu Glu Arg Leu Gln Glu Gly Asp Thr Leu Val Val Trp Lys Leu Asp
 50 55 60
 Arg Leu Gly Arg Ser Val Lys His Leu Ile Ser Leu Val Gly Glu Leu
 65 70 75 80
 Arg Glu Arg Gly Ile Asn Phe Arg Ser Leu Thr Asp Cys Val Asn Thr
 85 90 95
 Ser Ser Pro Met Gly Arg Phe Phe Phe His Val Met Gly Ala Leu Ala
 100 105 110
 Glu Val Glu Arg Glu Leu Ile Val Glu Arg Thr Met Ala Gly Leu Ala
 115 120 125
 Ala Ala Arg Ser Lys Gly Gly Ser Gly Gly Ser Gly Gly Ser Gly Gly
 130 135 140
 Ser Gly Thr Ser Ala Arg Ala Leu Glu Ala Leu Leu Thr Val Ala Gly
 145 150 155 160
 Glu Leu Arg Gly Pro Pro Leu Gln Leu Asp Thr Gly Gln Leu Leu Lys
 165 170 175
 Ile Ala Lys Arg Gly Gly Val Thr Ala Val Glu Ala Val His Ala Trp
 180 185 190
 Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn Leu Thr Pro Glu Gln Val
 195 200 205
 Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val
 210 215 220
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 225 230 235 240
 Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 245 250 255
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 260 265 270
 Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala
 275 280 285
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly

-continued

290			295			300		
Leu Thr Pro	Glu Gln Val	Val Ala Ile	Ala Ser Asn	Ile Gly Gly	Lys			
305	310		315		320			
Gln Ala Leu	Glu Thr Val	Gln Arg Leu	Leu Pro Val	Leu Cys Gln	Ala			
	325		330		335			
His Gly Leu	Thr Pro Glu	Gln Val Val	Ala Ile Ala	Ser His Asp	Gly			
	340		345		350			
Gly Lys Gln	Ala Leu Glu	Thr Val Gln	Arg Leu Leu	Pro Val Leu	Cys			
	355		360		365			
Gln Ala His	Gly Leu Thr	Pro Glu Gln	Val Val Ala	Ile Ala Ser	Asn			
	370		375		380			
Gly Gly Gly	Lys Gln Ala	Leu Glu Thr	Val Gln Arg	Leu Leu Pro	Val			
385	390		395		400			
Leu Cys Gln	Ala His Gly	Leu Thr Pro	Glu Gln Val	Val Ala Ile	Ala			
	405		410		415			
Ser His Asp	Gly Gly Lys	Gln Ala Leu	Glu Thr Val	Gln Arg Leu	Leu			
	420		425		430			
Pro Val Leu	Cys Gln Ala	His Gly Leu	Thr Pro Glu	Gln Val Val	Ala			
	435		440		445			
Ile Ala Ser	Asn Ile Gly	Gly Lys Gln	Ala Leu Glu	Thr Val Gln	Arg			
	450		455		460			
Leu Leu Pro	Val Leu Cys	Gln Ala His	Gly Leu Thr	Pro Glu Gln	Val			
465	470		475		480			
Val Ala Ile	Ala Ser His	Asp Gly Gly	Lys Gln Ala	Leu Glu Thr	Val			
	485		490		495			
Gln Arg Leu	Leu Pro Val	Leu Cys Gln	Ala His Gly	Leu Thr Pro	Glu			
	500		505		510			
Gln Val Val	Ala Ile Ala	Ser Asn Gly	Gly Gly Lys	Gln Ala Leu	Glu			
	515		520		525			
Thr Val Gln	Arg Leu Leu	Pro Val Leu	Cys Gln Ala	His Gly Leu	Thr			
	530		535		540			
Pro Glu Gln	Val Val Ala	Ile Ala Ser	Asn Ile Gly	Gly Lys Gln	Ala			
545	550		555		560			
Leu Glu Thr	Val Gln Arg	Leu Leu Pro	Val Leu Cys	Gln Ala His	Gly			
	565		570		575			
Leu Thr Pro	Glu Gln Val	Val Ala Ile	Ala Ser Asn	Gly Gly Gly	Lys			
	580		585		590			
Gln Ala Leu	Glu Thr Val	Gln Arg Leu	Leu Pro Val	Leu Cys Gln	Ala			
	595		600		605			
His Gly Leu	Thr Pro Glu	Gln Val Val	Ala Ile Ala	Ser Asn Ile	Gly			
	610		615		620			
Gly Arg Pro	Ala Leu Glu	Ser Ile Val	Ala Gln Leu	Ser Arg Pro	Asp			
625	630		635		640			
Pro Ala Leu	Ala Ala Leu	Thr Asn Asp	His Leu Val	Ala Leu Ala	Cys			
	645		650		655			
Leu Gly Gly	Arg Pro Ala	Leu Asp Ala	Val Lys Lys	Gly Leu Pro	His			
	660		665		670			
Ala Pro Ala	Leu Ile Lys	Arg Thr Asn	Arg Arg Ile	Pro Glu Arg	Thr			
	675		680		685			
Ser His Arg	Val Ala Asp	Lys Ala Glu	Leu Ile Pro	Glu Pro Pro	Lys			
	690		695		700			

-continued

Lys Lys Arg Lys Val Glu Leu Gly Thr Ala
705 710

<210> SEQ ID NO 349

<211> LENGTH: 777

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 349

Met Leu Ile Gly Tyr Ala Arg Val Ser Thr Asn Gly Gln Ser Thr Asp
1 5 10 15
Leu Gln Arg Asp Ala Leu Val Cys Ala Gly Cys Glu Gln Ile Phe Glu
20 25 30
Asp Lys Leu Ser Gly Thr Arg Thr Asp Arg Pro Gly Leu Lys Arg Ala
35 40 45
Leu Glu Arg Leu Gln Glu Gly Asp Thr Leu Val Val Trp Lys Leu Asp
50 55 60
Arg Leu Gly Arg Ser Val Lys His Leu Ile Ser Leu Val Gly Glu Leu
65 70 75 80
Arg Glu Arg Gly Ile Asn Phe Arg Ser Leu Thr Asp Cys Val Asn Thr
85 90 95
Ser Ser Pro Met Gly Arg Phe Phe Phe His Val Met Gly Ala Leu Ala
100 105 110
Glu Val Glu Arg Glu Leu Ile Val Glu Arg Thr Met Ala Gly Leu Ala
115 120 125
Ala Ala Arg Ser Lys Gly Gly Ser Gly Gly Ser Gly Gly Ser Gly Gly
130 135 140
Ser Gly Thr Ser Val Arg Ser Thr Val Ala Gln His His Glu Ala Leu
145 150 155 160
Val Gly His Gly Phe Thr His Ala His Ile Val Ala Leu Ser Gln His
165 170 175
Pro Ala Ala Leu Gly Thr Val Ala Val Lys Tyr Gln Asp Met Ile Ala
180 185 190
Ala Leu Pro Glu Ala Thr His Glu Ala Ile Val Gly Val Gly Lys Gln
195 200 205
Trp Ser Gly Ala Arg Ala Leu Glu Ala Leu Leu Thr Val Ala Gly Glu
210 215 220
Leu Arg Gly Pro Pro Leu Gln Leu Asp Thr Gly Gln Leu Leu Lys Ile
225 230 235 240
Ala Lys Arg Gly Gly Val Thr Ala Val Glu Ala Val His Ala Trp Arg
245 250 255
Asn Ala Leu Thr Gly Ala Pro Leu Asn Leu Thr Pro Glu Gln Val Val
260 265 270
Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln
275 280 285
Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln
290 295 300
Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr
305 310 315 320
Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro
325 330 335

-continued

Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Asn	Gly	Gly	Lys	Gln	Ala	Leu	340	345	350	
Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	355	360	365	
Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Ile	Gly	Gly	Lys	Gln	370	375	380	
Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	385	390	395	400
Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	405	410	415	
Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	420	425	430	
Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	435	440	445	
Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	450	455	460	
Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	465	470	475	480
His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	485	490	495	
Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	500	505	510	
Ala	Ser	Asn	Ile	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	515	520	525	
Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	530	535	540	
Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	545	550	555	560
Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	565	570	575	
Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	580	585	590	
Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	595	600	605	
Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Ile	Gly	Gly	Lys	Gln	Ala	Leu	610	615	620	
Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	625	630	635	640
Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys	Gln	645	650	655	
Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	660	665	670	
Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Ile	Gly	Gly	675	680	685	
Arg	Pro	Ala	Leu	Glu	Ser	Ile	Val	Ala	Gln	Leu	Ser	Arg	Pro	Asp	Pro	690	695	700	
Ala	Leu	Ala	Ala	Leu	Thr	Asn	Asp	His	Leu	Val	Ala	Leu	Ala	Cys	Leu	705	710	715	720
Gly	Gly	Arg	Pro	Ala	Leu	Asp	Ala	Val	Lys	Lys	Gly	Leu	Pro	His	Ala	725	730	735	
Pro	Ala	Leu	Ile	Lys	Arg	Thr	Asn	Arg	Arg	Ile	Pro	Glu	Arg	Thr	Ser	740	745	750	

-continued

His Arg Val Ala Asp Lys Ala Glu Leu Ile Pro Glu Pro Pro Lys Lys
 755 760 765

Lys Arg Lys Val Glu Leu Gly Thr Ala
 770 775

<210> SEQ ID NO 350

<211> LENGTH: 696

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 350

Met Leu Ile Gly Tyr Ala Arg Val Ser Thr Asn Gly Gln Ser Thr Asp
 1 5 10 15

Leu Gln Arg Asp Ala Leu Val Cys Ala Gly Cys Glu Gln Ile Phe Glu
 20 25 30

Asp Lys Leu Ser Gly Thr Arg Thr Asp Arg Pro Gly Leu Lys Arg Ala
 35 40 45

Leu Glu Arg Leu Gln Glu Gly Asp Thr Leu Val Val Trp Lys Leu Asp
 50 55 60

Arg Leu Gly Arg Ser Val Lys His Leu Ile Ser Leu Val Gly Glu Leu
 65 70 75 80

Arg Glu Arg Gly Ile Asn Phe Arg Ser Leu Thr Asp Cys Val Asn Thr
 85 90 95

Ser Ser Pro Met Gly Arg Phe Phe Phe His Val Met Gly Ala Leu Ala
 100 105 110

Glu Val Glu Arg Glu Leu Ile Val Glu Arg Thr Met Ala Gly Leu Ala
 115 120 125

Ala Ala Arg Ser Lys Gly Gly Ser Gly Gly Ser Gly Gly Ser Gly Gly
 130 135 140

Ser Gly Thr Ser Leu Gln Leu Asp Thr Gly Gln Leu Leu Lys Ile Ala
 145 150 155 160

Lys Arg Gly Gly Val Thr Ala Val Glu Ala Val His Ala Trp Arg Asn
 165 170 175

Ala Leu Thr Gly Ala Pro Leu Asn Leu Thr Pro Glu Gln Val Val Ala
 180 185 190

Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 195 200 205

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 210 215 220

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 225 230 235 240

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 245 250 255

Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu
 260 265 270

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 275 280 285

Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala
 290 295 300

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 305 310 315 320

-continued

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys
 325 330 335
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 340 345 350
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly
 355 360 365
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 370 375 380
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 385 390 395 400
 Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 405 410 415
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 420 425 430
 Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 435 440 445
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 450 455 460
 Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 465 470 475 480
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 485 490 495
 Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
 500 505 510
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 515 520 525
 Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu
 530 535 540
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 545 550 555 560
 Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala
 565 570 575
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 580 585 590
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Arg
 595 600 605
 Pro Ala Leu Glu Ser Ile Val Ala Gln Leu Ser Arg Pro Asp Pro Ala
 610 615 620
 Leu Ala Ala Leu Thr Asn Asp His Leu Val Ala Leu Ala Cys Leu Gly
 625 630 635 640
 Gly Arg Pro Ala Leu Asp Ala Val Lys Lys Gly Leu Pro His Ala Pro
 645 650 655
 Ala Leu Ile Lys Arg Thr Asn Arg Arg Ile Pro Glu Arg Thr Ser His
 660 665 670
 Arg Val Ala Asp Lys Ala Glu Leu Ile Pro Glu Pro Pro Lys Lys Lys
 675 680 685
 Arg Lys Val Glu Leu Gly Thr Ala
 690 695

<210> SEQ ID NO 351

<211> LENGTH: 684

<212> TYPE: PRT

-continued

```

<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polypeptide

<400> SEQUENCE: 351
Met Leu Ile Gly Tyr Ala Arg Val Ser Thr Asn Gly Gln Ser Thr Asp
 1           5           10           15
Leu Gln Arg Asp Ala Leu Val Cys Ala Gly Cys Glu Gln Ile Phe Glu
 20           25           30
Asp Lys Leu Ser Gly Thr Arg Thr Asp Arg Pro Gly Leu Lys Arg Ala
 35           40           45
Leu Glu Arg Leu Gln Glu Gly Asp Thr Leu Val Val Trp Lys Leu Asp
 50           55           60
Arg Leu Gly Arg Ser Val Lys His Leu Ile Ser Leu Val Gly Glu Leu
 65           70           75           80
Arg Glu Arg Gly Ile Asn Phe Arg Ser Leu Thr Asp Cys Val Asn Thr
 85           90           95
Ser Ser Pro Met Gly Arg Phe Phe Phe His Val Met Gly Ala Leu Ala
 100          105          110
Glu Val Glu Arg Glu Leu Ile Val Glu Arg Thr Met Ala Gly Leu Ala
 115          120          125
Ala Ala Arg Ser Lys Gly Gly Ser Gly Gly Ser Gly Gly Ser Gly Gly
 130          135          140
Ser Gly Thr Ser Lys Arg Gly Gly Val Thr Ala Val Glu Ala Val His
 145          150          155          160
Ala Trp Arg Asn Ala Leu Thr Gly Ala Pro Leu Asn Leu Thr Pro Glu
 165          170          175
Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu
 180          185          190
Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 195          200          205
Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 210          215          220
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 225          230          235          240
Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
 245          250          255
Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 260          265          270
His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly
 275          280          285
Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 290          295          300
Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 305          310          315          320
Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 325          330          335
Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 340          345          350
Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 355          360          365
Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala

```

-continued

```

370          375          380
Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
385          390          395
Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
405          410          415
Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val
420          425          430
Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
435          440          445
Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
450          455          460
Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
465          470          475
Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala
485          490          495
Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
500          505          510
Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys
515          520          525
Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
530          535          540
His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly
545          550          555
Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
565          570          575
Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
580          585          590
Ile Gly Gly Arg Pro Ala Leu Glu Ser Ile Val Ala Gln Leu Ser Arg
595          600          605
Pro Asp Pro Ala Leu Ala Ala Leu Thr Asn Asp His Leu Val Ala Leu
610          615          620
Ala Cys Leu Gly Gly Arg Pro Ala Leu Asp Ala Val Lys Lys Gly Leu
625          630          635
Pro His Ala Pro Ala Leu Ile Lys Arg Thr Asn Arg Arg Ile Pro Glu
645          650          655
Arg Thr Ser His Arg Val Ala Asp Lys Ala Glu Leu Ile Pro Glu Pro
660          665          670
Pro Lys Lys Lys Arg Lys Val Glu Leu Gly Thr Ala
675          680

```

<210> SEQ ID NO 352

<211> LENGTH: 660

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 352

```

Met Leu Ile Gly Tyr Ala Arg Val Ser Thr Asn Gly Gln Ser Thr Asp
1          5          10          15
Leu Gln Arg Asp Ala Leu Val Cys Ala Gly Cys Glu Gln Ile Phe Glu
20         25         30
Asp Lys Leu Ser Gly Thr Arg Thr Asp Arg Pro Gly Leu Lys Arg Ala

```

-continued

35				40				45							
Leu	Glu	Arg	Leu	Gln	Glu	Gly	Asp	Thr	Leu	Val	Val	Trp	Lys	Leu	Asp
50						55					60				
Arg	Leu	Gly	Arg	Ser	Val	Lys	His	Leu	Ile	Ser	Leu	Val	Gly	Glu	Leu
65					70					75					80
Arg	Glu	Arg	Gly	Ile	Asn	Phe	Arg	Ser	Leu	Thr	Asp	Cys	Val	Asn	Thr
				85						90				95	
Ser	Ser	Pro	Met	Gly	Arg	Phe	Phe	Phe	His	Val	Met	Gly	Ala	Leu	Ala
			100						105				110		
Glu	Val	Glu	Arg	Glu	Leu	Ile	Val	Glu	Arg	Thr	Met	Ala	Gly	Leu	Ala
		115					120						125		
Ala	Ala	Arg	Ser	Lys	Gly	Gly	Ser	Gly	Gly	Ser	Gly	Gly	Ser	Gly	Gly
	130					135					140				
Ser	Gly	Thr	Ser	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn
145					150					155					160
Ile	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val
				165					170					175	
Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala
			180						185				190		
Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu
		195				200						205			
Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala
	210					215					220				
Ile	Ala	Ser	Asn	Asn	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg
225					230					235					240
Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val
				245					250					255	
Val	Ala	Ile	Ala	Ser	Asn	Ile	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val
			260						265				270		
Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu
		275					280					285			
Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu
		290				295					300				
Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr
305					310					315					320
Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys	Gln	Ala
				325						330				335	
Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly
			340						345				350		
Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys
		355					360						365		
Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala
		370				375					380				
His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Ile	Gly
385					390					395					400
Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys
				405					410					415	
Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His
			420						425				430		
Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val
			435				440						445		

-continued

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 450 455 460
 Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 465 470 475 480
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 485 490 495
 Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 500 505 510
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 515 520 525
 Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
 530 535 540
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 545 550 555 560
 Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Arg Pro Ala Leu Glu
 565 570 575
 Ser Ile Val Ala Gln Leu Ser Arg Pro Asp Pro Ala Leu Ala Ala Leu
 580 585 590
 Thr Asn Asp His Leu Val Ala Leu Ala Cys Leu Gly Gly Arg Pro Ala
 595 600 605
 Leu Asp Ala Val Lys Lys Gly Leu Pro His Ala Pro Ala Leu Ile Lys
 610 615 620
 Arg Thr Asn Arg Arg Ile Pro Glu Arg Thr Ser His Arg Val Ala Asp
 625 630 635 640
 Lys Ala Glu Leu Ile Pro Glu Pro Pro Lys Lys Lys Arg Lys Val Glu
 645 650 655
 Leu Gly Thr Ala
 660

<210> SEQ ID NO 353

<211> LENGTH: 649

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 353

Met Leu Ile Gly Tyr Ala Arg Val Ser Thr Asn Gly Gln Ser Thr Asp
 1 5 10 15
 Leu Gln Arg Asp Ala Leu Val Cys Ala Gly Cys Glu Gln Ile Phe Glu
 20 25 30
 Asp Lys Leu Ser Gly Thr Arg Thr Asp Arg Pro Gly Leu Lys Arg Ala
 35 40 45
 Leu Glu Arg Leu Gln Glu Gly Asp Thr Leu Val Val Trp Lys Leu Asp
 50 55 60
 Arg Leu Gly Arg Ser Val Lys His Leu Ile Ser Leu Val Gly Glu Leu
 65 70 75 80
 Arg Glu Arg Gly Ile Asn Phe Arg Ser Leu Thr Asp Cys Val Asn Thr
 85 90 95
 Ser Ser Pro Met Gly Arg Phe Phe Phe His Val Met Gly Ala Leu Ala
 100 105 110
 Glu Val Glu Arg Glu Leu Ile Val Glu Arg Thr Met Ala Gly Leu Ala
 115 120 125

-continued

Ala	Ala	Arg	Ser	Lys	Gly	Gly	Ser	Gly	Gly	Ser	Gly	Gly	Ser	Gly	Gly	130	135	140	
Ser	Gly	Thr	Ser	Asn	Ile	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	145	150	155	160
Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	165	170	175	
Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	180	185	190	
Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	195	200	205	
Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Asn	Gly	Gly	Lys	Gln	Ala	Leu	210	215	220	
Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	225	230	235	240
Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Ile	Gly	Gly	Lys	Gln	245	250	255	
Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	260	265	270	
Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	275	280	285	
Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	290	295	300	
Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	305	310	315	320
Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	325	330	335	
Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	340	345	350	
His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	355	360	365	
Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	370	375	380	
Ala	Ser	Asn	Ile	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	385	390	395	400
Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	Val	Val	405	410	415	
Ala	Ile	Ala	Ser	His	Asp	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	Val	Gln	420	425	430	
Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	Glu	Gln	435	440	445	
Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys	Gln	Ala	Leu	Glu	Thr	450	455	460	
Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	Thr	Pro	465	470	475	480
Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Ile	Gly	Gly	Lys	Gln	Ala	Leu	485	490	495	
Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	Gly	Leu	500	505	510	
Thr	Pro	Glu	Gln	Val	Val	Ala	Ile	Ala	Ser	Asn	Gly	Gly	Gly	Lys	Gln	515	520	525	
Ala	Leu	Glu	Thr	Val	Gln	Arg	Leu	Leu	Pro	Val	Leu	Cys	Gln	Ala	His	530	535	540	

-continued

Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly
545 550 555 560

Arg Pro Ala Leu Glu Ser Ile Val Ala Gln Leu Ser Arg Pro Asp Pro
565 570 575

Ala Leu Ala Ala Leu Thr Asn Asp His Leu Val Ala Leu Ala Cys Leu
580 585 590

Gly Gly Arg Pro Ala Leu Asp Ala Val Lys Lys Gly Leu Pro His Ala
595 600 605

Pro Ala Leu Ile Lys Arg Thr Asn Arg Arg Ile Pro Glu Arg Thr Ser
610 615 620

His Arg Val Ala Asp Lys Ala Glu Leu Ile Pro Glu Pro Pro Lys Lys
625 630 635 640

Lys Arg Lys Val Glu Leu Gly Thr Ala
645

<210> SEQ ID NO 354

<211> LENGTH: 647

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 354

Met Leu Ile Gly Tyr Ala Arg Val Ser Thr Asn Gly Gln Ser Thr Asp
1 5 10 15

Leu Gln Arg Asp Ala Leu Val Cys Ala Gly Cys Glu Gln Ile Phe Glu
20 25 30

Asp Lys Leu Ser Gly Thr Arg Thr Asp Arg Pro Gly Leu Lys Arg Ala
35 40 45

Leu Glu Arg Leu Gln Glu Gly Asp Thr Leu Val Val Trp Lys Leu Asp
50 55 60

Arg Leu Gly Arg Ser Val Lys His Leu Ile Ser Leu Val Gly Glu Leu
65 70 75 80

Arg Glu Arg Gly Ile Asn Phe Arg Ser Leu Thr Asp Cys Val Asn Thr
85 90 95

Ser Ser Pro Met Gly Arg Phe Phe Phe His Val Met Gly Ala Leu Ala
100 105 110

Glu Val Glu Arg Glu Leu Ile Val Glu Arg Thr Met Ala Gly Leu Ala
115 120 125

Ala Ala Arg Ser Lys Gly Gly Ser Gly Gly Ser Gly Gly Ser Gly Gly
130 135 140

Ser Gly Thr Ser Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu
145 150 155 160

Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val
165 170 175

Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln
180 185 190

Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln
195 200 205

Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr
210 215 220

Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro
225 230 235 240

-continued

645

<210> SEQ ID NO 355
 <211> LENGTH: 143
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<400> SEQUENCE: 355

```
Met Leu Ile Gly Tyr Ala Arg Val Ser Thr Asn Gly Gln Ser Thr Asp
 1             5             10             15
Leu Gln Arg Asp Ala Leu Val Cys Ala Gly Cys Glu Gln Ile Phe Glu
 20             25             30
Asp Lys Leu Ser Gly Thr Arg Thr Asp Arg Pro Gly Leu Lys Arg Ala
 35             40             45
Leu Glu Arg Leu Gln Glu Gly Asp Thr Leu Val Val Trp Lys Leu Asp
 50             55             60
Arg Leu Gly Arg Ser Val Lys His Leu Ile Ser Leu Val Gly Glu Leu
 65             70             75             80
Arg Glu Arg Gly Ile Asn Phe Arg Ser Leu Thr Asp Cys Val Asn Thr
 85             90             95
Ser Ser Pro Met Gly Arg Phe Phe Phe His Val Met Gly Ala Leu Ala
 100            105            110
Glu Val Glu Arg Glu Leu Ile Val Glu Arg Thr Met Ala Gly Leu Ala
 115            120            125
Ala Ala Arg Ser Lys Gly Arg Ile Gly Gly Arg Pro Pro Lys Ser
 130            135            140
```

<210> SEQ ID NO 356
 <211> LENGTH: 34
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: This region may encompass 1 to 2 residues selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn," "Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn," "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile," "His Ile,";
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly," "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp," "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser," "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 356

```
Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
 1             5             10             15
Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp
 20             25             30
His Gly
```

<210> SEQ ID NO 357
 <211> LENGTH: 34

-continued

<212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: This region may encompass 1 to 2 residues selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn," "Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn," "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile," "His Ile,";
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly," "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp," "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser," "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 357

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 20 25 30

His Gly

<210> SEQ ID NO 358
 <211> LENGTH: 34
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: This region may encompass 1 to 2 residues selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn," "Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn," "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile," "His Ile,";
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly," "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp," "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser," "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 358

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Ser Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp
 20 25 30

His Gly

<210> SEQ ID NO 359
 <211> LENGTH: 34
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: This region may encompass 1 to 2 residues

-continued

```

selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
"Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
"Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
"His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
"His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
"Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
"Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

```

<400> SEQUENCE: 359

```

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1           5           10           15

```

```

Lys Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp
           20           25           30

```

His Gly

```

<210> SEQ ID NO 360
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
"Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
"Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
"His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
"His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
"Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
"Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

```

<400> SEQUENCE: 360

```

Leu Thr Leu Asp Lys Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1           5           10           15

```

```

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp
           20           25           30

```

His Gly

```

<210> SEQ ID NO 361
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
"Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
"Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
"His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
"His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"

```

-continued

"Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
 "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 361

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Ser Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 20 25 30

His Gly

<210> SEQ ID NO 362

<211> LENGTH: 34

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<220> FEATURE:

<221> NAME/KEY: MOD_RES

<222> LOCATION: (12)..(13)

<223> OTHER INFORMATION: This region may encompass 1 to 2 residues selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn," "Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn," "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile," "His Ile,";

<220> FEATURE:

<221> NAME/KEY: MOD_RES

<222> LOCATION: (12)..(13)

<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly," "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp," "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser," "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 362

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 20 25 30

Arg Gly

<210> SEQ ID NO 363

<211> LENGTH: 34

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<220> FEATURE:

<221> NAME/KEY: MOD_RES

<222> LOCATION: (12)..(13)

<223> OTHER INFORMATION: This region may encompass 1 to 2 residues selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn," "Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn," "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile," "His Ile,";

<220> FEATURE:

<221> NAME/KEY: MOD_RES

<222> LOCATION: (12)..(13)

<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly," "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp," "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser," "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 363

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln

-continued

20 25 30

His Gly

<210> SEQ ID NO 364
 <211> LENGTH: 34
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: This region may encompass 1 to 2 residues selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn," "Lys Asn," "Arg Asp," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn," "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile," "His Ile,";
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly," "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp," "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser," "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 364

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Thr
 20 25 30

His Gly

<210> SEQ ID NO 365
 <211> LENGTH: 34
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: This region may encompass 1 to 2 residues selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn," "Lys Asn," "Arg Asp," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn," "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile," "His Ile,";
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly," "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp," "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser," "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 365

Leu Thr Leu Asp Gln Val Ala Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 20 25 30

His Gly

<210> SEQ ID NO 366
 <211> LENGTH: 34
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence

-continued

```

<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
"Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
"Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
"His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
"His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
"Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
"Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

```

```

<400> SEQUENCE: 366

```

```

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Ser Lys
1           5                10                15

```

```

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Thr
                20                25                30

```

```

His Gly

```

```

<210> SEQ ID NO 367
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
"Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
"Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
"His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
"His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
"Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
"Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

```

```

<400> SEQUENCE: 367

```

```

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1           5                10                15

```

```

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Glu
                20                25                30

```

```

His Gly

```

```

<210> SEQ ID NO 368
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
"Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"

```

-continued

```

"Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
"His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
"His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
"Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
"Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

```

```

<400> SEQUENCE: 368

```

```

Leu Thr Leu Asp Gln Val Val Ser Ile Ala Ser Xaa Xaa Gly Gly Lys
1           5                10                15

```

```

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp
          20                25                30

```

```

His Gly

```

```

<210> SEQ ID NO 369
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
"Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
"Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
"His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
"His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
"Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
"Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

```

```

<400> SEQUENCE: 369

```

```

Leu Thr Leu Ala Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1           5                10                15

```

```

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
          20                25                30

```

```

His Gly

```

```

<210> SEQ ID NO 370
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
"Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
"Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
"His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
"His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
"Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
"Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

```

-continued

<400> SEQUENCE: 370

Leu Thr Leu Ala Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp
 20 25 30

His Gly

<210> SEQ ID NO 371

<211> LENGTH: 34

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<220> FEATURE:

<221> NAME/KEY: MOD_RES

<222> LOCATION: (12)..(13)

<223> OTHER INFORMATION: This region may encompass 1 to 2 residues selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn," "Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn," "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile," "His Ile,";

<220> FEATURE:

<221> NAME/KEY: MOD_RES

<222> LOCATION: (12)..(13)

<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly," "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp," "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser," "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 371

Leu Thr Leu Ala Gln Val Val Ala Ile Ala Asn Xaa Xaa Gly Gly Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 20 25 30

His Gly

<210> SEQ ID NO 372

<211> LENGTH: 34

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide

<220> FEATURE:

<221> NAME/KEY: MOD_RES

<222> LOCATION: (12)..(13)

<223> OTHER INFORMATION: This region may encompass 1 to 2 residues selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn," "Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn," "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile," "His Ile,";

<220> FEATURE:

<221> NAME/KEY: MOD_RES

<222> LOCATION: (12)..(13)

<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly," "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp," "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser," "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 372

Leu Thr Leu Ala Gln Val Val Ala Ile Ala Asn Xaa Xaa Gly Gly Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Asp
 20 25 30

-continued

His Gly

<210> SEQ ID NO 373
 <211> LENGTH: 34
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: This region may encompass 1 to 2 residues selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn," "Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn," "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile," "His Ile,";
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly," "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp," "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser," "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

 <400> SEQUENCE: 373

Leu Thr Leu Ala Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Thr
 20 25 30

His Gly

<210> SEQ ID NO 374
 <211> LENGTH: 34
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: This region may encompass 1 to 2 residues selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn," "Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn," "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile," "His Ile,";
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly," "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp," "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser," "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

 <400> SEQUENCE: 374

Leu Thr Gln Val Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 20 25 30

His Gly

<210> SEQ ID NO 375
 <211> LENGTH: 34
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic

-continued

```

polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
"Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
"Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
"His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
"His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
"Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
"Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 375

```

```

Leu Thr Leu Thr Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1           5           10           15

```

```

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
          20           25           30

```

His Gly

```

<210> SEQ ID NO 376
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
"Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
"Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
"His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
"His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
"Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
"Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

```

<400> SEQUENCE: 376

```

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1           5           10           15

```

```

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln
          20           25           30

```

His Gly

```

<210> SEQ ID NO 377
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
"Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
"Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
"His Ile,";

```

-continued

```

<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
"His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
"Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
"Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

```

```

<400> SEQUENCE: 377

```

```

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1           5           10          15

```

```

Gln Ala Leu Glu Thr Val Gln Gln Leu Leu Pro Val Leu Cys Glu Gln
                20           25           30

```

His Gly

```

<210> SEQ ID NO 378
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
"Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
"Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
"His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
"His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
"Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
"Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

```

```

<400> SEQUENCE: 378

```

```

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1           5           10          15

```

```

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln
                20           25           30

```

His Gly

```

<210> SEQ ID NO 379
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
"Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
"Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
"His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
"His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
"Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
"Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

```

```

<400> SEQUENCE: 379

```

-continued

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Arg
1 5 10 15

Pro Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln
20 25 30

His Gly

<210> SEQ ID NO 380
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn," "Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn," "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile," "His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly," "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp," "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser," "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 380

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1 5 10 15

Gln Ala Leu Lys Thr Val Gln Gln Leu Leu Pro Val Leu Cys Glu Gln
20 25 30

His Gly

<210> SEQ ID NO 381
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn," "Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn," "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile," "His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly," "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp," "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser," "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 381

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Arg Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln
20 25 30

His Gly

-continued

```

<210> SEQ ID NO 382
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
      selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
      "Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
      "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
      "His Ile, ";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
      "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
      "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
      "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 382

```

```

Leu Thr Arg Ala Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1           5           10           15

```

```

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln
           20           25           30

```

His Gly

```

<210> SEQ ID NO 383
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
      selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
      "Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
      "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
      "His Ile, ";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
      "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
      "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
      "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 383

```

```

Leu Thr Leu Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1           5           10           15

```

```

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln
           20           25           30

```

His Gly

```

<210> SEQ ID NO 384
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polypeptide
<220> FEATURE:

```

-continued

```

<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
"Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
"Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
"His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
"His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
"Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
"Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 384

```

```

Leu Thr Pro Ala Gln Val Val Thr Ile Ala Ser Xaa Xaa Gly Gly Lys
1          5          10          15

```

```

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln
          20          25          30

```

His Gly

```

<210> SEQ ID NO 385
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
"Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
"Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
"His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
"His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
"Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
"Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

```

<400> SEQUENCE: 385

```

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1          5          10          15

```

```

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln
          20          25          30

```

His Gly

```

<210> SEQ ID NO 386
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
"Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
"Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
"His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES

```

-continued

<222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
 "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
 "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
 "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 386

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
 1 5 10 15

Pro Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln
 20 25 30

His Gly

<210> SEQ ID NO 387
 <211> LENGTH: 34
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 polypeptide
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: This region may encompass 1 to 2 residues
 selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
 "Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
 "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
 "His Ile,";
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
 "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
 "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
 "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 387

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Arg
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln
 20 25 30

His Gly

<210> SEQ ID NO 388
 <211> LENGTH: 34
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 polypeptide
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: This region may encompass 1 to 2 residues
 selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
 "Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
 "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
 "His Ile,";
 <220> FEATURE:
 <221> NAME/KEY: MOD_RES
 <222> LOCATION: (12)..(13)
 <223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
 "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
 "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
 "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

<400> SEQUENCE: 388

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys

-continued

```

1             5             10             15
Pro Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Glu Gln
                20             25             30

```

His Gly

```

<210> SEQ ID NO 389
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
      selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
      "Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
      "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
      "His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
      "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
      "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
      "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

```

<400> SEQUENCE: 389

```

Leu Thr Pro Asp Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1             5             10             15

```

```

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Arg Asp
                20             25             30

```

His Gly

```

<210> SEQ ID NO 390
<211> LENGTH: 34
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polypeptide
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: This region may encompass 1 to 2 residues
      selected from "Asn Ile," "His Asp," "Asn Gly," "Asn Asn,"
      "Lys Asn," "Arg Asn," "Asn His," "Asn Gln," "Ser Ser," "Ser Asn,"
      "Asn Lys," "Lys His," "Arg His," "His His," "Lys Ile," "Arg Ile,"
      "His Ile,";
<220> FEATURE:
<221> NAME/KEY: MOD_RES
<222> LOCATION: (12)..(13)
<223> OTHER INFORMATION: cont'd from above; "Ser Ile," "Lys Gly,"
      "His Gly," "Arg Gly," "Ser Asp," "Asn Asp," "Lys Asp," "Arg Asp,"
      "Tyr Gly," "His Asn," "Asn Val," "Asn Ser," "His Ala," "Ser,"
      "Asn," "Lys Ala," "His," "Arg Ala," "Asn Ala," or "Asn Cys"

```

<400> SEQUENCE: 390

```

Leu Thr Pro Ala Gln Val Val Ala Ile Ala Ser Xaa Xaa Gly Gly Lys
1             5             10             15

```

```

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Arg Asp
                20             25             30

```

His Gly

<210> SEQ ID NO 391

-continued

```

<211> LENGTH: 14
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        oligonucleotide

```

```

<400> SEQUENCE: 391

```

```

tacgactcac tata

```

14

```

<210> SEQ ID NO 392
<211> LENGTH: 30
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        oligonucleotide
<220> FEATURE:
<221> NAME/KEY: modified_base
<222> LOCATION: (1)..(5)
<223> OTHER INFORMATION: a, c, t, g, unknown or other
<220> FEATURE:
<221> NAME/KEY: modified_base
<222> LOCATION: (26)..(30)
<223> OTHER INFORMATION: a, c, t, g, unknown or other

```

```

<400> SEQUENCE: 392

```

```

mnnntccaa aaccatgggt tacagnnnnn

```

30

1-10. (canceled)

11. A method of repressing expression of a genomic locus of interest in a mammalian cell, comprising contacting the genomic locus with a non-naturally occurring or engineered composition comprising a deoxyribonucleic acid (DNA) binding polypeptide comprising:

- (a) a N-terminal capping region
- (b) a DNA binding domain comprising at least 5 to 40 Transcription activator-like effector (TALE) monomers and at least one or more half-monomers specifically ordered to target the genomic locus of interest, and
- (c) a C-terminal capping region

wherein (a), (b) and (c) are arranged in a predetermined N-terminus to C-terminus orientation,

wherein the polypeptide includes a SID4X repressor domain having the sequence

```

                                (SEQ ID NO: 50)
MNIQMLLEAADYLERREREAHGYASMLPGSGMNIQMLLEAADYLERR
EREAHGYASMLPGSGMNIQMLLEAADYLERREREAHGYASMLPGSG
MNIQMLLEAADYLERREREAHGYASMLPSR,

```

wherein the genomic locus comprises a target DNA sequence 5'-T₀N₁N₂ . . . N_zN_{z+1}-3', where T₀ and N=A, G, T or C,

wherein the target DNA sequence binds to the DNA binding domain, and the DNA binding domain comprises (X₁₋₁₁-X₁₂X₁₃-X₁₄₋₃₃ or 34 or 35)_z,

wherein X₁₋₁₁ is a chain of 11 contiguous amino acids,

wherein X₁₂X₁₃ is a repeat variable diresidue (RVD),

wherein X₁₄₋₃₃ or 34 or 35 is a chain of 21, 22 or 23 contiguous amino acids,

wherein z is at least 5 to 40,

wherein at least one RVD is selected from the group consisting of (a) HH, KH, NH, NK, NQ, RH, RN, SS, NN, SN, KN for recognition of guanine (G); (b) NI, KI, RI, HI, SI for recognition of adenine (A); (c) NG, HG, KG, RG for recognition of thymine (T); (d) RD, SD, HD, ND, KD, YG for recognition of cytosine (C); (e) NV, HN for recognition of A or G; and (f) H*, HA, KA, N*, NA, NC, NS, RA, S* for recognition of A or T or G or C, wherein (*) means that the amino acid at X₁₃ is absent, and wherein the polypeptide is encoded by and translated from a codon optimized nucleic acid molecule so that the polypeptide preferentially binds to DNA of the genomic locus.

12. (canceled)

13. The method according to claim **11**, wherein at least one RVD is selected from the group consisting of (a) HH, KH, NH, NK, NQ, RH, RN, SS for recognition of guanine (G); (b) SI for recognition of adenine (A); (c) HG, KG, RG for recognition of thymine (T); (d) RD, SD for recognition of cytosine (C); (e) NV, HN for recognition of A or G and (f) H*, HA, KA, N*, NA, NC, NS, RA, S* for recognition of A or T or G or C, wherein (*) means that the amino acid at X₁₃ is absent.

14. The method according to claim **13**, wherein the RVD for the recognition of G is RN, NH, RH or KH; or the RVD for the recognition of A is SI; or the RVD for the recognition of T is KG or RG; and the RVD for the recognition of C is SD or RD.

15. The method according to claim **11**, wherein at least one of the following is present

[LTLQ] (SEQ ID NO: 1) or [LTLA] (SEQ ID NO: 2) or [LTQV] (SEQ ID NO: 3) at X₁₋₄; or

[EQHG] (SEQ ID NO: 4) or [RDHG] (SEQ ID NO: 5) at positions X₃₀₋₃₃ or X₃₁₋₃₄ or X₃₂₋₃₅,

wherein the sequence $X_{1-11}-X_{12}X_{13}-X_{14-33}$ or 34 or 35 is selected from the group consisting of:

- (SEQ ID NO: 356)
LTLQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQDHG,
- (SEQ ID NO: 357)
LTLQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQAHG,
- (SEQ ID NO: 358)
LTLQVVAIAS $X_{12}X_{13}$ GSKQALETVQRLLPVLCQDHG,
- (SEQ ID NO: 359)
LTLQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQDHG,
- (SEQ ID NO: 360)
LTLQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQDHG,
- (SEQ ID NO: 361)
LTLQVVAIAS $X_{12}X_{13}$ GSKQALETVQRLLPVLCQAHG,
- (SEQ ID NO: 362)
LTLQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQARG,
- (SEQ ID NO: 363)
LTLQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQEHG,
- (SEQ ID NO: 364)
LTLQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQTHG,
- (SEQ ID NO: 365)
LTLQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQAHG,
- (SEQ ID NO: 366)
LTLQVVAIAS $X_{12}X_{13}$ GSKQALETVQRLLPVLCQTHG,
- (SEQ ID NO: 367)
LTLQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQEHG,
- (SEQ ID NO: 368)
LTLQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQDHG,
- (SEQ ID NO: 369)
LTLQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQAHG,
- (SEQ ID NO: 370)
LTLQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQDHG,
- (SEQ ID NO: 371)
LTLQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQAHG,
- (SEQ ID NO: 372)
LTLQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQDHG,
- (SEQ ID NO: 373)
LTLQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQTHG,
- (SEQ ID NO: 374)
LTLQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQAHG,
- (SEQ ID NO: 375)
LTLQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQAHG,

-continued

- (SEQ ID NO: 376)
LTPQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQEHG,
- (SEQ ID NO: 377)
LTPQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQEHG,
- (SEQ ID NO: 378)
LTPQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQEHG,
- (SEQ ID NO: 379)
LTPQVVAIAS $X_{12}X_{13}$ GGRPALETVQRLLPVLCQEHG,
- (SEQ ID NO: 380)
LTPQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQEHG,
- (SEQ ID NO: 381)
LTPQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQEHG,
- (SEQ ID NO: 382)
LTPQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQEHG,
- (SEQ ID NO: 383)
LTPQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQEHG,
- (SEQ ID NO: 384)
LTPQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQEHG,
- (SEQ ID NO: 385)
LTPQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQEHG,
- (SEQ ID NO: 386)
LTPQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQEHG,
- (SEQ ID NO: 387)
LTPQVVAIAS $X_{12}X_{13}$ GGRPALETVQRLLPVLCQEHG,
- (SEQ ID NO: 388)
LTPQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQEHG,
- (SEQ ID NO: 389)
LTPQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQEHG,
and
- (SEQ ID NO: 390)
LTPQVVAIAS $X_{12}X_{13}$ GGKQALETVQRLLPVLCQEHG.

16. The method according to claim 11, wherein the N-terminal capping region or fragment thereof comprises 147 contiguous amino acids of a wild type N-terminal capping region, or the C-terminal capping region or fragment thereof comprises 68 contiguous amino acids of a wild type C-terminal capping region, or the N-terminal capping region or fragment thereof comprises 136 contiguous amino acids of a wild type N-terminal capping region and the C-terminal capping region or fragment thereof comprises 183 contiguous amino acids of a wild type C-terminal capping region.

* * * * *