



- (51) International Patent Classification:
H04L 9/32 (2006.01) G06Q 20/38 (2012.01)
G06Q 20/06 (2012.01)
- (21) International Application Number:
PCT/US2020/052864
- (22) International Filing Date:
25 September 2020 (25.09.2020)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
62/905,966 25 September 2019 (25.09.2019) US
- (71) Applicant: VISA INTERNATIONAL SERVICE ASSOCIATION [US/US]; P.O. Box 8999, San Francisco, California 94128 (US).
- (72) Inventors: AGRAWAL, Shashank; P.O. Box 8999, San Francisco, California 94128 (US). RAGHURAMAN, Srinivasan; P.O. Box 8999, San Francisco, California 94128 (US).
- (74) Agent: HERMANN, Jacob et al.; Kilpatrick Townsend & Stockton LLP, Mailstop: IP Docketing - 22, 1100 Peachtree Street, Suite 2800, Atlanta, Georgia 30309 (US).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, IT, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW,

(54) Title: KEY-VALUE MAP COMMITMENTS SYSTEM AND METHOD




FIG. 1

(57) **Abstract:** A method includes a validation computer receiving an authorization request message comprising a user state and a user proof from a user device. The user state comprises first and second user state elements. The user proof comprises first, second, and third user proof elements. The validation computer computes a first verification value by multiplying the first user proof element raised to the power of the second user state element, and the second user proof element raised to the power of the first user state element. The computer computes a second verification value by raising the second user proof element to the power of the second user state element. The computer compares the first verification value to a first accumulated state element of an accumulated state. The compares the second verification value to a second accumulated state element. The validation computer authorizes the authorization request message based on the comparison steps.



SA, SC, SD, SE, SG, SK, SL, ST, SV, SY, TH, TJ, TM, TN,
TR, TT, TZ, UA, UG, US, UZ, VC, VN, WS, ZA, ZM, ZW.

- (84) Designated States** (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- *as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))*
- *as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii))*

Published:

- *with international search report (Art. 21(3))*

KEY-VALUE MAP COMMITMENTS SYSTEM AND METHOD

5

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This application is a PCT application of and claims the benefit of U.S. Provisional Application No. 62/905,966, filed on September 25, 2019, which is herein incorporated by reference in its entirety for all purposes.

BACKGROUND

10 **[0002]** Cryptocurrencies like Bitcoin [bit] and Ethereum [ethb] process payments in a decentralized manner. Every time a block of transactions is generated, validators check the validity of the block. For example, in Ethereum, a transaction consists of a sender's public key pk , a transfer amount b , and a signature σ (among other things). For every transaction in a block, validators check that the signature σ is valid and that the sender account (identified by hashing
15 the sender's public key pk) has a balance of at least the transfer amount b . While the signature σ can be verified given the transaction alone, the sender's balance depends on the past transactions. A validator could go through the entire chain of blocks (e.g., a blockchain) to compute the balance initially. The validator could store the balance in memory afterwards and update it as new transactions arrive.

20 **[0003]** The number of sender accounts, however, is usually large. Ethereum has about 70 million accounts [etha] even though the throughput of the blockchain is not high (e.g., 5-10 transactions per second [ethc]). Other currencies like Libra [lib] can have a much higher throughput and are expected to have billions of accounts. Fast access to such a large number of accounts requires significant resources, limiting the number of nodes that could perform
25 validator functions. This is a problem for networks that want to spread far and wide without entrusting a few computers.

[0004] Embodiments of the invention address these and other issues, individually and collectively.

BRIEF SUMMARY

[0005] An embodiment includes a method comprising: receiving, by a validation computer, an authorization request message from a user device, wherein the authorization request message comprises a user state and a user proof, wherein the user state comprises a first user state element and a second user state element, and wherein the user proof comprises a first user proof element, a second user proof element, and a third user proof element; computing, by the validation computer, a first verification value by multiplying the first user proof element raised to the power of the second user state element, and the second user proof element raised to the power of the first user state element; computing, by the validation computer, a second verification value by raising the second user proof element to the power of the second user state element; comparing, by the validation computer, the first verification value to a first accumulated state element of an accumulated state; comparing, by the validation computer, the second verification value to a second accumulated state element of the accumulated state; and authorizing, by the validation computer, the authorization request message if the first verification value matches the first accumulated state and the second verification value matches the second accumulated state element.

[0006] Another embodiment includes a validation computer comprising: a processor; a memory; and a computer-readable medium coupled to the processor, the computer-readable medium comprising code executable by the processor for implementing a method comprising: receiving an authorization request message from a user device, wherein the authorization request message comprises a user state and a user proof, wherein the user state comprises a first user state element and a second user state element, and wherein the user proof comprises a first user proof element, a second user proof element, and a third user proof element; computing a first verification value by multiplying the first user proof element raised to the power of the second user state element, and the second user proof element raised to the power of the first user state element; computing a second verification value by raising the second user proof element to the power of the second user state element; comparing the first verification value to a first accumulated state element of an accumulated state; comparing the second verification value to a second accumulated state element of the accumulated state; and authorizing the authorization

request message if the first verification value matches the first accumulated state and the second verification value matches the second accumulated state element.

[0007] Another embodiment includes a method comprising: generating, by a user device, an authorization request message comprising a user state and a user proof, wherein the user state
5 comprises a first user state element and a second user state element , and wherein the user proof comprises a first user proof element, a second user proof element, and a third user proof element;
providing, by the user device, the authorization request message to a validation computer of a plurality of validation computers, wherein the validation computer 1) computes a first
10 verification value by multiplying the first user proof element raised to the power of the second user state element , and the second user proof element raised to the power of the first user state element, 2) computes the second verification value by raising the second user proof element to the power of the second user state element, 3) compares the first verification value to a first accumulated state element of an accumulated state, 4) compares the second verification value to a second accumulated state element of the accumulated state, and 5) authorizes the authorization
15 request message if the first verification value matches the first accumulated state and the second verification value matches the second accumulated state element; and receiving, by the user device, an authorization response message from the validation computer, wherein the authorization response message indicates whether or not the authorization request message was authorized.

20 **[0008]** Further details regarding embodiments of the invention can be found in the Detailed Description and the Figures.

BRIEF DESCRIPTION OF THE DRAWINGS

[0009] FIG. 1 shows a block diagram of a system according to embodiments.

[0010] FIG. 2A shows a block diagram of a user device according to embodiments.

25 **[0011]** FIG. 2B shows a block diagram of a validation computer according to embodiments.

[0012] FIG. 3 shows a flow diagram of an authorization request process according to embodiments.

[0013] FIG. 4 shows a flow diagram of verification method according to embodiments.

[0014] FIGs. 5A-5D illustrate various equations according to embodiments.

DETAILED DESCRIPTION

[0015] A "blockchain" can be a distributed database that maintains a continuously-growing list of records secured from tampering and revision. A blockchain may include a number of blocks
5 of interaction records. Each block in the blockchain can contain also include a timestamp and a link to a previous block. Stated differently, interaction records in a blockchain may be stored as a series of "blocks," or permanent files that include a record of a number of interactions occurring over a given period of time. Blocks may be appended to a blockchain by an appropriate node after it completes the block and the block is validated. Each block can be associated with a block
10 header. In embodiments of the invention, a blockchain may be distributed, and a copy of the blockchain may be maintained at each full node in a verification network. Any node within the verification network may subsequently use the blockchain to verify interactions.

[0016] A "verification network" can include a set of computers programmed to provide verification for an interaction. A verification network may be a distributed computing system
15 that uses several computers (e.g., validation computers) that are interconnected via communication links. A verification network may be implemented using any appropriate network, including an intranet, the Internet, a cellular network, a local area network or any other such network or combination thereof. In some cases, validation computers may be independently operated by third party or administrative entities. Such entities can add or remove computers
20 from the verification network on a continuous basis. In some embodiments, a validation computer in a verification network may be a full node.

[0017] A "block" can include a data element that holds records of one or more interactions, and can be a sub-component of a blockchain. A block can include a block header and a block body. A block can include a batch of valid interactions that are hashed and encoded into a
25 Merkle tree. Each block can include a cryptographic hash of the prior block (or blocks) in the blockchain.

[0018] A "block header" can be a header including information regarding a block. A block header can be used to identify a particular block an a blockchain. A block header can comprise

any suitable information, such as a previous hash, a Merkle root, a timestamp, and a nonce. In some embodiments, a block header can also include a difficulty value.

[0019] An “interaction” may include a reciprocal action or influence. An interaction can include a communication, contact, or exchange between parties, devices, and/or entities.

5 Example interactions include a transaction between two parties and a data exchange between two devices. In some embodiments, an interaction can include a user requesting access to secure data, a secure webpage, a secure location, and the like. In other embodiments, an interaction can include a payment transaction in which two devices can interact to facilitate a payment.

[0020] “Interaction data” may be data associated with an interaction. For example, an
10 interaction may be a transfer of a digital asset from one party to another party. The interaction data for example, may include a transaction amount and unspent transaction outputs (UTXOs). In some embodiments, interaction data can indicate different entities that are party to an interaction as well as value or information being exchanged. Interaction data can include an
15 interaction amount, information associated with a sender (e.g., a token or account information, an alias, a device identifier, a contact address, etc.), information associated with a receiver (e.g., a token or account information, an alias, a device identifier, a contact address, etc.), one-time values (e.g., a random value, a nonce, a timestamp, a counter, etc.), and/or any other suitable information. An example of interaction data can be transaction data.

[0021] A “digital asset” may refer to digital content associated with a value. In some cases,
20 the digital asset may also indicate a transfer of the value. For example, a digital asset may include data that indicates a transfer of a currency value (e.g., fiat currency or crypto currency). In other embodiments, the digital asset may correspond to other non-currency values, such as access privileges data (e.g., a number of authorized usages or a time allotment for accessing
25 information) and ownership data (e.g., digital right data). A digital asset may also include information about one or more digital asset attributes. For example, a digital asset may include information useful for transferring value from one entity or account to another. A digital asset may also include remittance information (e.g., information identifying a sending entity). In some
30 embodiments, a digital asset may include one or more of a digital asset identifier, a value (e.g., an amount, an original currency type, a destination currency type, etc.), transfer fee information, a currency exchange rate, an invoice number, a purchase order number, a timestamp, a sending

entity identifier (e.g., a sender enterprise ID), a sending entity account number, a sending entity name, sending entity contact information (e.g., an address, phone number, email address, etc.), sending institution information (e.g., a financial institution name, enterprise ID, and BIN), a recipient entity identifier (e.g., a recipient enterprise ID), a recipient entity account number, a recipient entity name, recipient entity contact information (e.g., an address, phone number, email address, etc.), and/or recipient institution information (e.g., a financial institution name, enterprise ID, and BIN). When a digital asset is received, the recipient may have sufficient information to proceed with a settlement transaction for the indicated value.

[0022] The term “verification” and its derivatives may refer to a process that utilizes information to determine whether an underlying subject is valid under a given set of circumstances. Verification may include any comparison of information to ensure some data or information is correct, valid, accurate, legitimate, and/or in good standing.

[0023] A “user” may include an individual. In some embodiments, a user may be associated with one or more personal accounts and/or mobile devices. The user may also be referred to as a cardholder, account holder, or consumer in some embodiments.

[0024] A “user identifier” can include any piece of data that can identify a user. A user identifier can comprise any suitable alphanumeric string of characters. In some embodiments, the user identifier may be derived from user identifying information. In some embodiments, a user identifier can include an account identifier associated with the user.

[0025] A “validation computer” can include a computer that checks or proves the validity or accuracy of something. A validation computer can validate a user proof received from a user device. A validation computer can determine whether or not the user proof and/or any other provided data is sufficient for the user device to perform an interaction. A validation computer can be a node in a verification network. In some embodiments, a validation computer can propose to add a new block to a blockchain, where the new block includes one or more interactions.

[0026] An “authorization request message” can be an electronic message that requests authorization for an interaction. In some embodiments, an authorization request message is sent to a validator computer to request authorization for a transaction.

[0027] An “authorization response message” can be a message that responds to an authorization request. In some cases, it may be an electronic message reply to an authorization request message generated by a validation computer. The authorization response message may include, by way of example only, one or more of the following status indicators: Approval --
5 transaction was approved; Decline -- transaction was not approved; or Call Center -- response pending more information, merchant can call the toll-free authorization phone number. The authorization response message, or data included therein, may serve as proof of authorization.

[0028] A “user state” can include a condition of attributes or status of user data. A user state can be a tuple and can include one or more user state elements. For example, a user state can
10 include a first user state element and a second user state element. A user state can include a first user state element (e.g., x_k) that can be an amount (e.g., a balance, value, etc.) associated with an account of a user. A user state can include a second user state element (e.g., z_k) that can be a random value.

[0029] A “user proof” can include evidence sufficient to establish a thing provided by a user as
15 true. A user proof can be referred to as a witness and can be a proof of membership of an element in an accumulated state. A user proof can be tuple that can include one or more user proof elements. For example, a user proof can include a first user proof element, a second user proof element, and a third user proof element. A user proof can include a first user proof element and a second user element that can be utilized by a validation computer to verify that a
20 corresponding user state is included in an accumulated state of a most recent block in a blockchain. A user proof can include a third user proof element that can indicate which of a number of entries in an accumulated state a user is associated with (e.g., which of a number of first user state elements from a plurality of users included in the accumulated state is the user associated with).

[0030] A “verification value” can include a value utilized to verify something. A verification
25 value can be determined based on provided information and then compared to known (e.g., previously stored) information. By comparing a determined verification value to a known value, a validation computer can verify that the provided information matches the known information. A verification value can be determined by validation computer to verify a user proof and a user
30 state.

[0031] An “accumulated state” can include gathered or collected condition of attributes or status of data. An accumulated state can be output by an accumulator. An accumulated state can be a binding commitment to a set of elements together with short membership and/or non-membership proofs for any element in the set. An accumulated state can be a tuple that includes one or more accumulated state elements. For example, an accumulated state can include a first accumulated state element, a second accumulated state element, and a third accumulated state element. An accumulated state can include a first accumulated state element that is based on the each first user state element (e.g., amount) and each second user state element (e.g., random value) of each user in the verification network. An accumulated state can include a second accumulated state element that is based on each second user state element of each user in the verification network. An accumulated state can include a third accumulated state element that can be the number of user states in the verification network.

[0032] A “user device” may be a device that is operated by a user. Examples of user devices may include a mobile phone, a smart phone, a card, a personal digital assistant (PDA), a laptop computer, a desktop computer, a server computer, a vehicle such as an automobile, a thin-client device, a tablet PC, etc. Additionally, user devices may be any type of wearable technology device, such as a watch, earpiece, glasses, etc. The user device may include one or more processors capable of processing user input. The user device may also include one or more input sensors for receiving user input. As is known in the art, there are a variety of input sensors capable of detecting user input, such as accelerometers, cameras, microphones, etc. The user input obtained by the input sensors may be from a variety of data input types, including, but not limited to, audio data, visual data, or biometric data. The user device may comprise any electronic device that may be operated by a user, which may also provide remote communication capabilities to a network. Examples of remote communication capabilities include using a mobile phone (wireless) network, wireless data network (e.g., 3G, 4G or similar networks), Wi-Fi, Wi-Max, or any other communication medium that may provide access to a network such as the Internet or a private network.

[0033] A “processor” may include a device that processes something. In some embodiments, a processor can include any suitable data computation device or devices. A processor may comprise one or more microprocessors working together to accomplish a desired function. The

processor may include a CPU comprising at least one high-speed data processor adequate to execute program components for executing user and/or system-generated requests. The CPU may be a microprocessor such as AMD's Athlon, Duron and/or Opteron; IBM and/or Motorola's PowerPC; IBM's and Sony's Cell processor; Intel's Celeron, Itanium, Pentium, Xeon, and/or XScale; and/or the like processor(s).

[0034] A “memory” may be any suitable device or devices that can store electronic data. A suitable memory may comprise a non-transitory computer readable medium that stores instructions that can be executed by a processor to implement a desired method. Examples of memories may comprise one or more memory chips, disk drives, etc. Such memories may operate using any suitable electrical, optical, and/or magnetic mode of operation.

[0035] A “server computer” may include a powerful computer or cluster of computers. For example, the server computer can be a large mainframe, a minicomputer cluster, or a group of servers functioning as a unit. In one example, the server computer may be a database server coupled to a Web server. The server computer may comprise one or more computational apparatuses and may use any of a variety of computing structures, arrangements, and compilations for servicing the requests from one or more client computers.

1 INTRODUCTION

[0036] As blockchains grow in size, validating new transactions becomes more resource intensive. To deal with this, there is a need to discover compact encodings of the (effective) state of a blockchain, an encoding that still allows for efficient proofs of membership and updates. For account-based cryptocurrencies, the state can be represented by a key-value map where keys are the account addresses and values consist of account balance, nonce, etc. Embodiments provide for a new encoding for this state whose size does not grow with the number of accounts, yet proofs of membership are of constant-size. Both the encoding and the proofs may consist of just two group elements (in groups of unknown order like class groups). Verifying and updating proofs can involve a few group exponentiations. Additive updates to account values may also be quite efficient.

[0037] The state of an account-based cryptocurrency is a key-value map where keys are the addresses of accounts and values are their attributes (e.g., balance, nonce, etc.). Various

embodiments provide an encoding for key-value maps in groups of unknown order with the following four properties. 1) Succinct encoding: encoding consists of just two group elements irrespective of the number of keys. 2) Succinct proofs and fast verification: a proof to show that a certain key, value pair is in the encoding consists of just two group elements too. Only three
5 exponentiations may be required to verify a proof. 3) Fast updates to encoding: additive updates to values in the encoding are fast too. 4) Trustless set-up: if class groups are used as the underlying group here, then the encoding scheme could be bootstrapped in a trustless manner.

[0038] When the encoding scheme is utilized with an account-based cryptocurrency where the updates to values are additive in nature (e.g., for payments), validation becomes an almost
10 stateless task (e.g., two group elements need to be stored). To send an amount b^* from an account (k, v) to an account (k', v') , where v consists of balance $b \geq b^*$, a user would supply a proof π that (k, v) is part of the encoding. The proof can be verified and the encoding can be easily updated to reflect the new balance values for k, k' . Additionally, other users in the network would update their proofs, which could be done in the same way as updating encodings.
15 An exemplary method is illustrated in FIGs. 3-4 and is described in further detail below.

[0039] FIG. 1 shows a system 100 according to various embodiments. The system 100 comprises a user device 110, a validation computer 120, a blockchain network 130, and a receiver device 140. The blockchain network 130 can be a blockchain network that comprises a plurality of computers including additional validation computers, user devices, and receiver
20 devices (not shown). The user device 110 can be in operative communication with the blockchain network 130 and the validation computer 120. The validation computer 120 can be in operative communication with the blockchain network 130 and the receiver device 140. The receiver device 140 can be in operative communication with the blockchain network 130.

[0040] For simplicity of illustration, a certain number of components are shown in FIG. 1. It is
25 understood, however, that embodiments of the invention may include more than one of each component. In addition, some embodiments of the invention may include fewer than or greater than all of the components shown in FIG. 1.

[0041] Messages between at least the components in system 100 of FIG. 1 can be transmitted using a secure communications protocols such as, but not limited to, File Transfer Protocol

(FTP); HyperText Transfer Protocol (HTTP); Secure Hypertext Transfer Protocol (HTTPS), SSL, ISO (e.g., ISO 8583) and/or the like. The communications network that may reside between the devices may include any one and/or the combination of the following: a direct interconnection; the Internet; a Local Area Network (LAN); a Metropolitan Area Network (MAN); an Operating Missions as Nodes on the Internet (OMNI); a secured custom connection; a Wide Area Network (WAN); a wireless network (e.g., employing protocols such as, but not limited to a Wireless Application Protocol (WAP), I-mode, and/or the like); and/or the like. The communications network can use any suitable communications protocol to generate one or more secure communication channels. A communications channel may, in some instances, comprise a secure communication channel, which may be established in any known manner, such as through the use of mutual authentication and a session key, and establishment of a Secure Socket Layer (SSL) session.

[0042] The user device 110 can include any suitable device operated by a user. For example, the user device 110 can include a laptop computer, a desktop computer, a smartphone, etc. The user device 110 may be a computer of a first user that is attempting to initiate a transaction with a second user. The second user may operate, for example, the receiver device 140. The user device 110 may be connected to the blockchain network 130. The user device 110 can generate and provide an authorization request message for an interaction to the validation computer 120. The interaction can be a transaction between the first user of the user device 110 and the second user of the receiver device 140. The authorization request message can include a user state and a user proof that are associated with the user. The authorization request message can also include interaction data, for example, an interaction amount. The interaction data can also include an information associated with a sender (e.g., a token or account information, an alias, a device identifier, a contact address, etc.), information associated with a receiver (e.g., a token or account information, an alias, a device identifier, a contact address, etc.), one-time values (e.g., a random value, a nonce, a timestamp, a counter, etc.), and/or any other suitable information.

[0043] The validation computer 120 may be a computer that authorizes interactions before they are posted on the blockchain network 130. Validation computer 120 may validate blocks before they are added to the blockchain network 130. For example, the validation computer 120 can receive an authorization request message from the user device 110 that requests

authorization of an interaction. The validation computer 120 can verify that the user has an amount sufficient for the interaction amount of the interaction, as described in further detail in FIG. 4. For example, the user may have an account with an amount of currency. The validation computer 120 can validate the user has sufficient currency to perform the interaction.

5 **[0044]** The blockchain network 130 may be a blockchain of a cryptocurrency. In some embodiments, the cryptocurrency of blockchain network 130 may be an account based cryptocurrency. The blockchain network 130 can be a verification network that includes a set of computers programmed to provide verification for an interaction. The blockchain network 130 can add or remove computers from the blockchain network 130 on a continuous basis. The
10 devices of the blockchain network 130 can maintain a blockchain comprising one or more blocks. Each block of the blockchain can include interaction data from processed interactions.

[0045] The receiver device 140 may be a computer of a second user that participating in a transaction with the first user. The receiver device 140 may be connected to the blockchain network 130. The receiver device 140 can be a user device that is operated by a different user
15 than the user of the user device 110. For example, the receiver device 140 can be a laptop computer, a desktop computer, a smartphone, etc.

[0046] FIG. 2A shows a block diagram of a user device 200 according to embodiments. The exemplary user device 200 may comprise a processor 204. The processor 204 may be coupled to a memory 202, a network interface 206, and a computer readable medium 208.

20 **[0047]** The memory 202 can be used to store data and code. The memory 202 may be coupled to the processor 204 internally or externally (e.g., cloud based data storage), and may comprise any combination of volatile and/or non-volatile memory, such as RAM, DRAM, ROM, flash, or any other suitable memory device. For example, the memory 202 can store a user state, a user proof, etc.

25 **[0048]** The computer readable medium 208 may comprise code, executable by the processor 204, for performing a method comprising: generating, by a user device, an authorization request message comprising a user state and a user proof, wherein the user state comprises a first user state element and a second user state element, and wherein the user proof comprises a first user proof element, a second user proof element, and a third user proof element; providing, by the

user device, the authorization request message to a validation computer of a plurality of validation computers, wherein the validation computer 1) computes a first verification value by multiplying the first user proof element raised to the power of the second user state element, and the second user proof element raised to the power of the first user state element, 2) computes the second verification value by raising the second user proof element to the power of the second user state element, 3) compares the first verification value to a first accumulated state element of an accumulated state, 4) compares the second verification value to a second accumulated state element of the accumulated state, and 5) authorizes the authorization request message if the first verification value matches the first accumulated state and the second verification value matches the second accumulated state element; and receiving, by the user device, an authorization response message from the validation computer, wherein the authorization response message indicates whether or not the authorization request message was authorized.

[0049] The network interface 206 may include an interface that can allow the user device 200 to communicate with external computers. The network interface 206 may enable the user device 200 to communicate data to and from another device (e.g., a validation computer 250, etc.). Some examples of the network interface 206 may include a modem, a physical network interface (such as an Ethernet card or other Network Interface Card (NIC)), a virtual network interface, a communications port, a Personal Computer Memory Card International Association (PCMCIA) slot and card, or the like. The wireless protocols enabled by the network interface 206 may include Wi-Fi™. Data transferred via the network interface 206 may be in the form of signals which may be electrical, electromagnetic, optical, or any other signal capable of being received by the external communications interface (collectively referred to as “electronic signals” or “electronic messages”). These electronic messages that may comprise data or instructions may be provided between the network interface 206 and other devices via a communications path or channel. As noted above, any suitable communication path or channel may be used such as, for instance, a wire or cable, fiber optics, a telephone line, a cellular link, a radio frequency (RF) link, a WAN or LAN network, the Internet, or any other suitable medium.

[0050] FIG. 2B shows a block diagram of a validation computer 250 according to embodiments. The exemplary validation computer 250 may comprise a processor 254. The

processor 254 may be coupled to a memory 252, a network interface 256, and a computer readable medium 258.

[0051] The memory 252 can be used to store data and code. The memory 252 may be coupled to the processor 254 internally or externally (e.g., cloud based data storage), and may comprise
 5 any combination of volatile and/or non-volatile memory, such as RAM, DRAM, ROM, flash, or any other suitable memory device. For example, the memory 252 can store blocks of a blockchain, block headers, accumulated states, etc.

[0052] The computer readable medium 258 may comprise code, executable by the processor 254, for performing a method comprising: receiving, by a validation computer, an authorization
 10 request message from a user device, wherein the authorization request message comprises a user state and a user proof, wherein the user state comprises a first user state element and a second user state element, and wherein the user proof comprises a first user proof element, a second user proof element, and a third user proof element; computing, by the validation computer, a first
 15 verification value by multiplying the first user proof element raised to the power of the second user state element, and the second user proof element raised to the power of the first user state element; computing, by the validation computer, a second verification value by raising the second user proof element to the power of the second user state element; comparing, by the validation computer, the first verification value to a first accumulated state element of an accumulated state; comparing, by the validation computer, the second verification value to a
 20 second accumulated state element of the accumulated state; and authorizing, by the validation computer, the authorization request message if the first verification value matches the first accumulated state and the second verification value matches the second accumulated state element.

[0053] The network interface 256 is similar to the network interface 206 and description
 25 thereof will not be repeated here.

2 CONCEPTS

2.1 Notation

[0054] For $n \in \mathbb{N}$, let $[n] = \{1, 2, \dots, n\}$. Let $\lambda \in \mathbb{N}$ denote the security parameter. In some embodiments here, symbols in boldface such as \mathbf{a} denote vectors, however, the variables

described herein are not limited to either being a vector or a scalar in view of the boldface symbol. The i -th element of the vector \mathbf{a} is denoted by a_i . A vector \mathbf{a} of length $n \in \mathbb{N}$ and an index set $I \subseteq [n]$ is denoted by $\mathbf{a}|_I$ the set of elements $\{a_i\}_{i \in I}$. Any function which is bounded by a polynomial in its argument is denoted by (\cdot) . An algorithm T can be said to be PPT if it is modeled as a probabilistic Turing machine that runs in time polynomial in λ . In some cases a function can be referred to as negligible, denoted by negl , if the function vanishes faster than the inverse of any polynomial. If S is a set, then $x \xleftarrow{\$} S$ indicates the process of selecting x uniformly at random over S (which in particular assumes that S can be sampled efficiently). Similarly, $x \xleftarrow{\$} A(\cdot)$ denotes the random variable that is the output of a randomized algorithm A .

2.2 Accumulators

[0055] A definition of accumulators from [BBF18] can be adapted herein, which follows the conventions of [BCD⁺17]. For example, a cryptographic accumulator can be a primitive that produces a short binding commitment to a set of elements together with short membership and/or non-membership proofs for any element in the set. These proofs can be publicly verified against the commitment. An accumulator (e.g., a trapdoorless universal accumulator) can be defined as [BBF18] Acc as a primitive that can be formally defined via the following algorithms.

[0056] 1) $\text{Acc.Setup}(1^\lambda)$: Given the security parameter λ , the setup algorithm outputs some public parameters pp (which implicitly define the message space M) and an initial state of the accumulator A_0 .

[0057] 2) $\text{Acc.Add}_{\text{pp}}(A_t, x)$: On input the accumulated value A_t at a certain time instant t that corresponds to a set S_t and a message $x \in M$, the adding algorithm outputs an updated accumulator value A_{t+1} that corresponds to the set $S_{t+1} = S_t \cup \{x\}$ and some update information upmsg_{t+1} that may be used to update proofs of other elements.

[0058] 3) $\text{Acc.Del}_{\text{pp}}(A_t, x)$: On input the accumulated value A_t at a certain time instant t that corresponds to a set S_t and a message $x \in M$, the adding algorithm outputs an updated

accumulator value A_{t+1} that corresponds to the set $S_{t+1} = S_t \setminus \{x\}$ and some update information upmsg_{t+1} that may be used to update proofs of other elements.

[0059] 4) $\text{Acc.MemWitCreate}_{\text{pp}}(A_t, x)$: On input the accumulated value A_t at a certain time instant t that corresponds to a set S_t and a message $x \in M$, the membership witness creation algorithm outputs a membership proof w_x^t for the membership of $x \in S_t$.

[0060] 5) $\text{Acc.NonMemWitCreate}_{\text{pp}}(A_t, x)$: On input the accumulated value A_t at a certain time instant t that corresponds to a set S_t and a message $x \in M$, the membership witness creation algorithm outputs a non-membership proof u_x^t for the non-membership of $x \notin S_t$.

[0061] 6) $\text{Acc.MemWitUp}_{\text{pp}}(A_t, x, w_x^t, \text{upmsg}_{t+1})$: On input the accumulated value A_t at a certain time instant t that corresponds to a set S_t , a message $x \in M$, a membership proof w_x^t for the membership of $x \in S_t$ and the update information upmsg_{t+1} obtained on performing the $(t+1)$ -th update (an Add or Del), the membership witness updating algorithm outputs an updated membership proof w_x^{t+1} for the membership of $x \in S_{t+1}$.

[0062] 7) $\text{Acc.NonMemWitUp}_{\text{pp}}(A_t, x, u_x^t, \text{upmsg}_{t+1})$: On input the accumulated value A_t at a certain time instant t that corresponds to a set S_t , a message $x \in M$, a non-membership proof u_x^t for the non-membership of $x \notin S_t$ and the update information upmsg_{t+1} obtained on performing the $(t+1)$ -th update (an Add or Del), the non-membership witness updating algorithm outputs an updated non-membership proof u_x^{t+1} for the non-membership of $x \notin S_{t+1}$.

[0063] 8) $\text{Acc.VerMem}_{\text{pp}}(A_t, x, w_x^t)$: On input the accumulated value A_t at a certain time instant t that corresponds to a set S_t , a message $x \in M$ and a membership proof w_x^t for the membership of $x \in S_t$, the membership verification algorithm accepts (i.e., it outputs 1) only if w_x^t is a valid proof of the membership of $x \in S_t$.

[0064] 9) $\text{Acc.VerNonMem}_{pp}(A_t, x, u_x^t)$: On input the accumulated value A_t at a certain time instant t that corresponds to a set S_t , a message $x \in M$ and a non-membership proof u_x^t for the non-membership of $x \notin S_t$, the non-membership verification algorithm accepts (i.e., it outputs 1) only if u_x^t is a valid proof of the non-membership of $x \notin S_t$.

5 **[0065]** For correctness, for all $\lambda \in \mathbb{N}$, for all honestly generated parameters $pp \xleftarrow{\$} \text{Acc.Setup}(1^\lambda)$, for all time instants $t \in \mathbb{N} \cup \{0\}$, for all $x \in M$, if A_t is the accumulated value at a certain time instant t corresponding to the a set S_t of elements from M (obtained by running a sequence of Acc.Add_{pp} and Acc.Del_{pp}), w_x^t is a proof for the membership of $x \in S_t$ generated by $\text{Acc.MemWitCreate}_{pp}$ or Acc.MemWitUp_{pp} , then
 10 $\text{Acc.VerMem}_{pp}(A_t, x, w_x^t)$ outputs 1 with overwhelming probability. Similarly, if u_x^t is a proof for the non-membership of $x \notin S_t$ generated by $\text{Acc.NonMemWitCreate}_{pp}$ or $\text{Acc.NonMemWitUp}_{pp}$, then $\text{Acc.VerNonMem}_{pp}(A_t, x, u_x^t)$ outputs 1 with overwhelming probability.

15 **[0066]** A security definition followed herein [Lip12] formulates an undeniability property for accumulators. The following definition states that an accumulator is secure if an adversary cannot construct an accumulator, an element x , a valid membership witness w_x and a non-membership witness u_x where w_x shows that x is in the accumulator and u_x shows that it is not. This definition is provided as Definition 1: An accumulator Acc is secure if for every PPT adversary A , the following probability is at most negligible in λ :

$$20 \quad \Pr \left[\begin{array}{l} (pp, A_0) \xleftarrow{\$} \text{Acc.Setup}(1^\lambda) \\ (A, x, w_x, u_x) \xleftarrow{\$} A(pp, A_0) \\ \text{Acc.VerMem}_{pp}(A, x, w_x) = 1 \wedge \text{Acc.VerNonMem}_{pp}(A, x, u_x) = 1 \end{array} \right]$$

[0067] An accumulator can be concise in the sense that the size of the accumulated value A_t and the outputs of all the algorithms above are independent of t .

[0068] Accumulators can also be considered to be hiding. For example, an accumulator is hiding if an adversary cannot distinguish whether an element is in the accumulator or not even

after obtaining membership and/or non-membership proofs for other elements. A notion of weak hiding can also be defined where given an accumulated value A to a set S , it is hard to recover any $x \in S$ in the worst case. Hiding, in some embodiments, however may not be a critical property in the realization of accumulators. Any construction of accumulators which does not satisfy hiding can be fixed, for example, by using a commitment scheme (e.g., first commit to each message separately using a standard commitment scheme and then apply the accumulator to the obtained set of commitments).

[0069] The definition only asks for a sequential update of the proofs of membership and non-membership. In other words, if one applies m updates, proofs of membership and non-membership have to be updated m times. One could hope to build an accumulator scheme where the number of times one has to update proofs of membership and non-membership grows sub-linearly with m , possibly even a constant. [CH10] prove a result to the contrary, but as further discussed herein, this is indeed not ruled out.

2.3 Vector Commitments

[0070] A definition of vector commitments is provided in [CF13]. For example, a vector commitment allows a device, a computer, etc. to commit to an ordered sequence of values in such a way that it is later possible to open the commitment only with respect to a specific position. A vector commitment VC can be a non-interactive primitive, that can be formally described via the following algorithms.

[0071] 1) $\text{VC.KeyGen}(1^\lambda, q)$: Given the security parameter λ and the size q of the committed vector (with $q = \text{poly}(\lambda)$), the key generation algorithm outputs some public parameters pp (which implicitly define the message space \mathcal{M}).

[0072] 2) $\text{VC.Com}_{\text{pp}}(x_1, \dots, x_q)$: On input a sequence of q messages $x_1, \dots, x_q \in \mathcal{M}$ and the public parameters pp , the committing algorithm outputs a commitment string C and auxiliary information aux .

[0073] 3) $\text{VC.Open}_{\text{pp}}(x, i, \text{aux})$: This algorithm is run by the committer to produce a proof Λ_i that x is the i -th committed message. In particular, notice that in the case when some updates

have occurred, the auxiliary information aux can include the update information produced by these updates.

[0074] 4) $\text{VC.Ver}_{\text{pp}}(C, x, i, \Lambda_i)$: The verification algorithm accepts (i.e., it outputs 1) only if Λ_i is a valid proof that C was created to a sequence x_1, \dots, x_q such that $x = x_i$.

5 **[0075]** 5) $\text{VC.Update}_{\text{pp}}(C, x, x', i)$: This algorithm is run by the committer who produced C and wants to update it by changing the i -th message to x' . The algorithm takes as input the old message x , the new message x' and the position i . It outputs a new commitment C' together with some update information U .

10 **[0076]** 6) $\text{VC.ProofUpdate}_{\text{pp}}(C, \Lambda_j, x', i, U)$: This algorithm can be run by any user who holds a proof Λ_j for some message at position j with respect to C , and it allows the user to compute an updated proof Λ_j' (and the updated commitment C') such that Λ_j' will be valid with respect to C' which contains x' as the new message at position i . Basically, the value U contains the update information which is needed to compute such values.

[0077] For correctness, for all $\lambda \in \mathbb{N}$, $q = q(\lambda)$, for all honestly generated parameters
 15 $\text{ppVC.KeyGen}(1^\lambda, q)$, if C is a commitment on a vector $(x_1, \dots, x_q) \in \mathbb{M}^q$ (obtained by running $\text{VC.Com}_{\text{pp}}$ possibly followed by a sequence of updates), Λ_i is a proof for position i generated by $\text{VC.Open}_{\text{pp}}$ or $\text{VC.ProofUpdate}_{\text{pp}}$ for any $i \in [q]$, then $\text{VC.Ver}_{\text{pp}}(C, x_i, i, \Lambda_i)$ outputs 1 with overwhelming probability.

20 **[0078]** The security requirement for vector commitments is that of position binding. For example, this says that it should be infeasible for any polynomially bounded adversary having the knowledge of pp to come up with a commitment C and two different valid openings for the same position i . This definition is provided as Definition 2: A vector commitment VC satisfies position binding if for all $i \in [q]$ and for every PPT adversary \mathcal{A} , the following probability (which is taken over all honestly generated parameters) is at most negligible in λ :

$$\Pr \left[\begin{array}{l} \text{VC.Ver}_{\text{pp}}(C, x, i, \Lambda) = 1 \wedge \\ \text{VC.Ver}_{\text{pp}}(C, x', i, \Lambda') = 1 \wedge \\ x \neq x' \end{array} \middle| (C, x, x', i, \Lambda, \Lambda') \leftarrow \mathcal{A}(\text{pp}) \right]$$

[0079] A vector commitment can be concise in the sense that the size of the commitment string C and the outputs of all the algorithms above are independent of q .

[0080] Vector commitments can also be considered to be hiding. For example, a vector commitment is hiding if an adversary cannot distinguish whether a commitment was created to a sequence (x_1, \dots, x_q) or to (x'_1, \dots, x'_q) even after seeing some openings (at positions i where the two sequences agree). A notion of weak hiding can be defined, where given a commitment to a sequence (x_1, \dots, x_q) , it is hard to recover any m_i in the worst case. Hiding may not be a critical property in the realization of vector commitments. Any construction of vector commitments which does not satisfy hiding can be fixed using a commitment scheme (e.g., first commit to each message separately using a standard commitment scheme and then apply the vector commitment to the obtained sequence of commitments).

3 IMPOSSIBILITY RESULTS FOR ACCUMULATORS

[0081] In this section, a few impossibility results regarding certain desiderata embodiments may have for an accumulator are discussed. In this section, the public key setting will be discussed, unless stated otherwise. However, embodiments are not limited thereto. An accumulator scheme as described herein can be defined as Definition 6, Definition 7, and Definition 8. Definition 6 can be defined as: let k be the security parameter. An accumulator scheme Acc consists of the following seven algorithms.

[0082] 1) $\text{Setup}(1^\lambda)$: a probabilistic algorithm that takes the security parameter λ in unary as argument and returns a pair of public and private key (PK, SK) as well as the initial accumulated value for the empty set Acc_\emptyset .

[0083] 2) $\text{Eval}(X, \text{Acc}_\emptyset, PK, [SK])$: given a finite set of elements X , a public key (or the private secret key), and the initial accumulated value Acc_\emptyset , the algorithm returns the accumulated value Acc_X corresponding to the set X .

[0084] 3) $\text{Verify}(x, w, \text{Acc}, PK)$: given an element x , a witness w , an accumulated value Acc and a public key PK , this deterministic algorithm returns OK if the verification is successful, meaning that $x \in X$, or \perp otherwise.

[0085] 4) $\text{Witness}(x, \text{Acc}, PK, [SK])$: this algorithm returns a witness w associated to the element x of the set represented by Acc .

[0086] 5) $\text{Insert}(x, \text{Acc}_X, PK, [SK])$: this algorithm computes the new accumulated $\text{Acc}_{X \cup \{x\}}$ value obtained after the insertion of x into the set X .

[0087] 6) $\text{Delete}(x, \text{Acc}_X, PK, [SK])$: this algorithm computes the new accumulated value $\text{Acc}_{X \setminus \{x\}}$ obtained from removing x from the accumulated set X .

[0088] 7) $\text{UpdWit}(x, w, \text{Acc}_X, \text{Upd}_{x, X'}, PK)$: this algorithm, recomputes the witnesses for some element of x that remains in the set. It takes as parameters the element x whose witness can be updated, the "old" witness w with respect to previous set X represented by the accumulated value Acc_X , some update information $\text{Upd}_{x, X'}$ and the public key PK , and returns a new witness for x . In some embodiments, this algorithm is run by the user.

[0089] Definition 7 can be defined as: let X be a set, Acc_X its associated accumulated value and $x \in X$. An accumulator scheme is correct if $\text{Verify}(x, w, \text{Acc}_X, PK) = \text{OK}$ where Acc_X is the accumulated value of the set X , $x \in X$, PK is the public key and w is the witness obtained by running Witness on Acc_X , x and PK .

[0090] Definition 8 can be defined as: let ACC be an accumulator scheme. Embodiments can consider a notion of security denoted UF - ACC described by the following experiment: given an integer, k , the security parameter, the adversary has access an oracle O that replies to queries by playing the role of the accumulator manager. Using the oracle, the adversary can insert and delete a polynomial number of elements of his choice. The oracle replies with the new accumulated value. The adversary can also ask for witness computations or updates. Finally, the adversary is required to output a pair (x, w) . The advantage of the adversary A is defined by:

$$Adv_{Acc}^{UF-Acc}(A) = \Pr[\text{Verify}(x, w, Acc, PK) = 1 \wedge x \notin X]$$

[0091] where PK is the public key generated by Setup .

[0092] Consider the following trivial accumulator Acc_{duh} . Let λ be the security parameter.

Acc_{duh} consists of the following seven algorithms.

5 [0093] 1) Setup(1^λ): the pair of public and private key is empty, i.e., $(PK, SK) = \text{null}$ and the initial accumulated value for the empty set $Acc_\emptyset = \emptyset$.

[0094] 2) Eval($X, Acc_\emptyset, PK, [SK]$): the algorithm returns the accumulated value $Acc_X = X$.

[0095] 3) Verify(x, w, Acc, PK): this deterministic algorithm checks if $x \in Acc$ and returns OK if it is and \perp otherwise. In some cases, if the witness w is not used in the verification w
10 could be null.

[0096] 4) Witness($x, Acc, PK, [SK]$): this algorithm returns null .

[0097] 5) Insert($x, Acc_X, PK, [SK]$): this algorithm computes the new accumulated value

$$Acc_{X \cup \{x\}} = Acc_X \cup \{x\}$$

[0098] 6) Delete($x, Acc_X, PK, [SK]$): this algorithm computes the new accumulated value

15 $Acc_{X \setminus \{x\}} = Acc_X \setminus \{x\}$

[0099] 7) UpdWit($x, w, Acc_X, Upd_{X, X'}, PK$): this algorithm returns null . In some cases, if the witness w and the update information $Upd_{X, X'}$ are not used in the verification, then they would be null.

[0100] Notice that Acc_{duh} satisfies the notion of correctness described in Definition 1 and the
20 advantage $Adv_{Acc_{duh}}^{UF-Acc}(A)$ of any adversary A in the security experiment described in Definition 1 is zero. Acc may grow linearly with the number of elements in it. Further, the running time of Verify may also grows linearly with the number of elements in it. Various improvements

provide by embodiments, include constant (in fact, zero) sized witnesses and update information. Furthermore, the witnesses do not change with time.

3.1 Non-trivial Witnesses

[0101] An accumulator that truly accumulates can have non-trivial witnesses. This is shown in Theorem 2 as follows: Let Acc be a correct and secure accumulator scheme as per Definitions 1, 1 and 1. If the size of the accumulator Acc does not grow linearly with the number of elements in it, then the witnesses of the elements can be non-trivial, that is, the size of witnesses can be $\Omega(1)$.

[0102] As proof of Theorem 2, let the accumulated set at a certain point in time be $X \subseteq [n]$ for any arbitrary n . Now, a user may obtain witnesses w_i to each element $i \in [n]$. Using these witnesses, it is possible to deduce which of the n elements have been added to the accumulator by running the public verification algorithm $Verify$ on each of the witnesses. This procedure also works completely based on the correctness and security of the accumulator. The only information that could have changed from the initial state are the witnesses and the accumulator itself. Since any number of the n elements could have been added and the user can recover this information exactly,

$$\sum_{i \in [n]} |w_i| + |Acc| \geq \log 2^n = n$$

[0103] Since $|Acc| = o(n)$,

$$\sum_{i \in [n]} |w_i| = \Omega(n)$$

[0104] which proves the claim, assuming that witnesses are uniform in size. In some embodiments, to remove this assumption, the size of a witness could be made to be appropriately large.

[0105] Note that the above impossibility holds even in the case of insert-only accumulators. Furthermore, even if embodiments were to assume the requirement of some secret key SK in the generation of witnesses and/or scenarios where the witness is generated at the time of insert and can be updated for further use, the proof above would still show that functional (potentially

updated) witnesses would have to be non-trivial as long as the accumulator is non-trivial. Thus, one cannot hope to have trivial witnesses in any meaningful setting.

[0106] It is easy to see how to realize an accumulator from a vector commitment that has no a priori bound on the size of the vector that will be committed. Thus, the impossibility result holds for such vector commitments as well. The result also holds for vector commitments that have an a priori bound on the size of the vector that will be committed, provided the vector commitment is concise in comparison to the bound.

[0107] The impossibility result can be interpreted in the following way. The witness generation algorithm *Witness* does generate some non-trivial information on every run. Note that the only new information that is available to the algorithm is the elements that are inserted into the accumulator. As defined in [CH10], the inputs to *Witness* are $(x, Acc, PK, [SK])$. Since various embodiments may want *Acc* and *PK* to be small (in other words, not grow with the number of elements inserted into the accumulator) it is unclear where this non-trivial information comes from. One has to assume that it comes from *SK* which implies that the definition of [CH10] does not really make sense in the public key setting. In [CH13], in the context of vector commitments, the definition works around this by giving the witness generation algorithm access to some auxiliary information *aux* that turns out to be the list of messages that have been committed. In [BBF18], in the context of accumulators and vector commitments, the definition works around this by giving the witness generation algorithm the set of messages that have been inserted into the accumulator or vector commitment.

3.2 Batching Updates

[0108] Camacho and Hevia [CH10] state that if an accumulator admits updates (e.g., in the form of deletions) then the information needed to update the witnesses after the updates cannot be short, in particular, it cannot be constant sized. In other words, they state that the update information for different updates cannot be batched. This section provides a discussion of their impossibility result. Theorem 3, from [CH10], states: for an update involving m delete operations in a set of n elements, the size of the information $Upd_{X,X'}$ used by the algorithm *UpdWit* while keeping the dynamic accumulator secure is $\Omega(m \log \frac{n}{m})$. In particular, if $m = \frac{n}{2}$ with n even, then $|Upd_{X,X'}| = \Omega(m)$.

[0109] The proof of theorem as presented in [CH10] proceeds as follows. Let the accumulated set at a certain point in time be $X = \{x_1, \dots, x_n\}$. Suppose a single user possesses the witnesses to each of these elements. An update deleting $1 \leq m \leq n$ elements from X is issued, i.e., $X' \subset X$ with $|X'| = n - m$. Let $Upd_{X, X'}$ be the update information using which the user can update the witnesses for each of the elements in X . Clearly, m of the updated witnesses will be invalid as the corresponding element have been deleted. Furthermore, it is possible to deduce which m of the n elements have been deleted by running the public verification algorithm $Verify$ on each of the updated witnesses. This procedure also works completely based on the correctness and security of the accumulator. Since any m of the n elements could have been deleted and the user can recover this information exactly,

$$|Upd_{X, X'}| \geq \log \binom{n}{m} \geq m \log \frac{n}{m}$$

[0110] Notice that Acc_{duh} trivially satisfies the notion of correctness described in Definition 7 and the advantage $Adv_{Acc_{duh}}^{UF - ACC}(A)$ of any adversary A in the security experiment described in Definition 8 is zero. However, regardless of what the update is, the update information $Upd_{X, X'}$ is null. In fact, no witnesses are required for verification and hence in particular, they need not be updated.

[0111] An objection to the use of Acc_{duh} in contradicting Theorem 3 is that it isn't really an accumulator in the sense that it does not compress the elements of the set accumulated in any way. The user referenced in the proof who deduces which m of the n elements in the set were deleted does so with more than just the update information $Upd_{X, X'}$. In fact, they need the set $X = \{x_1, \dots, x_n\}$, the witnesses $\{w_i\}_{i \in [n]}$ of each of n elements, Acc_X , $Acc_{X'}$, $Upd_{X, X'}$ and PK . It is all these elements together that inform the user of the elements that were deleted in the update, thus concluding that:

$$\sum_{i \in [n]} |x_i| + \sum_{i \in [n]} |w_i| + |Acc_X| + |Acc_{X'}| + |Upd_{X, X'}| + |PK| \geq m \log \frac{n}{m}$$

[0112] One can see that this is certainly true even for Acc_{duh} . But notice that

$$\sum_{i \in [n]} |x_i| \geq n$$

[0113] Thus, this result has no particular consequence and there is hence no reason that a correct and secure accumulator cannot have batched updates.

[0114] A more carefully chosen argument on the other hand will imply that

$$5 \quad |Acc_{X'}| + |Upd_{X,X'}| \geq m \log \frac{n}{m}$$

[0115] The impossibility of batching updates holds if it is assumed that the accumulator is non-trivial. This is provided in Theorem 4, which states: let Acc be a correct and secure accumulator scheme as per Definitions 6, 7 and 8. If the size of the accumulator Acc does not grow linearly with the number of elements in it, then the updates to the witnesses of the elements can be non-trivial, that is, the size of the update information per update can be $\Omega(1)$.

[0116] As proof of Theorem 4, consider an empty accumulator Acc_{\emptyset} . A series of n updates of the form $upd_i = (\text{Insert}, i)$ for $i \in [n]$ can be issued, where n is arbitrary. Let Upd_{X_{i-1}, X_i} be the update information that is released as a result of the i th update, where $X_0 = \emptyset$ and $X_i = [i]$ for $i \in [n]$. Let w_i^t denote the witness of i with respect to the set X_t for $0 \leq t \leq n$. For every $i \in [n]$,
 15 w_i^0 can be computed using just Acc_{\emptyset} and PK . Note that all the final witnesses, that is, w_i^n for every $i \in [n]$ are computed using just the update information upd_i for $i \in [n]$. Using these updated witnesses, it is possible to deduce which of the n elements have been added to the accumulator by running the public verification algorithm $Verify$ on each of the witnesses. This procedure also works completely based on the correctness and security of the accumulator. The
 20 only new information that could have been obtained as compared to the initial state are the update information and the accumulator itself. Since any number of the n elements could have been added and the user can recover this information exactly,

$$\sum_{i \in [n]} |upd_i| + |Acc| \geq \log 2^n = n$$

[0117] Since $|Acc| = o(n)$,

$$\sum_{i \in [n]} |\text{upd}_i| = \Omega(n)$$

[0118] which proves the claim, assuming that update information per update is of a uniform size. In some embodiments, to remove this assumption, the size of the update information could be made to be appropriately large.

5 [0119] Note that the above impossibility holds even in the case of insert-only accumulators. Furthermore, even if it is assumed that the requirement of some secret key SK in the generation of witnesses and update information and/or scenarios considered herein where the witness and update information is generated at the time of insert and can be updated for further use, the proof above would still show that any functional (potentially updated) update information would have
10 to be non-trivial as long as the accumulator is non-trivial. Thus, one cannot hope to batch updates to witnesses in any meaningful setting.

[0120] It is easy to see how to realize an accumulator from a vector commitment that has no a priori bound on the size of the vector that will be committed. Thus, the impossibility result trivially holds for such vector commitments as well. The result also holds for vector
15 commitments that have an a priori bound on the size of the vector that will be committed, provided the vector commitment is concise in comparison to the bound.

[0121] The impossibility result can be interpreted in the following way. The witnesses can depend on the set of elements in the accumulator at given time. In this sense, it is clear that updates cannot be batched as the updates can convey information about the elements that have
20 been inserted or deleted from the accumulator so that the updated witnesses also reflect the current set of elements in the accumulator.

4 ACCUMULATORS

[0122] In this section an accumulator scheme is described. As a starting point, consider an accumulator which satisfies all the requirements, but for being concise, as described by the
25 following functions:

[0123] 1) $\text{Setup}(1^\lambda)$: Sample the description of a hash function H that maps λ -bit numbers to unique $O(\lambda)$ -bit primes. Set $M = \{0,1\}^\lambda$. Output $(pp, A_0) = (H, 1)$.

[0124] 2) $\text{Add}_{\text{pp}}(A_t, x)$: Check whether $H(x) | A_t$. If so, set $A_{t+1} = A_t$. Otherwise set $A_{t+1} = A_t \cdot H(x)$. Output $(A_{t+1}, \text{upmsg}_{t+1} = \text{null})$.

[0125] 3) $\text{Del}_{\text{pp}}(A_t, x)$: Check whether $H(x) | A_t$. If so, set $A_{t+1} = \frac{A_t}{H(x)}$. Otherwise set $A_{t+1} = A_t$. Output $(A_{t+1}, \text{upmsg}_{t+1} = \text{null})$.

5 **[0126]** 4) $\text{MemWitCreate}_{\text{pp}}(A_t, x)$: Output $w_x^t = \text{null}$.

[0127] 5) $\text{NonMemWitCreate}_{\text{pp}}(A_t, x)$: Output $u_x^t = \text{null}$.

[0128] 6) $\text{MemWitUp}_{\text{pp}}(A_t, x, w_x^t, \text{upmsg}_{t+1})$: Output $w_x^{t+1} = \text{null}$.

[0129] 7) $\text{NonMemWitUp}_{\text{pp}}(A_t, x, u_x^t, \text{upmsg}_{t+1})$: Output $u_x^{t+1} = \text{null}$.

[0130] 8) $\text{VerMem}_{\text{pp}}(A_t, x, w_x^t)$: Check whether $H(x) | A_t$. If so, output 1. Otherwise, output \perp .

10 .

[0131] 9) $\text{VerNonMem}_{\text{pp}}(A_t, x, u_x^t)$: Check whether $H(x) | A_t$. If so, output \perp . Otherwise, output 1.

[0132] The accumulator described above satisfies correctness and security requirements. An issue is that in the worst case, $|A_t| = O(\mathcal{U})$. In some embodiments, a way to solve this technical problem is to put this product accumulator in the exponent, i.e., construct an accumulator of the form

15

$$A_t = g^{\prod_{x \in S_t} H(x)}$$

[0133] where g is the generator of a group G . This is similar to the starting point of the construction in [BBF18]. However, the issue now is that instead of actually working with

20

$\prod_{x \in S_t} H(x)$, embodiments work with $\prod_{x \in S_t} H(x)$ modulo the order of the group G and for

soundness, embodiments can rely on the fact that the order of the group is unknown. In fact, [BBF18] prove security of the accumulator based on the Strong RSA assumption. In this

scenario, however, one has to start releasing witnesses as opposed to the case of the trivial

construction. The witnesses in [CF13] and [BBF18] are, in some form, an "accumulator" of all

25

the other elements in the accumulator. Thus, may need to be updated as the accumulator changes.

For these reasons, scenarios where $\text{MemWitCreate}(A, x)$ is executed as a part of $\text{Add}_{\text{pp}}(A_{t-1}, x)$ and the witness is only updated going forward are considered, as opposed to being able to generate a witness for any arbitrary element at an arbitrary time instant. Equipped with these intuitions, systems and methods according to various embodiments will be further described.

5 4.1 An Insert-only Accumulator

[0134] First an insert-only accumulator construction will be discussed. Note that the lower bounds discussed herein apply in this case as well. Witnesses for non-membership of elements can be ignored. The accumulator A to the set $X = \{x_i\}_{i \in [q]}$ (X can refer to a total accumulated amounts of value in the system, x_i can be an amount held by user i , and q can be the total number accounts), according to embodiments, takes the form as follows and as illustrated in FIG. 5A:

$$A_X = \left(g^{\sum_{i \in [q]} x_i \prod_{j \in [q] \setminus \{i\}} z_j}, g^{\prod_{i \in [q]} z_i}, q \right)$$

[0135] where z_i can be a random value associated with user i , and g can be a generator. i and q are described above, and j can refer to users other than i . The accumulator output may be referred to as an accumulated state and may be a tuple comprising a first accumulated state element, a second accumulated state element, and a third accumulated state element, which may respectively correspond to the three elements in the parenthesis in the equation above.

[0136] As an illustrative example, there can be three users that are associated with user states. The accumulated state can accumulate the user state of the first user, the user state of the second user, and the user state of the third user. The accumulated state can be stored in the most recent block of the blockchain. In some embodiments, the accumulated state can be stored in the block header of the most recent block of the blockchain. For example, the accumulated state, when there are three accumulated user states, can be equal to $(g^{x_1 z_2 z_3 + x_2 z_3 z_1 + x_3 z_2 z_1}, g^{z_2 z_3 z_1}, 3)$. Here, x_1 can refer to an amount with of a first user, user 1. z_2 and z_3 may be random values associated with second and third users (user 2 and user 3), respectively.

[0137] The first accumulated state element can be created based on each first user state element (e.g., amount) and each second user state element (e.g., random value) of each user in the verification network. The first user state element can be generated by raising each first user

state element to the power of the product of every second user state element other than the second user state element associated with the first user state element. Each of these exponentiations already by to a power of a generator g and can then be multiplied together. For example:

$$5 \quad (g^{x_1})^{z_2 z_3} \cdot (g^{x_2})^{z_1 z_3} \cdot (g^{x_3})^{z_1 z_2}$$

[0138] This equation is equivalent to the first element of the accumulated state tuple illustrated above.

[0139] The second accumulated state element can be created based on each second user state element of each user in the verification network. The second accumulated state element can be created by multiplying each second user state element in the exponent of the selected generator value.

[0140] The third accumulated state element can be the number of user states in the verification network. For example, the above example would have three different users corresponding to three different user states. Therefore, the third accumulated state element would be a value of 3. However, in some embodiments, a user may be associated with more than one user state. For example, the user may have multiple accounts in the verification network. The third accumulated state element represents the number of user states rather than the number of users in the verification network.

[0141] The witness for membership of an element $x_k \in X$ (k denotes an identifier for a user, x would be an amount associated with user k , and X is the total amount of value in the system) would be as follows and as illustrated in FIG. 5B:

$$w_{x_k} = \left(g^{\sum_{i \in \{q\} \setminus \{k\}} x_i} \prod_{j \in \{q\} \setminus \{i, k\}} z_j^{z_j}, g^{\prod_{i \in \{q\} \setminus \{k\}} z_i}, k \right)$$

[0142] which is essentially the accumulator of all the other elements in X (the pi symbol above symbolizes a proof and is not a variable in the equation above). The witness may be referred to as a user proof and may be a tuple comprising a first user proof element, a second user proof element, and a third user proof element (respectively corresponding to the elements in parenthesis in the above equation). The element x_k may be part of a user state (x_k, z_k) . The

elements in the parenthesis in this equation may be examples of a first user state element, and a second user state element, respectively. Assume that the random values z_i can be publicly generated, say by some pseudorandom function. In some embodiments, any real randomness is not required in the z_i s, if there is some concise representation of them. This is clear from the fact that various embodiments may publish the key for the pseudorandom function to enable its public evaluation. Then, the verification of the witness w_{x_k} would simply be the following checks, comprising computing a first verification value, as illustrated in FIG. 5C:

$$\begin{aligned}
 w_{x_k,1}^{z_{x_k,3}} \cdot w_{x_k,2}^{x_{x_k,3}} &= \left(g^{\sum_{i \in [q] \setminus \{k\}} x_i \prod_{j \in [q] \setminus \{i,k\}} z_j} \right)^{z_k} \cdot \left(g^{\prod_{i \in [q] \setminus \{k\}} z_i} \right)^{x_k} \\
 &= g^{\sum_{i \in [q] \setminus \{k\}} x_i \prod_{j \in [q] \setminus \{i,k\}} z_j} \cdot g^{x_k \prod_{i \in [q] \setminus \{k\}} z_i} \\
 &= g^{\sum_{i \in [q]} x_i \prod_{j \in [q] \setminus \{i\}} z_j} \\
 &= A_{X,1}
 \end{aligned}$$

and a second verification value, as illustrated in FIG. 5D:

$$\begin{aligned}
 w_{x_k,2}^{z_{x_k,3}} &= \left(g^{\prod_{i \in [q] \setminus \{k\}} z_i} \right)^{z_k} \\
 &= g^{\prod_{i \in [q]} z_i} \\
 &= A_{X,2}
 \end{aligned}$$

[0143] The computation of and examples of the first and second verification values is described below with respect to FIG. 4.

[0144] Note that the above design also describes a procedure to add an element to the accumulator. To add an element x_{q+1} to X ,

$$A_{X'} = \left(A_{X,1}^{z_{q+1}} \cdot A_{X,2}^{x_{q+1}}, A_{X,2}^{z_{q+1}}, A_{X,3} + 1 \right)$$

[0145] where $X' = X \cup \{x_{q+1}\}$. Furthermore, the witness for membership of x_{q+1} can be

$$w_{x_{q+1}} = A_{X'}$$

[0146] The witnesses for membership of elements can also be updated. For instance, on adding x_{q+1} to the accumulator, with the update information $(x_{q+1}, q+1)$, the witness w_{x_k} can be updated for membership of x_k as follows:

$$w_{x_k}' = \left(w_{x_k,1}^{z_{q+1}} \cdot w_{x_k,2}^{x_{q+1}}, w_{x_k,2}^{z_{q+1}}, w_{x_k,3} \right)$$

5 [0147] One can easily verify that the verification of membership of $x_k \in X'$ would succeed.

[0148] The final piece of the puzzle is security, namely, soundness of the verification procedure. Since various embodiments are dealing with an append-only accumulator and not dealing with witnesses for non-membership, the security requirement would be that it is computationally infeasible for an adversary to produce a witness for an element x' that is not in the accumulator. This can be analyzed as follows. Suppose an adversary comes up with an
 10 element x and a witness $w = (w_{x,1}, w_{x,2}, w_{x,3})$ for the membership of x . First, check that $1 \leq w_{x,3} \leq A_{X,3}$. Let $w_{x,3} = k$ and $A_{X,3} = q$. Then, check that

$$w_{x,2}^{z_k} = A_{X,2}$$

[0149] If the check passes, then, with overwhelming probability,

15
$$w_{x,2} = g^{\prod_{i \in [q] \setminus \{k\}} z_i}$$

[0150] This is because

$$\alpha = \frac{w_{x,2}}{g^{\prod_{i \in [q] \setminus \{k\}} z_i}} \neq \pm 1$$

[0151] is a non-trivial z_k th root of unity. Such elements can be hard to find without knowing the order of the group. In particular, this means that the order of the non-trivial element α has
 20 been computed. As a final check:

$$w_{x,1}^{z_k} \cdot w_{x,2}^x = A_{X,1}$$

[0152] Note that

$$w_{x_k,1}^{z_k} \cdot w_{x_k,2}^{x_k} = A_{X,1}$$

[0153] and, with overwhelming probability, $w_{x,2} = w_{x_k,2}$. Hence

$$\left(\frac{w_{x,1}}{w_{x_k,1}} \right)^{z_k} = w_{x_k,2}^{x_k - x}$$

[0154] For the case where $x_k \neq x$:

5
$$\beta = \frac{w_{x,1}}{w_{x_k,1}}, \text{ and}$$

$$\gamma = w_{x_k,2}^{x_k - x}$$

[0155] thus determining β , a z_k th root of a non-trivial element γ which would be hard to find in groups of unknown order. However, the following attack can be possible: set $x_k - x = z_k$ and $w_{x,1} = w_{x_k,1} \cdot w_{x_k,2}$. Then, the verification check would pass. To guard against such attacks, various
 10 embodiments can ensure that $x_k - x \neq z_k$. This can be done by having z_k be exponentially (in λ) larger than $x_k - x$.

[0156] FIG. 3 shows a flowchart of an authorization request message processing method according to embodiments. The method illustrated in FIG. 3 will be described in the context of a user device 302 generating an authorization request message for an interaction between the user
 15 device 302 and a receiver device 306. The user device 302 can provide the authorization request message to a validation computer 304 and can receive an authorization response message indicating whether or not the interaction is authorized. For example, in some embodiments, an interaction can be a transaction and may be authorized when the validation computer 304 includes the transaction in a block of a blockchain.

20 [0157] Prior to step 320, in some embodiments, the user device 302 can initiate an interaction (e.g., a transaction, a data transfer interaction, etc.). For example, a first user of the user device 302 can select to perform a transaction with a second user of the receiver device 306.

[0158] At step 320, the user device 302 can generate an authorization request message for the interaction. The authorization request message can comprise a user state and a user proof. In some embodiments, the authorization request message can further comprise interaction data, a date, a time, a user device identifier, a receiver device identifier, etc. The user state can be a tuple
5 that comprises one or more elements. For example, the user state can comprise a first user state element and a second user state element.

[0159] The first user state element can be an amount (e.g., a balance, etc.) associated with an account of the user of the user device 302. For example, a first user state element can be x_k , where k denotes an identifier for a user (e.g., user 1 is $k = 1$) and x denotes an amount (e.g.,
10 \$5.00). In some embodiments, the first user state element can be created based on the amount. For example, the first user state element can be created based concatenating, or otherwise combining, the amount with a nonce.

[0160] The second user state element can be can be a random value. For example, a second user state element can be z_k , where k denotes an identifier for a user (e.g., user 1 is $k = 1$) and z
15 denotes the random value (e.g., 18389828332). In some embodiments, the second user state element can be an output of a hash function. For example, a value that indicates a particular position in a vector can be input into a hash function to obtain the second user state element. For example, each user can be assigned a particular position in a vector used to create an accumulator commitment. The first user can be assigned the first position in the vector (e.g., a
20 value of 0 or 1). The second user state element for the first user can be equal to the output of a hash function (e.g., $H(0)$ or $H(1)$).

[0161] The user proof, of the authorization request message, can be a tuple that comprises one or more elements. For example, the user proof can comprise a first user proof element, a second user proof element, and a third user proof element. The user proof can be a witness, as described
25 herein. The witness can be a proof of membership of an element in an accumulated state. For example, the user proof can be a proof that the user state is an element in the accumulated state, which may be stored in each block of the blockchain. Stated differently, the user proof can be used by a user to prove that his or her user state is present in the accumulated state. The accumulated state may be an compact aggregation of user states in the blockchain network.

[0162] The first user proof element and the second user proof elements can be utilized by a validation computer to verify that the user state is included in the accumulated state of the most recent block in the blockchain. As such, the validation computer 304 can validate that the user device 302 is associated with a sufficient amount (e.g., funds) to perform the interaction (e.g., a transaction).

[0163] The third user proof element of the user proof can include a value of the number of elements accumulated so far in the accumulated state. For example, if there 500 accounts associated with 500 users in the blockchain network, then the third user proof element can be a value of 500 to represent the number of accounts.

[0164] As an example, the accumulated state can be as follows as illustrated in FIG. 5A:

$$A_X = \left(g^{\sum_{i \in \{q\}} x_i} \prod_{j \in \{q\} \setminus \{i\}} z_j^{z_j}, g^{\prod_{i \in \{q\}} z_i}, q \right).$$

[0165] As an example, the user proof can be as follows as illustrated in FIG. 5B:

$$w_{x_k} = \left(g^{\sum_{i \in \{q\} \setminus \{k\}} x_i} \prod_{j \in \{q\} \setminus \{i, k\}} z_j^{z_j}, g^{\prod_{i \in \{q\} \setminus \{k\}} z_i}, k \right).$$

[0163] These equations are described in detail above.

[0166] In some embodiments, prior to generating the authorization request message, the user device 302 can update the user proof based on interactions included in a blockchain since a last time the user proof was updated. For example, the user device 302 can update the user proof using one or more value changes (δ_k , where k is a specific user and the delta symbol represents the change) from each interaction performed since the last time that the user device 302 updated the user proof. For example, the starting user proof can be $(g^{x_2 z_3 + x_3 z_2}, g^{z_2 z_3}, 1)$. The second user proof element and the third user proof element do not need to be updated. To update the first user proof element with value change δ_2 (e.g., a transaction amount of a transaction conducted by a second user, user 2), the user device 302 can raise the first user proof element (e.g., $g^{x_2 z_3 + x_3 z_2}$) to the exponent of the change in amount δ_2 multiplied by the random value (z_2) associated with the user state that corresponds to the change in amount δ_2 . For example,

$(g^{x_2 z_3 + x_3 z_2})^{\delta_2 z_2} = g^{(x_2 + \delta_2) z_3 + x_3 z_2}$. These can represent the new first user proof element, which incorporates the transaction amount δ_2 .

5 [0167] As such, the user device 302 can update the user proof based on the interactions included in the blocks of the blockchain that have been added since the user device 302 last updated the user proof.

[0168] At step 322, after generating the authorization request message, the user device 302 can provide the authorization request message to the validation computer 304. In some embodiments, the user device 302 can broadcast the authorization request message to a plurality of validation computers in the verification network, where the validation computer 304 is one of the plurality
10 of validation computers.

[0169] At step 324, after receiving the authorization request message, the validation computer 304 can verify the user proof. For example, the validation computer 304 can verify that the user proof provides sufficient proof that an amount of the interaction is equal to or less than an amount indicated by the first user state element. For example, the validation computer 304 can
15 verify that the user has sufficient funds. The validation computer 304 can determine whether or not to include the interaction in a new block of the blockchain. Step 324 is described in further detail in FIG. 4.

[0170] At step 324, after evaluating the authorization request message and determining whether or not to include the interaction in the new block of the blockchain, the validation
20 computer 304 can generate an authorization response message comprising an indication of whether or not the interaction is authorized.

[0171] At step 328, after generating the authorization response message, the validation computer 304 can provide the authorization response message to the user device 302.

[0172] In some embodiments, at step 330, after generating the authorization response message,
25 the validation computer 304 can provide the authorization response message to the receiver device 306 which with the user device 302 is performing the interaction.

[0173] In other embodiments, at step 332, after receiving the authorization response message from the validation computer 304, the user device 302 can provide the authorization response message to the receiver device 306.

[0174] FIG. 4 shows a flowchart of a verification method according to embodiments. The method illustrated in FIG. 4 will be described in the context of a user device providing an authorization request message to a validation computer. The validation computer can verify that a user of the user device is associated with an amount that is sufficient to perform an interaction. In some embodiments, the validation computer can authorize the interaction based on verification of the user and/or user device. Steps 410-480 of FIG. 4 may be performed during step 324 of FIG. 3. For example, the authorization request message provided from the user device 302 to the validation computer 304 can be the authorization request message received by the validation computer at step 410.

[0175] At step 410, the validation computer can receive the authorization request message from a user device. The authorization request message can comprise a user state and a user proof, as described herein. The user state comprises a first user state element and a second user state element. The user proof comprises a first user proof element, a second user proof element, and a third user proof element.

[0176] As an illustrative example, the user state can represent information about the user. For example, the user state (e.g., (x_k, z_k)) can be a tuple including an amount included in an account associated with the user (e.g., the first user state element x_k) and a random value (e.g., the second user state element z_k). The values included in the user state can be any suitable numerical values. For example, the first user state element x_k can have a value of \$100. The second user state element z_k can have a value of 0, 5, 100, etc. In this example, the user state can be associated with the first user. Therefore, the user state can be written as (x_1, z_1) .

[0177] The user proof comprising the first user proof element, the second user proof element, and the third user proof element can be a witness for membership of an element $x_k \in X$ (e.g., the first user state element). In some embodiments, the first user proof element and the second user proof element can be data items that may provide proof that the first user state element x_k is included into an accumulated state of the most recent block in a blockchain. The third user proof

element can indicate which of a number of entries in the accumulated state the user is associated with (e.g., which of a number of first user state elements from a plurality of users included in the accumulated state is the user associated with).

[0178] As an illustrative example, there can be three different first user state elements associated with three different users. If the first user is assigned to amount 1 (e.g., of exemplary amounts 1, 2, and 3), then the third user proof element of the first user can be equal to 1 (e.g., $k = 1$). The first user proof element and the second user proof element can be generated based on the user states of the second user and the third user and may not need to be generated based on the user state of the first user. Furthermore, the first user proof element can be generated based on both the amount and the random value of the user states of the second user and the third user. Whereas, the second user proof element can be generated based on the random value of the user states of the second user and the third user. For example, the first user proof element can be $(g^{x_2 z_3 + x_3 z_2})$. The second user proof element can be $(g^{z_2 z_3})$. Therefore, the user proof received by the validation computer can be $(g^{x_2 z_3 + x_3 z_2}, g^{z_2 z_3}, 1)$.

[0179] In some embodiments, the authorization request message can also comprise interaction data. For example, the user device can include interaction data related to the interaction into the authorization request message for the interaction that the user device is attempting. For example, the interaction data in the authorization request message can include an interaction amount. In some embodiments, the interaction data can include a transaction amount and unspent transaction outputs (UTXOs). In other embodiments, the interaction data can include information associated with the user device 302 and/or the user (e.g., a token or account information, an alias, a device identifier, a contact address, etc.), information associated with the receiver device 306 and/or the user of the receiver device 306 (e.g., a token or account information, an alias, a device identifier, a contact address, etc.), one-time values (e.g., a random value, a nonce, a timestamp, a counter, etc.), and/or any other suitable information.

[0180] At step 420, after receiving the authorization request message, the validation computer can compute a first verification value. The validation computer can determine the first verification value by multiplying the first user proof element raised to the power of the second user state element, and the second user proof element raised to the power of the first user state element. In some embodiments, the first verification value can be utilized to verify the first user

proof element, whereas the second verification value can be utilized to verify the second user proof element.

[0181] As an example, the validation computer can determine the first verification value by multiplying the first user proof element raised to the power of the second user state element (e.g., $(g^{x_2 z_3 + x_3 z_2})^{z_1}$), and the second user proof element raised to the power of the first user state element (e.g., $(g^{z_2 z_3})^{x_1}$). Multiplying these two factors can result in $(g^{x_2 z_3 + x_3 z_2})^{z_1} \cdot (g^{z_2 z_3})^{x_1} = g^{x_1 z_2 z_3 + x_2 z_3 z_1 + x_3 z_2 z_1}$. This term can be characterized as the generator g raised to a power that is based on the amounts and random values of each user in the system.

[0182] At step 430, after computing the first verification value, the validation computer can compute the second verification value by raising the second user proof element to the power of the second user state element. As an example, the validation computer can determine the second verification value by raising the second user proof element (e.g., $g^{z_2 z_3}$) to the power of the second user state element (e.g., z_1). Performing this exponentiation can result in $(g^{z_2 z_3})^{z_1} = g^{z_2 z_3 z_1}$. This represents the generator raised to a power based on all random numbers, but without the amounts.

[0183] In some embodiments, rather than receiving the user state from the user device, the validation computer can obtain the user state from another data source using the user identifier, k . For example, the third user proof element can be equal to 1, which can be an identifier k_1 for a first user, user 1. The validation computer can determine that the first user state element and the second user state element that are used in determine the first verification value and the second verification value should be associated with the first user (e.g., (x_1, z_1)).

[0184] In some embodiments, the validation computer can retrieve an accumulated state comprising the first accumulated state element and the second accumulated state element from a previous block in a blockchain maintained by the validation computer prior to step 440.

[0185] At step 440, after determining the first verification value and the second verification value, the validation computer can compare the first verification value to a first accumulated state element of an accumulated state. As described herein, the accumulated state can be the following (which is described in detail above):

$$A_X = \left(g^{\sum_{i \in \{g\}} x_i} \prod_{j \in \{g\} \setminus \{i\}} z_j^{z_j}, g^{\prod_{i \in \{g\}} z_i}, q \right).$$

[0186] In this example, there can be three users that are associated with three user states. The accumulated state can accumulate the user state of the first user, the user state of the second user, and the user state of the third user. The accumulated state can be stored in the most recent block
 5 of the blockchain. In some embodiments, the accumulated state can be stored in the block header of the most recent block of the blockchain. For example, the accumulated state, when there are three accumulated user states, can be equal to $(g^{x_1 z_2 z_3 + x_2 z_3 z_1 + x_3 z_2 z_1}, g^{z_2 z_3 z_1}, 3)$.

[0187] The validation computer can compare the first verification value (determined in step 420) of $g^{x_1 z_2 z_3 + x_2 z_3 z_1 + x_3 z_2 z_1}$ to the first accumulated state element (e.g.,
 10 $g^{x_1 z_2 z_3 + x_2 z_3 z_1 + x_3 z_2 z_1}$) of the accumulated state. In this example, the validation computer determines that the first verification value matches the first accumulated state element stored in the blockchain. The validation computer can then proceed to step 450 to verify the second verification value.

[0188] In some embodiments, if the user device is malicious and attempts to provide a user
 15 state that, for example, includes a first user state element (e.g., amount) that differs from the actual amount as included in the accumulated state, then the validation computer will determine that the first verification value does not match the first accumulated state element. For example, if the user device provides a fake amount f (e.g., attempting to perform a transaction for which the user does not actually have the required funds), then the validation computer would
 20 determine a first verification value of $g^{f z_2 z_3 + x_2 z_3 z_1 + x_3 z_2 z_1}$, which would not match the first accumulated state element of $g^{x_1 z_2 z_3 + x_2 z_3 z_1 + x_3 z_2 z_1}$ because the fake amount f alters the computation such that the result is not the same as the situation in which the actual amount x_1 is used.

[0189] At step 450, the validation computer can compare the second verification value to a
 25 second accumulated state element of the accumulated state. The validation computer can compare the second verification value (determined in step 430) of $g^{z_2 z_3 z_1}$ to the first accumulated state element (e.g., $g^{z_2 z_3 z_1}$) of the accumulated state. In this example, the

validation computer determines that the second verification value matches the second accumulated state element stored in the blockchain. The validation computer can then proceed to step 460 to authorize the interaction of the authorization request message.

5 [0190] In some embodiments, if the user device provides a fake amount (e.g., the first user state element), but provides the correct random value (e.g., the second user state element), the validation computer can determine that the first verification value does not match the first accumulated state element, but that the second verification value does match the second accumulated state element. This is because, the second verification value is not dependent upon the fake amount (e.g., the first user state element).

10 [0191] In some embodiments, the validation computer can compare the third user proof element to the third accumulated state element of the accumulated state. For example, the validation computer can determine whether or not the third user proof element is a value less than or equal to the third accumulated state element. The third accumulated state element can be the total number of user states in the verification network. Therefore, if the user device provides
15 a third user proof element that is greater than the third accumulated state element, then the user device is providing incorrect information to the validation computer.

[0192] At step 460, if the first verification value matches the first accumulated state and the second verification value matches the second accumulated state element, the validation computer can authorize the interaction of the authorization request message. In some embodiments, the
20 validation computer can also determine if the interaction amount included in the authorization request message is less than or equal to the first user state element (e.g., amount). If the interaction amount is less than or equal to the first user state element, then the user device can determine that the user has sufficient funds for the interaction. If the interaction amount is greater than the first user state element, then the validation computer can deny the interaction.

25 [0193] After authorizing the interaction, the validation computer can include at least the interaction amount into a new block of the blockchain maintained by the validation computer. For example, the validation computer can propose a new block including at least the interaction amount of the interaction and any number of other interactions to the verification network. The verification network can perform any suitable consensus protocol to determine whether or not to
30 add the new block to the blockchain. If the computers of the verification network determine to

add the new block to the blockchain, then the validation computer can generate an authorization response message indicating that the authorization request message is authorized. The validation computer can provide the authorization response message to the user device.

[0194] In some embodiments, the validation computer can update the accumulator state based on the change in value to the amount (e.g., first user state element) based on the interaction amount. For example, the validation computer can update the accumulator state based on each performed interaction that is included into the new block of the blockchain. If 50 interactions are included in the block, then the validation computer can update the accumulator based on the 50 changes in value (e.g., δ_k).

5 **[0195]** As an example, the validation computer can update the accumulator state based on the authorized interaction described in reference to FIG. 4. The change in the amount (e.g., first user state element) can be δ_1 . Specifically, the validation computer can update the first accumulated state element based on the second user proof element (e.g., $g^{z_2 z_3}$) and the change in amount δ_1 , which is also equal to the interaction amount.

15 **[0196]** The validation computer can raise the second user proof element (e.g., $g^{z_2 z_3}$) to the exponent of the change in amount δ_1 . For example, $(g^{z_2 z_3})^{\delta_1} = g^{z_2 z_3 \delta_1}$. The validation computer can then multiply the above value $g^{z_2 z_3 \delta_1}$ (e.g., an intermediary value) with the first accumulated state element of $g^{x_1 z_2 z_3 + x_2 z_3 z_1 + x_3 z_2 z_1}$. For example:

$$g^{x_1 z_2 z_3 + x_2 z_3 z_1 + x_3 z_2 z_1} \cdot g^{z_2 z_3 \delta_1} = g^{(x_1 + \delta_1) z_2 z_3 + x_2 z_3 z_1 + x_3 z_2 z_1}$$

20 **[0197]** As such, the validation computer may only need to update the accumulated state based on changes in value (e.g., interaction amounts) for first user state elements used in interactions in the new block of the blockchain. The validation computer does not need to recompute the exponents of the accumulated state elements that include user state elements not used in interactions in the new block.

25 **[0198]** In some embodiments, the user device can locally update the user proof in a similar manner to how the validation computer updates the accumulated state.

4.2 Construction

[0199] Next, a construction of the accumulator utilized in various embodiments (e.g., in FIGs. 3-4) is provided. The following 5 functions can be utilized.

[0200] 1) $\text{Setup}(1^\lambda)$: Sample the description of a group $G \xleftarrow{\$} \text{GGen}(\lambda)$ of unknown order in the range $[a, b]$ where a , b and $a - b$ are exponential in λ and a random element $g \xleftarrow{\$} G$. In some embodiments, a random element of G would be a generator of G with overwhelming probability, and at the very least, may not be of low order. Let $|b| = m$. Sample the description of a hash function H that maps λ -bit numbers to unique primes from the set $\text{Primes}(m+1) \setminus [0, b]$. Set $M = [0, a]$. Output $(\text{pp}, A_0) = ((G, g, H, a, b), (1, g, 0))$.

10 [0201] 2) $\text{Add}_{\text{pp}}(A_t, x)$: Let $z_{t+1} = H(t+1)$.

$$\text{Set } A_{t+1} = (A_{t,1}^{z_{t+1}} \cdot A_{t,2}^x, A_{t,2}^{z_{t+1}}, A_{t,3} + 1)$$

$$\text{Output } (A_{t+1}, \text{upmsg}_{t+1} = (x, t+1)).$$

[0202] 3) $\text{MemWitCreate}_{\text{pp}}(A_t, x)$: On an execution of $\text{Add}_{\text{pp}}(A_{t-1}, x)$,

$\text{MemWitCreate}_{\text{pp}}(A_t, x)$ outputs $w_x^t = A_{t-1}$.

15 [0203] 4) $\text{MemWitUp}_{\text{pp}}(A_t, x, w_x^t, \text{upmsg}_{t+1})$: Parse the inputs $A_t = (A_{t,1}, A_{t,2}, A_{t,3})$,

$w_x^t = (w_{x,1}^t, w_{x,2}^t, w_{x,3}^t)$ and $\text{upmsg}_{t+1} = (\text{upmsg}_{t+1,1}, \text{upmsg}_{t+1,2})$. Let $z = H(\text{upmsg}_{t+1,2})$. Output

$$w_x^{t+1} = \left((w_{x,1}^t)^z \cdot (w_{x,2}^t)^{\text{upmsg}_{t+1,1}}, (w_{x,2}^t)^z, w_{x,3}^t \right)$$

[0204] 5) $\text{VerMem}_{\text{pp}}(A_t, x, w_x^t)$: Parse the inputs $A_t = (A_{t,1}, A_{t,2}, A_{t,3})$ and $w_x^t = (w_{x,1}^t, w_{x,2}^t, w_{x,3}^t)$.

Let $z = H(w_{x,3}^t + 1)$. Check whether:

20 $0 \leq x < a$

$$0 \leq w_{x,3}^t < A_{t,3}$$

$$(w_{x,2}^t)^z = A_{t,2}$$

$$(w_{x,1}^t)^z \cdot (w_{x,2}^t)^x = A_{t,1}$$

If so, output 1. Otherwise, output \perp .

4.3 Completeness and Efficiency

[0205] The correctness of the scheme follows directly from inspection. Also note that each can
 5 operation involve, at the most, one hash computation, three exponentiations and one
 multiplication in terms of computational difficulty. The size of the accumulator can be constant,
 namely, two group elements, aside from a counter that keeps track of the number of elements
 that have been added to the accumulator, which grows logarithmically. Assuming that not more
 than 2^λ additions are performed, the size of the counter is also a constant, limited by λ bits.
 10 This is also true of the witnesses for membership.

5 VECTOR COMMITMENTS

[0206] The starting point of a new vector commitment is the insert-only accumulator designed
 in Section 5. Recall that the accumulator A to the set $X = \{x_i\}_{i \in [q]}$ takes the form

$$A_X = \left(g^{\sum_{i \in [q] \setminus \{k\}} x_i} \prod_{j \in [q] \setminus \{i\}} z_j, g^{\prod_{i \in [q] \setminus \{k\}} z_i}, q \right)$$

15 [0207] where z_i are random odd strings. The witness for membership of an element $x_k \in X$
 would be

$$w_{x_k} = \left(g^{\sum_{i \in [q] \setminus \{k\}} x_i} \prod_{j \in [q] \setminus \{i,k\}} z_j, g^{\prod_{i \in [q] \setminus \{k\}} z_i}, k \right)$$

[0208] which can be the accumulator of all the other elements in X . The strings z_i can be
 publicly generated (e.g., by some pseudorandom function). In some cases, various embodiments
 20 may not require any real randomness in the z_i s, just that there is some concise representation of
 them. This can be because embodiments can publish the key for the pseudorandom function to
 enable public evaluation.

[0209] The crucial observation is the accumulator is sensitive to the order in which elements are added. This order can be thought of as specifying the index in the vector that is being committed. Furthermore, since the z_i s can be generated publicly, there is no a priori bound on the size of the vector that is being committed. Furthermore, the exponent is linear in the messages that are being committed. Thus, in order to change the message committed at index i by δ , it is enough to perform the following operation:

$$A_{x',1} = A_{x,1} \cdot g^{\delta \prod_{i \in [q] \setminus \{k\}} z_j}$$

[0210] This means that one only need know the index i and δ in order to perform an update on the i th message in vector. Let

$$\beta = g^{\delta \prod_{i \in [q] \setminus \{k\}} z_j}$$

[0211] Firstly, note that β can be generated publicly. But, this would be a computationally intensive task – one would have to generate all the z_j s for $j \in [q] \setminus \{i\}$ and then perform $q-1$ exponentiations. However, notice that

$$w_{x_i,2} = \beta$$

[0212] Thus, if it is assumed that the party involved in the update of the i th element has access to w_{x_i} , then it can be assumed that there is access to β and β does not need to be recomputed every time an update is issued. However, this limitation can be solved. For instance, in the case of a blockchain, a sender who wants to send another user some funds will not be able to update the vector commitment corresponding to the changes reflected in the recipient's account efficiently unless they have access to the witness of the recipient.

[0213] If an update at index i is performed, the witness corresponding to the i th message does not change. For $k \neq i$, the witness for membership of the element x_k can be updated by performing the following operation:

$$w'_{x_k,1} = w_{x_k,1} \cdot g^{\delta \prod_{i \in [q] \setminus \{i,k\}} z_j}$$

$$\gamma = g^{\prod_{i \in [q] \setminus \{i, k\}} z_j}$$

[0214] γ can be generated publicly. However, this may be a computationally intensive task. For example, all the z_j s for $j \in [q] \setminus \{i, k\}$ may need to be generated and then $q - 2$ exponentiations may be performed.

- 5 **[0215]** For this purpose, various embodiments can make the z_i s special. The z_i s can be generated using a key-homomorphic pseudorandom function [BLMR15]. $z_i = F_{K_i}(\chi)$ can be defined for some value ζ , where K_i is derived from i in some public deterministic way (e.g., utilizing an additional pseudorandom function). A key-homomorphic property can include:

$$z_i \cdot z_j = F_{K_i + K_j}(\chi)$$

- 10 **[0216]** In this way, if the following were to be kept as part of the vector commitment,

$$\Delta = \sum_{i \in [q]} K_i$$

[0217] given i, k , then one can efficiently compute β and γ defined above. A way to realize this, according to various embodiments, is to consider the function

$$z_i = \alpha^{\zeta_i}$$

- 15 **[0218]** where ζ_i s are random odd strings and α is a fixed random string. Then keep, the following can be kept as a part of the vector commitment,

$$\Delta = \sum_{i \in [q]} \zeta_i$$

[0219] Now, the following difficult computational task is presented, but can be solved by embodiments. Given g, α, Δ , compute

20
$$y = g^{\alpha \Delta}$$

[0220] This appears difficult to do efficiently without knowing $\text{ord}(G)$. Notice that given $\alpha^\Delta \bmod \text{ord}(G)$, y would be easy to compute. There however does not seem to be a way to enable users to compute $\alpha^\Delta \bmod \text{ord}(G)$ without having them learn $\text{ord}(G)$ which would compromise the security of the scheme. Suppose the bit-length of Δ is at most m , one could
 5 enable this computation by publishing for $i \in [m]$:

$$y_i = g^{\alpha^{2^i}}$$

[0221] and then one can efficiently compute:

$$y = \prod_{i \in [m]: \Delta_i = 1} y_i$$

[0222] However, note that computing each y_i even to setup the vector commitment would not
 10 be efficient unless $\text{ord}(G)$ is known. This can be done, for example, in RSA groups where during setup, the prime factorization of the Blum integer N is known. This can be used to compute $\text{ord}(G) = \phi(N)$. But, in general, GGen may not ever have access to the order of the group. Embodiments can solve this by allowing GGen to also output a random large multiple of the order of the group. The conjecture is that, based on the factoring assumption, it will still be
 15 hard to recover $\text{ord}(G)$. If GGen ever gets explicit access to $\text{ord}(G)$ during its computations, as in the setup of RSA groups, this is certainly achievable. Even in the case that it does not, one can certainly conceive that it might be possible to generate a random large multiple of $\text{ord}(G)$ without having access to $\text{ord}(G)$. Given this large multiple, say Γ , compute $\alpha^\Delta \bmod \Gamma$ can be computed efficiently given α and Δ and then use that to compute y . Note that

20
$$y = g^{\alpha^\Delta \bmod \Gamma}$$

[0223] This is because, for any a, b, c , $(a \bmod b) \bmod c = a \bmod c$ if there exists an $\eta \in \mathbb{N}$ such that $b = c\eta$. Since there exists an η such that $\Gamma = \eta \cdot \text{ord}(G)$,

$$y = g^{\alpha^\Delta \bmod \Gamma} = g^{(\alpha^\Delta \bmod \Gamma) \bmod \text{ord}(G)} = g^{\alpha^\Delta \bmod \text{ord}(G)} = g^{\alpha^\Delta}$$

[0224] This modified group generation procedure is formalized below followed by a description of vector commitment procedures according to embodiments. The definition from [CF13] can be modified in order to accommodate the commitment of messages in indices of the vector that have not been used before, using the method `Add`. Owing to the modifications in the construction, embodiments may need slightly modified hardness assumptions in order to prove position binding.

5.1 Modified Group Generation

[0225] Existence of a randomized polynomial-time algorithm $\text{GGen}'(\lambda)$, can be assumed, that takes as input the security parameter λ and outputs three integers a, b, Γ along with the description of a group G of unknown order in the range $[a, b]$ such that a, b and $a - b$ are all integers exponential in λ , and $\Gamma = \eta \cdot \text{ord}(G)$ where η is a random integer exponential in λ .

5.2 Construction

[0226] • $\text{KeyGen}(1^\lambda)$: Sample the description of a group $G \xleftarrow{\$} \text{GGen}'(\lambda)$ of unknown order in the range $[a, b]$ where a, b and $a - b$ are exponential in λ along with an integer $\Gamma = \eta \cdot \text{ord}(G)$ where η is a random integer exponential in λ . Sample a random element $g \xleftarrow{\$} G$ and a random prime $\alpha \xleftarrow{\$} \text{Primes}(m+1) \setminus [0, b]$. Note that a random element of \mathbb{G} would be a generator of \mathbb{G} with overwhelming probability, and at the very least, would not be of low order. Let $|b| = m$. Sample the description of a hash function H that maps λ -bit numbers to unique primes from the set $\text{Primes}(m+1) \setminus [0, b]$. Set $M = [0, a]$. Output

(pp, C) = (($G, g, \alpha, H, a, b, \Gamma$), ($1, g, 0, 0$)).

[0227] $\text{Com}_{\text{pp}}(x_1, \dots, x_q)$: Compute

$$\text{- For } i \in [q], z_i = \alpha^{H(i)} \bmod \Gamma$$

$$\text{- } C_1 = g^{\sum_{i \in [q]} x_i} \prod_{j \in [q] \setminus \{i\}} z_j^{x_j}$$

$$\text{- } C_2 = g^{\prod_{i \in [q]} z_i^{x_i}}$$

- $C_3 = q$
- $C_4 = \sum_{i \in [q]} H(i)$

Output $C = (C_1, C_2, C_3, C_4)$ and $\text{aux} = (x_1, \dots, x_q)$.

[0228] $\text{Open}_{\text{pp}}(x, i, \text{aux})$: Let $\text{aux} = (x_1, \dots, x_q)$. If $x \neq x_q$, output \perp . Otherwise, compute

5 For $j \in [q] \setminus \{i\}$,

$$z_j = \alpha^{H(j)} \bmod \Gamma$$

$$- \Lambda_{i,1} = g^{\sum_{j \in [q] \setminus \{i\}} x_j \prod_{k \in [q] \setminus \{i, j\}} z_k}$$

$$- \Lambda_{i,2} = g^{\prod_{j \in [q] \setminus \{i\}} z_j}$$

10 - $\Lambda_{i,3} = i - 1$

$$- \Lambda_{i,4} = \sum_{j \in [q] \setminus \{i\}} H(j)$$

Output $\Lambda_i = (\Lambda_{i,1}, \Lambda_{i,2}, \Lambda_{i,3}, \Lambda_{i,4})$.

[0229] $\text{Add}_{\text{pp}}(C, x, i)$: If $i \neq C_3 + 1$, output \perp . Let

$$z_i = \alpha^{H(i)} \bmod \Gamma$$

15 Set

$$C' = (C_1^{z_i} \cdot C_2^x, C_2^{z_i}, i, C_4 + H(i))$$

Output $(C', \text{upmsg} = (\text{add}, x, i))$.

[0230] $\text{OpenOnAdd}_{\text{pp}}(C', x, i)$: On an execution of $\text{Add}_{\text{pp}}(C, x, i)$, $\text{OpenOnAdd}_{\text{pp}}(C', x, i)$

outputs $\Lambda_i = C$.

[0231] $\text{Update}_{\text{pp}}(C, \delta, i)$: If it is not the case that $0 \leq i < C_3$, output \perp . Compute

$$\Delta_i = C_4 - H(i)$$

and

$$y_i = \alpha^{\Delta_i} \bmod \Gamma$$

5 Set

$$C'_1 = C_1 \cdot g^{\delta \cdot y_i}$$

and

$$C' = (C'_1, C_2, C_3, C_4)$$

Output $(C', \text{upmsg} = (\text{upd}, \delta, i))$.

10 [0232] $\text{ProofUpdate}_{\text{pp}}(C, \Lambda_i, \text{upmsg})$: Parse upmsg . If $i = \text{upmsg}_3$, output $\Lambda'_i = \Lambda_i$. Otherwise, the following cases are present:

- $\text{upmsg}_1 = \text{add}$: Let

$$z_i = \alpha^{H(i)} \bmod \Gamma$$

[0233] Set

15
$$\Lambda'_i = \left(\Lambda_{i,1}^{z_i} \cdot \Lambda_{i,2}^{\text{upmsg}_2}, \Lambda_{i,2}^{z_i}, \Lambda_{i,3}, \Lambda_{i,4} + H(i) \right)$$

- $\text{upmsg}_1 = \text{upd}$: Compute

$$\Delta_i = \Lambda_{i,4} - H(i)$$

[0234] and

$$y_i = \alpha^{\Delta_i} \bmod \Gamma$$

20 [0235] Set

$$\Lambda_{i,1}' = \Lambda_{i,1} \cdot g^{\delta \cdot y_i}$$

[0236] and

$$\Lambda_i' = (\Lambda_{i,1}', \Lambda_{i,2}, \Lambda_{i,3}, \Lambda_{i,4})$$

Output Λ_i' .

5 [0237] $\text{Ver}_{\text{pp}}(C, x, i, \Lambda_i)$: Parse the inputs $C = (C_1, C_2, C_3, C_4)$ and $\Lambda_i = (\Lambda_{i,1}, \Lambda_{i,2}, \Lambda_{i,3}, \Lambda_{i,4})$.

Let

$$z_i = \alpha^{H(\Lambda_{i,3}+1)} \bmod \Gamma$$

[0238] Check whether:

$$- 0 \leq x < a$$

10 $- \Lambda_{i,4} + H(i) = C_4$

$$- 0 \leq \Lambda_{i,3} < C_3$$

$$- (\Lambda_{i,2})^{z_i} = C_2$$

$$- (\Lambda_{i,1})^{z_i} \cdot (\Lambda_{i,2})^x = C_1$$

If so, output 1. Otherwise, output \perp .

15 5.3 Completeness and Efficiency

[0239] The correctness of the scheme follows directly from inspection. Also, all operations involve (at the most) one hash computation, four exponentiations and one multiplication. The size of the accumulator is constant, namely, two group elements, aside from a counter that keeps track of the number of elements that have been added to the accumulator and a sum of hashes, which grow logarithmically. Assuming that not more than 2^λ additions are performed, the size of the counter and the hash-sum is also a constant, limited by $(2\lambda + m + 2)$ bits. This is also true of the witnesses for membership.

20

[0240] Embodiments provide for a number of advantages. For example, embodiments provide for efficient storage of data. In particular, user states can be accumulated into an accumulated state. The accumulated state, which is a binding commitment to a set of elements (e.g., user states), compactly stores data that can be used to verify if a user has a sufficient amount (e.g., a first user state element) for an interaction. The accumulated state can be small in size, such that it can easily be included into each block of the blockchain. For example, the accumulated state can be included in the block header of each block, thus allowing every node in the verification network to easily verify user states.

[0241] Embodiments provide for a number of additional advantages. The number of sender accounts in a blockchain network is usually large. Ethereum has about 70 million accounts even though the throughput of the blockchain is not high (e.g., 5-10 transactions per second). Fast access to such a large number of accounts requires significant resources, limiting the number of nodes that could perform validator functions. Embodiments solve this problem and allow for networks that want to spread far and wide without entrusting a few computers. Embodiments allow not only a few select high computationally powered computers be validator nodes. Embodiments allow for end users, with access to an ordinary laptop or mobile phone, to act as validator computers as well.

[0242] Any of the software components or functions described in this application may be implemented as software code to be executed by a processor using any suitable computer language such as, for example, Java, C, C++, C#, Objective-C, Swift, or scripting language such as Perl or Python using, for example, conventional or object-oriented techniques. The software code may be stored as a series of instructions or commands on a computer readable medium for storage and/or transmission. A suitable non-transitory computer readable medium can include random access memory (RAM), a read only memory (ROM), a magnetic medium such as a hard-drive, or an optical medium such as a compact disk (CD) or DVD (digital versatile disk), flash memory, and the like. The computer readable medium may be any combination of such storage or transmission devices.

[0243] Such programs may also be encoded and transmitted using carrier signals adapted for transmission via wired, optical, and/or wireless networks conforming to a variety of protocols, including the Internet. As such, a computer readable medium may be created using a data signal

encoded with such programs. Computer readable media encoded with the program code may be packaged with a compatible device or provided separately from other devices (e.g., via Internet download). Any such computer readable medium may reside on or within a single computer product (e.g. a hard drive, a CD, or an entire computer system), and may be present on or within
5 different computer products within a system or network. A computer system may include a monitor, printer, or other suitable display for providing any of the results mentioned herein to a user.

[0244] Any of the methods described herein may be totally or partially performed with a computer system including one or more processors, which can be configured to perform the
10 steps. Thus, embodiments can be directed to computer systems configured to perform the steps of any of the methods described herein, potentially with different components performing a respective steps or a respective group of steps. Although presented as numbered steps, steps of methods herein can be performed at a same time or in a different order. Additionally, portions of these steps may be used with portions of other steps from other methods. Also, all or portions of
15 a step may be optional. Additionally, and of the steps of any of the methods can be performed with modules, circuits, or other means for performing these steps.

[0245] The specific details of particular embodiments may be combined in any suitable manner without departing from the spirit and scope of embodiments of the invention. However, other embodiments of the invention may be directed to specific embodiments relating to each
20 individual aspect, or specific combinations of these individual aspects.

[0246] The above description of exemplary embodiments of the invention has been presented for the purpose of illustration and description. It is not intended to be exhaustive or to limit the invention to the precise form described, and many modifications and variations are possible in light of the teaching above. The embodiments were chosen and described in order to best explain
25 the principles of the invention and its practical applications to thereby enable others skilled in the art to best utilize the invention in various embodiments and with various modifications as are suited to the particular use contemplated.

[0247] A recitation of “a”, “an” or “the” is intended to mean “one or more” unless specifically indicated to the contrary. The use of “or” is intended to mean an “inclusive or,” and not an
30 “exclusive or” unless specifically indicated to the contrary.

[0248] All patents, patent applications, publications and description mentioned herein are incorporated by reference in their entirety for all purposes. None is admitted to be prior art.

6 REFERENCES

- [BBF18] Dan Boneh, Benedikt Bunz, and Ben Fisch. Batching techniques for accumulators with applications to iops and stateless blockchains. IACR Cryptology ePrint Archive, 2018:1188, 2018.
- 5 [BCD+17] Foteini Baldimtsi, Jan Camenisch, Maria Dubovitskaya, Anna Lysyanskaya, Leonid Reyzin, Kai Samelin, and Sophia Yakoubov. Accumulators with applications to anonymity-preserving revocation. In 2017 IEEE European Symposium on Security and Privacy, EuroS&P 2017, Paris, France, April 26-28, 2017, pages 301{315, 2017.
- [bit] Bitcoin. bitcoin.org/.
- 10 [BLMR15] Dan Boneh, Kevin Lewi, Hart William Montgomery, and Ananth Raghunathan. Key homomorphic prfs and their applications. IACR Cryptology ePrint Archive, 2015:220, 2015.
- [BLW17] Dan Boneh, Kevin Lewi, and David J. Wu. Constraining pseudorandom functions privately. In Public-Key Cryptography - PKC 2017 - 20th IACR International Conference on Practice and Theory in Public-Key Cryptography, Amsterdam, The Netherlands, March 28-31, 15 2017, Proceedings, Part II, pages 494{524, 2017.
- [CF13] Dario Catalano and Dario Fiore. Vector commitments and their applications. In Public-Key Cryptography - PKC 2013 - 16th International Conference on Practice and Theory in Public-Key Cryptography, Nara, Japan, February 26 - March 1, 2013. Proceedings, pages 55-72, 2013.
- 20 [CH10] Philippe Camacho and Alejandro Hevia. On the impossibility of batch update for cryptographic accumulators. In Progress in Cryptology - LATINCRYPT 2010, First International Conference on Cryptology and Information Security in Latin America, Puebla, Mexico, August 8-11, 2010, Proceedings, pages 178{188, 2010.
- [CS99] Ronald Cramer and Victor Shoup. Signature schemes based on the strong RSA 25 assumption. In CCS '99, Proceedings of the 6th ACM Conference on Computer and Communications Security, Singapore, November 1-4, 1999., pages 46{51, 1999.

- [etha] Etherchain. Evolution of the total number of Ethereum accounts. www.etherchain.org/charts/totalAccounts.
- [ethb] Ethereum. www.ethereum.org/.
- [ethc] Etherscan. etherscan.io/.
- 5 [FT14] Pierre-Alain Fouque and Mehdi Tibouchi. Close to uniform prime number generation with fewer random bits. In Automata, Languages, and Programming - 41st International Colloquium, ICALP 2014, Copenhagen, Denmark, July 8-11, 2014, Proceedings, Part I, pages 991{1002, 2014.
- [GGM84] Oded Goldreich, Sha_ Goldwasser, and Silvio Micali. How to construct random
10 functions (extended abstract). In 25th Annual Symposium on Foundations of Computer Science, West Palm Beach, Florida, USA, 24-26 October 1984, pages 464{479, 1984. 36
- [HILL99] Johan H_astad, Russell Impagliazzo, Leonid A. Levin, and Michael Luby. A pseudorandom generator from any one-way function. *SIAM J. Comput.*, 28(4):1364{1396, 1999.
- [HW09] Susan Hohenberger and Brent Waters. Short and stateless signatures from the RSA
15 assumption. In Advances in Cryptology - CRYPTO 2009, 29th Annual International Cryptology Conference, Santa Barbara, CA, USA, August 16-20, 2009. Proceedings, pages 654{670, 2009.
- [lib] Libra. libra.org/.
- [Lip12] Helger Lipmaa. Secure accumulators from euclidean rings without trusted setup. In Applied Cryptography and Network Security - 10th International Conference, ACNS 2012,
20 Singapore, June 26-29, 2012. Proceedings, pages 224{240, 2012.
- [NRR02] Moni Naor, Omer Reingold, and Alon Rosen. Pseudorandom functions and factoring. *SIAM J. Comput.*, 31(5):1383{1404, 2002.
- [Wes19] Benjamin Wesolowski. E_cient veri_able delay functions. In Advances in Cryptology - EUROCRYPT 2019 - 38th Annual International Conference on the Theory and Applications of
25 Cryptographic Techniques, Darmstadt, Germany, May 19-23, 2019, Proceedings, Part III, pages 379{407, 2019.

WHAT IS CLAIMED IS:

- 1 1. A method comprising:
2 receiving, by a validation computer, an authorization request message from a user
3 device, wherein the authorization request message comprises a user state and a user proof,
4 wherein the user state comprises a first user state element and a second user state element, and
5 wherein the user proof comprises a first user proof element, a second user proof element, and a
6 third user proof element;
7 computing, by the validation computer, a first verification value by multiplying
8 the first user proof element raised to the power of the second user state element, and the second
9 user proof element raised to the power of the first user state element;
10 computing, by the validation computer, a second verification value by raising the
11 second user proof element to the power of the second user state element;
12 comparing, by the validation computer, the first verification value to a first
13 accumulated state element of an accumulated state;
14 comparing, by the validation computer, the second verification value to a second
15 accumulated state element of the accumulated state; and
16 authorizing, by the validation computer, the authorization request message if the
17 first verification value matches the first accumulated state and the second verification value
18 matches the second accumulated state element.
- 1 2. The method of claim 1, wherein the authorization request message
2 comprises an interaction amount, and wherein the method further comprises:
3 updating, by the validation computer, the accumulated state based on the
4 interaction amount.
- 1 3. The method of claim 2, wherein updating the accumulated state based on
2 the interaction amount further comprises:
3 computing, by the validation computer, an updated first accumulated state
4 element by multiplying 1) the first accumulated state element and 2) the second user proof
5 element raised to the power of the interaction amount.

1 4. The method of claim 1, wherein the first user state element is an amount
2 associated with a user, the second user state element is a random number, and the third user
3 proof element indicates which of a number of entries in an accumulated state the user is
4 associated with.

1 5. The method of claim 1, wherein prior to receiving the authorization
2 request message, the user device generates an authorization request message requesting
3 authorization for an interaction between the user device and a receiver device.

1 6. The method of claim 1 further comprising:
2 comparing, by the validation computer, the third user proof element of a third
3 accumulated state element of an accumulated state.

1 7. The method of claim 6, wherein authorizing the authorization request
2 message includes:
3 authorizing, by the validation computer, the authorization request message if the
4 first verification value matches the first accumulated state, the second verification value matches
5 the second accumulated state element, and the third user proof matches the third accumulated
6 state element.

1 8. The method of claim 1, wherein the first user proof element is derived
2 from a plurality of first user state elements and a plurality of second user state elements
3 associated with a plurality of user states, and wherein the second user proof element is derived
4 from the plurality of second user state elements associated with the plurality of user states.

1 9. The method of claim 1, wherein the validator computer maintains a
2 blockchain in a verification network, wherein the accumulated state is stored in each block of the
3 blockchain.

1 10. A validation computer comprising:
2 a processor;
3 a memory; and

4 a computer-readable medium coupled to the processor, the computer-readable
5 medium comprising code executable by the processor for implementing a method comprising:
6 receiving an authorization request message from a user device, wherein
7 the authorization request message comprises a user state and a user proof, wherein the
8 user state comprises a first user state element and a second user state element, and
9 wherein the user proof comprises a first user proof element, a second user proof element,
10 and a third user proof element;
11 computing a first verification value by multiplying the first user proof
12 element raised to the power of the second user state element, and the second user proof
13 element raised to the power of the first user state element;
14 computing a second verification value by raising the second user proof
15 element to the power of the second user state element;
16 comparing the first verification value to a first accumulated state element
17 of an accumulated state;
18 comparing the second verification value to a second accumulated state
19 element of the accumulated state; and
20 authorizing the authorization request message if the first verification value
21 matches the first accumulated state and the second verification value matches the second
22 accumulated state element.

1 11. The validation computer of claim 10, wherein the first user state element
2 is an amount associated with a user, the second user state element is a random number, the third
3 user proof element indicates which of a number of entries in an accumulated state the user is
4 associated with, and wherein the first user proof element is derived from a plurality of first user
5 state elements and a plurality of second user state elements associated with a plurality of user
6 states, and wherein the second user proof element is derived from the plurality of second user
7 state elements associated with the plurality of user states.

1 12. The validation computer of claim 10, wherein the authorization request
2 message is a request to authorize an interaction and comprises an interaction amount.

1 13. The validation computer of claim 12, wherein the user device updates the
2 user proof based on the interaction amount, and wherein the method further comprises:
3 updating, by the validation computer, the accumulated state based on the
4 interaction amount.

1 14. The validation computer of claim 12, wherein after authorizing the
2 authorization request message, the method further comprises:
3 including, by the validation computer, at least the interaction amount into a new
4 block of a blockchain maintained by the validation computer.

1 15. The validation computer of claim 10, wherein after authorizing the
2 authorization request message, the method further comprises:
3 generating, by the validation computer, an authorization response message
4 indicating whether or not the authorization request message is authorized; and
5 providing, by the validation computer, the authorization response message to the
6 user device.

1 16. The validation computer of claim 15, wherein the user device provides the
2 authorization response message to a receiver device with which the user device initiated an
3 interaction.

1 17. The validation computer of claim 10, wherein the method further
2 comprises:
3 retrieving, by the validation computer, the accumulated state comprising the first
4 accumulated state element and the second accumulated state element from a previous block in a
5 blockchain maintained by the validation computer.

1 18. A method comprising:
2 generating, by a user device, an authorization request message comprising a user
3 state and a user proof, wherein the user state comprises a first user state element and a second
4 user state element , and wherein the user proof comprises a first user proof element, a second
5 user proof element, and a third user proof element;

6 providing, by the user device, the authorization request message to a validation
7 computer of a plurality of validation computers, wherein the validation computer 1) computes a
8 first verification value by multiplying the first user proof element raised to the power of the
9 second user state element , and the second user proof element raised to the power of the first user
10 state element, 2) computes the second verification value by raising the second user proof element
11 to the power of the second user state element, 3) compares the first verification value to a first
12 accumulated state element of an accumulated state, 4) compares the second verification value to
13 a second accumulated state element of the accumulated state, and 5) authorizes the authorization
14 request message if the first verification value matches the first accumulated state and the second
15 verification value matches the second accumulated state element; and
16 receiving, by the user device, an authorization response message from the
17 validation computer, wherein the authorization response message indicates whether or not the
18 authorization request message was authorized.

1 19. The method of claim 18 further comprising:
2 prior to generating the authorization request message, updating, by the user
3 device, the user proof based on interactions included in a blockchain since a last time the user
4 proof was updated.

1 20. The method of claim 18, wherein the authorization request message
2 requests authorization for an interaction between the user device and a receiver device, wherein
3 the authorization request message comprises an interaction amount, and wherein the method
4 further comprises:
5 providing, by the user device, the authorization response message to the receiver
6 device.




FIG. 1




FIG. 2A




FIG. 2B




FIG. 3




FIG. 4

$$A_x = \left(g^{\sum_{i \in [q]} x_i} \prod_{j \in [q] \setminus \{i\}} z_j^{z_j} , g^{\prod_{i \in [q]} z_i} , q \right)$$

FIG. 5A

$$W_{xk} = \left(g^{\sum_{i \in [q] \setminus \{k\}} x_i} \prod_{j \in [q] \setminus \{i, k\}} z_j^{z_j} , g^{\prod_{i \in [q] \setminus \{k\}} z_i} , k \right)$$

FIG. 5B

$$\begin{aligned}
 W_{x_k,1}^{z_k} \cdot W_{x_k,2}^{x_k} \cdot W_{x_k,3}^{x_k} &= \left(\sum_{i \in [q] \setminus \{k\}} x_i \prod_{j \in [q] \setminus \{i,k\}} z_j \right)^{z_k} \cdot \left(\prod_{i \in [q] \setminus \{k\}} z_i \right)^{x_k} \\
 &= \sum_{i \in [q] \setminus \{k\}} x_i \prod_{j \in [q] \setminus \{i,k\}} z_j \cdot g^{x_k} \prod_{i \in [q] \setminus \{k\}} z_i \\
 &= g \sum_{i \in [q]} x_i \prod_{j \in [q] \setminus \{i\}} z_j \\
 &= A_{X,1}
 \end{aligned}$$

FIG. 5C

$$\begin{aligned}
 z^{w_{x_k,3}} w_{x_k,2} &= \left(\prod_{i \in [q] \setminus \{k\}} z_i \right)^{z_k} \\
 &= \prod_{i \in [q]} z_i \\
 &= A_{X,2}
 \end{aligned}$$

FIG. 5D

A. CLASSIFICATION OF SUBJECT MATTER**H04L 9/32(2006.01)i, G06Q 20/06(2012.01)i, G06Q 20/38(2012.01)i**

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

H04L 9/32; G06F 21/54; G06Q 20/40; G06Q 40/04; H04L 29/06; H04L 9/34; G06Q 20/06; G06Q 20/38

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Korean utility models and applications for utility models

Japanese utility models and applications for utility models

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

eKOMPASS(KIPO internal) & Keywords:blockchain, verification, validation, balance, proof, multiplying, exponent, transaction, accumulate

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DAN BONEH et al., 'Batching Techniques for Accumulators with Applications to IOPs and Stateless Blockchains', Cryptology ePrint Archive: Report 2018/1188, Version: 20190520:143259, 20 May 2019 [retrieved on 2020.12.15]. Retrieved from < https://eprint.iacr.org/2018/1188.pdf >. pages 2-25	1-20
A	ALEXANDER CHEPURNOY et al., 'Edrax: A Cryptocurrency with Stateless Transaction Validation', Cryptology ePrint Archive: Report 2018/968, Version: 20181014:152509, 14 October 2018 [retrieved on 2020.12.15]. Retrieved from < https://eprint.iacr.org/eprint-bin/getfile.pl?entry=2018/968&version=20181014:152509&file=968.pdf >. pages 2-23	1-20
A	US 2019-0058604 A1 (NASDAQ TECHNOLOGY AB) 21 February 2019 paragraphs [0064]-[0084]	1-20
A	US 2018-0276666 A1 (THE TORONTO-DOMINION BANK) 27 September 2018 claims 1-11	1-20
A	US 2016-0260169 A1 (GOLDMAN, SACHS & CO.) 08 September 2016 paragraphs [0057]-[0082]	1-20

 Further documents are listed in the continuation of Box C. See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"D" document cited by the applicant in the international application

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

05 January 2021 (05.01.2021)

Date of mailing of the international search report

05 January 2021 (05.01.2021)

Name and mailing address of the ISA/KR

International Application Division

Korean Intellectual Property Office

189 Cheongsa-ro, Seo-gu, Daejeon, 35208, Republic of Korea

Facsimile No. +82-42-481-8578

Authorized officer

YANG, Jeong Rok

Telephone No. +82-42-481-5709



INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/US2020/052864

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2019-0058604 A1	21/02/2019	AU 2017-216289 A1	27/09/2018
		EP 3411824 A1	12/12/2018
		EP 3411824 B1	30/10/2019
		US 10084607 B2	25/09/2018
		US 10541821 B2	21/01/2020
		US 2017-0230189 A1	10/08/2017
		US 2018-0006831 A1	04/01/2018
		US 2020-0119933 A1	16/04/2020
		US 9794074 B2	17/10/2017
		WO 2017-134281 A1	10/08/2017
		US 2018-0276666 A1	27/09/2018
US 2020-0349534 A1	05/11/2020		
US 2016-0260169 A1	08/09/2016	AU 2016-226026 A1	21/09/2017
		AU 2016-226026 B2	23/04/2020
		CA 2985763 A1	09/09/2016
		CN 107683493 A	09/02/2018
		EP 3265985 A1	10/01/2018
		EP 3265985 B1	21/10/2020
		EP 3633585 A1	08/04/2020
		JP 2018-507501 A	15/03/2018
		JP 6697008 B2	20/05/2020
		WO 2016-141361 A1	09/09/2016