



US00D899596S

(12) **United States Design Patent**
Papenbrock et al.

(10) **Patent No.:** **US D899,596 S**

(45) **Date of Patent:** **** Oct. 20, 2020**

(54) **BOTTLE**

(56) **References Cited**

(71) Applicant: **BLUE SAFETY GMBH**, Munster (DE)

U.S. PATENT DOCUMENTS

(72) Inventors: **Jan Papenbrock**, Munster (DE);
Christian Mönninghoff, Munster (DE)

1,573,648 A * 2/1926 Sheely B65D 47/42
604/1
5,875,936 A * 3/1999 Turbett B05B 11/00412
222/207
D450,845 S * 11/2001 Becker D24/152
7,845,517 B2 * 12/2010 Py B65D 51/226
222/1
D639,166 S * 6/2011 Carreno D9/504
D652,682 S * 1/2012 Eyal D7/510
D674,291 S * 1/2013 Py D9/723
D683,238 S * 5/2013 You D9/688
D715,937 S * 10/2014 Pikkula A61B 1/24
D24/152
D729,584 S * 5/2015 Weston D7/510
D737,149 S * 8/2015 Son D9/688
D739,006 S * 9/2015 Tominaga D24/108
D744,856 S * 12/2015 Stabinsky D9/719
D763,086 S * 8/2016 Kalagher D9/504
D765,522 S * 9/2016 Spraw D10/49
D786,498 S * 5/2017 Medioni D28/7
D802,135 S * 11/2017 Chou D24/152
D808,809 S * 1/2018 Krafft D9/504
D810,280 S * 2/2018 Tharp D24/112
D814,633 S * 4/2018 Eder D24/152

(**) Term: **15 Years**

(21) Appl. No.: **35/505,637**

(22) Filed: **Dec. 11, 2017**

(80) **Hague Agreement Data**

Int. Filing Date: **Dec. 11, 2017**

Int. Reg. No.: **DM/102591**

Int. Reg. Date: **Dec. 11, 2017**

Int. Reg. Pub. Date: **Sep. 14, 2018**

(30) **Foreign Application Priority Data**

Jun. 9, 2017 (EM) 004038826-0001

(51) **LOC (12) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/152**

(58) **Field of Classification Search**

USPC D24/108, 111, 112, 113, 114, 133, 152,
D24/153, 154, 185, 188, 207; D9/737,
D9/738, 739, 740, 503, 504, 688, 723;
604/187, 158, 164.08, 192, 263, 163, 181;
D7/392.1, 510
CPC A61B 1/0646; A61B 1/24; A61B 17/24;
A61B 2217/007; A61C 1/0076; A61C
17/02; A61C 17/0217; A61C 19/002;
A61L 2202/17; A61L 2202/24; B08B
3/08; B08B 9/20; C02F 1/001; C02F
2103/006; C02F 2303/04

See application file for complete search history.

(Continued)

Primary Examiner — Samantha Q Lawrence

(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1.1 is a left side view of a bottle;
FIG. 1.2 is a right side perspective view thereof;
FIG. 1.3 is a right side view thereof;
FIG. 1.4 is a front view thereof; and
FIG. 1.5 is a bottom view thereof.

The unshaded regions that are demarcated by broken lines show portions of the bottle that form no part of the claimed design. The dash-dot line is a boundary line that forms no part of the claimed design.

1 Claim, 5 Drawing Sheets




(56)

References Cited


U.S. PATENT DOCUMENTS

D820,039 S * 6/2018 Fitzsimons D7/392.1
D821,600 S * 6/2018 Chang D24/215
D823,689 S * 7/2018 Durand D9/503
D827,816 S * 9/2018 Newman D24/125
D838,141 S * 1/2019 Bertsch D7/510
2018/0177565 A1 * 6/2018 Papenbrock A61C 17/02
2018/0296304 A1 * 10/2018 Papenbrock A61C 1/0084
2019/0127255 A1 * 5/2019 Zhang C02F 9/00


* cited by examiner




1.1




1.2



1.3



1.4



1.5