



US00D867764S

(12) **United States Design Patent**
Stubbs

(10) **Patent No.:** **US D867,764 S**

(45) **Date of Patent:** **** Nov. 26, 2019**

- (54) **AIR NOZZLE WITH BRISTLES**
- (71) Applicant: **Kenneth C. Stubbs**, Hurricane, UT (US)
- (72) Inventor: **Kenneth C. Stubbs**, Hurricane, UT (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/629,017**
- (22) Filed: **Dec. 11, 2017**
- (51) **LOC (12) Cl.** **04-01**
- (52) **U.S. Cl.**
USPC **D4/115**
- (58) **Field of Classification Search**
USPC D4/100, 102, 109, 113, 115, 118, 119, D4/120, 121, 128, 130, 132, 135, 136; D23/213, 223, 386, 387; D8/2, 8, 14; D28/7, 9, 12, 13, 36; D32/32, 33, 34
CPC .. A46B 5/00; A46B 5/21; A46B 5/023; A46B 5/026; A46B 5/028; A46B 5/0008; A46B 5/0012; A46B 5/0016; A46B 5/0095; A46B 13/00; A46B 13/02; A46B 13/04; A46B 13/06; A46B 13/023; A46B 2200/10; A46B 2200/30; A46B 2200/106; A46B 2200/108; A46B 2200/304; A46B 2200/1046; A46B 2200/1053; A46B 2200/3013; A46B 2200/3026; A46B 2200/3033; A46B 2200/3046; A46B 9/00; A46B 9/04; A46B 9/021; A46B 9/025; A46B 15/0012; A46B 15/0051; A46B 15/0081; A61C 17/16; A61C 17/22; A61C 17/26; A61C 17/0211; A47L 2501/12; A47L 2501/20; A47L 15/4278; B05B 1/00
See application file for complete search history.

- D384,484 S * 9/1997 Ibarra D23/213
- D404,628 S * 1/1999 Kendrick D8/70
- D414,528 S * 9/1999 Bocock D21/400
- 6,795,997 B1 * 9/2004 Lin A46B 5/0033
15/184
- D510,663 S * 10/2005 Jensen D4/135
- D524,057 S * 7/2006 Wong D4/132
- D616,204 S * 5/2010 Zemel D4/114
- D770,777 S * 11/2016 Weeks D4/115

(Continued)

Primary Examiner — Wan Laymon
Assistant Examiner — Clint A Samuel
(74) *Attorney, Agent, or Firm* — Gurr Brande & Spendlove, PLLC; Robert A. Gurr

(57) **CLAIM**


The ornamental design for an air nozzle with bristles, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the air nozzle with bristles; FIG. 2 is a front elevation view of the air nozzle with bristles; FIG. 3 is a back elevation view of the air nozzle with bristles; FIG. 4 is a left side elevation view of the air nozzle with bristles; FIG. 5 is a right side elevation view of the air nozzle with bristles; FIG. 6 is a top plan view of the air nozzle with bristles; FIG. 7 is a bottom plan view of the air nozzle with bristles; and, FIG. 8 illustrates the air nozzle with bristles attached to an air gun.
The broken lines shown in the drawings are for the purpose of illustrating environmental matter and portions of the article that form no part of the claimed design.

1 Claim, 5 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D276,480 S * 11/1984 Nigro D4/127
5,345,651 A * 9/1994 Roberts A47L 9/06
15/397



(56)

References Cited

U.S. PATENT DOCUMENTS

D771,956	S *	11/2016	Hauger	D4/114
D774,310	S *	12/2016	Hauger	D4/114
D779,213	S *	2/2017	Jain	D4/135
D850,043	S *	5/2019	Stubbs	D32/46
2003/0066151	A1 *	4/2003	Chang	A46B 7/023 15/184
2012/0000022	A1 *	1/2012	Hulli	A46B 3/06 15/22.1
2015/0296968	A1 *	10/2015	Hwang	A46B 9/021 15/106

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8