

US00D348227S

United States Patent [19]

Nielsen et al.

[11] Patent Number: Des. 348,227

[45] Date of Patent: ** Jun. 28, 1994

[54] LASER BEACON

[75] Inventors: Edward G. Nielsen; Willard G.

Vogelaar, both of Grand Rapids; Philip O. Gerard, Lowell, all of

Mich.

[73] Assignee: Laser Alignment, Inc., Grand Rapids,

Mich.

[**] Term: 14 Years

[21] Appl. No.: 912,779

[22] Filed: Jul. 13, 1992

[52] U.S. Cl. D10/69

356/138, 249, 250; 372/9-30; D10/69

[56] References Cited

U.S. PATENT DOCUMENTS

3,936,197	2/1976	Aldrink et al
4,062,634	12/1977	Rando et al
4,519,705	5/1985	Morrow 33/DIG. 21
4,676,598	1/1987	Markley et al
		Cain et al
4,751,782	6/1988	Ammann 33/DIG. 21 X
		Cain et al
4,895,440	1/1990	Cain et al
4,971,440	11/1990	Winckler et al
4,973,158	11/1990	Marsh .
4,993,161	2/1991	Borkovitz 33/291
5,000,564		

OTHER PUBLICATIONS

"AMA Diode Level DL-150, New Diode Level, with Automatic Adjustment of the Horizontal and Vertical Planes," Dec., 1985, Germany, pp. 1-4.

Laser Alignment, "Laser Beacon Operation Manual," Jul. 1973, Grand Rapids, Mich.

Laser Alignment, "Laser Beacon Operation Manual for

General Construction," Jul. 1973, Grand Rapids, Mich., pp. 2, 9 and 10.

Laser Alignment, "Laser Beacon 5000 Series for Construction and Machine Control," Jan. 1986, Grand Rapids, Mich., pp. 1 and 2.

Laser Alignment, "LB-1 The Quality Laser System at an Economical Price," Jan., 1983, Grand Rapids, Mich.,

Laser Alignment, "LB-2 Horizontal and Vertical Control," Jan., 1983, Grand Rapids, Mich., pp. 1-4.

Laser Alignment, "LB-4 Dual Grade Laser Beacon," Sep. 1989, Grand Rapids, Mich., pp. 1-3.

Laser Alignment, "Laser Beacon 6025, The World Class Laser," Sep. 1986, Grand Rapids, Mich., pp. 1-3. Laser Alignment. "Laser Beacon 3000 Operation Manual," May, 1978, Grand Rapids, Mich., page cover 2 and 3.

Primary Examiner—Alan P. Douglas
Assistant Examiner—Antoine O. Davis
Attorney, Agent, or Firm—Price, Heneveld, Cooper,
DeWitt & Litton

[57] CLAIM

The ornamental design for the laser beacon, as shown and described.

DESCRIPTION

FIG. 1 is a top front right side perspective view of a laser beacon illustrating our design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevational view thereof;


FIG. 5 is a right side elevational view thereof:

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a left side elevational view thereof;

FIG. 8 is a top front right side perspective of an alternative embodiment of a laser beacon illustrating our design; and,

FIG. 9 is a top plan view of the embodiment in FIG. 8, the remaining views of the embodiment in FIG. 8 being identical with the embodiment in FIGS. 1-7.








FIG. I









FIG. 8






FIG. 9