

## US00D346667S

# United States Patent [19]

## Blomquist et al.

## [11] Patent Number: Des. 346,667

## [45] Date of Patent: \*\* May 3, 1994

#### [54] RETAINING WALL BLOCK

[75] Inventors: Peter J. Blomquist, Lake Elmo; Todd

P. Strand, Forest Lake, both of

Minn.

[73] Assignee: Kiltie Corporation, North St. Paul,

Minn.

[\*\*] Term: 14 Years

[21] Appl. No.: 942,074

[22] Filed: Sep. 9, 1992

[52] U.S. Cl. ..... D25/113

## [56] References Cited

#### U.S. PATENT DOCUMENTS

4,884,378       12/1989       Scheiniller       405/284         4,993,206       2/1991       Pardo       405/286         5,044,834       9/1991       Janopaul, Jr.       405/286	4,993,206	9/1978 5/1988 9/1991 10/1991 4/1902 8/1989 12/1989 2/1991	Pardo	D25/2 D25/113 D25/113 D25/118 D25/118 D25/113 D25/113 52/98 405/284
---	-----------	--	-------	---

Primary Examiner—A. Hugo Word Assistant Examiner—Doris Clark Attorney, Agent, or Firm—Kinney & Lange

## [57] CLAIM

The ornamental design for a retaining wall block, as shown and described.

#### DESCRIPTION

FIG. 1 is a perspective view of a retaining wall block showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a side elevational view thereof, as viewed from the right in FIG. 2;

FIG. 5 is a side elevational view thereof, as viewed from the left in FIG. 2;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a perspective view of a second embodiment of a retaining wall block showing our new design;

FIG. 9 is a front elevational view thereof of the retaining wall block of FIG. 8;

FIG. 10 is a rear elevational view of the retaining wall block of FIG. 8;

FIG. 11 is a side elevational view of the retaining wall block of FIG. 8, as taken from the right in FIG. 9;

FIG. 12 is a left elevational view of the retaining wall block of FIG. 8, as taken from the left in FIG. 9;

FIG. 13 is a top plan view of the retaining wall block of FIG. 8;

FIG. 14 is a bottom plan view of the retaining wall block of FIG. 8;

FIG. 15 is a perspective view of a third embodiment of a retaining wall block showing our new design;

FIG. 16 is a front elevational view thereof of the retaining wall block of FIG. 15;


FIG. 17 is a rear elevational view of the retaining wall block of FIG. 15;


FIG. 18 is a side elevational view of the retaining wall block of FIG. 15, as taken from the right in FIG. 15;


FIG. 19 is a left elevational view of the retaining wall block of FIG. 15, as taken from the left in FIG. 16;


FIG. 20 is a top plan view of the retaining wall block of FIG. 15; and,


FIG. 21 is a bottom plan view of the retaining wall block of FIG. 15.


































Fig. 16



Fig. 17

