



US00D556678S

(12) **United States Design Patent**  
**Weinstein et al.**

(10) **Patent No.:** **US D556,678 S**

(45) **Date of Patent:** **\*\* Dec. 4, 2007**

(54) **EXTERNAL POWER DEVICE**

D543,503 S \* 5/2007 Suzuki ..... D13/110

(75) Inventors: **Nir Weinstein**, Bat-Hefer (IL); **Michael Librus**, Netanya (IL); **William J. Moore**, Lakewood, OH (US)

\* cited by examiner

*Primary Examiner*—Cathron C. Brooks

*Assistant Examiner*—Rosemary K. Tarcza

(74) *Attorney, Agent, or Firm*—Gregory J. Adams

(73) Assignee: **Eveready Battery Company, Inc.**, St. Louis, MO (US)

(57) **CLAIM**

(\*\*) Term: **14 Years**

We claim the ornamental design for an external power device, as shown and described.

(21) Appl. No.: **29/271,707**

(22) Filed: **Jan. 25, 2007**

**DESCRIPTION**

(51) **LOC (8) CL.** ..... **13-02**

FIG. 1 is a perspective view of the external power device of the present invention.

(52) **U.S. CL.** ..... **D13/103; D13/108**

FIG. 2 is a rear view of the external power device of the present invention.

(58) **Field of Classification Search** ..... D13/102–108, D13/110, 118–119, 184; 429/96–100, 163, 429/176

FIG. 3 is a front view of the external power device of the present invention.

See application file for complete search history.

FIG. 4 is a top view of the external power device of the present invention.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D343,381 S *	1/1994	Inukai et al.	.....	D13/107
D369,343 S *	4/1996	Bliven	.....	D13/108
D374,426 S *	10/1996	Nuovo	.....	D13/108
D386,147 S *	11/1997	Siddoway et al.	.....	D13/103
D398,580 S *	9/1998	Richards	.....	D13/119
D406,097 S *	2/1999	Lindahl	.....	D13/103
D415,098 S *	10/1999	Zimmer	.....	D13/103
6,236,187 B1 *	5/2001	Chen	.....	320/113
D465,451 S *	11/2002	Hirano et al.	.....	D13/107
D465,764 S *	11/2002	Salazar et al.	.....	D13/107
D511,743 S *	11/2005	Hriscu et al.	.....	D13/107


FIG. 5 is a bottom view of the external power device of the present invention.

FIG. 6 is a right side view of the external power device of the present invention; and,

FIG. 7 is a left side view of the external power device of the present invention.

The broken line showing is included for the purpose of illustrating environment and forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






Fig. 1




Fig. 3




Fig. 2




Fig. 4




Fig. 5




Fig. 6




Fig. 7