

(stoma)

(pouch)

(pinch)

9 A D

(便)

, 1

가

가

가

가

가

(heat seal),

가

(heat cut)

가

가

(medium)

(增設)

가

1

2

(sealer)

3

가

4

5

가

6

7

(impulse heat sealer)

8

9

가
 , 1
 ,
 , 7
 (剛性) 가 (4)
 가 (力點) (挾壓
 (24) (25) 가
 가 (力) 가

, 가
 (heat seal), (heat cut) 26
 , 7 (lock) (clamp, 27) (lever)
 가 (挾壓力)

가 100V , 12V 15cm
 가 2 가

8

A -

B -

C - (消臭劑) 6 B (vanish)

D - B 2

E -

25 가 60% 3 50g, XP-329 , 200
 가 50cm (所用)

3 , 6

0 -

1 -

2 -

3 -

4 -

5 -

8 , E , A D

. 가 , E , 가 .

가

가 (seal) , 가
가 가 , , 가

()

가 가 가 ,
가

(57)

1.
가 가 (seal) , (seal)

2.
, 1 가 가 , 1 가

3.
1 (seal) 가 , 가 4 (seal line)
, 가

4.
, 2 2

5.
, 가 (medium) ,
(heat seal) ,
1

6.

, 가 (支點) 가 (力點), 가 , 가

7.

6

, (lock) (clamp) 6

8.

7

, 가 , 가가

9.

6

, 가


(pouch)

가


pulse heat sealer) 가

(im


2




2




3




4




5




6



7



8



갈아입음 용지 (규격 26)

9

