



US00D859139S

(12) **United States Design Patent**  
**Hill**

(10) **Patent No.:** **US D859,139 S**

(45) **Date of Patent:** **\*\* Sep. 10, 2019**

(54) **CLAMPING TOOL**

(71) Applicant: **Terrance M. Hill**, Spring Hill, FL (US)

(72) Inventor: **Terrance M. Hill**, Spring Hill, FL (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/683,113**

(22) Filed: **Mar. 11, 2019**

**Related U.S. Application Data**

(62) Division of application No. 29/654,918, filed on Jun. 28, 2018, now Pat. No. Des. 846,376.

(51) **LOC (12) Cl.** ..... **08-08**

(52) **U.S. Cl.**  
USPC ..... **D8/394**

(58) **Field of Classification Search**  
USPC .... D7/683, 686, 653; D8/14, 21, 33, 44, 71,  
D8/72, 82, 83, 86, 384, 394, 395, 499  
CPC ..... B65D 35/28; B65D 35/24; B25C 11/00;  
B25B 9/02; B25B 13/56; B25B 23/10;  
B25B 23/16  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D103,245 S *	2/1937	McPherson et al.	D8/83
2,788,816 A *	4/1957	Dargols	B25B 13/56
			7/165
D220,377 S *	4/1971	Benfer et al.	D8/14
D239,430 S *	4/1976	Niconchuck et al.	D8/31
4,012,068 A *	3/1977	Apodaca	B25B 9/02
			294/33
4,026,521 A *	5/1977	Clark	B25C 11/00
			254/28
D258,940 S *	4/1981	Zelinski	D10/46
D275,446 S *	9/1984	McSwain	D8/21
D279,314 S *	6/1985	Ishida	D24/129
D296,361 S *	6/1988	Gerich	D24/143

D313,914 S *	1/1991	Tribbey	D6/541
D314,497 S *	2/1991	Symiczek	D8/14
D327,166 S *	6/1992	Barker	D26/38
5,167,348 A *	12/1992	Okami	B65D 35/28
			222/102
D338,124 S *	8/1993	Eatherly	D6/541
D341,050 S *	11/1993	Waffensmith	D6/541
D348,810 S *	7/1994	Johnson	D8/14
D353,293 S *	12/1994	Planchon	D6/541
D356,001 S *	3/1995	Yarmunilert	D6/541
D360,326 S *	7/1995	Fairbanks	D6/541
D403,934 S *	1/1999	Girdler	D8/27
D417,377 S *	12/1999	Blank	D8/72
D442,047 S *	5/2001	Hicks	D8/395
D470,700 S *	2/2003	Lai	D6/541
D473,443 S *	4/2003	Metcalf	D8/107

(Continued)

*Primary Examiner* — John Windmuller

*Assistant Examiner* — Steven J Czyz

(74) *Attorney, Agent, or Firm* — Smith & Hopen, P.A.;  
Paul Murty


(57) **CLAIM**

The ornamental design for a clamping tool, as shown and described.

**DESCRIPTION**

FIG. 1 is a side perspective view of a clamping tool.  
FIG. 2 is a side elevation view thereof.  
FIG. 3 is a side elevation thereof.  
FIG. 4 is a top plan view thereof.  
FIG. 5 is a bottom plan view thereof.  
FIG. 6 is a rear elevation view thereof.  
FIG. 7 is a front elevation view thereof; and,  
FIG. 8 is a top plan view of the clamping tool shown in a position of use applied to a squeezable tube, shown in broken lines.  
The subject matter delineated in broken lines illustrating environment forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

## U.S. PATENT DOCUMENTS

D506,115	S *	6/2005	King	.....	D8/54
D519,812	S *	5/2006	Weinberg	.....	D8/72
D524,124	S *	7/2006	Tashjian	.....	D7/683
D576,462	S *	9/2008	Panosian	.....	D8/72
D606,860	S *	12/2009	Hill	.....	D9/434
7,954,870	B2 *	6/2011	Chen	.....	B25B 9/02 294/99.2
D641,224	S *	7/2011	Gupta	.....	D8/72
D641,615	S *	7/2011	Lin	.....	D8/394
D694,608	S *	12/2013	Nelson	.....	D8/83
D707,545	S *	6/2014	Schopf	.....	D8/394
D708,866	S *	7/2014	Kobayashi	.....	D6/541
D723,347	S *	3/2015	Sundheim	.....	D8/72
D743,757	S *	11/2015	Combs	.....	D8/14
D755,026	S *	5/2016	Kim	.....	D8/21
D793,835	S *	8/2017	Cerezo Lotina	.....	D8/72
D805,366	S *	12/2017	Gassner	.....	D8/72
D813,619	S *	3/2018	Cloutier	.....	D7/683

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8