

SELECT Query

```
SELECT col1, col2
FROM table
JOIN table2 ON table1.col = table2.col
WHERE condition
GROUP BY column_name
HAVING condition
ORDER BY col1 ASC|DESC;
```

SELECT Keywords

DISTINCT: Removes duplicate results
 SELECT DISTINCT product_name FROM product;

BETWEEN: Matches a value between two other values (inclusive)
 SELECT product_name FROM product WHERE price BETWEEN 50 AND 100;

IN: Matches to any of the values in a list
 SELECT product_name FROM product WHERE category IN ('Electronics', 'Furniture');

LIKE: Performs wildcard matches using _ or %
 SELECT product_name FROM product WHERE product_name LIKE '%Desk%';

Joins

```
SELECT t1.*, t2.*
FROM t1
join_type t2 ON t1.col = t2.col;
```

Table 1	Table 2
A	A
B	B
C	D

INNER JOIN: show all matching records in both tables.

A	A
B	B

LEFT JOIN: show all records from left table, and any matching records from right table.

A	A
B	B
C	

RIGHT JOIN: show all records from right table, and any matching records from left table.

A	A
B	B
	D

FULL JOIN: show all records from both tables, whether there is a match or not.

A	A
B	B
C	
	D

CASE Statement

Simple Case

```
CASE name
  WHEN 'John' THEN 'Name John'
  WHEN 'Steve' THEN 'Name Steve'
  ELSE 'Unknown'
END
```

Searched Case

```
CASE
  WHEN name='John' THEN 'Name John'
  WHEN name='Steve' THEN 'Name Steve'
  ELSE 'Unknown'
END
```

Common Table Expression

```
WITH queryname AS (
  SELECT col1, col2
  FROM firsttable)
SELECT col1, col2...
FROM queryname...;
```

Modifying Data

Insert
 INSERT INTO tablename (col1, col2...) VALUES (val1, val2);

Insert from a Table
 INSERT INTO tablename (col1, col2...) SELECT col1, col2...

Insert Multiple Rows
 INSERT INTO tablename (col1, col2...) VALUES (valA1, valB1), (valA2, valB2), (valA3, valB3);

Update
 UPDATE tablename SET col1 = val1 WHERE condition;

Update with a Join
 UPDATE t SET col1 = val1 FROM tablename t INNER JOIN table x ON t.id = x.tid WHERE condition;

Delete
 DELETE FROM tablename WHERE condition;


Indexes

Create Index
 CREATE INDEX indexname ON tablename (cols);


Drop Index
 DROP INDEX indexname;

Set Operators


UNION: Shows unique rows from two result sets.



UNION ALL: Shows all rows from two result sets.



INTERSECT: Shows rows that exist in both result sets.



MINUS is not recognised in MySQL



Aggregate Functions

- SUM:** Finds a total of the numbers provided
- COUNT:** Finds the number of records
- AVG:** Finds the average of the numbers provided
- MIN:** Finds the lowest of the numbers provided
- MAX:** Finds the highest of the numbers provided

Common Functions

- LENGTH(string):** Returns the length of the provided string
- INSTR(string, substring):** Returns the position of the substring within the specified string.
- CAST(expression AS datatype):** Converts an expression into the specified data type.
- ADDDATE(input_date, days):** Adds a number of days to a specified date.
- NOW:** Returns the current date, including time.
- CEILING(input_val):** Returns the smallest integer greater than the provided number.
- FLOOR(input_val):** Returns the largest integer less than the provided number.
- ROUND(input_val, [round_to]):** Rounds a number to a specified number of decimal places.
- TRUNCATE(input_value, num_decimals):** Truncates a number to a number of decimals.
- REPLACE(whole_string, string_to_replace, replacement_string):** Replaces one string inside the whole string with another string.
- SUBSTRING(string, start_position):** Returns part of a value, based on a position and length.

Create Table

Create Table
 CREATE TABLE tablename (column_name data_type);

Create Table with Constraints

```
CREATE TABLE tablename (
  column_name data_type NOT NULL,
  CONSTRAINT pkname PRIMARY KEY (col),
  CONSTRAINT fkname FOREIGN KEY (col)
  REFERENCES other_table(col_in_other_table),
  CONSTRAINT ucname UNIQUE (col),
  CONSTRAINT ckname CHECK (conditions)
);
```

Create Temporary Table
 CREATE TEMPORARY TABLE tablename (colname datatype);

Drop Table
 DROP TABLE tablename;

Alter Table

Add Column
 ALTER TABLE tablename ADD columnname datatype;

Drop Column
 ALTER TABLE tablename DROP COLUMN columnname;

Modify Column
 ALTER TABLE tablename CHANGE columnname newcolumnname newdatatype;

Rename Column
 ALTER TABLE tablename CHANGE COLUMN currentname TO newname;

Add Constraint
 ALTER TABLE tablename ADD CONSTRAINT constraintname constrainttype (columns);

Drop Constraint
 ALTER TABLE tablename DROP constraint_type constraintname;

Rename Table
 ALTER TABLE tablename RENAME TO newtablename;

Window/Analytic Functions

```
function_name ( arguments ) OVER (
  [query_partition_clause]
  [ORDER BY order_by_clause]
  [windowing_clause] ] )
```

Example using RANK, showing the student details and their rank according to the fees_paid, grouped by gender:

```
SELECT
  student_id, first_name, last_name, gender, fees_paid,
  RANK() OVER (
    PARTITION BY gender ORDER BY fees_paid
  ) AS rank_val
FROM student;
```

Subqueries

Single Row
 SELECT id, last_name, salary FROM employee WHERE salary = (SELECT MAX(salary) FROM employee);

Multi Row
 SELECT id, last_name, salary FROM employee WHERE salary IN (SELECT salary FROM employee WHERE last_name LIKE 'C%');