

Unicode Technical Note #43

Unihan Database Property “kStrange”

Ken Lunde

Version 1

2020-06-04

The *kStrange* property—a provisional Unihan Database property introduced in Unicode Version 14.0—is intended to collect and categorize CJK Unified Ideographs (also known as *Han ideographs*) that can be considered “strange” or non-prototypical in one or more ways. This Unicode Technical Note serves to document the “kStrange” property.

Below is a summary listing of this property’s 12 categories, their single-letter abbreviations, and their names:

- Category A [A]symmetric
- Category B [B]opomofo
- Category C [C]ursive
- Category F [F]ully-reflective
- Category H [H]angul Component
- Category I [I]ncomplete
- Category K [K]atakana Component
- Category M [M]irrored
- Category O [O]dd Component
- Category R [R]otated
- Category S [S]troke-heavy
- Category U [U]nusual Arrangement/Structure

Included in the sections for each *kStrange* category that follow are tables, and the “Code Point” and “Ideograph” cells of Han ideographs that are assigned to multiple categories are cyan-filled. The first instance of a Han ideograph in a CJK Unified Ideograph block is marked in red in the “Block” column. Currently, a total of 698 unique Han ideographs are assigned this property, and the maximum number of categories to which a Han ideograph is assigned is two.

This Unicode Technical Note is expected to be updated as additional Han ideographs are assigned this property, which will typically happen 1) through sheer discovery; 2) by establishing new *kStrange* categories; or 3) by the encoding of new CJK Unified Ideographs.

Data Files

The [kstrange-data-ws2017.txt](#) data file provides the serial number, source reference(s), and tentative *kStrange* property value(s) for the *kStrange* candidates that have thus far been identified in [IRG Working Set 2017](#), whose repertoire is expected to become CJK Unified Ideographs Extension H.

The [kstrange-data-uax45.txt](#) data file provides the UTC-Source source reference and tentative *kStrange* property value for the *kStrange* candidates that have been identified in [UAX #45 \(U-Source Ideographs\)](#) that are neither encoded nor currently in the process of being encoded.

Representative Glyphs & Code Chart Excerpts

The representative glyphs in the “Ideograph” and “Reference” columns, along with those in the “Bopomofo,” “Hangul,” and “Katakana” columns for Categories B, H, and K, respectively, are from the [Hanazono Mincho](#) (花園明朝) and [BabelStone Han](#) fonts: *HanaMinA.ttf* (BMP), *HanaMinB.ttf* (Extension B through Extension F), and *BabelStoneHan.ttf* (Extension B additions and Extension G). The code chart excerpts are based on those for [Unicode Version 13.0](#).

Category A—[A]symmetric

Han ideographs with this property value exhibit a structure that appears to be asymmetric, and are tagged with the letter “A.”

Category	Block	Code Point	Ideograph	Code Chart Excerpt
A	B	U+2074E	𠄎	2074E 刀 18.8 𠄎 𠄎 UCS2003 GHZ-10343.05
A	B	U+21CFF	𠄎	21CFF 𠄎 45.2 𠄎 𠄎 UCS2003 T6-216C
A	B	U+24C03	𠄎	24C03 用 101.1 𠄎 𠄎 UCS2003 T6-253A
A	B	U+26A03	𠄎	26A03 𠄎 136.16 𠄎 𠄎 UCS2003 T7-5C4B
A	B	U+26B69	𠄎	26B69 𠄎 140.5 𠄎 𠄎 UCS2003 T6-2D7D

Category B—[B]opomofo

Han ideographs with this property value visually resemble a bopomofo character. Note that common Han ideographs that resemble a bopomofo character, such as 一 (U+4E00) versus 一 (U+3127), have been explicitly excluded from this property. In addition to being tagged with the letter “B,” the code point for the corresponding bopomofo character is also specified.

Category	Block	Code Point	Ideograph	Bopomofo	Code Chart Excerpt
B	URO	U+4E02	𠄎	𠄎	4E02 — 1.1 𠄎 𠄎 𠄎 G5-3021 T4-2126 J14-2122
B	URO	U+4E05	𠄎	𠄎	4E05 — 1.1 𠄎 𠄎 𠄎 GE-3022 T3-2125 J1-3023
B	URO	U+4E29	𠄎	𠄎	4E29 2.1 𠄎 𠄎 𠄎 G5-303C T4-2127 J4-2125
B	URO	U+4E2B	𠄎	𠄎	4E2B 2.2 𠄎 𠄎 𠄎 𠄎 𠄎 𠄎 G0-513E HB1-A458 T1-4439 J14-2126 K1-6622 V1-4A34

Category	Block	Code Point	Ideograph	Bopomofo	Code Chart Excerpt
B	URO	U+4E40	𠂇	ㄇ	4E40 J 4.0 𠂇 𠂇 𠂇 𠂇 GE-302C T4-2122 J14-2128 K2-2130
B	URO	U+4E5C	𠂈	ㄇ	4E5C 乙 5.1 𠂈 𠂈 𠂈 𠂈 𠂈 G0-583F HB2-C941 T2-2122 J1-3035 K2-213A
B	URO	U+5DDC	𠂉	ㄍ	5DDC 𠂉 47-1 𠂉 𠂉 G5-303D T4-212C
B	URO	U+5E00	𠂊	ㄇ	5E00 巾 50.1 𠂊 𠂊 𠂊 𠂊 𠂊 GE-3774 T3-2163 J14-2870 K2-2F7D V1-5365
B	A	U+3405	𠂋	ㄨ	3405 J 4.1 𠂋 𠂋 𠂋 GKX-0081.18 T6-2123 JA-2124
B	A	U+37A2	𠂌	ㄨ	37A2 巾 45.1 𠂌 𠂌 G5-3F33 T3-2162
B	B	U+20000	𠂍	ㄨ	20000 一 1.1 𠂍 𠂍 𠂍 UCS2003 GKX-0075.06 T5-2125
B	B	U+20005	𠂎	ㄨ	20005 一 1.2 𠂎 𠂎 𠂎 UCS2003 GHZ-10010.01 T6-212E
B	B	U+200CA	𠂏	ㄨ	200CA 乙 5.0 𠂏 𠂏 𠂏 𠂏 UCS2003 GHZ-10047.05 VU-200CA H-884E
B	B	U+200CB	𠂐	ㄨ	200CB 乙 5.0 𠂐 𠂐 𠂐 𠂐 UCS2003 GHZ-10048.01 T5-2122 H-884B
B	B	U+200D2	𠂑	ㄨ	200D2 乙 5.2 𠂑 𠂑 UCS2003 T5-212B
B	B	U+2010E	𠂒	ㄨ	2010E J 6.1 𠂒 𠂒 𠂒 𠂒 UCS2003 GKX-0085.13 T4-2128 H-8853
B	B	U+206A3	𠂓	ㄨ	206A3 刀 18.0 𠂓 𠂓 UCS2003 T6-2139
B	B	U+20AD3	𠂔	ㄨ	20AD3 厶 28.1 𠂔 𠂔 𠂔 𠂔 UCS2003 GKX-0164.01 T5-212E J4-2359
B	B	U+21C23	𠂕	ㄨ	21C23 尸 44.0 𠂕 𠂕 UCS2003 T6-213E
B	B	U+21FE8	𠂖	ㄨ	21FE8 𠂖 47-2 𠂖 𠂖 𠂖 𠂖 UCS2003 GKX-0323.21 T4-2125 H-884C
B	G	U+3018A	𠂗	ㄨ	3018A J 26.0 𠂗 UTC-00984

Category C—[C]ursive

Han ideographs with this property value are either cursive or include one or more cursive components that do not adhere to Han ideograph stroke conventions, and are tagged with the letter “C.”

Category	Block	Code Point	Ideograph	Code Chart Excerpt
C	URO	U+4E44	乂	4E44 丿 4.1 GE-302D 乂 J1-3031
C	B	U+201AD	𠄎	201AD 人 9.3 UCS2003 𠄎 𠄎 𠄎 GHZ-10111.01 T6-2235
C	B	U+201C7	𠄏	201C7 人 9.4 UCS2003 𠄏 𠄏 TF-2176
C	B	U+2034B	𠄑	2034B 人 9.11 UCS2003 𠄑 𠄑 TF-403B
C	B	U+20AB3	𠄒	20AB3 厂 27.13 UCS2003 𠄒 𠄒 T7-2142
C	B	U+211A2	𠄓	211A2 口 31.1 UCS2003 𠄓 𠄓 TF-2137
C	B	U+219B9	𠄔	219B9 宀 40.1 UCS2003 𠄔 𠄔 T6-2169
C	B	U+219D1	突	219D1 宀 40.4 UCS2003 突 突 TF-2372
C	B	U+22013	𠄕	22013 工 48.1 UCS2003 𠄕 𠄕 T6-2170
C	B	U+26E57	𠄖	26E57 艸 140.11 UCS2003 𠄖 𠄖 TF-516A
C	F	U+2CEF7	𠄗	2CEF7 丨 2.9 JMJ-057639 𠄗
C	F	U+2CEFF	乚	2CEFF 丿 4.1 JMJ-056853 乚
C	F	U+2CF02	乚	2CF02 丿 4.1 JMJ-056850 乚
C	F	U+2D047	𠄘	2D047 八 12.5 JMJ-058412 𠄘
C	F	U+2D143	勸	2D143 力 19.12 JMJ-057075 勸
C	F	U+2D37B	𠄙	2D37B 土 32.3 JMJ-059446 𠄙
C	F	U+2D44A	卷	2D44A 大 37.5 JMJ-057275 卷

Category	Block	Code Point	Ideograph	Code Chart Excerpt
C	F	U+2D6A5	𠂇	2D6A5 𠂇 弓 57.1 JMJ-057460
C	F	U+2D92A	坊	2D92A 坊 方 70.2 JMJ-057632
C	F	U+2D95F	𠂇	2D95F 𠂇 日 72.4 JMJ-057652
C	F	U+2E4E0	虚	2E4E0 虚 虎 141.4 JMJ-058589
C	F	U+2E979	𠂇	2E979 𠂇 隹 172.4 JMJ-058980

Category F—[F]ully-reflective

Han ideographs with this property value are fully-reflective or include components that are fully-reflective, meaning that the mirrored and unmirrored components are arranged side-by-side or stacked top-and-bottom. In addition to being tagged with the letter “F,” the code point for the corresponding unreflected Han ideograph, if any and as shown in the “Reference” column, is also specified.

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
F	URO	U+56CD	囍		56CD 囍 囍 囍 囍 囍 口 30.18 GK-6868 HB2-F8A6 T2-7034 J14-2454 K0-7D6E
F	URO	U+71DB	𠂇		71DB 𠂇 𠂇 𠂇 火 86.12 GE-413E HB2-EA58 T2-5844
F	URO	U+81E6	𠂇 𠂇	𠂇	81E6 𠂇 𠂇 𠂇 𠂇 臣 131.6 GE-4879 HB2-DB52 T2-3F37 K2-563A
F	URO	U+81E9	𠂇		81E9 𠂇 𠂇 𠂇 𠂇 臣 131.11 GE-487A HB2-EDEF T2-5E5C K2-563B
F	B	U+21155	囍		21155 囍 囍 土 33.18 UCS2003 GHZ-80012.04
F	B	U+221D6	𠂇		221D6 𠂇 𠂇 𠂇 彡 52.19 UCS2003 GHZ-21097.07 T7-576D
F	B	U+22374	𠂇		22374 𠂇 𠂇 井 55.14 UCS2003 GHZ-80012.10
F	B	U+223FD	𠂇		223FD 𠂇 𠂇 𠂇 弓 57.8 UCS2003 GHZ-20998.04 T6-3F57
F	B	U+23960	址	址	23960 址 址 址 止 77.4 UCS2003 GHZ-21440.08 T4-2672
F	B	U+244EB	𠂇		244EB 𠂇 𠂇 𠂇 火 86.25 UCS2003 GKX-0688.20 T7-644C

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
F	B	U+24570	𠄎	𠄎	24570 月 90.4 𠄎 𠄎 𠄎 UCS2003 GKK-0691.16 T6-2C67
F	B	U+249A1	𠄏		249A1 玉 96.8 𠄏 𠄏 𠄏 UCS2003 GHZ-21120.01 T6-5532
F	B	U+268E9	𠄐	𠄐	268E9 臣 131.6 𠄐 𠄐 𠄐 UCS2003 GHZ-42802.13 T6-4D57
F	B	U+286DC	𠄑	𠄑	286DC 邑 163.7 𠄑 𠄑 𠄑 UCS2003 GHZ-63771.09 T6-6340
F	B	U+287A0	𠄒		287A0 邑 163.13 𠄒 𠄒 𠄒 UCS2003 GHZ-63799.09 T7-505D
F	B	U+287B0	𠄓		287B0 邑 163.14 𠄓 𠄓 𠄓 UCS2003 GHZ-63801.09 T7-5554
F	B	U+28944	𠄔		28944 金 167.3 𠄔 𠄔 𠄔 UCS2003 GKK-1297.14 T6-4577
F	B	U+28CC8	𠄕	門	28CC8 門 169.0 𠄕 𠄕 UCS2003 K4-00F1
F	B	U+28E85	𠄖		28E85 草 170.8 𠄖 𠄖 𠄖 UCS2003 GKK-1355.09 T7-347B
F	B	U+28F31	𠄗		28F31 草 170.13 𠄗 𠄗 𠄗 UCS2003 GKK-1362.03 T7-5079
F	B	U+28F44	𠄘		28F44 草 170.14 𠄘 𠄘 𠄘 UCS2003 GKK-1362.19 T5-7459
F	B	U+28F5D	𠄙		28F5D 草 170.16 𠄙 𠄙 𠄙 UCS2003 GHZ-64164.09 T5-7843
F	B	U+28F61	𠄚		28F61 草 170.16 𠄚 𠄚 𠄚 UCS2003 GKK-1363.13 T7-5F77
F	B	U+28F69	𠄛		28F69 草 170.18 𠄛 𠄛 UCS2003 GKK-1363.18
F	B	U+28F74	𠄜		28F74 草 170.25 𠄜 𠄜 𠄜 UCS2003 GKK-1363.21 T7-6637
F	B	U+28F75	𠄝		28F75 草 170.25 𠄝 𠄝 𠄝 UCS2003 GHZ-64166.01 T7-6628
F	E	U+2B935	𠄞		2B935 八 12.17 𠄞 GZJW-00728
F	E	U+2BA23	𠄟		2BA23 厂 27.15 𠄟 GZJW-00782
F	E	U+2BC92	𠄠		2BC92 女 38.15 𠄠 GZJW-00875

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
F	E	U+2BE2A	弜	弜	2BE2A 弜 弓 57.4 GZJW-00315
F	E	U+2C1BB	鞞		2C1BB 鞞 比 81.15 GZJW-01222
F	E	U+2C30B	鞞		2C30B 鞞 卩 90.12 GZJW-01281
F	E	U+2C6FF	鼎		2C6FF 鼎 白 134.13 GZJW-01475
F	E	U+2CD18	韋		2CD18 韋 高 189.7 GZJW-00686
F	E	U+2CD1C	韋		2CD1C 韋 高 189.11 GZJW-00693
F	E	U+2CD20	韋		2CD20 韋 高 189.13 GZJW-00697
F	E	U+2CD21	韋		2CD21 韋 高 189.14 GZJW-00696
F	E	U+2CD22	韋		2CD22 韋 高 189.15 GZJW-00699
F	E	U+2CD23	韋		2CD23 韋 高 189.16 GZJW-00700
F	E	U+2CD24	韋		2CD24 韋 高 189.19 GZJW-00702
F	E	U+2CD25	韋		2CD25 韋 高 189.19 GZJW-00703
F	E	U+2CD26	韋		2CD26 韋 高 189.20 GZJW-00704
F	F	U+2D5B2	𪛗		2D5B2 𪛗 山 46.9 SAT-05235
F	G	U+31044	𪛗		31044 𪛗 草 170.18 GHZR-74482.18

Category H—[H]angul Component

Han ideographs with this property value include a hangul component. In addition to being tagged with the letter “H,” the code point for the hangul component is also specified.

Category	Block	Code Point	Ideograph	Hangul	Code Chart Excerpt
H	URO	U+5DEA	𪛗	ㄱ	5DEA 𪛗 工 48.3 GK-677B 𪛗 K2-2F76

Category	Block	Code Point	Ideograph	Hangul	Code Chart Excerpt
H	A	U+3514	加	○	3514 力 19.4 加 K3-222C
H	A	U+3516	𠂔	ㄱ	3516 力 19.4 𠂔 K3-222B
H	A	U+3AB2	𠂔	ㄱ	3AB2 斗 68.2 𠂔 K3-272B
H	A	U+3AB3	𠂔	○	3AB3 斗 68.2 𠂔 K3-272C
H	A	U+3AC7	𠂔	ㄱ	3AC7 方 70.6 𠂔 K3-2736
H	A	U+3AC8	𠂔	○	3AC8 方 70.6 𠂔 K3-2737
H	A	U+439E	耆	ㄱ	439E 老 125.6 耆 K3-2F53
H	B	U+200CD	ㄱ	ㄱ	200CD 乙 5.0 ㄱ UCS2003 K4-0004 H-8848
H	C	U+2A8B3	𠂔	ㄱ	2A8B3 土 32.3 𠂔 K5-01A1
H	C	U+2A941	𠂔	ㄱ	2A941 大 37.1 𠂔 K5-01A6
H	F	U+2D03B	𠂔	ㄱ	2D03B 入 11.3 𠂔 KC-06030
H	F	U+2D1BE	𠂔	ㄱ	2D1BE 口 30.3 𠂔 KC-06984
H	F	U+2D81A	𠂔	ㄱ	2D81A 手 64.5 𠂔 KC-07031
H	F	U+2D939	𠂔	人	2D939 方 70.6 𠂔 KC-07034
H	F	U+2D94B	𠂔	ㄱ	2D94B 日 72.1 𠂔 KC-06316
H	F	U+2DA58	𠂔	ㄱ	2DA58 木 75.1 𠂔 KC-06352
H	F	U+2E78C	近	ㄱ	2E78C 辵 162.5 近 KC-07152
H	G	U+301C8	𠂔	ㄱ	301C8 口 30.3 𠂔 KC-00392
H	G	U+30255	𠂔	ㄱ	30255 土 32.1 𠂔 KC-00597

Category	Block	Code Point	Ideograph	Hangul	Code Chart Excerpt
H	G	U+30481	愁	ㄱ	30481 愁 心 61.10 KC-01273
H	G	U+30912	皁	ㄱ	30912 皁 白 106.1 KC-02794
H	G	U+30BEE	𪛗	ㄱ	30BEE 𪛗 臣 131.3 KC-03502
H	G	U+30C2F	蒨	ㄱ	30C2F 蒨 艸 140.5 KC-03553
H	G	U+30D97	𪛗	ㄱ	30D97 𪛗 豆 151.1 KC-03944
H	G	U+30F18	𪛗	ㄱ	30F18 𪛗 里 166.1 KC-04192

Category I—[I]ncomplete

Han ideographs with this property value appear to be incomplete versions of an existing or possible Han ideograph (meaning that one or more components appear to be incomplete), without regard to semantics. In addition to being tagged with the letter “I,” the code points for the corresponding complete Han ideographs, if any and as shown in the “Reference” column, are also specified.

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	URO	U+4E04	丄	上	4E04 — 1.1 丄 丄 丄 丄 GE-3021 H-9EB3 T3-2126 J1-3022
I	URO	U+4E05	丅	下	4E05 — 1.1 丅 丅 丅 GE-3022 T3-2125 J1-3023
I	URO	U+4E52	𠂇	兵	4E52 J 4.5 𠂇 𠂇 𠂇 𠂇 G0-4639 HB1-A5E2 T1-4724 K2-2136
I	URO	U+4E53	𠂈	兵	4E53 J 4.5 𠂈 𠂈 𠂈 𠂈 G0-4552 HB1-A5E3 T1-4725 K2-2137
I	URO	U+5187	𠂉	有	5187 𠂉 13.2 𠂉 𠂉 𠂉 G3-3056 HB2-C94E T2-212E
I	URO	U+56EC	囧	面	56EC 𠂉 31.4 囧 囧 GE-343C T3-252B
I	URO	U+5B52	𠂊	子	5B52 子 39.0 𠂊 𠂊 𠂊 𠂊 GE-364D T4-2132 J14-2577 K2-2D5C
I	URO	U+5DDC	𠂋	𠂋	5DDC 𠂋 47.1 𠂋 𠂋 G5-303D T4-212C
I	URO	U+8002	𠂌	老	8002 老 125.2 𠂌 𠂌 𠂌 𠂌 GE-4836 H-8BDF T3-667B J4-7522

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	URO	U+8080	𠄎	聿	8080 聿 129-2 𠄎 𠄎 G0-6D31 H-8BE0
I	URO	U+9F50	𠄎	齊	9F50 齊 210'0 文 67.2 𠄎 𠄎 𠄎 G0-466B H-A0FC T3-2370
I	URO	U+9FB0	𠄎	足	9FB0 止 77.0 𠄎 H-C8A1
I	A	U+382A	王	正	382A 工 48.1 王 王 王 GKX-0325.06 T6-216E JA-2255
I	A	U+39B0	𠄎	鐵	39B0 戈 62.4 𠄎 𠄎 𠄎 G5-4825 T4-2654 K3-2622
I	A	U+3C50	𠄎	武	3C50 止 77.3 𠄎 K3-2863
I	A	U+4AA3	𠄎		4AA3 非 179.11 𠄎 T3-5D52
I	B	U+20016	𠄎	共	20016 一 1.4 𠄎 𠄎 UCS2003 V0-3F5F
I	B	U+20017	𠄎	共	20017 一 1.4 𠄎 𠄎 UCS2003 V0-3F60
I	B	U+2002A	其	其	2002A 一 1.6 其 其 UCS2003 V0-456C
I	B	U+2002B	其	其	2002B 一 1.6 其 其 UCS2003 V0-456D
I	B	U+20035	陽	陽	20035 一 1.8 陽 陽 UCS2003 TF-2922
I	B	U+2003D	𠄎	𠄎	2003D 一 1.9 𠄎 𠄎 UCS2003 GHZ-10026.05
I	B	U+20063	𠄎	門	20063 一 2.3 門 169-4 𠄎 𠄎 UCS2003 GHZ-10028.09
I	B	U+20064	𠄎	西	20064 一 31.2 𠄎 𠄎 𠄎 UCS2003 GHZ-10029.03 T6-225F
I	B	U+20080	𠄎	井	20080 一 3.4 𠄎 𠄎 UCS2003 G4K-06408
I	B	U+20092	生	生	20092 一 4.3 生 生 UCS2003 TF-2125
I	B	U+20099	𠄎	𠄎	20099 一 4.4 𠄎 𠄎 UCS2003 T6-222F
I	B	U+2009A	𠄎	𠄎	2009A 一 4.4 𠄎 𠄎 UCS2003 TF-2140

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+2009B	企	企	2009B J 4.4 企 正 UCS2003 TF-2141
I	B	U+200B3	𠂇	𠂇	200B3 J 4.7 𠂇 𠂇 𠂇 UCS2003 GKK-0083.07 T6-3A65
I	B	U+200CF	匕	比	200CF 乙 5.1 匕 匕 匕 UCS2003 GKK-0084.01 T6-2126
I	B	U+200D2	世	世	200D2 乙 5.2 世 世 UCS2003 T5-2126
I	B	U+200DB	冂	門	200DB 乙 5.3 冂 冂 門 169-4 UCS2003 GHZ-10051.14
I	B	U+20118	承	承	20118 J 6.6 承 承 UCS2003 H-FCAD
I	B	U+20119	事	事	20119 J 6.7 事 事 事 UCS2003 GKK-0085.27 T6-2940
I	B	U+20149	亠	亠	20149 + 8.5 亠 亠 UCS2003 TF-2277
I	B	U+2015B	𠂇	𠂇	2015B + 8.8 𠂇 𠂇 UCS2003 GHZ-10287.12
I	B	U+2017E	𠂇	𠂇	2017E + 8.12 𠂇 𠂇 UCS2003 TF-4642
I	B	U+201B1	𠂇	𠂇	201B1 + 24.3 𠂇 𠂇 UCS2003 GHZ-10115.02
I	B	U+2053E	舟	舟	2053E 冂 13.2 舟 舟 舟 UCS2003 GKK-0128.35 T6-2151
I	B	U+20546	有	有	20546 冂 13.3 有 有 UCS2003 TF-2146
I	B	U+20936	匚	匚	20936 匚 22.5 匚 匚 UCS2003 TF-233C
I	B	U+209B1	𠂇	𠂇	209B1 + 24.10 𠂇 𠂇 UCS2003 TF-3954
I	B	U+20A64	原	原	20A64 冂 27.7 原 原 原 UCS2003 GHZ-10072.05 T4-2855
I	B	U+20AB1	厯	厯	20AB1 冂 27.13 厯 厯 UCS2003 G4K-12362
I	B	U+20B0A	𠂇	𠂇	20B0A 厶 28.11 𠂇 𠂇 UCS2003 TF-4052
I	B	U+20B35	𠂇	𠂇	20B35 又 29.5 𠂇 𠂇 UCS2003 TF-2342

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+20B6B	爍		20B6B 爍 爍 又 29.10 UCS2003 TF-3958
I	B	U+20EDA	暮	暮	20EDA 暮 暮 暮 口 30.11 UCS2003 GKX-0204.26 T6-5B51
I	B	U+20F28	𠩺		20F28 𠩺 𠩺 口 30.11 UCS2003 GHZ-80014.17
I	B	U+2115B	𠩺		2115B 𠩺 𠩺 口 30.19 UCS2003 GKX-0215.18
I	B	U+21245	吉	吉	21245 吉 吉 土 32.2 UCS2003 GHZ-10417.10
I	B	U+21246	吉	吉	21246 吉 吉 土 32.2 UCS2003 GHZ-10417.12
I	B	U+213CE	𠩺		213CE 𠩺 𠩺 土 32.10 UCS2003 TF-406C
I	B	U+21428	𠩺	𠩺	21428 𠩺 𠩺 𠩺 土 32.12 UCS2003 GKX-0239.20 T7-2178
I	B	U+2151C	声	声	2151C 声 声 土 33.3 UCS2003 GHZ-10420.08
I	B	U+21556	𠩺	𠩺 𠩺 𠩺 𠩺	21556 𠩺 𠩺 𠩺 𠩺 夕 34.3 UCS2003 GHZ-20868.02 T6-2436 VU-21556
I	B	U+216F7	𠩺	𠩺	216F7 𠩺 𠩺 𠩺 女 38.5 UCS2003 GHZ-21035.06 T6-2A5F
I	B	U+219AD	𠩺		219AD 𠩺 𠩺 子 39.16 UCS2003 T7-4D52
I	B	U+219D8	𠩺	𠩺 𠩺 𠩺	219D8 𠩺 𠩺 𠩺 宀 40.5 UCS2003 GKX-0283.09 T6-2A66
I	B	U+21C23	尸	尸	21C23 尸 尸 尸 44.0 UCS2003 T6-213E
I	B	U+21FE8	𠩺	𠩺 𠩺 𠩺 𠩺	21FE8 𠩺 𠩺 𠩺 𠩺 𠩺 47.2 UCS2003 GKX-0323.21 T4-2125 H-884C
I	B	U+22053	布	布	22053 布 布 布 巾 50.2 UCS2003 GKX-0328.08 T6-2275
I	B	U+22064	𠩺	𠩺 𠩺 𠩺	22064 𠩺 𠩺 𠩺 巾 50.3 UCS2003 GHZ-10730.17 T5-225A
I	B	U+220FB	𠩺		220FB 𠩺 𠩺 巾 50.9 UCS2003 T6-4838
I	B	U+2218D	𠩺	𠩺 𠩺 𠩺 𠩺	2218D 𠩺 𠩺 𠩺 𠩺 干 51.5 UCS2003 GKX-0340.06 T4-2426 VU-2218D

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+221AF	𠂇	糸	221AF 𠂇 52.1 UCS2003 GKK-0342.01 T6-2172
I	B	U+221BD	紗	紗	221BD 𠂇 52.5 UCS2003 GKK-0342.10 T5-2624
I	B	U+221CA	𦉰	𦉰	221CA 𠂇 52.9 UCS2003 T6-4843 UTC-00152
I	B	U+221CB	緡	緡	221CB 𠂇 52.10 UCS2003 T5-3E7C
I	B	U+22324	𦉰	建	22324 𠂇 54.7 UCS2003 K4-0039
I	B	U+2239E	弘	弘	2239E 弓 57.1 UCS2003 G4K-01209
I	B	U+223B1	弔	弔	223B1 弓 57.3 UCS2003 T6-2469
I	B	U+223BA	𦉰	𦉰	223BA 弓 57.4 UCS2003 GKK-0357.20 T6-2753 UTC-00150
I	B	U+223C0	𦉰	𦉰	223C0 弓 57.4 UCS2003 TF-242C
I	B	U+224B4	𦉰	𦉰	224B4 彡 59.14 UCS2003 GKK-0364.26 T7-3776
I	B	U+2267B	𦉰	𦉰	2267B 心 61.7 UCS2003 GKK-0387.14 T6-3F69
I	B	U+22779	𦉰	𦉰	22779 心 61.9 UCS2003 GHZ-42329.07
I	B	U+22868	𦉰	𦉰	22868 心 61.12 UCS2003 TF-4E74
I	B	U+22877	𦉰	𦉰	22877 心 61.12 UCS2003 GHZ-42350.04
I	B	U+22994	𦉰	𦉰	22994 戈 62.3 UCS2003 T5-243B
I	B	U+22AC2	𦉰	𦉰	22AC2 手 64.5 UCS2003 T6-2B62
I	B	U+22BBD	𦉰	𦉰	22BBD 手 64.8 UCS2003 TF-352A
I	B	U+23D11	流	流	23D11 水 85.6 UCS2003 GHZ-31605.10 T6-3238
I	B	U+24993	瑑	瑑	24993 玉 96.8 UCS2003 TF-3D2C

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+225A9	心	心	225A9 心 61.1 UCS2003 心 心 T5-2131
I	B	U+22606	恒	恒	22606 心 61.5 UCS2003 恒 恒 恒 GKX-0380.23 T5-2635
I	B	U+22634	愬	愬	22634 心 61.6 UCS2003 愬 愬 愬 GKX-0383.14 T6-375B
I	B	U+226C0	悶	悶	226C0 心 61.8 UCS2003 悶 悶 GKX-0389.05
I	B	U+2298F	戔	戔 ¹	2298F 戈 62.2 UCS2003 戔 戔 戔 戔 戔 GU-2298F T4-2272 J4-2C72 VU-2298F
I	B	U+22998	或	或	22998 戈 62.3 UCS2003 或 或 GHZ-21401.07
I	B	U+22A6F	扌	扌	22A6F 手 64.3 UCS2003 扌 扌 GKX-0417.21
I	B	U+22AA2	挑	挑	22AA2 手 64.4 UCS2003 挑 挑 TF-2441
I	B	U+22ACE	扌	扌	22ACE 手 64.5 UCS2003 扌 扌 TF-272F
I	B	U+22B61	扌	扌	22B61 手 64.7 UCS2003 扌 扌 TF-2F5E
I	B	U+22F0B	敕	敕	22F0B 支 66.5 UCS2003 敕 敕 敕 GKX-0469.17 T5-294C
I	B	U+2314A	昌	昌	2314A 日 72.3 UCS2003 昌 昌 昌 GKX-0490.17 T6-2822
I	B	U+23150	旻	旻	23150 日 72.3 UCS2003 旻 旻 T6-2821
I	B	U+23169	眉	眉	23169 日 72.4 UCS2003 眉 眉 TF-2738
I	B	U+231B9	曷	曷	231B9 日 72.7 UCS2003 曷 曷 曷 GKX-0495.42 T6-404C
I	B	U+231D3	鼎	鼎	231D3 日 72.7 UCS2003 鼎 鼎 TF-3545
I	B	U+232B3	曷	曷	232B3 日 72.12 UCS2003 曷 曷 TF-546A
I	B	U+23332	鼻	鼻	23332 日 73.6 UCS2003 鼻 鼻 TF-2F72
I	B	U+233C1	杲	杲	233C1 木 75.3 UCS2003 杲 杲 杲 GKX-0511.15 T6-282C

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+233CA	朧	朧	233CA 朧 朧 木 75.3 UCS2003 TF-2452
I	B	U+23408	栝	栝	23408 栝 栝 栝 木 75.5 UCS2003 GKK-0518.01 T6-3174
I	B	U+2347D	梵	梵	2347D 梵 梵 木 75.6 UCS2003 TF-2F77
I	B	U+23652	燾	燾	23652 燾 燾 木 75.12 UCS2003 TF-4F4F
I	B	U+236D0	櫟	櫟	236D0 櫟 櫟 木 75.12 UCS2003 TF-5537
I	B	U+239E8	𣎵	𣎵	239E8 𣎵 𣎵 𣎵 歹 78.5 UCS2003 GKK-0579.58 T6-3225
I	B	U+23C16	毳	毳	23C16 毳 毳 毳 毛 82.13 UCS2003 GHZ-32007.06 T7-386B
I	B	U+23C71	水	水	23C71 水 水 水 85.0 UCS2003 GHZ-31546.01
I	B	U+23C96	氐	氐	23C96 氐 氐 水 85.4 UCS2003 GKK-0612.11
I	B	U+23D2B	澀	澀	23D2B 澀 澀 澀 水 85.7 UCS2003 GKK-0627.08 T6-3876
I	B	U+23D49	澨	澨	23D49 澨 澨 水 85.7 UCS2003 TF-3043
I	B	U+23DD2	澮	澮	23DD2 澮 澮 水 85.8 UCS2003 TF-363A
I	B	U+2404E	潭	潭	2404E 潭 潭 水 85.14 UCS2003 GHZ-80024.18
I	B	U+24121	灑	灑	24121 灑 灑 水 85.18 UCS2003 TF-676B
I	B	U+241D7	魚	魚	241D7 魚 魚 火 86.5 UCS2003 TF-2C21
I	B	U+2435E	燿	燿	2435E 燿 燿 火 86.11 UCS2003 G4K-07028
I	B	U+2437B	熾	熾	2437B 熾 熾 火 86.11 UCS2003 TF-503B
I	B	U+2447B	燿	燿	2447B 燿 燿 火 86.16 UCS2003 GKK-0687.08
I	B	U+244F0	瓜	瓜	244F0 瓜 瓜 瓜 87.0 UCS2003 G4K-02026

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+24642	犝		24642 犝 犝 牛 93.5 UCS2003 T6-3259
I	B	U+248E5	玄	玄	248E5 玄 玄 玄 95.1 UCS2003 GKX-0725.01
I	B	U+248E6	玆		248E6 玆 玆 玄 95.4 UCS2003 TF-2823
I	B	U+24ADD	璫		24ADD 璫 璫 玉 96.19 UCS2003 GHZ-21146.14
I	B	U+24E48	癩		24E48 癩 癩 疒 104.10 UCS2003 GHZ-42688.05
I	B	U+24F3D	皀	皀皀	24F3D 皀 皀 皀 白 106.1 UCS2003 GKX-0785.06 T6-253C
I	B	U+24F6A	皃		24F6A 皃 皃 白 106.6 UCS2003 TF-3676
I	B	U+2506B	盞		2506B 盞 盞 盞 皿 108.5 UCS2003 GHZ-80031.15 T6-3A25
I	B	U+25100	覿		25100 覿 覿 覿 目 109.3 UCS2003 GHZ-42469.08 T6-2D43
I	B	U+25186	眴	眴	25186 眴 眴 眴 目 109.6 UCS2003 GHZ-42485.07 T6-4245
I	B	U+2549B	砩		2549B 砩 砩 石 112.6 UCS2003 GHZ-42430.07
I	B	U+256C4	禛	禛	256C4 禛 禛 示 113.9 UCS2003 G4K-13721
I	B	U+2574C	禾	禾	2574C 禾 禾 禾 禾 115.0 UCS2003 GKX-0848.19 T4-217E
I	B	U+25844	穉	穉	25844 穉 穉 禾 115.10 UCS2003 GHC
I	B	U+2584C	穉	穉	2584C 穉 穉 禾 115.10 UCS2003 TF-5072
I	B	U+25952	窆	冢	25952 窆 冢 冢 穴 116.5 UCS2003 GKX-0864.35 T6-3A4A
I	B	U+25A5A	竝		25A5A 竝 竝 立 117.4 UCS2003 G4K-28225
I	B	U+25A88	豹		25A88 豹 豹 立 117.7 UCS2003 TF-3D6F
I	B	U+25B7B	箸	箸	25B7B 箸 箸 竹 118.7 UCS2003 TF-4447

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+25CC1	簾	簾	25CC1 簾 簾 竹 118.12 UCS2003 H-8E71
I	B	U+25D6F	籊		25D6F 籊 籊 籊 竹 118.14 UCS2003 GKX-0903.12 T5-6C77
I	B	U+25F26	糴		25F26 糴 糴 米 119.12 UCS2003 TF-6027
I	B	U+25F94	納	納	25F94 納 納 糸 120.3 UCS2003 TF-2D23
I	B	U+25FAC	紆	絃	25FAC 紆 紆 紆 糸 120.4 UCS2003 GKX-0919.10 T5-2F59
I	B	U+25FAD	紉		25FAD 紉 紉 紉 糸 120.4 UCS2003 GKX-0919.12 T6-3A61
I	B	U+26165	纒		26165 纒 纒 糸 120.12 UCS2003 TF-6032
I	B	U+2626A	𠄎	𠄎	2626A 𠄎 𠄎 𠄎 𠄎 网 122.0 UCS2003 T6-2229 K4-00A5 H-8BDB
I	B	U+2626B	𠄏	而	2626B 𠄏 𠄏 𠄏 网 122.0 UCS2003 T6-2228 H-A0FE
I	B	U+26285	突	突	26285 突 突 网 122.4 UCS2003 GHC
I	B	U+26316	羴		26316 羴 羴 羴 网 122.12 UCS2003 GKX-0949.36 T7-3A4C
I	B	U+26356	羶		26356 羶 羶 羊 123.3 UCS2003 TF-284B
I	B	U+26419	翹		26419 翹 翹 翹 羽 124.5 UCS2003 GKX-0956.26 T6-4343
I	B	U+264D0	而	而	264D0 而 而 而 而 126-1 UCS2003 GKX-0961.21 T5-2179
I	B	U+26541	聃		26541 聃 聃 聃 耳 128.4 UCS2003 GKX-0966.17 T6-3B22
I	B	U+265C9	聒	聒	265C9 聒 聒 耳 128.10 UCS2003 TF-572F
I	B	U+26612	聿	聿	26612 聿 聿 聿 聿 聿 聿 129-1 UCS2003 GKX-0971.02 T5-217A VU-26612 H-8BE1
I	B	U+2664D	肩	胤	2664D 肩 肩 肩 肉 130.4 UCS2003 GHZ-10039.07 T4-276B
I	B	U+26738	胙		26738 胙 胙 肉 130.8 UCS2003 GHZ-32092.01

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+268FA	阜	阜	268FA 阜 阜 阜 自 132.1 UCS2003 GKX-1000.10 T6-287E
I	B	U+26965	𡵓		26965 𡵓 𡵓 𡵓 白 134.5 UCS2003 GKX-1003.18 T6-4369
I	B	U+26A0A	舩	舩	26A0A 舩 舩 舩 舟 137.2 UCS2003 GHZ-53055.06 T6-2D77
I	B	U+26AF7	芑	芑	26AF7 芑 芑 芑 艸 140.2 UCS2003 GKX-1017.12 T6-2550
I	B	U+26B34	苳	苳	26B34 苳 苳 艸 140.4 UCS2003 TF-2864
I	B	U+26B44	芎	芎	26B44 芎 芎 芎 艸 140.5 UCS2003 GKX-1027.11 T6-343E
I	B	U+26B71	莘	莘	26B71 莘 莘 莘 艸 140.6 UCS2003 GKX-1027.35 T5-2F78
I	B	U+26B81	葬	葬	26B81 葬 葬 葬 艸 140.6 UCS2003 GKX-1031.14 T5-3022
I	B	U+26B9F	苳	苳	26B9F 苳 苳 艸 140.6 UCS2003 TF-3239
I	B	U+26BFA	苳	苳	26BFA 苳 苳 艸 140.7 UCS2003 TF-3775
I	B	U+26BFE	苳	苳	26BFE 苳 苳 艸 140.7 UCS2003 TF-377B
I	B	U+26C18	蓆	蓆	26C18 蓆 蓆 蓆 艸 140.7 UCS2003 GHZ-53216.07 T5-3528
I	B	U+26C66	董	董	26C66 董 董 董 艸 140.8 UCS2003 GKX-1041.33 T6-4E2E
I	B	U+26DC3	蕤	蕤	26DC3 蕤 蕤 艸 140.10 UCS2003 TF-4B76
I	B	U+27268	蛩	蛩	27268 蛩 蛩 蛩 虫 142.5 UCS2003 GKX-1080.07 T6-444C
I	B	U+27475	蠹	蠹	27475 蠹 蠹 虫 142.12 UCS2003 GKX-1098.44
I	B	U+27538	蠹	蠹	27538 蠹 蠹 虫 142.16 UCS2003 GHC
I	B	U+275EE	衿	衿	275EE 衿 衿 行 144.6 UCS2003 TF-3F2A
I	B	U+27607	亼	亼	27607 亼 亼 亼 衣 145-2 UCS2003 V2-8359 H-C8A4

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+2761B	衤	衤	2761B 衣 145.3 UCS2003 GHZ-80034.11 衤 衤
I	B	U+27825	覞	覞	27825 見 147.5 UCS2003 GHZ-63666.04 覞 覞
I	B	U+278D8	觥		278D8 角 148.5 UCS2003 GKK-1141.03 T6-4E69 觥 觥 觥
I	B	U+2795B	言	言	2795B 言 149-1 UCS2003 GKK-1146.04 T5-2327 言 言 言
I	B	U+2795C	言	言	2795C 言 149-1 UCS2003 GKK-1146.05 T5-2328 言 言 言
I	B	U+27968	詛	詛	27968 言 149.3 UCS2003 GHZ-63940.08 T6-3C30 詛 詛 詛
I	B	U+2796A	訐		2796A 言 149.3 UCS2003 GHZ-63941.02 T6-3C2F 訐 訐 訐
I	B	U+279B6	話	話	279B6 言 149.5 UCS2003 TF-3F3A 話 話
I	B	U+279DF	讖	讖	279DF 言 149.6 UCS2003 GKK-1161.11 T5-4278 讖 讖 讖
I	B	U+27A25	誣	誣	27A25 言 149.7 UCS2003 GHZ-63978.16 誣 誣
I	B	U+27C1E	豔		27C1E 豆 151.16 UCS2003 TF-6A77 豔 豔
I	B	U+27C27	豕	豕	27C27 豕 152-1 UCS2003 GKK-1194.09 T6-2554 豕 豕 豕
I	B	U+27C28	豕	豕	27C28 豕 152-1 UCS2003 GHZ-63610.03 T5-2329 豕 豕 豕
I	B	U+27E90	赳	赳	27E90 走 156.3 UCS2003 GKK-1215.11 T6-3C3E 赳 赳 赳
I	B	U+27FCB	跲		27FCB 足 157.3 UCS2003 GHZ-63688.04 跲 跲
I	B	U+28013	跑		28013 足 157.5 UCS2003 GHZ-63698.01 T6-4F3A 跑 跑 跑
I	B	U+28029	跲	跲	28029 足 157.6 UCS2003 GKK-1226.03 T5-4348 跲 跲 跲
I	B	U+28210	身	身	28210 身 158-2 UCS2003 GKK-1237.02 T6-233A 身 身 身
I	B	U+28211	身	身	28211 身 158-1 UCS2003 GKK-1237.03 T6-2555 身 身 身

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+2844E	辺	迹	2844E 辺 辺 是 162.2 UCS2003 GHZ-63815.02
I	B	U+28498	速	速	28498 速 速 是 162.5 UCS2003 GHZ-63823.01
I	B	U+284B5	過	過	284B5 過 過 是 162.6 UCS2003 GHZ-80039.17
I	B	U+28538	遘	遘	28538 遘 遘 是 162.9 UCS2003 GHC
I	B	U+28925	量	量	28925 量 量 量 里 166.4 UCS2003 GKX-1292.04 T6-4575
I	B	U+2895D	鈇	鈇	2895D 鈇 鈇 金 167.4 UCS2003 GHZ-64177.04
I	B	U+28973	鈇	鈇	28973 鈇 鈇 鈇 金 167.5 UCS2003 GHZ-64183.12 T6-5951
I	B	U+28979	鈇	鈇	28979 鈇 鈇 鈇 金 167.5 UCS2003 GHZ-64190.08 T6-5954
I	B	U+28C06	鑢		28C06 鑢 鑢 金 167.17 UCS2003 GHZ-64274.06
I	B	U+28CC7	門	門	28CC7 門 門 門 169.0 UCS2003 GHZ-74282.02
I	B	U+28D8D	閫		28D8D 閫 閫 門 169.10 UCS2003 TF-6148
I	B	U+28E8A	陪		28E8A 陪 陪 阜 170.8 UCS2003 TF-387C
I	B	U+28EDB	隔		28EDB 隔 隔 阜 170.10 UCS2003 TF-4623
I	B	U+2907E	雯	雯	2907E 雯 雯 雨 173.3 UCS2003 TF-3929
I	B	U+2909A	雯		2909A 雯 雯 雨 173.5 UCS2003 TF-462B
I	B	U+2928B	鞞		2928B 鞞 鞞 鞞 革 177.5 UCS2003 GHZ-74332.01 T6-6426
I	B	U+2944E	順	順	2944E 順 順 頁 181.2 UCS2003 GHC
I	B	U+2947F	頰	頰	2947F 頰 頰 頁 181.5 UCS2003 GKX-1402.24
I	B	U+2948B	頰	頰	2948B 頰 頰 頁 181.5 UCS2003 T6-642F

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+296D6	餛		296D6 餛 餛 食 184.6 UCS2003 TF-4636
I	B	U+29C0A	𠄎	鬥	29C0A 𠄎 𠄎 𠄎 鬥 191.5 UCS2003 GHZ-10014.02 T6-233D
I	B	U+29C0B	𠄏	鬥	29C0B 𠄏 𠄏 𠄏 鬥 191.5 UCS2003 GHZ-10015.02 T6-233C
I	B	U+29C1C	鬩	鬩	29C1C 鬩 鬩 鬩 鬥 191.14 UCS2003 GKX-1458.04 T7-603A
I	B	U+29C86	彪	彪	29C86 彪 彪 鬼 194.3 UCS2003 TF-3930
I	B	U+29C87	彪	彪	29C87 彪 彪 鬼 194.3 UCS2003 TF-392F
I	B	U+29D2B	魍	魍	29D2B 魍 魍 鬼 194.12 UCS2003 TF-672A
I	B	U+29D30	魍	魍	29D30 魍 魍 鬼 194.13 UCS2003 TF-6926
I	B	U+2A544	鼯	鼯	2A544 鼯 鼯 鼯 鼠 208.4 UCS2003 GKX-1527.31 T7-3E6F
I	C	U+2AA72	𠄎	束	2AA72 𠄎 巾 50.2 UTC-00135
I	D	U+2B740	𠄎	五	2B740 𠄎 一 1.2 JH-IB0607
I	D	U+2B744	久	久	2B744 久 J 4.2 JH-JTAD23
I	E	U+2B820	𠄎	弋戈	2B820 𠄎 一 1.1 TC-2121
I	E	U+2B829	兹	兹	2B829 兹 一 1.6 GZJW-00010
I	E	U+2B84F	𠄎	𠄎	2B84F 𠄎 J 4.2 TC-2136
I	E	U+2B851	𠄎	𠄎	2B851 𠄎 J 4.5 UTC-00483
I	E	U+2BA51	𠄎	面面	2BA51 𠄎 口 30.2 GIDC-016
I	E	U+2BFED	𠄎	齐	2BFED 𠄎 文 67.2 JK-65199
I	E	U+2C09B	十	木	2C09B 十 木 75.2 JK-58711

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	E	U+2C0C7	楹	楹	2C0C7 楹 木 75.8 TD-3D2A
I	E	U+2C52D	筥		2C52D 筥 竹 118.3 GZJW-00569
I	E	U+2C889	觥		2C889 觥 见 147.5 GZFY-00669
I	F	U+2CEB0	才	才	2CEB0 才 — 1.1 JMJ-059293
I	F	U+2CEB1	才	木	2CEB1 才 — 1.2 JMJ-056820
I	F	U+2CEB7	豸	豸	2CEB7 豸 — 1.3 SAT-05296
I	F	U+2CEBB	豸	豸	2CEBB 豸 — 1.4 JMJ-056829
I	F	U+2CECC	東	東	2CECC 東 — 1.6 GZ-2701110
I	F	U+2CECD	東	東	2CECD 東 — 1.6 GZ-3461211
I	F	U+2CF2B	𠂔	𠂔	2CF2B 𠂔 乙 5.8 JMJ-057893
I	F	U+2D0B8	𠂔		2D0B8 𠂔 几 16.11 SAT-00025
I	F	U+2D110	𠂔		2D110 𠂔 刀 18.12 SAT-01853
I	F	U+2D1B1	𠂔		2D1B1 𠂔 又 29.9 SAT-02031
I	F	U+2D1C1	吾	吾	2D1C1 吾 口 30.3 JMJ-057145
I	F	U+2D57F	𠂔		2D57F 𠂔 中 45.3 JMJ-057375
I	F	U+2D6A0	𠂔		2D6A0 𠂔 弋 56.2 SAT-02143
I	F	U+2D80D	𠂔		2D80D 𠂔 手 64.0 JMJ-059643
I	F	U+2D928	𠂔		2D928 𠂔 方 70.2 SAT-60402
I	F	U+2D95D	𠂔		2D95D 𠂔 日 72.4 SAT-00302

Category K—[K]atakana Component

Han ideographs with this property value include one or more components that visually resemble a katakana syllable. Note that although 𠂇, the PRC simplified form of 𠂇, is included, Han ideographs that include it as a component have been explicitly excluded. In addition to being tagged with the letter “K,” the code points for the katakana or katakana-like components are also specified.

Category	Block	Code Point	Ideograph	Katakana	Code Chart Excerpt
K	B	U+211A5	𠂇	ト ¹	211A5 𠂇 31.2 UCS2003 GHZ-10710.12
K	B	U+22016	𠂇	ス	22016 𠂇 48.2 UCS2003 GBK VU-22016 UTC-00069
K	B	U+282A3	𠂇	ト ²	282A3 𠂇 159.2 UCS2003 TF-2D52
K	C	U+2A708	𠂇	モ	2A708 𠂇 2.3 JK-65004
K	D	U+2B742	𠂇	ツ	2B742 𠂇 1.6 JH-IB0687
K	E	U+2B9A4	𠂇	カ	2B9A4 𠂇 19.1 JK-65047
K	E	U+2B9AB	𠂇	カナ	2B9AB 𠂇 19.7 JK-65050
K	E	U+2BCCD	𠂇	ウツホ	2BCCD 𠂇 40.7 JK-65130
K	E	U+2C711	𠂇	カ ³	2C711 𠂇 137.2 V4-5261
K	F	U+2CEC0	𠂇	サ	2CEC0 𠂇 1.5 JMJ-046311
K	F	U+2CECB	𠂇	サ	2CECB 𠂇 1.6 JMJ-056833
K	F	U+2CF00	𠂇	シテ	2CF00 𠂇 4.1 JMJ-056854
K	F	U+2CF61	𠂇	ス	2CF61 𠂇 9.2 JMJ-056902
K	F	U+2D580	𠂇	ス	2D580 𠂇 46.2 JMJ-057377
K	F	U+2D6DD	𠂇	エ	2D6DD 𠂇 60.3 JMJ-059588
K	F	U+2DF86	𠂇	ケ	2DF86 𠂇 108.8 JMJ-058147

Category	Block	Code Point	Ideograph	Katakana	Code Chart Excerpt
K	F	U+2E307	肉	ス	2E307 肉 130.0 JMJ-058377
K	F	U+2E695	賢	ケ	2E695 貝 154.9 JMJ-060205

- 1 U+211A5 囿 is an abbreviated form that means “library” (トシヨカン, which is the reading of 図書館 *toshokan*).
- 2 U+282A3 軚 is an abbreviated form that means “truck” (トラック *torakku*), a type of vehicle (車).
- 3 U+2C711 舠 is an abbreviated form that means “cutter” (カッター *kattā*), a type of ship (舟).

Category M—[M]irrored

Han ideographs with this property value are either mirrored or include one or more components that are mirrored. In addition to being tagged with the letter “M,” the code point for the corresponding unmirrored Han ideograph, if any and as shown in the “Reference” column, is also specified.

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
M	URO	U+4EFA	𠂇		4EFA 人 9.4 GE-3050 𠂇 𠂇 T3-2276
M	URO	U+5350	𠂈	𠂈	5350 十 24.4 G5-303E 𠂈 𠂈 T3-232D
M	B	U+2009C	𠂉	𠂉	2009C 丿 4.4 UCS2003 𠂉 𠂉 𠂉 GHZ-10036.03 T6-2145
M	B	U+20141	𠂊	亡	20141 一 8.2 UCS2003 𠂊 𠂊 GHZ-10279.06
M	B	U+2091C	𠂋	𠂋	2091C 匕 21.7 UCS2003 𠂋 𠂋 T6-2F30
M	B	U+22044	𠂌		22044 己 49.8 UCS2003 𠂌 𠂌 T5-322C
M	B	U+23944	𠂍	正	23944 止 77.1 UCS2003 𠂍 𠂍 𠂍 GKX-0574.08 T6-232E
M	B	U+23957	𠂎	𠂎	23957 止 77.4 UCS2003 𠂎 𠂎 𠂎 GKX-0576.08 T6-2C39
M	B	U+2456A	𠂏	𠂏	2456A 月 90.0 UCS2003 𠂏 𠂏 𠂏 GKX-0691.11 T6-2225
M	B	U+26B62	𠂐 ¹		26B62 艸 140.5 UCS2003 𠂐 𠂐 𠂐 GHZ-80035.12 T6-343F
M	B	U+28668	𠂑	邑	28668 邑 163.0 UCS2003 𠂑 𠂑 𠂑 GHZ-63753.02 T6-2930

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
M	B	U+2907F	霽	雪	2907F 雨 173.3 霽 霽 UCS2003 GHZ-64057.05
M	G	U+30002	𠄎	𠄎	30002 — 1.2 𠄎 UTC-00969
M	G	U+30004	𠄎	𠄎	30004 — 1.2 𠄎 SAT-05803

1 U+26B62 𠄎 is not actually mirrored, but its construction gives such an impression.

Category O—[O]dd Component

Han ideographs with this property value include one or more components that are symbol-like or are otherwise considered odd. In addition to being tagged with the letter “O,” the code point for a related character, if any and as shown in the “Reference” column, is also specified.

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
O	A	U+3403	𠄎		3403 2.2 𠄎 K3-2122
O	B	U+200E0	𠄎 ¹		200E0 乙 5.4 𠄎 𠄎 𠄎 UCS2003 GHZ-10052.09 T6-222A
O	B	U+20137	𠄎		20137 二 7.8 𠄎 𠄎 UCS2003 T6-352C
O	B	U+205F1	𠄎		205F1 彳 15.10 𠄎 𠄎 𠄎 UCS2003 GKX-0133.11 T6-4662
O	B	U+20696	𠄎		20696 L 17.9 𠄎 𠄎 𠄎 UCS2003 GHZ-1009.15 T6-3D44
O	B	U+2069C	𠄎		2069C L 17.13 𠄎 𠄎 UCS2003 GHZ-10310.05
O	B	U+206A1	𠄎		206A1 L 17.19 𠄎 𠄎 UCS2003 T7-4E3E
O	B	U+20953	𠄎		20953 匚 22.10 𠄎 𠄎 𠄎 UCS2003 GHZ-10089.07 T6-3563
O	B	U+20967	𠄎		20967 匚 22.17 𠄎 𠄎 UCS2003 GHZ-10090.12
O	B	U+20969	𠄎		20969 匚 22.18 𠄎 𠄎 𠄎 UCS2003 GHZ-10091.05 T7-3F23
O	B	U+2096A	𠄎		2096A 匚 22.20 𠄎 𠄎 𠄎 UCS2003 GHZ-10091.07 T7-4D44
O	B	U+2096B	𠄎		2096B 匚 22.24 𠄎 𠄎 𠄎 UCS2003 GHZ-10091.08 T7-6069

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
O	B	U+2096C	匱		2096C 匚 22.28 匱 匱 匱 UCS2003 GHZ-10091.10 T7-6443
O	B	U+21261	坐		21261 土 32.4 坐 坐 UCS2003 T6-2665
O	B	U+242C5	熨		242C5 火 86.9 熨 熨 UCS2003 GKX-0678.13
O	B	U+24548	齧		24548 爪 87.19 齧 齧 UCS2003 T7-5368
O	B	U+26B99	蓼		26B99 艸 140.6 蓼 蓼 UCS2003 T6-3B62
O	B	U+2700D	齒		2700D 艸 140.14 齒 齒 齒 UCS2003 GHZ-80036.28 T7-4933
O	B	U+291E7	非		291E7 非 175.2 非 非 非 UCS2003 GKX-1382.12 T6-2E49
O	B	U+2A6D7	合	合	2A6D7 口 30.3 合 UCS2003 UTC-03160
O	B	U+2A6D8	四	四	2A6D8 口 31.2 四 UCS2003 UTC-03161
O	B	U+2A6D9	一	一	2A6D9 一 1.0 一 UCS2003 UTC-03162
O	B	U+2A6DA	上	上	2A6DA 一 1.2 上 UCS2003 UTC-03163
O	B	U+2A6DB	尺	尺	2A6DB 尸 44.1 尺 UCS2003 UTC-03164
O	B	U+2A6DC	工	工	2A6DC 工 48.0 工 UCS2003 UTC-03165
O	B	U+2A6DD	凡	凡	2A6DD 几 16.1 凡 UCS2003 UTC-03166
O	F	U+2CF01	𠄎	𠄎 ²	2CF01 丿 4.1 𠄎 JMJ-056851
O	F	U+2CF04	𠄎	𠄎 ³	2CF04 丿 4.3 𠄎 JMJ-056852
O	F	U+2D1AC	𠄎		2D1AC 又 29.7 𠄎 JMJ-057138
O	F	U+2DF86	監		2DF86 皿 108.8 監 JMJ-058147
O	F	U+2DF8B	監		2DF8B 皿 108.9 監 JMJ-058148

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
O	F	U+2DF8F	鹽		2DF8F 鹽 皿 108.10 JMJ-058151
O	F	U+2E34C	呂		2E34C 呂 臣 131.0 JMJ-058406
O	F	U+2E34D	𠂔		2E34D 𠂔 臣 131.2 JMJ-058407
O	F	U+2E350	臧		2E350 臧 臣 131.8 JMJ-058408
O	F	U+2E5D8	覽		2E5D8 覽 見 147.9 JMJ-058722
O	F	U+2EA08	頤		2EA08 頤 頁 181.6 JMJ-059025

- 1 If Japan were to horizontally-extend U+200E0 𠂔 with [JMJ-030425](#) as its source reference, the two 丶 components would be rendered as 丶 components, hence its assignment to this category.
- 2 U+0292 ɹ LATIN SMALL LETTER EZH is the symbol for “dram,” and U+2CF01 𠂔 carries the same meaning.
- 3 U+2125 ɹ OUNCE SIGN is the symbol for “ounce,” and U+2CF04 𠂔 carries the same meaning.

Category R—[R]otated

Han ideographs with this property value are either rotated or include one or more components that are rotated. In addition to being tagged with the letter “R,” the code point for the corresponding unrotated Han ideograph, if any and as shown in the “Reference” column, is also specified.

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
R	B	U+2010F	𠂔	了	2010F 𠂔 𠂔 𠂔 丿 6.1 UCS2003 GKK-0085.14 T5-2128
R	B	U+20114	𠂔	予	20114 𠂔 𠂔 𠂔 丿 6.3 UCS2003 GKK-0085.19 T6-2149
R	B	U+20432	𠂔		20432 𠂔 𠂔 𠂔 人 9.16 UCS2003 GHZ-10236.05 T5-6131
R	B	U+20544	𠂔	𠂔	20544 𠂔 𠂔 𠂔 冂 13.3 UCS2003 GKK-0129.05 T5-2152
R	B	U+221B4	𠂔	𠂔	221B4 𠂔 𠂔 𠂔 彡 52.2 UCS2003 GHZ-21093.05 T6-2277
R	B	U+22A0B	𠂔	𠂔	22A0B 𠂔 𠂔 𠂔 戈 62.12 UCS2003 GKK-0414.17 T7-2E27

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
R	B	U+23028	𩇛		23028 支 66.16 𩇛 𩇛 𩇛 UCS2003 GKX-0476.27 T7-4D75
R	B	U+23952	𩇜	𩇜	23952 止 77.4 𩇜 𩇜 𩇜 UCS2003 GKX-0576.01 T6-2C33
R	B	U+24173	灇		24173 水 85.23 灇 灇 灇 UCS2003 GKX-0664.22 T5-7A2A
R	B	U+24489	𩇝	𩇝	24489 火 86.16 𩇝 𩇝 UCS2003 T7-4E34
R	B	U+24493	𩇞		24493 火 86.16 𩇞 𩇞 𩇞 UCS2003 GHZ-32246.19 T7-4E39
R	B	U+27951	𩇟		27951 角 148.16 𩇟 𩇟 𩇟 UCS2003 GKX-1145.24 T7-5C65
R	B	U+27E42	𩇠	𩇠	27E42 貝 154.16 𩇠 𩇠 UCS2003 GHC
R	E	U+2BA66	𩇡	𩇡	2BA66 口 30.5 𩇡 UTC-00004
R	E	U+2C886	𩇢		2C886 見 147.16 𩇢 JK-65735
R	F	U+2E5D9	𩇣		2E5D9 見 147.10 𩇣 SAT-00380
R	G	U+304A5	𩇤	𩇤	304A5 戈 62.4 𩇤 UK-01373
R	G	U+30A07	𩇥		30A07 示 113.8 𩇥 UK-01397
R	G	U+30C9E	𩇦	𩇦	30C9E 虎 141.6 𩇦 UK-01411

Category S—[S]troke-heavy

Han ideographs with this property value have 40 or more strokes, covering 22 Han ideographs. In addition to being tagged with the letter “S,” the *kTotalStrokes* value is also specified.

Category	Block	Code Point	Ideograph	Strokes	Code Chart Excerpt
S	URO	U+9F98	𩇧	48	9F98 龍 212.32 𩇧 𩇧 𩇧 𩇧 GE-5830 HB2-F9D5 T2-7244 K2-7520
S	A	U+4A3B	𩇨	52	4A3B 雨 173.44 𩇨 𩇨 𩇨 𩇨 GKX-1381.18 T3-6246
S	A	U+4C9C	𩇩	44	4C9C 魚 195.33 𩇩 𩇩 𩇩 𩇩 GKX-1480.51 T4-6E5B

Category	Block	Code Point	Ideograph	Strokes	Code Chart Excerpt
S	B	U+2053B	興興興	64	2053B 興興興 白 134.58 UCS2003 GHZ-10254.12
S	B	U+269C4	擧擧擧	42	269C4 擧擧擧 白 134.36 UCS2003 GKX-1006.21 T7-6653
S	B	U+269C5	興興興	48	269C5 興興興 白 134.42 UCS2003 GHZ-10254.11 T5-7C50
S	B	U+27198	森森森	43	27198 森森森 艸 140.39 UCS2003 GKX-1072.64 T5-7C4F
S	B	U+278B1	靈靈見	44	278B1 靈靈見 見 147.37 UCS2003 GKX-1139.05 T7-6654
S	B	U+291D3	雷雷雷	40	291D3 雷雷雷 雨 173.32 UCS2003 GKX-1381.17 T7-6651
S	B	U+291D4	雲雲雲	48	291D4 雲雲雲 雨 173.40 UCS2003 GHZ-64085.21 T4-6E5C
S	B	U+29663	蕩蕩流	46	29663 蕩蕩流 風 182.37 UCS2003 GHZ-74494.02
S	B	U+29664	蕩蕩風	48	29664 蕩蕩風 風 182.39 UCS2003 GKX-1415.13 T7-6655
S	B	U+2A4CA	巒巒巒	41	2A4CA 巒巒巒 黑 203.29 UCS2003 GKX-1522.44 T7-6652
S	B	U+2A68D	齒齒差	40	2A68D 齒齒差 齒 211.25 UCS2003 GKX-1536.32 T5-7C4E
S	B	U+2A68E	齒齒齒	40	2A68E 齒齒齒 齒 211.25 UCS2003 GHZ-74802.20 T5-7C4D
S	B	U+2A6A5	龍龍龍	64	2A6A5 龍龍龍 龍 212.48 UCS2003 GHZ-74806.10 T5-7C51
S	E	U+2C6A9	聾聾聾	53	2C6A9 聾聾聾 耳 128.47 JK-65150
S	F	U+2E8F1	鏡鏡鏡	41	2E8F1 鏡鏡鏡 金 167.33 KC-05835
S	G	U+30EDD	齣齣齣	43	30EDD 齣齣齣 疋 162.39 UTC-01312
S	G	U+30EDE	齣齣齣	58	30EDE 齣齣齣 疋 162.54 UTC-00791
S	G	U+30F54	鏡鏡鏡	76	30F54 鏡鏡鏡 金 167.68 UK-02961
S	G	U+3106C	雲龍雲	84	3106C 雲龍雲 雨 173.76 UK-02960

Category U—[U]nusual Arrangement/Structure

Han ideographs with this property value have an unusual structure or component arrangement, and are tagged with the letter “U.” This includes clusters of four or more identical elements, along with three identical elements in a row arranged horizontally or vertically. Note that while 叒/叕/叕/叕/叕/叕/叕/叕/叕 as stand-alone Han ideographs are considered unusual, their use as components of other Han ideographs is not, and Han ideographs that include such components have therefore been explicitly excluded.

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	URO	U+53D5	𠄎	53D5 又 29.6 𠄎 𠄎 𠄎 𠄎 𠄎 G5-3539 T3-276B J14-235F K2-262D
U	URO	U+58E8	𠄎	58E8 土 32.20 𠄎 𠄎 𠄎 𠄎 GE-353B HB2-F7D2 T2-6F21 K2-2B38
U	URO	U+6724	𠄎	6724 月 74.12 𠄎 𠄎 GE-3C3D T3-5126
U	URO	U+71DA	𠄎	71DA 火 86.12 𠄎 𠄎 𠄎 𠄎 𠄎 G3-5056 HB2-EA57 T2-5843 J1-4A3A K2-4540
U	URO	U+833B	𠄎	833B 艸 140.6 𠄎 𠄎 𠄎 𠄎 GE-4949 HB2-DB5C T2-3F41
U	URO	U+96E6	𠄎	96E6 隹 172.16 𠄎 𠄎 GE-5348 T3-6125
U	URO	U+971B	𠄎	971B 雨 173.9 𠄎 𠄎 𠄎 𠄎 G5-735E H-90DB T3-5675 J1-6725
U	A	U+35CA	𠄎	35CA 口 30.9 𠄎 𠄎 𠄎 G3-3667 T4-3663 H-9D46
U	A	U+37A1	𠄎	37A1 尸 44.16 𠄎 𠄎 GKX-0304.05 T3-5A37
U	A	U+382D	𠄎	382D 工 48.9 𠄎 𠄎 𠄎 G5-3551 T3-3B38 H-FBEA
U	A	U+3D07	𠄎	3D07 水 85.8 𠄎 𠄎 GKX-0633.32 T3-3C5F
U	A	U+3D58	𠄎	3D58 水 85.12 𠄎 𠄎 𠄎 𠄎 GHZ-31734.06 T3-514B
U	A	U+3E1A	𠄎	3E1A 爻 89.4 𠄎 𠄎 G5-3033 T3-297B
U	A	U+4A3B	雷雷雷	4A3B 雨 173.44 雷雷雷 雷雷雷 GKX-1381.18 T3-6246
U	A	U+4C9C	魚魚魚	4C9C 魚 195.33 魚魚魚 魚魚魚 GKX-1480.51 T4-6E5B

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	B	U+20060	𪛀	20060 𪛀 𪛀 — 1.19 UCS2003 GHZ-10028.01
U	B	U+20069	𪛁	20069 𪛁 𪛁 𪛁 2.7 UCS2003 GKX-0080.05 T6-293B
U	B	U+2006E	𪛂	2006E 𪛂 𪛂 𪛂 2.8 UCS2003 GKX-0080.07 T6-2E4A
U	B	U+200AD	𪛃	200AD 𪛃 𪛃 J 4.5 UCS2003 G4K-25986
U	B	U+200EC	𪛄	200EC 𪛄 𪛄 乙 5.6 UCS2003 GHZ-10053.16
U	B	U+2011E	𪛅	2011E 𪛅 𪛅 𪛅 二 7.0 UCS2003 GKX-0086.03 T6-2127
U	B	U+2011F	𪛆	2011F 𪛆 𪛆 𪛆 二 7.0 UCS2003 GKX-0086.04 T6-2128
U	B	U+20120	𪛇	20120 𪛇 𪛇 二 7.0 UCS2003 T6-2129
U	B	U+2018F	𪛈	2018F 𪛈 𪛈 十 8.14 UCS2003 T7-2C3E
U	B	U+2020C	𪛉	2020C 𪛉 𪛉 𪛉 𪛉 人 9.6 UCS2003 GKX-0102.22 T4-2535 H-927D
U	B	U+204D9	𪛊	204D9 𪛊 𪛊 儿 10.22 UCS2003 GHZ-10275.16
U	B	U+2053B	𪛋	2053B 𪛋 𪛋 𪛋 白 134.58 UCS2003 GHZ-10254.12
U	B	U+2055E	𪛌	2055E 𪛌 𪛌 𪛌 冂 13.8 UCS2003 GKX-0129.28 T6-3543
U	B	U+20562	𪛍	20562 𪛍 𪛍 冂 13.9 UCS2003 T6-3D3D
U	B	U+20572	𪛎	20572 𪛎 𪛎 𪛎 冂 13.20 UCS2003 GKX-0130.11 T7-574F
U	B	U+20658	𪛏	20658 𪛏 𪛏 𪛏 儿 16.9 UCS2003 GKX-0134.28 T6-3D42
U	B	U+20674	𪛐	20674 𪛐 𪛐 L 17.0 UCS2003 GKX-0134.40
U	B	U+20692	𪛑	20692 𪛑 𪛑 𪛑 L 17.8 UCS2003 GKX-0135.20 T6-3548
U	B	U+20908	𪛒	20908 𪛒 𪛒 𪛒 丿 20.15 UCS2003 GKX-0152.14 T7-3723

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	B	U+20AEC	𠄎	20AEC 𠄎 28.6 UCS2003 GKKX-0164.21 T6-2A2E
U	B	U+20B11	𠄏	20B11 𠄏 28.13 UCS2003 GKKX-0164.41 T7-2145
U	B	U+20B97	𠄑	20B97 𠄑 29.22 UCS2003 GKKX-0167.15 T7-9E51
U	B	U+20C60	𠄒	20C60 𠄒 30.6 UCS2003 GKKX-0188.13 T5-2848
U	B	U+20D3F	𠄓	20D3F 𠄓 30.8 UCS2003 GKKX-0196.22 T6-3D7D
U	B	U+21236	𠄔	21236 𠄔 31.17 UCS2003 GHZ-10727.11
U	B	U+21239	𠄕	21239 𠄕 31.18 UCS2003 GKKX-0221.18 T7-5321
U	B	U+214FF	𠄖	214FF 𠄖 32.18 UCS2003 GHZ-10502.03 T5-6F72
U	B	U+21547	𠄗	21547 𠄗 33.15 UCS2003 GHZ-80012.02
U	B	U+21685	𠄘	21685 𠄘 37.12 UCS2003 GHZ-10549.06 T5-4C52
U	B	U+2168C	𠄙	2168C 𠄙 37.13 UCS2003 GHZ-10549.10 T7-2C7A
U	B	U+216A6	𠄚	216A6 𠄚 38.1 UCS2003 V2-736D
U	B	U+2189B	𠄛	2189B 𠄛 38.13 UCS2003 GKKX-0272.25 T7-2D2B
U	B	U+21966	𠄜	21966 𠄜 39.6 UCS2003 GHZ-21015.14 T6-3022
U	B	U+2198F	𠄝	2198F 𠄝 39.10 UCS2003 GHZ-21018.12 T4-3C69
U	B	U+219AA	𠄞	219AA 𠄞 39.15 UCS2003 GHZ-21020.06
U	B	U+219B7	𠄟	219B7 𠄟 39.19 UCS2003 GHZ-21021.01
U	B	U+21ADF	𠄠	21ADF 𠄠 40.15 UCS2003 GKKX-0293.02 T5-614E
U	B	U+21AE9	𠄡	21AE9 𠄡 40.15 UCS2003 GHZ-20957.06 T7-3F42

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	B	U+21AF3	𣪛	21AF3 𣪛 40.16 𣪛 𣪛 𣪛 UCS2003 GHZ-20957.09 T7-4654
U	B	U+21AFC	𣪛	21AFC 𣪛 40.18 𣪛 𣪛 𣪛 UCS2003 GKX-0293.17 T7-532C
U	B	U+21AFE	𣪛	21AFE 𣪛 40.18 𣪛 𣪛 𣪛 UCS2003 GKX-0293.20 T7-532D
U	B	U+21B1E	𣪛	21B1E 𣪛 41.3 𣪛 𣪛 UCS2003 GHZ-10504.03
U	B	U+21B6F	𣪛	21B6F 𣪛 42.6 𣪛 𣪛 𣪛 UCS2003 GHZ-10564.07 T6-3033
U	B	U+21B90	𣪛	21B90 𣪛 42.9 𣪛 𣪛 𣪛 UCS2003 GHZ-10565.11 T6-4773
U	B	U+21B9F	𣪛	21B9F 𣪛 42.11 𣪛 𣪛 𣪛 UCS2003 GKX-0297.29 T6-5C33
U	B	U+2201A	𣪛	2201A 𣪛 48.3 𣪛 𣪛 UCS2003 GKX-0325.17
U	B	U+22191	𣪛	22191 𣪛 51.6 𣪛 𣪛 𣪛 UCS2003 GKX-0341.05 T6-3069
U	B	U+22330	𣪛	22330 𣪛 55.3 𣪛 𣪛 UCS2003 GKX-0353.13
U	B	U+2233D	𣪛	2233D 𣪛 55.5 𣪛 𣪛 UCS2003 T5-262E
U	B	U+223DD	𣪛	223DD 𣪛 57.6 𣪛 𣪛 UCS2003 GHZ-20996.03
U	B	U+22434	𣪛	22434 𣪛 57.15 𣪛 𣪛 UCS2003 T7-3F52
U	B	U+2244D	𣪛	2244D 𣪛 57.25 𣪛 𣪛 UCS2003 T7-6446
U	B	U+2247D	𣪛	2247D 𣪛 58.19 𣪛 𣪛 𣪛 UCS2003 GHZ-20963.10 T7-5771
U	B	U+224B9	𣪛	224B9 𣪛 59.19 𣪛 𣪛 𣪛 UCS2003 GKX-0364.30 T5-7341
U	B	U+22911	𣪛	22911 𣪛 61.15 𣪛 𣪛 𣪛 UCS2003 GKX-0407.53 T7-4677
U	B	U+2295B	𣪛	2295B 𣪛 61.18 𣪛 𣪛 𣪛 UCS2003 GKX-0408.50 T7-5773
U	B	U+2295C	𣪛	2295C 𣪛 61.18 𣪛 𣪛 𣪛 UCS2003 GKX-0408.51 T7-5774

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	B	U+22973	惻	22973 惻 惻 心 61.20 UCS2003 GKX-0409.24
U	B	U+229DF	戠	229DF 戠 戠 戠 戈 62.9 UCS2003 GHZ-21409.05 T6-5270
U	B	U+22A55	肩	22A55 肩 肩 肩 戶 63.8 UCS2003 GHZ-32264.11 T5-385E
U	B	U+22EA6	擲	22EA6 擲 擲 手 64.21 UCS2003 T7-5E68
U	B	U+232AB	晶	232AB 晶 晶 日 72.12 UCS2003 H-93B9
U	B	U+232AD	晶	232AD 晶 晶 日 72.12 UCS2003 H-93B7
U	B	U+23320	春春春	23320 春春 春春 日 72.32 UCS2003 GHZ-21543.12
U	B	U+23786	𣏟𣏟	23786 𣏟 𣏟 𣏟 木 75.14 UCS2003 GHZ-21311.06 T5-622A
U	B	U+2384D	束束束	2384D 束束 束束 束束 木 75.20 UCS2003 GKX-0564.08 T7-5E6E
U	B	U+23855	𣏟𣏟	23855 𣏟 𣏟 木 75.20 UCS2003 GHZ-21325.08
U	B	U+2387A	𣏟𣏟	2387A 𣏟𣏟 𣏟𣏟 𣏟𣏟 木 75.26 UCS2003 GKX-0564.27 T7-655B
U	B	U+2387D	𣏟𣏟	2387D 𣏟 𣏟 𣏟 木 75.28 UCS2003 GHZ-21327.12
U	B	U+2387E	𣏟𣏟	2387E 𣏟 𣏟 木 75.28 UCS2003 GHZ-21327.13
U	B	U+23B05	比	23B05 比 比 比 比 81.4 UCS2003 GKX-0591.02 T6-2C44
U	B	U+23C9C	𣏟	23C9C 𣏟 𣏟 水 85.4 UCS2003 GHZ-31556.06
U	B	U+240CA	溝	240CA 溝 溝 水 85.16 UCS2003 T7-4761
U	B	U+24181	𣏟	24181 𣏟 𣏟 水 85.32 UCS2003 GHZ-31799.13
U	B	U+243CE	燧	243CE 燧 燧 火 86.12 UCS2003 TF-5568
U	B	U+2452A	爰	2452A 爰 爰 爰 爪 87.11 UCS2003 GKX-0689.26 T7-2479

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	B	U+2452D	𪛓	2452D 𪛓 𪛓 爪 87.11 UCS2003 GHZ-32036.23
U	B	U+2453C	𪛔	2453C 𪛔 𪛔 爪 87.13 UCS2003 GHZ-32037.05
U	B	U+24540	𪛕	24540 𪛕 𪛕 𪛕 爪 87.15 UCS2003 GHZ-32037.11 T6-6838
U	B	U+2459A	𪛖	2459A 𪛖 𪛖 𪛖 月 90.12 UCS2003 GHZ-42378.20 T7-2521
U	B	U+246ED	𪛗	246ED 𪛗 𪛗 牛 93.12 UCS2003 GHZ-31820.01
U	B	U+247B9	𪛘	247B9 𪛘 𪛘 𪛘 犬 94.7 UCS2003 GHZ-80022.11 T6-394F
U	B	U+249A1	𪛙	249A1 𪛙 𪛙 𪛙 玉 96.8 UCS2003 GHZ-21120.01 T6-5532
U	B	U+24CF3	𪛚	24CF3 𪛚 𪛚 𪛚 田 102.15 UCS2003 GKX-0767.03 T7-4E48
U	B	U+24CF5	𪛛	24CF5 𪛛 𪛛 田 102.15 UCS2003 GHZ-42555.05
U	B	U+24CF9	𪛜	24CF9 𪛜 𪛜 𪛜 田 102.16 UCS2003 GKX-0767.05 T7-5377
U	B	U+24D04	𪛝	24D04 𪛝 𪛝 𪛝 田 102.18 UCS2003 GHZ-42556.02 T7-5B7C
U	B	U+24D07	𪛞	24D07 𪛞 𪛞 𪛞 田 102.21 UCS2003 GKX-0767.12 T7-623E
U	B	U+24D0A	𪛟	24D0A 𪛟 𪛟 田 102.21 UCS2003 GHZ-42556.07
U	B	U+24D0C	𪛠	24D0C 𪛠 𪛠 𪛠 田 102.22 UCS2003 GHZ-42556.10 T7-635C
U	B	U+24D10	𪛡	24D10 𪛡 𪛡 𪛡 田 102.27 UCS2003 GKX-0767.14 T7-6629
U	B	U+24D11	𪛢	24D11 𪛢 𪛢 𪛢 田 102.28 UCS2003 GKX-0767.15 T7-6635
U	B	U+24D12	𪛣	24D12 𪛣 𪛣 𪛣 田 102.31 UCS2003 GHZ-80031.14 T7-6646
U	B	U+24FC4	𪛤	24FC4 𪛤 𪛤 白 106.20 UCS2003 GHZ-42653.14
U	B	U+2516B	𪛥	2516B 𪛥 𪛥 𪛥 目 109.6 UCS2003 GKX-0808.01 T6-4254

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	B	U+253C0	𦉰	253C0 矢 111.6 𦉰 𦉰 𦉰 UCS2003 GKX-0824.26 T6-425B
U	B	U+25506	𦉱	25506 石 112.9 𦉱 𦉱 𦉱 UCS2003 GKX-0833.24 T6-5F5A
U	B	U+255C9	𦉲	255C9 石 112.15 𦉲 𦉲 𦉲 UCS2003 GHZ-42462.14 T7-4E5D
U	B	U+2597C	𦉳	2597C 穴 116.7 𦉳 𦉳 𦉳 UCS2003 GKX-0866.02 T6-4C52
U	B	U+25AD3	𦉴	25AD3 立 117.18 𦉴 𦉴 UCS2003 GHZ-80032.10
U	B	U+25D10	𦉵	25D10 竹 118.12 𦉵 𦉵 UCS2003 GHZ-53013.06
U	B	U+25DE0	𦉶	25DE0 竹 118.17 𦉶 𦉶 UCS2003 T7-5C35
U	B	U+25DF9	𦉷	25DF9 竹 118.18 𦉷 𦉷 UCS2003 GHZ-53033.16
U	B	U+25F6E	𦉸	25F6E 米 119.17 𦉸 𦉸 𦉸 UCS2003 GKX-0914.08 T7-5C38
U	B	U+2616A	𦉹	2616A 糸 120.12 𦉹 𦉹 𦉹 UCS2003 GHZ-53453.14 T7-415A
U	B	U+26269	𦉺	26269 缶 121.25 𦉺 𦉺 𦉺 UCS2003 GKX-0946.19 T7-662A
U	B	U+263F2	羽	263F2 羽 124.2 羽 羽 羽 UCS2003 T6-2D57 UTC-00125
U	B	U+264CB	𦉻	264CB 老 125.18 𦉻 𦉻 UCS2003 GHZ-42782.12
U	B	U+267ED	𦉼	267ED 肉 130.11 𦉼 𦉼 UCS2003 TF-5154
U	B	U+26817	𦉽	26817 肉 130.12 𦉽 𦉽 𦉽 UCS2003 GKX-0995.11 T7-316F
U	B	U+268F7	𦉿	268F7 臣 131.23 𦉿 𦉿 𦉿 UCS2003 GKX-1000.06 T7-653D
U	B	U+2697A	𦊀	2697A 白 134.7 𦊀 𦊀 UCS2003 T6-6076
U	B	U+269F5	𦊁	269F5 舌 135.12 𦊁 𦊁 𦊁 UCS2003 GKX-1008.04 T7-422A
U	B	U+26A67	𦊂	26A67 舟 137.9 𦊂 𦊂 𦊂 UCS2003 GKX-1011.47 T5-5031

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	B	U+26B8F	蒨	26B8F 艸 140.6 UCS2003 蒨 蒨 蒨 GKX-1031.33 T6-3B57
U	B	U+26C60	𪔤	26C60 艸 140.8 UCS2003 𪔤 𪔤 𪔤 GKX-1041.27 T6-6132
U	B	U+26C79	𪔥	26C79 艸 140.8 UCS2003 𪔥 𪔥 𪔥 GKX-1042.22 T6-6131
U	B	U+26D9B	𪔱	26D9B 艸 140.10 UCS2003 𪔱 𪔱 𪔱 GKX-1052.05 T7-3227
U	B	U+26DF6	𪔶	26DF6 艸 140.10 UCS2003 𪔶 𪔶 𪔶 GHZ-53263.01 T7-3226
U	B	U+26F71	𪔿	26F71 艸 140.13 UCS2003 𪔿 𪔿 𪔿 GKX-1062.44 T7-4935
U	B	U+26FD1	𪕁	26FD1 艸 140.14 UCS2003 𪕁 𪕁 𪕁 GKX-1064.32 T7-4F46
U	B	U+27047	𪕇	27047 艸 140.15 UCS2003 𪕇 𪕇 𪕇 GKX-1066.30 T7-4F47
U	B	U+27172	𪕒	27172 艸 140.21 UCS2003 𪕒 𪕒 𪕒 GKX-1072.34 T7-613E
U	B	U+27195	𪕓	27195 艸 140.25 UCS2003 𪕓 𪕓 𪕓 GKX-1072.61 T5-7B66
U	B	U+27198	𪕔	27198 艸 140.39 UCS2003 𪕔 𪕔 𪕔 GKX-1072.64 T5-7C4F
U	B	U+2749F	𪕚	2749F 虫 142.13 UCS2003 𪕚 𪕚 𪕚 GKX-1100.19 T7-4968
U	B	U+27517	𪕛	27517 虫 142.15 UCS2003 𪕛 𪕛 GHZ-42902.18
U	B	U+2752F	𪕜	2752F 虫 142.16 UCS2003 𪕜 𪕜 𪕜 GKX-1102.42 T7-5928
U	B	U+27589	𪕝	27589 虫 142.21 UCS2003 𪕝 𪕝 GKX-1105.07
U	B	U+2758E	𪕞	2758E 虫 142.21 UCS2003 𪕞 𪕞 𪕞 GHZ-42910.16 T7-6370
U	B	U+27738	𪕟	27738 衣 145.11 UCS2003 𪕟 𪕟 T7-3B5A
U	B	U+27751	𪕠	27751 衣 145.12 UCS2003 𪕠 𪕠 𪕠 GKX-1125.01 T5-6453
U	B	U+27763	𪕡	27763 衣 145.12 UCS2003 𪕡 𪕡 𪕡 GHZ-53113.03 T7-4276

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	B	U+277DC	𩑦	277DC 衣 145.28 𩑦 𩑦 UCS2003 GHZ-53124.13
U	B	U+2789B	𩑧	2789B 見 147.14 𩑧 𩑧 UCS2003 GHZ-63676.07
U	B	U+278B0	𩑨	278B0 見 147.30 𩑨 𩑨 UCS2003 GHZ-63679.01
U	B	U+27B5B	𩑩	27B5B 言 149.14 𩑩 𩑩 𩑩 UCS2003 GHZ-64028.07 T7-5535
U	B	U+27B9F	𩑪	27B9F 言 149.20 𩑪 𩑪 𩑪 UCS2003 GKX-1188.12 T7-6374
U	B	U+27BA6	𩑫	27BA6 言 149.21 𩑫 𩑫 UCS2003 GHZ-64035.08
U	B	U+27C8F	𩑬	27C8F 豕 152.14 𩑬 𩑬 𩑬 UCS2003 GKX-1199.22 T7-5538
U	B	U+27F9C	𩑭	27F9C 走 156.14 𩑭 𩑭 𩑭 UCS2003 GKX-1220.40 T7-553F
U	B	U+27FAD	𩑮	27FAD 走 156.16 𩑮 𩑮 𩑮 UCS2003 GHZ-21447.05 T7-5C76
U	B	U+283FF	𩑯	283FF 車 159.21 𩑯 𩑯 UCS2003 GHZ-53563.09
U	B	U+2840B	辛	2840B 辛 160.0 辛 辛 辛 UCS2003 GKX-1250.26 T6-292B
U	B	U+28944	金	28944 金 167.3 金 金 金 UCS2003 GKX-1297.14 T6-4577
U	B	U+28C3B	銍	28C3B 金 167.24 銍 銍 銍 銍 UCS2003 GHZ-64279.03 TF-6D35 H-95E3
U	B	U+28D1F	關	28D1F 門 169.6 關 關 關 UCS2003 GHZ-74297.03 T6-635B
U	B	U+28DFE	門	28DFE 門 169.24 門 門 門 UCS2003 GHZ-74322.03
U	B	U+2900F	誰	2900F 隹 172.9 誰 誰 誰 UCS2003 GKX-1368.25 T7-3D43
U	B	U+29176	霽	29176 雨 173.12 霽 霽 霽 UCS2003 GHZ-64077.14 T7-5130
U	B	U+291C3	霽	291C3 雨 173.18 霽 霽 UCS2003 TF-6C59
U	B	U+291D3	霽	291D3 雨 173.32 霽 霽 霽 UCS2003 GKX-1381.17 T7-6651

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	B	U+291D4	雲雲雲	291D4 雲雲雲 雨 173.40 UCS2003 GHZ-64085.21 T4-6E5C
U	B	U+2938E	棘棘棘	2938E 棘棘棘 革 177.24 UCS2003 GKX-1393.04 T7-6639
U	B	U+29661	風風風	29661 風風風 風 182.27 UCS2003 GKX-1415.12 T5-7C47
U	B	U+29663	翯風流	29663 翯風流 風 182.37 UCS2003 GHZ-74494.02
U	B	U+29664	翯風	29664 翯風 風 182.39 UCS2003 GKX-1415.13 T7-6655
U	B	U+29867	馬	29867 馬 馬 187.0 UCS2003 GKX-1433.05 T5-364B
U	B	U+299DD	驤	299DD 驤 馬 187.18 UCS2003 GHZ-74585.03
U	B	U+299E2	騮	299E2 騮 馬 187.20 UCS2003 GKX-1447.21 T7-666A
U	B	U+2A235	鸛	2A235 鸛 鳥 196.20 UCS2003 GHZ-74673.01 T7-6621
U	B	U+2A240	鸛	2A240 鸛 鳥 196.25 UCS2003 GKX-1505.14 T7-6645
U	B	U+2A6A5	龍龍龍	2A6A5 龍龍龍 龍 212.48 UCS2003 GHZ-74806.10 T5-7C51
U	C	U+2AC76	𣎵	2AC76 𣎵 木 75.4 JK-65229
U	C	U+2AE9A	𩺰	2AE9A 𩺰 爪 87.33 GZJW-01269
U	E	U+2BB2F	𤝵	2BB2F 𤝵 口 30.17 GKX-1123.33
U	E	U+2C348	𤝶	2C348 𤝶 犬 94.13 GZJW-01289
U	E	U+2C47D	𤝷	2C47D 𤝷 石 112.4 JK-65452
U	E	U+2C6A9	𤝸	2C6A9 𤝸 耳 128.47 JK-65150
U	F	U+2CEB9	𠄎	2CEB9 𠄎 一 1.3 SAT-02570
U	F	U+2CEDF	𠄏	2CEDF 𠄏 一 1.9 SAT-04334

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	F	U+2D05F	𠄟	2D05F 𠄟 冂 13.2 SAT-02671
U	F	U+2D0BC	𠄠	2D0BC 𠄠 凵 17.8 SAT-04867
U	F	U+2D16B	𠄡	2D16B 𠄡 十 24.16 SAT-80003
U	F	U+2D1E9	𠄢	2D1E9 𠄢 凵 30.6 SAT-02102
U	F	U+2D2B2	𠄣	2D2B2 𠄣 凵 30.12 KC-06100
U	F	U+2D2B6	𠄤	2D2B6 𠄤 凵 30.12 SAT-04350
U	F	U+2D337	𠄥	2D337 𠄥 凵 30.19 SAT-01573
U	F	U+2D359	𠄦	2D359 𠄦 凵 30.32 SAT-00455
U	F	U+2D4DD	𠄧	2D4DD 𠄧 子 39.25 KC-04970
U	F	U+2D588	𠄨	2D588 𠄨 山 46.4 SAT-04325
U	F	U+2D5B2	𠄩	2D5B2 𠄩 山 46.9 SAT-05235
U	F	U+2D600	𠄪	2D600 𠄪 彡 47.6 JMJ-057403
U	F	U+2D651	𠄫	2D651 𠄫 广 53.3 SAT-00026
U	F	U+2D6D5	𠄬	2D6D5 𠄬 彡 59.10 SAT-04342
U	F	U+2D6D6	𠄭	2D6D6 𠄭 彡 59.11 SAT-04343
U	F	U+2D8D5	𠄮	2D8D5 𠄮 支 65.2 SAT-00027
U	F	U+2DB74	𠄯	2DB74 𠄯 止 77.12 GCY-1830.00
U	F	U+2DEF9	𠄰	2DEF9 𠄰 田 102.17 KC-07082
U	F	U+2E3B3	𠄱	2E3B3 𠄱 艸 140.6 SAT-05293

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	F	U+2EB5F	鸚	2EB5F 鸚 鳥 196.18 JMJ-059248
U	G	U+30030	𠄎	30030 𠄎 乙 5.2 GHZR-10058.08
U	G	U+30031	𠄏	30031 𠄏 乙 5.3 GHZR-10060.06
U	G	U+3016F	𠄐	3016F 𠄐 十 24.3 GHZR-10069.06
U	G	U+30649	来来	30649 来来 木 75.24 GHZR-10031.13
U	G	U+3080A	𦃟	3080A 𦃟 爪 87.20 GHZR-10077.12
U	G	U+3088A	玨	3088A 玨 玉 96.10 T13-2E2A
U	G	U+308DE	𦃠	308DE 𦃠 田 102.23 GHZR-52737.12
U	G	U+30D3F	𦃡	30D3F 𦃡 言 149.9 UK-01455
U	G	U+30F54	鏡鏡	30F54 鏡鏡 金 167.68 UK-02961
U	G	U+3106A	𩇛	3106A 𩇛 雨 173.23 UK-01554
U	G	U+31152	𩇜	31152 𩇜 马 187.6 UK-02959

That is all.