## NEW 307 CC







NEW 307 CC	1.6 16v	2.0 140 BHP	2.0 140 BHP Auto	2.0 180 BHP	
ENGINE					
Fuel Type	Petrol	Petrol	Petrol	Petrol	
Bore x Stroke (mm)	78.5 × 82	85 × 88	85 x 88	85 × 88	
· ,					
Cubic capacity	1587	1997	1997	1997	
Number of valves	16 110 (80) @ 5800	16	16	16	
Maximum power BHP (Kw) at RPM	, , ,	140 (103) @ 6000	140 (103) @ 6000	180 (130) @ 7000	
Maximum torque lb ft (mkg) at rpm	110 (147) @ 4000	150 (200) @ 4000	150 (200) @ 4000	152 (202) @ 4750	
Induction	Electronic Multipoint Injection				
Fuel tank capacity (litres)	60				
BRAKES					
Ventilated front discs	STD	STD	STD	STD	
Rear Discs	STD	STD	STD	STD	
Servo assistance	STD	STD	STD	STD	
ABS with EBFD	STD	STD	STD	STD	
Emergency Brake Assist (EBA)	STD	STD	STD	STD	
ESP with ASR (traction control)	STD	STD	STD	STD	
SUSPENSION Front		Independent MacPherson 1	ype struts and anti roll bar		
Rear	Deformable		by two arms and a hollow anti-ro	II bar	
STEERING Engine speed variable rate power assistance Turns lock to lock	STD	STD	STD 2.9	STD	
Turning circle between kerbs (m)		ı	0.7		
Turning circle between walls (m)		11	1.13		
TRANSMISSION					
5 Speed Manual	STD	STD		STD	
	STD	STD	STD	STD	
4 Speed Auto adaptive tiptronic	STD	STD	STD	STD	
4 Speed Auto adaptive tiptronic	STD 205/55- R16V	STD 205/55- R16V	STD 205/55- R16V	STD 205/50- R17W	
4 Speed Auto adaptive tiptronic  TYRES Size					
4 Speed Auto adaptive tiptronic  TYRES  Size  Full Size spare wheel•		205/55- R16V			
4 Speed Auto adaptive tiptronic  TYRES  Size  Full Size spare wheel*  PERFORMANCE (DRIVER ONLY)	205/55- R16V •	205/55- R16V •	205/55- R16V ●	205/50- R17W	
4 Speed Auto adaptive tiptronic  TYRES  Size  Full Size spare wheel*  PERFORMANCE (DRIVER ONLY)  Maximum speed (kph)	205/55- R16V •	205/55- R16V •	205/55- R16V •	205/50- R17W •	
4 Speed Auto adaptive tiptronic  TYRES  Size  Full Size spare wheel  PERFORMANCE (DRIVER ONLY)  Maximum speed (kph)  Acceleration 0-100 kph (sec)	205/55- R16V • 192 12.7	205/55- R16V •  208  10.1	205/55- R16V •  206 11.3	205/50- RI7W  •  225  9.4	
4 Speed Auto adaptive tiptronic  TYRES  Size  Full Size spare wheel  PERFORMANCE (DRIVER ONLY)  Maximum speed (kph)  Acceleration 0-100 kph (sec)	205/55- R16V •	205/55- R16V •	205/55- R16V •	205/50- R17W •	
4 Speed Auto adaptive tiptronic  TYRES  Size  Full Size spare wheel*  PERFORMANCE (DRIVER ONLY)  Maximum speed (kph)  Acceleration 0-100 kph (sec)  0-1000 m (sec)  WEIGHTS (KG)	205/55- R16V •  192  12.7  34.2	205/55- R16V •  208  10.1  31.3	205/55- R16V •  206  11.3  32.5	205/50- R17W	
4 Speed Auto adaptive tiptronic  TYRES  Size  Full Size spare wheel*  PERFORMANCE (DRIVER ONLY)  Maximum speed (kph)  Acceleration 0-100 kph (sec)  0-1000 m (sec)  WEIGHTS (KG)  Gross vehicle weight	205/55- R16V  192 12.7 34.2	205/55- R16V •  208  10.1  31.3	205/55- R16V •  206  11.3  32.5	205/50- R17W	
4 Speed Auto adaptive tiptronic  TYRES  Size  Full Size spare wheel*  PERFORMANCE (DRIVER ONLY)  Maximum speed (kph)  Acceleration 0-100 kph (sec)  0-1000 m (sec)  WEIGHTS (KG)  Gross vehicle weight  Kerb weight	205/55- R16V  192 12.7 34.2  1850 1528	205/55- R16V  208  10.1  31.3	205/55- R16V  206  11.3  32.5	205/50- R17W  225  9.4  30.4  1860  1588	
4 Speed Auto adaptive tiptronic  TYRES  Size  Full Size spare wheel  PERFORMANCE (DRIVER ONLY)  Maximum speed (kph)  Acceleration 0-100 kph (sec)  0-1000 m (sec)  WEIGHTS (KG)  Gross vehicle weight  Kerb weight  Gross train weight	205/55- R16V  192 12.7 34.2  1850 1528 2900	205/55- R16V  208  10.1  31.3  1880  1543  3200	205/55- R16V  206  11.3  32.5  1900  1573  3200	205/50- R17W  225  9.4  30.4  1860  1588  2680	
4 Speed Auto adaptive tiptronic  TYRES  Size  Full Size spare wheel  PERFORMANCE (DRIVER ONLY)  Maximum speed (kph)  Acceleration 0-100 kph (sec)  0-1000 m (sec)  WEIGHTS (KG)  Gross vehicle weight  Kerb weight  Gross train weight  Maximum braked trailer towing weight **	192 12.7 34.2 1850 1528 2900 1200	205/55- R16V  208  10.1  31.3  1880  1543  3200  1320	205/55- R16V  206  11.3  32.5  1900  1573  3200  1300	205/50- R17W	
4 Speed Auto adaptive tiptronic  TYRES  Size  Full Size spare wheel*  PERFORMANCE (DRIVER ONLY)  Maximum speed (kph)  Acceleration 0-100 kph (sec)  0-1000 m (sec)  WEGHTS (KG)  Gross vehicle weight  Kerb weight  Gross train weight  Maximum braked trailer towing weight *  Maximum non-braked trailer towing weight *	192 12.7 34.2 1850 1528 2900 1200 750	208 10.1 31.3 1880 1543 3200 1320 750	205/55- R16V  206  11.3  32.5  1900  1573  3200  1300  750	205/50- R17W  225  9.4  30.4  1860  1588  2680  1000  730	
4 Speed Auto adaptive tiptronic  TYRES  Size  Full Size spare wheel*  PERFORMANCE (DRIVER ONLY)  Maximum speed (kph)  Acceleration 0-100 kph (sec)  0-1000 m (sec)  WEGHTS (KG)  Gross vehicle weight  Kerb weight  Gross train weight  Maximum braked trailer towing weight *  Maximum non-braked trailer towing weight *	192 12.7 34.2 1850 1528 2900 1200	205/55- R16V  208  10.1  31.3  1880  1543  3200  1320	205/55- R16V  206  11.3  32.5  1900  1573  3200  1300	205/50- R17W	
4 Speed Auto adaptive tiptronic  TYRES  Size  Full Size spare wheel*  PERFORMANCE (DRIVER ONLY)  Maximum speed (kph)  Acceleration 0-100 kph (sec)  0-1000 m (sec)  WEIGHTS (KG)  Gross vehicle weight  Kerb weight  Gross train weight  Maximum braked trailer towing weight *  Maximum non-braked trailer towing weight *  Maximum tow ball weight	192 12.7 34.2 1850 1528 2900 1200 750	208 10.1 31.3 1880 1543 3200 1320 750	205/55- R16V  206  11.3  32.5  1900  1573  3200  1300  750	205/50- R17W  225  9.4  30.4  1860  1588  2680  1000  730	
4 Speed Auto adaptive tiptronic  TYRES  Size  Full Size spare wheel*  PERFORMANCE (DRIVER ONLY)  Maximum speed (kph)  Acceleration 0-100 kph (sec)  0-1000 m (sec)  WEIGHTS (KG)  Gross vehicle weight  Kerb weight  Gross train weight  Maximum braked trailer towing weight *  Maximum non-braked trailer towing weight *  Maximum tow ball weight  FUEL CONSUMPTION (EU directive 1999/100)	192 12.7 34.2 1850 1528 2900 1200 750	208 10.1 31.3  1880 1543 3200 1320 750 60	205/55- R16V  206  11.3  32.5  1900  1573  3200  1300  750  60	205/50- R17W  225  9.4  30.4  1860  1588  2680  1000  730  60	
4 Speed Auto adaptive tiptronic  TYRES  Size  Full Size spare wheel*  PERFORMANCE (DRIVER ONLY)  Maximum speed (kph)  Acceleration 0-100 kph (sec)  0-1000 m (sec)  WEIGHTS (KG)  Gross vehicle weight  Kerb weight  Gross train weight  Maximum braked trailer towing weight *  Maximum braked trailer towing weight *  Maximum non-braked trailer towing weight *  Maximum tow ball weight  FUEL CONSUMPTION (EU directive 1999/100)  Urban drive cycle MPG (litres/100km)	205/55- R16V  192 12.7 34.2  1850 1528 2900 1200 750 60	208 10.1 31.3 1880 1543 3200 1320 750 60	205/55- R16V  206  11.3  32.5  1900  1573  3200  1300  750  60  23.2(12.2)	205/50- R17W  225  9.4  30.4  1860  1588  2680  1000  730  60  22.8(12.4)	
4 Speed Auto adaptive tiptronic  TYRES  Size  Full Size spare wheel*  PERFORMANCE (DRIVER ONLY)  Maximum speed (kph)  Acceleration 0-100 kph (sec)  0-1000 m (sec)  WEIGHTS (KG)  Gross vehicle weight  Kerb weight  Gross train weight  Maximum braked trailer towing weight *  Maximum non-braked trailer towing weight *  Maximum tow ball weight	192 12.7 34.2 1850 1528 2900 1200 750	208 10.1 31.3  1880 1543 3200 1320 750 60	205/55- R16V  206  11.3  32.5  1900  1573  3200  1300  750  60	205/50- R17W  225  9.4  30.4  1860  1588  2680  1000  730  60	

 $<sup>\</sup>ensuremath{^{*}\text{Maximum}}$  towing weights are within the overall gross train weight

NEW 307 CC	Dynamique	Spor t
BODY STYLE	VFC	VEC
2 door Coupé Cabriolet SAFETY	YES	YES
Driver / passenger airbags (passenger with deactivate switch)	STD STD	STD STD
Side airbag (chest/head type) ABS with EBFD and brake assist	STD	STD
Deployable rollbar system with electronic rollover sensors Pre-tensioned and force limiting front seat belts	STD STD	STD STD
ESP with ASR (traction control) with deactivate switch Four, 3-point front and rear seat belts with load limiters	STD STD	STD STD
Two rear seat Isofix location points Side Impact absorbent door padding	STD STD	STD STD
Automatic illumination of hazard warning lights in case of emergency braking Retractable steering column and brake pedal	STD STD	STD STD
Automatic door unlocking in event of accident Euro NCAP Rating Overall / Pedestrian	STD 4/2	STD 4/2
SECURITY	7/2	7/2
Ultrasonic alarm	STD	STD
Deadlocks with twin plip keys Rolling code transponder immobiliser (Thatcham category 2 approved)	STD STD	STD STD
Lockable fuel filler cap Coded in car entertainment	STD STD	STD STD
Lockable glove box with light  Door Ajar warning light	STD STD	STD STD
Start and finish roof warning Internally operated central locking button	STD STD	STD STD
Key in ignition warning alarm Automatic locking boot (activated by vehicle moving over 10km/h)	STD STD	STD STD
Visible VIN Number	STD	STD
Locking wheel bolts for alloy wheels	STD	STD
COMFOR T AND CONVENIENCE  Vehicle localisation function from plip key (activates hazard lights)	STD	STD
Central button for simultaneous operation of electric windows  Remote control central locking with two plip keys	STD STD	STD STD
Electric front and rear windows with one touch operation Individual Rear Electric window controls	STD STD	STD STD
Electric and heated door mirrors	STD	STD
Tinted glass and dark tinted rear screen Height and reach adjustable steering wheel	STD STD	STD STD
Cruise Control (std on automatic) Boot opening device on "0" in middle of 3 & 7 in key	OPT STD	OPT STD
Short drop sensor (for easy opening of doors)	STD	STD
IN-CAR ENTER TAINMENT / COMMUNICATION  RD4 Stereo radio/mono cd player	STD	
Remote stalk control radio Speed related volume controls	STD STD	STD STD
Invisible radio aerial (integrated into rear spoiler) Blaupunkt dash mounted 5 cd autochanger	STD OPT	STD STD
Sat Navigation Number of speakers (including 2 tweeters)	OPT 6	OPT 6
HEATINGANDVENTILATION Dual zone climate control	STD	STD
Air conditioned glove box Heating / Air conditioning outlet in rear	STD STD	STD STD
Pollen and Charcoal filter	STD	STD
INSTRUMENTS Speedometer with digital odometer and digital trip recorder / rev counter	STD	STD
Water temperature / fuel / oil level External temperature gauge	STD STD	STD STD
Distance to next service indicator Digital clock	STD STD	STD STD
Passenger airbag deactivation warning light White dials with chrome surrounds	STD STD	STD STD
On board computer	STD	STD
INTERIOR FEATURES	CTD	CTD
Leather trimmed steering wheel with aluminium inserts on each branch Leather trimmed gear knob with aluminium insert	STD STD	STD STD
Aluminium finish to centre console, air vents and interior door handle sur rounds Front and rear armrests within door panels	STD STD	STD STD
Boot net with 6 boot load securing rings Boot light	STD STD	STD STD
Drilled Aluminium pedals Illuminated glovebox with in-lid storage	STD STD	STD STD
Map Pockets in rear of front seats  Console between front seats incl 2 drinks holders, storage area and coin holder	STD STD	STD STD
Front door stowage bins  Storage either side of front seats and next to steering wheel	STD STD	STD STD
Front and rear courtesy lights with delay	STD	STD
Driver and Passenger illuminated vanity mirrors (drivers side with ticket holder)  12v accessory power point in centre console and in boot	STD STD	STD STD
Protective shutter blind in boot to guard against damage to roof when stored	STD	STD
EXTERIOR FEATURES  Body coloured front and rear bumper aprons with body side mouldings	STD	STD
Body coloured door mirrors and rear number plate housing Body coloured door and boot handles	STD STD	STD STD
2 piece electrically retractable rigid roof (in under 20 seconds)  Chrome exhaust extension	STD STD	STD STD
Parking aid with 4 rear reversing sensors (hidden in rear bumper)  Electric Folding mirrors (when parked)	012	STD STD
Boot lid lip spoiler with integrated brake light	STD Fautove (16")	STD
Alloy wheels  EXTERIOR LIGHTING & VISIBILITY	Equinoxe (16")	Challenger (17")
Automatic headlights and Automatic rain sensing front wipers	at D	STD
Follow me home headlights  Double optic halogen headlights with clear polycarbonate lenses	STD STD	STD STD
Remote headlight adjustment from dash Front and rear fog lights	STD STD	STD STD
Lights on warning alarm Electrochrome rear view mirror	STD	STD STD
High level third light integrated into spoiler Diode style rear lights	STD STD	STD STD
Heated rear window with time cut off	STD	STD
SEATING Sports front seats with fully adj sports head restraints	STD	STD
Height adjustment of driver/passenger seat  Andorra Black Cloth Trim	STD STD	STD
Apicula mesh cloth / black leather trim		STD
Two rear head restraints Reclining front seats (tilt slide with memory)	STD STD	STD STD
E & OE Sept 2005		

## **NEW 307 CC**


## Dimensions (mm)

E & OE Sept 2005

• Length	
Width (mirrors folded in)	
Height	
• Wheelbase	
Front Overhang	
Rear Overhang	
Boot Width (max between wheel arches)	

Front wheel track
Rear wheel track
Boot length
Boot volume Cu.Ft (dm3) in coupé mode
Boot volume Cu.Ft (dm3) in cabriolet mode
7.2 (204)







**Technical Specifications** 

NEW 307 CC



PEUGEO T. THE DRIVE OF YOUR LIFE



## **Gowan Distributors Limited**

Gowan House, Naas Road, Dublin I2.
Tel.: + 353 | 409 2400 • Fax:+ 353 | 450 9620 • website:www.peugeot.ie