

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: CARBON TETRACHLORIDE

1. Chemical Product and Company Identification

BOC Gases,
Division of
BOC Gases
Division of

The BOC Group, Inc.

575 Mountain Avenue

Murray Hill, NJ 07974

BOC Canada Limited

5975 Falbourne Street, Unit 2

Mississauga, Ontario L5R 3W6

TELEPHONE NUMBER: (908) 464-8100 **TELEPHONE NUMBER:** (905) 501-1700

24-HOUR EMERGENCY TELEPHONE NUMBER: 24-HOUR EMERGENCY TELEPHONE NUMBER:

CHEMTREC (800) 424-9300 (905) 501-0802

EMERGENCY RESPONSE PLAN NO: 20101

Page 1 of 6

PRODUCT NAME: CARBON TETRACHLORIDE

CHEMICAL NAME: Carbon Tetrachloride

COMMON NAMES/SYNONYMS: Carbon Chloride, Carbon Tet, Halon 1040, R 10

TDG (Canada) CLASSIFICATION: 6.1 (9.2) **WHMIS CLASSIFICATION:** D1A, D2A, D2B

PREPARED BY: Loss Control (908)464-8100/(905)501-1700

PREPARATION DATE: 6/1/95 REVIEW DATES: 6/7/96

2. Composition, Information on Ingredients

INGREDIENT	% VOLUME	PEL-OSHA ¹	TLV-ACGIH ²	LD ₅₀ or LC ₅₀ Route/Species
Carbon Tetrachloride FORMULA: CCl ₄ CAS: 56-23-5 RTECS #: FG4900000	100.0	10 ppm TWA 25 ppm Ceiling	5 ppm TWA 10 ppm STEL Skin	LD ₅₀ 2350 mg/kg (rat)

As stated in 29 CFR 1910, Subpart Z (revised July 1, 1993)

3. Hazards Identification

EMERGENCY OVERVIEW

Inhalation of high concentrations of this compound may cause dizziness, nausea and possible loss of conciousness. Chronic exposure to this material may result in toxicity to the liver. Suspect carcinogen and reproductive toxin. Nonflammable. Decomposes into phosgene and hydrogen chloride under fire conditions.

ROUTE OF ENTRY:

Skin Contact	Skin Absorption	Eye Contact	Inhalation	Ingestion
Yes	Yes	Yes	Yes	Yes

MSDS: G-22 Revised: 6/7/96

² As stated in the ACGIH 1994-95 Threshold Limit Values for Chemical Substances and Physical Agents

PRODUCT NAME: CARBON TETRACHLORIDE

HEALTH EFFECTS:

Exposure Limits	Irritant	Sensitization
Yes	Yes	No
Teratogen	Reproductive Hazard	Mutagen
Yes	Yes	Yes
Synergistic Effects		
None Reported		

Carcinogenicity: -- NTP: Yes IARC: Yes OSHA: No

EYE EFFECTS:

Contact with product may cause mild irritation.

SKIN EFFECTS:

Contact with product could cause mild irritation. Prolonged contact may cause defatting of the skin and dermatitis. This product can be absorbed in harmful quantity through contact with unprotected skin.

INGESTION EFFECTS:

Ingestion effects are similar to effects from inhalation.

INHALATION EFFECTS:

Short term exposure may cause headache, dizziness and irritation to the respiratory system. Carbon tetrachloride is a central nervous system depressant and may cause loss of conciousness at high concentrations.

Chronic exposures may cause liver damage.

Long term exposures may also increase the risk of some forms of cancer.

This product is suspected of having adverse reproductive effects and is an experimental mutagen.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Individuals with anemia, diseases of the central nervous system or diseases of the kidney or liver should not be exposed to carbon tetrachloride.

RATINGS SYSTEM

HMIS HAZARD CODES

NTTA HAZARD CODES	IIIIIS IIAZARD CODES	KATINGSSISIEM
Health: 3	Health: 3	0 = No Hazard
Flammability: 0	Flammability: 0	1 = Slight Hazard
Reactivity: 0	Reactivity: 0	2 = Moderate Hazard
		3 = Serious Hazard
		4 = Severe Hazard

4. First Aid Measures

NFPA HAZARD CODES

EYES:

Flush eyes immediately with lukewarm water for at least 15 minutes. A physician should see the patient promptly.

SKIN:

Remove contaminated clothing and flush affected areas with water. Seek medical attention.

INGESTION:

CALL LOCAL POISON CONTROL CENTER. If conscious, induce vomiting and continue until vomit is clear. A physician should see the patient promptly.

INHALATION:

MSDS: G-22

Revised: 6/7/96 Page 2 of 6

PRODUCT NAME: CARBON TETRACHLORIDE

PROMPT MEDICAL ATTENTION IS MANDATORY IN ALL CASES OF OVEREXPOSURE. RESCUE PERSONNEL SHOULD BE EQUIPPED WITH SELF-CONTAINED BREATHING APPARATUS. Conscious persons should be assisted to an uncontaminated area and inhale fresh air. Quick removal from the contaminated area is most important. Unconscious persons should be moved to an uncontaminated area and given artificial resuscitation and supplemental oxygen. Medical assistance should be sought immediately. Further treatment should be symptomatic and supportive.

5. Fire Fighting Measures

Conditions of Flammability: Nonflammable					
Flash point:	Method:		Autoignition		
None	Not Applicable		Temperature: None		
LEL(%): None		UEL(%): None			
Hazardous combustion products:	None				
Sensitivity to mechanical shock: None					
Sensitivity to static discharge: None					

FIRE AND EXPLOSION HAZARDS:

Decomposes under fire conditions into phosgene and hydrogen chloride.

EXTINGUISHING MEDIA:

None required. Use media appropriate for surrounding materials.

FIRE FIGHTING INSTRUCTIONS:

Fire fighters should use self-contained breathing apparatus to protect them from toxic decomposition products. If possible, use water spray to cool containers to prevent rupture.

6. Accidental Release Measures

Evacuate all personnel from affected area. Use appropriate protective equipment. If leak is in user's equipment, be certain to purge piping with inert gas prior to attempting repairs. If leak is in container or container valve, contact the appropriate emergency telephone number listed in Section 1 or call your closest BOC location.

7. Handling and Storage

Electrical Classification:

Nonhazardous.

Incompatible with aluminum and zinc.

Use only in well-ventilated areas. Do not drag, slide or roll cylinders. Use a suitable hand truck for cylinder movement. Protect containers from physical damage. Store in cool, dry, well-ventilated area away from heavily trafficked areas and emergency exits. Do not allow the temperature where containers are stored to exceed 130°F (54°C). Containers should be stored upright and firmly secured to prevent falling or being knocked over. Full and empty containers should be segregated. Use a "first in-first out" inventory system to prevent full containers being stored for excessive periods of time. Vapors should not be allowed to contact open flames. For additional storage recommendations, consult Compressed Gas Association's Pamphlet P-1.

Never carry a compressed gas cylinder or a container of a gas in cryogenic liquid form in an enclosed space such as a car trunk, van or station wagon. A leak can result in a fire, explosion, asphyxiation or a toxic exposure.

MSDS: G-22

Revised: 6/7/96 Page 3 of 6

8. Exposure Controls, Personal Protection

EXPOSURE LIMITS¹:

INGREDIENT	% VOLUME	PEL-OSHA ²	TLV-ACGIH ³	LD ₅₀ or LC ₅₀ Route/Species
Carbon Tetrachloride FORMULA: CCI ₄ CAS: 56-23-5 RTECS #: FG4900000	100.0	10 ppm TWA 25 ppm Ceiling	5 ppm TWA 10 ppm STEL Skin	LD ₅₀ 2350 mg/kg (rat)

¹ Refer to individual state of provincial regulations, as applicable, for limits which may be more stringent than those listed here.

ENGINEERING CONTROLS:

Hood with forced ventilation. Use local exhaust to prevent accumulation above the exposure limit.

EYE/FACE PROTECTION:

Safety goggles or glasses

SKIN PROTECTION:

Protective Gloves: Nitrile or Viton.

RESPIRATORY PROTECTION:

Positive pressure air line with full-face mask and escape bottle or self-contained breathing apparatus should be available for emergency use.

OTHER/GENERAL PROTECTION:

Safety shoes, safety shower, eyewash "fountain."

9. Physical and Chemical Properties

PARAMETER	VALUE	UNITS	
Physical state (gas, liquid, solid)	: Liquid		
Vapor pressure at at 70 °F	: 98	mmHg	
Vapor density (Air = 1)	: 5.5		
Evaporation point	: Not Available		
Boiling point	: 170	°F	
	: 76.5	$^{\circ}\mathrm{C}$	
Freezing point	: -9.4	°F	
	: -23	$^{\circ}\mathrm{C}$	
pН	: Not Available		
Specific gravity	: Not Available		
Oil/water partition coefficient	: Not Available		
Solubility (H20)	: Insoluble (0.08%)		
Odor threshold	: Not Available		
Odor and appearance	: Colorless liquid with strong ethereal odor.		

10. Stability and Reactivity

STABILITY:

Stable.

INCOMPATIBLE MATERIALS:

MSDS: G-22

Revised: 6/7/96 Page 4 of 6

² As stated in 29 CFR 1910, Subpart Z (revised July 1, 1993)

³ As stated in the ACGIH 1994-1995 Threshold Limit Values for Chemical Substances and Physical Agents.

PRODUCT NAME: CARBON TETRACHLORIDE

Reacts with zinc, aluminum and alkali metals. Decomposes in open flame or at high temperatures.

HAZARDOUS DECOMPOSITION PRODUCTS:

Hydrogen chloride, phosgene.

HAZARDOUS POLYMERIZATION:

Will not occur.

11. Toxicological Information

TUMORIGENIC:

An experimental carcinogen in experimental animal studies including rats, mice and hamsters.

REPRODUCTIVE:

Developmental defects observed following inhalation exposure of pregnant rats to 250 ppm for 8 hours.

MUTAGENIC:

A mutagen in mammalian and bacterial cell assay systems.

OTHER:

Degenerative changes to liver following chronic inhalation exposure in multiple animal studies with mammalian species including rats, mice, rabbits, guinea pigs, dogs and monkeys. Toxic effects to the lungs, immune system and bladder have also been reported in animal studies with mammalian species.

12. Ecological Information

No data given.

13. Disposal Considerations

Do not attempt to dispose of residual waste or unused quantities. Return in the shipping container PROPERLY LABELED, WITH ANY VALVE OUTLET PLUGS OR CAPS SECURED AND VALVE PROTECTION CAP IN PLACE to BOC Gases or authorized distributor for proper disposal.

14. Transport Information

PARAMETER	United States DOT	Canada TDG
PROPER SHIPPING NAME:	Carbon Tetrachloride (R-10)	Carbon Tetrachloride (R-10)
HAZARD CLASS:	6.1	6.1 (9.2)
IDENTIFICATION NUMBER:	UN 1846	UN 1846
SHIPPING LABEL:	POISON	POISON

Additional Marking Requirement: If net weight of product ≥ 10 pounds, the container must be also marked with the letters "RQ". Additional Shipping Paper Description Requirement: If net weight of product ≥ 10 pounds, the shipping papers must be also marked with the letters "RQ". PG: II

15. Regulatory Information

SARA TITLE III NOTIFICATIONS AND INFORMATION

Releases of carbon tetrachloride in quantities equal to or greater than the reportable quantity (RQ) of 10 pounds are subject to reporting to the National Response Center under CERCLA, Section 304 SARA Title III.

MSDS: G-22

Revised: 6/7/96 Page 5 of 6

SARA TITLE III - HAZARD CLASSES:

Acute Health Hazard Chronic Health Hazard

SARA TITLE III - SECTION 313 SUPPLIER NOTIFICATION:

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act (EPCRA) of 1986 and of 40 CFR 372:

CAS NUMBER INGREDIENT NAME PERCENT BY VOLUME

56-23-5 CARBON TETRACHLORIDE 100.0

This information must be included on all MSDSs that are copied and distributed for this material.

16. Other Information

Compressed gas cylinders shall not be refilled without the express written permission of the owner. Shipment of a compressed gas cylinder which has not been filled by the owner or with his/her (written) consent is a violation of transportation regulations.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

MSDS: G-22 **Revised:** 6/7/96 Page 6 of 6