
.264 WINCHESTER MAGNUM

The .264 Winchester Magnum was introduced by Winchester in 1958. As originally introduced in Winchester's Model 70 "Westerner," it was available with a 26 inch stainless steel barrel. The .264 Winchester Magnum was



designed to produce what Winchester hoped would be the ultimate open-country hunting cartridge for deer-sized big game. To accomplish this feat of engineering, Winchester's ballisticians utilized a 2-diameter bullet with only the section aft of the cannelure being full groove diameter.

Complaints by shooters who did not understand the necessity of the 26-inch barrel to produce the advertised ballistics caused Winchester to reduce the length of the rifle barrel to 24 inches. With its shortened barrel the .264 Winchester Magnum was unable to live up to its advertising claims and quickly fell from favor with the shooting public. This coincided with the introduction of Remington's 7mm Remington Magnum cartridge whose arrival sounded the death knell for the .264 Winchester Magnum.

As originally designed and produced the .264 Winchester Magnum was, and still is, an excellent cartridge for medium sized North American game.

The SAAMI Maximum Average Pressure for the .264 Winchester Magnum is 64,000 P.S.I.

.264 WINCHESTER MAGNUM									
Gun	DOUGLAS	Max Length	2.500"						
Barrel Length	24"	Trim Length	2.480"						
Primer	CCI 250	OAL Max	3.340"						
Case	WW	OAL Min	3.160"						

Bullet	START LOA Powder	DS Grains	Vel.	MAXIMUM I Powder	LOADS Grains	Vel.	P.S.I.	Cartridge Length	e Comment
SRA 100 SP	4350	60.3	3102	4350	67.0	3523	62,900	3.220"	
	3100	64.8	3054	3100	72.0	3471	61,900		
	8700	74.7	2732	8700	83.0	3105	40,800		Compressed
NOS 125 (Part)	4350	48.6	2502	4350	54.0	2843	60,800	3.265"	
,	3100	52.2	2534	3100	58.0	2880	61,300		
	8700	69.3	2765	8700	77.0	3142	64,000		

.264 WINCHESTER MAGNUM (continued)

Bullet	START LOAD Powder		Vel.	MAXIMUM LO Powder		Vel.	P.S.I.	Cartridge Length Comment
NOS 140 (Part)	4350 3100 8700	47.7 50.4 64.8	2414 2402 2559	4350 3100 8700	53.0 56.0 72.0	2743 2729 2908	64,000 61,600 62,700	3.265"

Caliber 264Winchester MagnumCase lengthMin: 2.480Barrel: H&S Precision 24"Max: 2.500Case: WinchesterCartridge lengthMin: 3.160Primer: CCI 250Max: 3.340

Bullet	Bullet	Powder	Start	Start	Start	Maximum	Maximum	Maximum	
Make	Weight	Type	Load	Velocity	Pressure	Load	Velocity	Pressure	AOL
Туре	Grains		grains	Fps	kPsi	Grains	Fps	kPsi	inches
Hornady A Max	140	Magpro	58.7	2821	51.2	65.2	3079	64	3.325

WARNING!! ALWAYS BEGIN LOADING AT THE RECOMMENDED MINIMUM OR "START" LOAD