

FLORIDA DEPARTMENT OF TRANSPORTATION
2006 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
0004		SR 590/DREW ST, EAST OF NIMBUS AVE	E	11500	W	9600	21100 C	9.88F	58.53F	2.92A
0005		SR 595/CLEARWATER/LARGO RD. S. OF CR464/BELLAIR RD	N	8700	S	9600	18300 C	9.88F	58.53F	3.58P
0006		US 19/SR 55, N OF SR 686/E BAY DR/ROOSEVELT BLVD	N	34500	S	34000	68500 C	9.88F	58.53F	3.64A
0007		SR 686/EAST BAY DR., EAST OF SR 55/US 19	E	23000	W	23500	46500 C	9.88F	58.53F	3.80F
0008		SR595/USA19/SEMINOLE BLVD, S OF SR 688/ULMERTON RD	N	18000	S	18000	36000 C	9.88F	58.53F	2.56A
0009		SR 688/5TH AVE, E OF INDIAN ROCKS BRIDGE 3031	E	8100	W	8200	16300 C	9.88F	58.53F	3.86A
0010		US 92 SR 600/GANDY BLVD, E OF SR 687/4TH ST N	E	19500	W	18500	38000 C	9.88F	58.53F	2.29P
0011		SR 686/ROOSEVELT BLVD, S OF SR 93/I-275	N	21000	S	16500	37500 C	9.88F	58.53F	3.13P
0013		SR 55/US 19, S OF SR 686/E BAY DR/ROOSEVELT BLVD	N	32500	S	34000	66500 C	9.88F	58.53F	3.11F
0014		SR686/ROOSEVELT BL, E OF CR688/9TH ST N/ML KING ST	E	9400	W	8200	17600 C	9.88F	58.53F	3.36P
0015		SR 686/E BAY DR, W OF CR 501/ BELCHER RD	E	32000	W	30000	62000 C	9.88F	58.53F	3.80F
0016		US 19/SR 55, S OF SEVILLE BLVD	N	37500	S	39500	77000 C	9.88F	58.53F	3.11F
0018		SR 580/MAIN ST, W OF MC MULLEN-BOOTH RD/CR 593,611	E	20500	W	20000	40500 C	9.88F	58.53F	3.62F
0019		SR 590/10TH ST, E OF MC MULLEN-BOOTH RD/CR 611	E	3500	W	3200	6700 C	9.88F	58.53F	2.54F
0023		SR 580/MAIN ST, W OF US 19/SR 55 3015	E	26500	W	26000	52500 C	9.88F	58.53F	3.62F
0026		USA 19/SR 595/TYRONE BLVD, W OF BOCA CIEGA BAY BR.	E	25500	W	26000	51500 C	9.88F	58.53F	2.92A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YR EST P= PRIOR YEAR; S= SECOND YR EST; T= THIRD YR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

30-APR-2007 16:58:34

PAGE -84- OF -643-

622UPD [1,0,0,2] 7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2006 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0030		SR 693/ST PETE BCH CSWY, S OF SHORE DR S 3065	N	19000	S	19500	38500 C	9.88F	58.53F	2.82A
0031		SR 666/T STUART CSWY, W OF STUART CSWY BRIDGE 3053	N	15500	S	15000	30500 C	9.88F	58.53F	4.86A
0033		SR 584/TAMPA RD, E OF SR586/CURLEW RD.W OF OAKLEAF	E	30500	W	29000	59500 C	9.88F	58.53F	2.60A
0034		SR688/ULMERTON RD, E OF SR686/ROOSEVELT BLVD	E	44000	W	52000	96000 C	9.88F	58.53F	4.24A
0035		SR686/ROOSEVELT BLVD, N OF ULMERTON ROAD	N	26500	S	18500	45000 C	9.88F	58.53F	4.12A
0036		SR 693/66TH ST N, N OF SR 688/ULMERTON RD	N	13000	S	13500	26500 C	9.88F	58.53F	4.47A
0039		SR 694/GANDY BLVD, EAST OF US 19.	E	30500	W	31500	62000 C	9.88F	58.53F	4.50A
0040		SR 580/MAIN ST, E OF LAKE HAVEN RD	E	16500	W	17000	33500 C	9.88F	58.53F	3.62F
0041		US 19/SR 55, S OF DREW ST/CR 528	N	35000E	S	40000E	75000 E	9.88F	58.53F	4.42A
0042		US 19A/SR 55 N OF COACHMAN ROAD	N	45000E	S	45000E	90000 E	9.88F	58.53F	3.22F
0044		US 19/SR 55, N OF SR 580/MAIN ST	N	36500	S	37000	73500 C	9.88F	58.53F	2.54A
0045		SR 55/US 19, N OF SR 586/CURLEW RD	N	36000	S	35500	71500 C	9.88F	58.53F	2.78A
0046		SR 55/US 19, SOUTH OF 142ND AVE	N	30000	S	30500	60500 C	9.88F	58.53F	3.55A
0047		US 19/SR 55,N OF 49TH ST N	N	32000E	S	34000E	66000 E	9.88F	58.53F	3.51A
0048		SR 651/MISSOURI AVE., S OF 4TH AVE NW	N	20000	S	19500	39500 C	9.88F	58.53F	3.22A
0051		SR 93/SR 55/I-275/US 19,N TOLL PLAZA 3071	N	26000	S	26000	52000 C	9.88F	58.53F	8.93F

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YR EST P= PRIOR YEAR; S= SECOND YR EST; T= THIRD YR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

30-APR-2007 16:58:34

PAGE -85- OF -643-

622UPD [1,0,0,2] 7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2006 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0053		SR 693/PASADENA AVE, S OF PARK ST S	N	20500	S	20000	40500 C	9.88F	58.53F	1.18P
0057		SR 60/GULF-TO-BAY BL,W OF PINELLAS/HILLS LINE 3024	E	25500	W	27000	52500 C	9.88F	58.53F	4.28A
0058		SR 688/WALSINGHAM RD, E OF INDIAN ROCKS RD/CR 697	E	10000	W	11000	21000 C	9.88F	58.53F	4.11A
0059		4TH ST.N./SR687, NORTH OF GANDY BLVD.	N	9800	S	12000	21800 C	9.88F	58.53F	4.49F
0061		SR 688/ULMERTON RD, E OF SR 686/ROOSEVELT BLVD (S)	E	23500	W	21500	45000 C	9.88F	58.53F	6.98A
0062		SR 93/I-275, W END OF HOWARD FRANKLAN BRIDGE 3033	E	66000E	W	69000E	135000 E	9.53F	51.46F	4.85F
0063		SR 580/TAMPA RD, W OF LAFAYETTE BLVD	E	26500	W	28500	55000 C	9.88F	58.53F	5.01A
0064		SR 590/NE COACHMAN RD, E OF US 19/SR 55	E	6300	W	6400	12700 C	9.88F	58.53F	2.87A
0065		SR 693/USA 19A/66TH ST N,S OF 102ND AV/CR 298 3040	N	19000	S	19000	38000 C	9.88F	58.53F	4.09A
0066	T	SR-699(GULF BLVD),110' N OF 183 AVE W,PINELLAS CO.	N	9162	S	8976	18138 C	10.05A	54.98A	3.16A
0067		SR 688/ULMERTON RD, W OF SR 693/USA 19A/66TH ST N	E	26500	W	26500	53000 C	9.88F	58.53F	6.83F
0069		SR 688/ULMERTON RD, W OF USA 19/SR 595/SEMINOLE BL	E	20000	W	20000	40000 C	9.88F	58.53F	4.51P
0072		SR679/ANDERSON BLVD, W OF SR682/PINELLAS BAYWAY S	E	1050E	W	1150E	2200 E	9.88F	58.53F	7.98A
0074		SR 60/GULF TO BAY BLVD, E OF SR 55/US 19	E	33000	W	31000	64000 C	9.88F	58.53F	2.67A
0075		SR 60/GULF TO BAY BL, W OF OLD COACHMAN RD/CR 535	E	27000	W	26500	53500 C	9.88F	58.53F	3.26A
0077		SR 688/ULMERTON RD, E OF 49TH ST N/CR 611,691	E	24000	W	21500	45500 C	9.88F	58.53F	8.63A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YR EST P= PRIOR YEAR; S= SECOND YR EST; T= THIRD YR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

FLORIDA DEPARTMENT OF TRANSPORTATION
2006 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0078		SR 686/ROOSEVELT BLVD, S OF SR 688/ULMERTON RD	N	25000E	S	27000E	52000 E	9.88F	58.53F	4.88A
0079		I-275/SR 93, N OF SR 686/ROOSEVELT BLVD	N	43000	S	58000	101000 C	9.53F	51.46F	4.81A
0080		SR 682/PINELLAS BAYWAY S, E OF SR 679/SUN BLVD	E	15000	W	15000	30000 C	9.88F	58.53F	4.10A
0081		SR 679/PINELLAS BAYWAY S, S OF SR 682/P B S 3077	N	7700	S	7700	15400 C	9.88F	58.53F	3.55A
0083		I-275/SR 93, S OF 22ND AVE N/CR 690	N	73000E	S	73000E	146000 E	9.53F	51.46F	6.01P
0084		SR 93/I-275, S OF 36TH AVE N	N	71000E	S	74000E	145000 E	9.53F	51.46F	5.69P
0085		SR 93/I-275, SOUTH OF 42ND AVE N	N	82000E	S	80000E	162000 E	9.53F	51.46F	4.58P
0086	T	SR-600/US-92, 1 MI E OF SAN MARTIN BLVD, PINELLAS CO	E	15909	W	16015	31924 C	12.34A	51.67A	4.79A
0087		I-275/SR 93, N OF SR 694/GANDY BLVD	N	57500	S	61000	118500 C	9.53F	51.46F	4.18A
0088		US19/SR55/I-275/SR93, N END OF THE SKYWAY BR(10280)	N	25500	S	25000	50500 C	9.88F	58.53F	8.93F
0089		SR 592/I-375, E OF 8TH ST N	E	8300	W	8500	16800 C	9.53F	51.46F	2.88F
0091		SR 592/I-375, W OF 9TH ST N	E	12000	W	11000	23000 C	9.53F	51.46F	2.88F
0092		SR 592/I-375, EAST OF SR 93/I-275	E	13500	W	12500	26000 C	9.53F	51.46F	2.88A
0094		SR 594/I-175, E OF 6TH ST S	E	9800	W	10000	19800 C	9.53F	51.46F	2.84F
0095		SR 594/I-175, E OF 9TH ST S	E	15000E	W	16000E	31000 E	9.53F	51.46F	2.84F
0096		I-175/SR 594, EAST OF 16TH ST. S	E	19000E	W	18000E	37000 E	9.53F	51.46F	2.84A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YR EST; P= PRIOR YEAR; S= SECOND YR EST; T= THIRD YR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

30-APR-2007 16:58:34

PAGE -87- OF -643-

622UPD [1,0,0,2] 7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2006 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0099		SR 93/I-275, N OF CENTRAL AVE/CR 654,150	N	56000E	S	60000E	116000 E	9.53F	51.46F	6.32P
0100		SR 93/I-275, W OF 22ND ST S	N	49500	S	49500	99000 C	9.53F	51.46F	5.45A
0101		I-275/SR 93, E OF 31ST ST SOUTH	N	50500	S	49500	100000 C	9.53F	51.46F	4.41A
0102		SR 93/I-275, N OF 18TH AVE S	N	46000	S	46500	92500 C	9.53F	51.46F	4.53A
0103		SR 93/I-275, N OF 26TH AVE. S	N	41500	S	42000	83500 C	9.53F	51.46F	7.15A
0104		SR 93/I-275, N OF 38TH AVE S	N	36500	S	43500	80000 C	9.53F	51.46F	6.43A
0105		SR 688/ULMERTON RD, E OF US 19/SR 55	E	22500	W	23000	45500 C	9.88F	58.53F	8.55A
0106		SR 93/I-275, S OF SR 694/GANDY BLVD	N	68000E	S	68000E	136000 E	9.53F	51.46F	5.37A
0183	T	SR-93/I-275,900' S OF SKYWAY TOLLBOOTH,PINELLAS CO	N	25544	S	26359	51903 C	9.53A	51.46A	6.57A
0295	T	SR-55/US-19,230' N OF 36TH AV,ST PETE,PINELLAS CO.	N	21386	S	21548	42934 C	8.56A	54.11A	2.02A
0302	T	SR-686,200' W OF CR-595/AVALON BLVD,PINELLAS CO.	E	19026	W	19548	38574 C	9.63A	64.53A	3.68A
1000		SR 595/US ALT. 19 SOUTHWEST OF SR 586	N	12000	S	12000	24000 C	9.88F	58.53F	3.13F
3002		SR 595/ALT US19, SOUTH OF PASCO CO	N	10000	S	10000	20000 C	9.88F	58.53F	5.36A
3003		US 19/SR 55, S OF THE PINELLAS/PASCO COUNTY LINE	N	32500	S	32000	64500 C	9.88F	58.53F	2.92A
3005		USA 19/SR 595, S OF TAMPA RD/CR 752	N	9600	S	10500	20100 C	9.88F	58.53F	3.08A
3032		SR 688/ULMERTON RD, W OF STARKEY RD/CR 1	E	27500	W	27000	54500 C	9.88F	58.53F	6.83F

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YR EST P= PRIOR YEAR; S= SECOND YR EST; T= THIRD YR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

30-APR-2007 16:58:34

PAGE -88- OF -643-

622UPD [1,0,0,2] 7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
 2006 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
3038		SR 595/USA 19/SEMINOLE BLVD, N OF 102ND AVE	N	21000	S	20500	41500 C	9.88F	58.53F	2.56A
3043		SR686/E BAY DRIVE, S OF 28TH STREET N	N	42000	S	28000	70000 C	9.88F	58.53F	4.48A
3046		US 92/SR 600/GANDY BLVD, W OF GANDY BRIDGE	E	17000E	W	18000E	35000 E	9.88F	58.53F	5.86F
3075		SR 682/PINELLAS BAYWAY S, E OF GRANADA	E	12000	W	12000	24000 C	9.88F	58.53F	3.55F
5004		SR 584/HILLSBOROUGH AVE, W OF ST PETE DR	E	27500	W	26500	54000 C	9.88F	58.53F	3.24A
5010		US 92/SR 687/4TH ST N, NORTH OF I-375	N	11500	S	14000	25500 C	9.88F	58.53F	1.44A
5011		US 92/SR 687/4TH ST N, N OF 22ND AVE N/CR 690	N	17500	S	18000	35500 C	9.88F	58.53F	1.87A
5019		USA 19/SR 595/5TH AVE N, W OF 58TH ST N	E	9700	W	10000	19700 C	9.88F	58.53F	3.60A
5020		USA 19/SR 595/59TH ST, N OF 5TH AVE N	N	8900	S	9900	18800 C	9.88F	58.53F	2.79A
5028		US19/SR55/34TH ST N, S OF SR694/GANDY & PARK BLVDS	N	31500	S	30000	61500 C	9.88F	58.53F	3.11A
5029		US 19/SR 55, N OF SR 694/GANDY & PARK BLVDS	N	35000	S	32500	67500 C	9.88F	58.53F	3.22A
5031		SR 694/PARK BLVD, W OF US 19/SR 55	E	26500	W	25500	52000 C	9.88F	58.53F	2.95A
5034		SR 694/PARK BLVD, E OF 66TH ST/SR 693	E	25000	W	23000	48000 C	9.88F	58.53F	3.59A
5036		SR 595/USA 19/ W BAY DR, W OF SR 651/MISSOURI AVE	E	19500	W	22000	41500 C	9.88F	58.53F	3.03A
5039		SR686/E BAY DR, E OF USA19/SR595,651/SEMINOLE BLVD	E	22500	W	23000	45500 C	9.88F	58.53F	3.04A
5040		SR 595/USA 19/SEMINOLE BLVD, N OF 5TH AVE SW	N	20800E	S	20000E	40800 E	9.88F	58.53F	2.92F

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YR EST P= PRIOR YEAR; S= SECOND YR EST; T= THIRD YR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

FLORIDA DEPARTMENT OF TRANSPORTATION
2006 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5044		USA19/SR595/FT HARRISON AV, S OF SR60/CLEVELAND ST	N	12000	S	12000	24000 C	9.88F	58.53F	2.72F
5046		SR 595/USA 19/FT HARRISON AVE, S OF SR 590/DREW ST	N	11000	S	8700	19700 C	9.88F	58.53F	2.27A
5048		SR 595/USA 19/N FT HARRISON AVE, N OF CEDAR ST	N	8600	S	8600	17200 C	9.88F	58.53F	2.83A
5050		SR 590/DREW ST, E OF USA 19/SR 595/FT HARRISON AV	E	3800	W	4300	8100 C	9.88F	58.53F	2.31A
5051		SR 590/DREW ST, E OF N MYRTLE ST/CR 595B	E	6100	W	6500	12600 C	9.88F	58.53F	1.78A
5052		SR 590/DREW ST, E OF MISSOURI AVE	E	9500	W	10500	20000 C	9.88F	58.53F	1.99A
5054		SR 590/DREW ST, W OF SATURN AVE/CR 548	E	12500	W	12000	24500 C	9.88F	58.53F	2.54F
5055		SR60/CLEVELAND ST, E OF USA19/SR595/FT HARRISON AV	E	2200	W	3600	5800 C	9.88F	58.53F	3.44F
5058		SR 60/CLEVELAND ST, W OF EVERGREEN AVE	E	6700	W	7600	14300 C	9.88F	58.53F	3.43A
5059		SR 60/GULF TO BAY BLVD, W OF HIGHLAND AVE	E	4000	W	5900	9900 C	9.88F	58.53F	2.90A
5060		SR 60/GULF TO BAY BLVD, E OF HIGHLAND AVE 3021	E	23000	W	23000	46000 C	9.88F	58.53F	3.32A
5062		SR 595/USA 19/EDGEWATER DR, S OF BELTREES ST	N	8800	S	8600	17400 C	9.88F	58.53F	2.63A
5064		USA 19/SR 595/EDGEWATER DR, S OF SR 580/MAIN ST	N	9300	S	9600	18900 C	9.88F	58.53F	2.24A
5066		USA19/SR595/BROADWAY BAYSHORE DR, N OF SAN JOSE DR	N	11000	S	11000	22000 C	9.88F	58.53F	2.84A
5068		SR 595/USA 19/BROADWAY BAYSHORE BL, N OF PALM BLVD	N	12500	S	12500	25000 C	9.88F	58.53F	3.07A
5070		SR580/MAIN ST,E OF SKINNER,BASS BLVDS,ORANGE AVE	E	9900	W	9500	19400 C	9.88F	58.53F	2.79A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YR EST P= PRIOR YEAR; S= SECOND YR EST; T= THIRD YR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

30-APR-2007 16:58:34

PAGE -90- OF -643-

622UPD [1,0,0,2] 7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2006 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
5078		US 19/SR55/34TH ST S, S OF 22ND AVE S/CR138	N	16500	S	18000	34500 C	9.88F	58.53F	3.87F
5082		SR55/US19/34TH ST N, SOUTH OF 5TH AVE N	N	19500	S	19500	39000 C	9.88F	58.53F	3.18A
5084		US 19/SR 55/34TH ST N, S OF 38TH AVE N/CR 184	N	25000E	S	24000E	49000 E	9.88F	58.53F	3.11F
5085		SR 55/US 19/34TH ST N, S OF 22ND AVE N/CR 690	N	21000	S	21500	42500 C	9.88F	58.53F	3.08A
5087		SR 694/GANDY BLVD., EAST OF 9TH STREET	E	13000	W	13500	26500 C	9.88F	58.53F	5.86A
5088		SR 699/GULF BLVD, S OF 100TH AVE	N	11500	S	11000	22500 C	9.88F	58.53F	4.52F
5089		SR699/GULF BLVD, S OF SR666/150TH AV/T STUART CSWY	N	15000	S	13500	28500 C	9.88F	58.53F	4.52F
5091		SR 699/GULF BLVD, S OF SR 688/5TH AVE	N	6700	S	6800	13500 C	9.88F	58.53F	6.00A
5095		SR699/GULF BLVD,N OF SR666/150TH AVE/T STUART CSWY	N	7400	S	7200	14600 C	9.88F	58.53F	3.55A
5096		SR595/USA19/S FT HARRISON AVE, N OF BELLEVIEW BLVD	N	12000	S	11500	23500 C	9.88F	58.53F	2.92A
5097		SR 60/MEMORIAL CSWY,W OF MEMORIAL CSWY BRIDGE 3019	E	29000E	W	29000E	58000 E	9.88F	58.53F	3.80A
5104		4TH ST. N, NORTH OF 116TH AVENUE	N	14000E	S	16000E	30000 E	9.88F	58.53F	2.95A
5106		SR 595/USA 19/5TH AV N, E OF US 19/SR 55/34TH ST N	E	10500	W	10000	20500 C	9.88F	58.53F	2.85A
5107		SR595/USA19/5TH AV N, W OF US19/SR55/34TH ST N3059	E	11000	W	11000	22000 C	9.88F	58.53F	2.92F
5111		USA19/SR595/TYRONE BLVD, E OF USA19A/SR693/66TH ST	E	17000E	W	19000E	36000 E	9.88F	58.53F	2.70A
5112		USA19/SR595/TYRONE BLVD, W OF USA19A/SR693/66TH ST	E	19500	W	17500	37000 C	9.88F	58.53F	2.92F

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YR EST P= PRIOR YEAR; S= SECOND YR EST; T= THIRD YR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

30-APR-2007 16:58:34

PAGE -91- OF -643-

622UPD [1,0,0,2] 7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2006 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
5113		SR 595/USA 19/CLEARWATER-LARGO RD, S OF ROSERY RD	N	13000	S	13500	26500 C	9.88F	58.53F	2.75A
5114		USA19A/SR693/66TH ST N, N OF 9TH STREET	N	19000	S	18000	37000 C	9.88F	58.53F	2.48A
5116		SR 682/54TH AVE S, W OF US 19/SR 55/34TH ST S 3070	E	15000E	W	17000E	32000 E	9.88F	58.53F	3.01A
5117		US 19/SR 55, N OF SR 682/54TH AVE S	N	12500	S	14000	26500 C	9.88F	58.53F	4.56A
5118		SR693/US ALT19/66TH ST N, N OF SR595/TYRONE BLVD	N	20000	S	19500	39500 C	9.88F	58.53F	2.97F
5120		ALT 19 NORTH OF NEBRASKA AVE	N	12000	S	12500	24500 C	9.88F	58.53F	3.13F
5127		SR 686/E BAY DR, W OF CR 1/KEENE, STARKEY RDS 3030	E	27500	W	27500	55000 C	9.88F	58.53F	3.80F
5129		USA19/SR595/SEMINOLE BLVD, N OF SR 688/ULMERTON RD	N	21000	S	19000	40000 C	9.88F	58.53F	2.63A
5131		USA 19/SR 595/SEMINOLE BLVD, S OF 94TH AVE	N	19000	S	19000	38000 C	9.88F	58.53F	2.47A
5132		USA 19/SR 595/SEMINOLE BLVD, N OF CR 694/PARK BLVD	N	20500	S	20000	40500 C	9.88F	58.53F	2.44A
5134		USA 19/SR 595/SEMINOLE BLVD, N OF 50TH AVE	N	18000	S	17500	35500 C	9.88F	58.53F	2.61A
5135		USA 19/SR 595/BAY PINES BLVD, W OF 100TH WAY	E	24500	W	24000	48500 C	9.88F	58.53F	2.92F
5140		SR693/USA 19/66TH ST N, S OF SR694/CR694/PARK BL	N	20000	S	18500	38500 C	9.88F	58.53F	3.93A
5141		US 92/SR 687/4TH ST N, SOUTH OF GANDY BLVD.	N	18500	S	17000	35500 C	9.88F	58.53F	3.09P
5144		US 19/SR55/34TH ST N, S OF 64TH AVE N/CR216	N	25000	S	26500	51500 C	9.88F	58.53F	3.28A
5147		SR 699/GULF BLVD, N OF SR 682/PINELLAS BAYWAY S	N	13000	S	12500	25500 C	9.88F	58.53F	4.82A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YR EST P= PRIOR YEAR; S= SECOND YR EST; T= THIRD YR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

30-APR-2007 16:58:34

PAGE -92- OF -643-

622UPD [1,0,0,2] 7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2006 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5149		SR 699/GULF BLVD, S OF BLIND PASS RD & 68TH AVE	N	14000	S	13500	27500 C	9.88F	58.53F	4.52F
5154		SR 699/BLIND PASS RD, N OF 87TH AVE	N	13500	S	13500	27000 C	9.88F	58.53F	3.87A
5157		SR 693/75TH AV/ST PETE BCH CSWY, NE OF SR 699	E	15500	W	15500	31000 C	9.88F	58.53F	3.38F
5159		USA 19/SR 595/S PINELLAS AV, S OF SR 582/TARPON AV	N	9400	S	8300	17700 C	9.88F	58.53F	3.34A
5160		SR 595/USA 19/N PINELLAS AV, N OF SR 582/TARPON AV	N	10800E	S	9000E	19800 E	9.88F	58.53F	3.13F
5164		SR 582/TARPON AVE, WEST OF US 19	E	8600	W	8600	17200 C	9.88F	58.53F	3.37A
5165		US 19/SR 55, SOUTH OF TARPON AVE.	N	36500	S	38500	75000 C	9.88F	58.53F	3.22F
5175		SR 651/COURT ST, W OF HIGHLAND AVE	E	16500	W	16000	32500 C	9.88F	58.53F	3.58A
5179		SR 651, S OF COURT ST	N	15000	S	14000	29000 C	9.88F	58.53F	2.99F
5180		SR 586/CURLEW RD, W OF SR 584/CR 584/TAMPA RD 3009	E	10500	W	12000	22500 C	9.88F	58.53F	2.45A
5181		SR 586, E OF SR 595/US ALT 19	E	6600	W	6600	13200 C	9.88F	58.53F	4.23A
5182		SR 586/CURLEW RD, W OF US 19/SR 55 3014	E	15500	W	13500	29000 C	9.88F	58.53F	2.98A
5183		SR 586/CURLEW RD, E OF US 19/SR 55	E	18000	W	18000	36000 C	9.88F	58.53F	2.67A
5185		SR 590/DREW STREET, E OF BELCHER RD.	E	13000	W	11000	24000 C	9.88F	58.53F	2.94A
5188		SR 595/USA 19/5TH AVE N, E OF 19TH ST N	E	7500	W	7900	15400 C	9.88F	58.53F	2.38F
5189		SR 687/US 92/3RD ST N(NB), N OF CENTRAL AVE	N	12000		0	12000 C	9.88F	99.99W	2.18A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YR EST P= PRIOR YEAR; S= SECOND YR EST; T= THIRD YR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

30-APR-2007 16:58:34

PAGE -93- OF -643-

622UPD [1,0,0,2] 7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2006 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
5190		4TH ST., SB, NORTH OF CENTRAL AVE.	S	11000		0	11000 C	9.88F	99.99W	1.43A
5192		4TH ST., SB, SOUTH OF 5TH AVE. N., SR 595/US 19A	S	13000E		0E	13000 E	9.88F	99.99W	1.43F
5193		SR 595/4TH AVE N, W OF 4TH ST N/US92/SR687	E	9900		0	9900 C	9.88F	99.99W	2.04A
5194		US 19/SR 595/5TH AV N, W OF US 92/SR 687/4TH ST N	W	11500		0	11500 C	9.88F	99.99W	1.98A
5196		SR595/USA19/5TH AV N, E OF SR689/ML KING ST/9TH ST	W	5300		0	5300 C	9.88F	99.99W	2.89A
5197		SR 595/4TH AVE N, W OF 9TH ST N	E	5700		0	5700 C	9.88F	99.99W	2.32A
5198		USA19/SR595/5TH AV N, W OF SR689/ML KING ST/9TH ST	E	2000	W	6600	8600 C	9.88F	58.53F	2.06A
5300		SR 651/MISSOURI AVE, SOUTH OF LAKEVIEW DR	N	17000	S	16000	33000 C	9.88F	58.53F	2.75A
5301		SR 586/CURLEW RD, WEST OF MCMULLEN-BOOTH RD	E	18000	W	17000	35000 C	9.88F	58.53F	1.09P
5302		SR 595/ALT US 19/TYRONE BLVD, EAST OF PARK ST	E	25000E	W	25000E	50000 E	9.88F	58.53F	2.58A
5304		SR 686/E BAY DR, W OF US 19/SR 55	E	29500	W	29500	59000 C	9.88F	58.53F	2.92A
5309		SR 693/66TH ST, NORTH OF BRIAN DAIRY RD	N	17500	S	17000	34500 C	9.88F	58.53F	3.54F
5310		SR 580/MAIN ST, W OF BELCHER RD/CR 501	E	24000	W	23000	47000 C	9.88F	58.53F	3.62F
5311		SR 580, EAST OF US 19	E	18500	W	17500	36000 C	9.88F	58.53F	3.30A
5312		SR 580, WEST OF SR 590	E	17000	W	16500	33500 C	9.88F	58.53F	3.62F
5313		SR 580/TAMPA RD, W OF ST CLAIRE AVE.	E	17500	W	17500	35000 C	9.88F	58.53F	3.62F

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YR EST P= PRIOR YEAR; S= SECOND YR EST; T= THIRD YR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

30-APR-2007 16:58:34

PAGE -94- OF -643-

622UPD [1,0,0,2] 7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
 2006 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5314		SR 687/US 92/4TH ST, NORTH OF 38TH AVE	N	18000	S	18000	36000 C	9.88F	58.53F	2.80F
5316		SR 688/ULMERTON RD, WEST OF SR 55/US 19	E	23500	W	22000	45500 C	9.88F	58.53F	7.77A
5318		SR 55/US 19, SOUTH OF 62ND ST N	N	25000	S	25500	50500 C	9.88F	58.53F	3.11F
5320		SR 55/US 19, SOUTH OF C-79/KLOSTERMAN RD	N	39000	S	40000	79000 C	9.88F	58.53F	3.42A
5322		SR 55/US 19/34TH ST, SOUTH OF PINELLAS POINT DR.	N	4500	S	3900	8400 C	9.88F	99.99W	3.76A
5323		SR 93/I-275, NORTH OF PINELLAS POINT DR.	N	18500	S	26000	44500 C	9.88F	58.53F	8.89A
5324		SR 679/PINELLAS BAYWAY, N OF 7TH ST (TIERRA VERDE)	N	5200	S	5200	10400 C	9.88F	58.53F	5.76F
5325		SR 693/PASADENA AVE, SOUTH OF 1ST AVE.	N	17500	S	16000	33500 C	9.88F	58.53F	3.47A
5400		SR 595/ALT US 19, SOUTH OF KLOSTERMAN ROAD	N	11500	S	10500	22000 C	9.88F	58.53F	4.65A
5401		SR 590, S OF SR 580	N	5900	S	6200	12100 C	9.88F	58.53F	3.36A
5402		SR 580/MAIN ST., AT SAFETY HARBOR BRIDGE	E	19000	W	18500	37500 C	9.88F	58.53F	3.93A
5403		REALIGNED SR 580 IN DUNEDIN, E OF SR 595/ALT US 19	E	5700	W	5900	11600 C	9.88F	58.53F	4.34A
5404		SR 688/ULMERTON RD., W OF BELCHER RD	E	26500	W	27000	53500 C	9.88F	58.53F	6.59A
5405		SR 93/I-275, NORTH OF SR 688/ULMERTON RD.	N	59500	S	58000	117500 C	9.53F	51.46F	7.38A
5406		SR 93/I-275, SOUTH OF PINELLAS POINT DR.	N	26000	S	25500	51500 C	9.88F	58.53F	8.93A
5500		SR 586/CURLEW RD, W OF BELCHER RD	E	11500	W	11000	22500 C	9.88F	58.53F	3.08F

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YR EST P= PRIOR YEAR; S= SECOND YR EST; T= THIRD YR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

30-APR-2007 16:58:34

PAGE -95- OF -643-

622UPD [1,0,0,2] 7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
 2006 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
5501		ALT US 19/5TH AV N, W OF 11TH ST N	E	2800	W	5300	8100 C	9.88F	58.53F	2.13A
5502		SR 580/MAIN ST, W OF PINEHURST	E	13500	W	14000	27500 C	9.88F	58.53F	3.62F
5503		SR55/US19, N OF NEBRASKA AVE	N	41500	S	40500	82000 C	9.88F	58.53F	2.63A
5504		SR 693/PASADENA AV, N OF 1ST AV N	N	12000	S	11000	23000 C	9.88F	58.53F	2.97F
5505		SR 694/GANDY BLVD, W OF I-275	E	30000	W	31500	61500 C	9.88F	58.53F	4.49F
5506		SR 694/GANDY BLVD, E OF I-275	E	25500	W	24000	49500 C	9.88F	58.53F	4.66A
7000		SR 682/54TH AVE S, EAST BOUND, W OF US 19/34TH ST	E	7900		0	7900 C	9.88F	58.53F	3.84A
7001		SR 682/54TH AVE S, W BOUND, W OF 37TH ST S.	W	9200		0	9200 C	9.88F	58.53F	3.15A
7002		I275 RAMP EAST BOUND, E OF 41ST S	W	7600		0	7600 C	9.88F	58.53F	3.20A
7003		SR 628/54TH AVE S WEST BOUND, W OF 41ST S.	W	17000		0	17000 C	9.88F	58.53F	2.69A
7004		SR 682/54TH AVE S, EAST BOUND, E OF 41ST S.	E	16500		0	16500 C	9.88F	58.53F	2.86A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YR EST P= PRIOR YEAR; S= SECOND YR EST; T= THIRD YR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

