

# Civil Aviation Rules



## **Part 1**

### **CAA Consolidation**

**9 October 2008**

### **Definitions and Abbreviations**

## DESCRIPTION

Part 1 contains the definitions and abbreviations used in the Civil Aviation Rules to facilitate the interpretation of those rules.

Part 1 includes–

- Definitions of specific terms used in the Rule Parts
- Abbreviations used in the Rule Parts

**This document is the current consolidated version of Part 1 produced by the Civil Aviation Authority, and serves as a reference only. It is compiled from the official ordinary rules that have been signed into law by the Minister of Transport and rule amendments that have been made by Parliament in Civil Aviation Amendment Acts. Copies of the official rules and amendments may be obtained from the Civil Aviation Authority or may be downloaded from the official web site at:**  
**[www.caa.govt.nz](http://www.caa.govt.nz)**

**Bulletin**

This Part first came into force on 17 June 1993 and now incorporates the following amendments:

<b>Amendment</b>	<b>Effective Date</b>
Amendment 1	7 October 1993
Amendment 2	1 September 1994
Amendment 3	30 October 1994
Amendment 4	9 February 1995
Amendment 5	25 May 1995
Amendment 6	14 November 1995
Amendment 7	28 November 1996
Amendment 8	1 April 1997
Amendment 9	25 December 1997
Amendment 10	1 January 1998
Amendment 11	1 January 1998
Amendment 12	23 April 1998
Amendment 13	30 April 1999
Amendment 14	21 October 1999
Amendment 15	21 October 1999
Amendment 16	24 January 2002
Amendment 17	24 January 2002
Amendment 18	24 January 2002
Amendment 19	1 April 2002
Amendment 20	1 July 2002
Amendment 21	1 July 2002
Amendment 22	1 August 2003
Amendment 23	1 August 2003
Amendment 24	12 December 2003
Amendment 25	1 June 2004
Amendment 26	5 August 2004
Amendment 27	25 November 2004
Amendment 28	1 May 2006
Amendment 29	1 January 2006
Amendment 30	11 May 2006
Amendment 31	22 June 2006
Amendment 32	12 October 2006
Amendment 33	1 March 2007
Amendment 34	30 March 2007
Amendment 34A	26 September 2007
Amendment 35	25 October 2007

Amendment 36	22 November 2007
Amendment 37	18 January 2008
Amendment 38	12 June 2008
Amendment 39	9 October 2008

*Summary of amendments:*

- Amendment 1:  
(Docket 1060)
- Amending the definition: **maintenance**.
- Revoking the following definitions: **major maintenance** and **minor maintenance**.
- Inserting the definition: **Overhaul**.
- Amendment 2:  
(Docket 1036)
- Inserting the following definitions: **Aeronautical Information Circular, Aeronautical Information Publication, Aeronautical Information Service, AIRAC, AIP Amendment, AIP service, AIP Supplement, Certificated organisation, Flight Information Region, Integrated Aeronautical Information Package, International NOTAM office, New Zealand Aeronautical Information Publications, NOTAM service, Pre-flight information bulletin and Pre-flight information service**.
- Revoking the abbreviation: **AIS**.
- Inserting the following abbreviations: **AIC, AIP, AIS, FIR, NOF, NZAIP, PIB, and RVR**.
- Amendment 3:  
(Docket 1033)
- Revoking the definition: **agricultural operations**.
- Inserting the following definitions: **Agricultural aircraft operation, Agricultural chemical, Altitude, and Commercial agricultural aircraft operation**.

- Amendment 4:  
(Docket 1003/17)
- Revoking the definition: **Aircraft of the same type.**
- Amending the definition: **Maximum certificated take-off weight.**
- Inserting the following definitions: **Aircraft engine, Civil Aviation Rules, Configuration, Propeller and Type.**
- Inserting the abbreviation: **CAR.**
- Amendment 5:  
(Docket 1030)
- Revoking the definition: **Maintenance.**
- Inserting the following definitions: **Aircraft radio station, Detailed inspection, Flight manual, Maintenance, Major modification, Major repair, Modification, Progressive inspection, Required inspection, and Routine inspection.**
- Inserting the following abbreviations: **ATC, ATCRBS, CBIP, dbm, dbw, DF, NDT, RF, RPM, UF and VSWR.**
- Amendment 6:  
(Docket 1047)
- Inserting the following definitions: **Class B cargo or baggage compartment and Dangerous goods.**
- Amendment 7:  
(Docket 1089)
- Revoking the definition: **New Zealand registered aircraft.**
- Inserting the following definitions: **Airship, Heavier-than-air aircraft, Lighter-than-air aircraft, New Zealand registered aircraft, New Zealand Register of Aircraft and New Zealand certificate of Registration.**
- Amendment 8:
- Revoking the following definitions: **Aerial work operations, Air transport operations, Major modification, Major repair, Modification, Private operations, Rating, and Special operations.**
- Inserting the following definitions:

**Accelerate-stop distance available, Adequate aerodrome, Aerobatic flight, Aerodrome traffic zone, Aeronautical product, Aircraft flight manual, Air operator security programme, Air transport operation, Airworthiness certificate, Airworthiness directive, Airworthy condition, Appliance, Area navigation, ATC clearance, Augmented crew, Aviation event, Aviation Security Service, Baggage, Cargo, Category II precision approach procedure, Category III precision approach procedure, Ceiling, Class 1 microlight aircraft, Class 2 microlight aircraft, Class 3(a) fuel, Class 3(b) fuel, Clearance limit, Clearway, Component, Condition monitored maintenance, Congested area, Contaminated, Controlled airspace, Cost sharing flight, Current, Day, Decision altitude, Decision height, Design change, Disabled passenger, Dry, Emergency airworthiness directive, Emergency parachute, Escorted passenger, Extended over-water operation, Extended-range twin engine operations, Final reserve fuel, Firearm, Flight attendant, Flight crew member, Flight following flight plan, Flight level, Foreign air transport operation, Formation flight, Fully functioning dual controls, General aviation area, Gliding organisation, Hang glider, Hang gliding organisation, Height, Hover, Landing distance available, Lifed, Mach Number, Main parachute, Major modification, Major repair, Manufacturer's maintenance programme, Microlight organisation, Minimum descent altitude, Minimum descent height, Modification, Newly overhauled, Operating cycle, Operational**

**flight plan, Operations specifications, Originating aircraft, Parachute, Parachute assembly Parachute drop zone, Parachute landing zone, Parachute Landing area, Parachute organisation, Paraglider, Precision approach procedure, Pressure altitude, Product, Rating, Regular air transport passenger service, Regular air transport service, Repair, Required navigation performance, Reserve parachute, RNP type, Runway visual range, Security control, Shore, Specification, Standard part, Take-off distance available, Take-off run available, Take-off weight, Taxi, Technical data, Technical instructions, Time in service, Traffic Load, Turbine powered, Turbofan, Turbojet, Turboprop, Unlawful interference, Valid, Variant, Visibility and Wet.**

Inserting the following abbreviations: **AD, AGL, AMSL, AQP, ATZ, BTPD, BTPS, CRM, DA, DH, EET, ELT, ELT(S), EPIRB, ETA, ETOPS, FAR, GAA, GPS, MDA, MEL, MNPS, MTOPP, NZPMA, NZTSO, PDZ, PLA, QFE, QNH, RNAV, RNP, RVSM, SFAR, STPD, TCAD, TCAS, TSO, V<sub>1</sub>, V<sub>2</sub>, V<sub>EF</sub>, V<sub>S</sub> and VSM.**

Amendment 9:  
(Docket 1259/53)

Inserting the following definitions: **Amateur built aircraft, Amateur constructor, Date of manufacture, Operable.**

Amendment 10:  
(Docket 1052)

Revoking the definition: **Flight manual.**

Inserting the following definitions: **Aerodrome control tower, Approach control office, Apron management service, Area control centre, ATC instruction, ATS unit, Basic weather report, Control area, Controlled flight, Cruising level, Document, Flight information centre, Flight plan,**

**Level, Meteorological information, SARTIME, Serious incident and SIGMET information.**

Inserting the following abbreviations: **ACC, FIC, GPWS** and **UTC**.

Amendment 11:  
(Docket 1037/1106)

Inserting the following definitions: **Air traffic advisory service, Control area, Geographical co-ordinates, New Zealand Air Navigation Register** and **Reporting point**.

Amendment 12:  
(98/CAR/1300)

Amending the definition of **RNP type** to **RNP performance**.

Inserting the following abbreviations: **BRNAV** and **LRNS**.

Amendment 13:  
(98/CAR/1303)

Revoking the following definitions: **Air transport operation, Cost sharing flight, Crew member, Flight plan, and Passenger**.

Inserting the following definitions: **Air operation, Air transport operation, Alternate aerodrome, Commercial transport operation, Cost sharing flight, Crew member, Flight following service, Flight plan, Health and usage monitoring system, Maintenance manual, Passenger, Remote aerodrome, and Translation circuit**.

Inserting the following abbreviations: **ARC, ARFL, HUMS** and **OGE**.

Amendment 14:  
(98/CAR/1314)

Revoking the definition: **Foreign air transport operation**.

Amendment 15:  
(99/CAR/1327)

Inserting the following definitions: **Empty weight, Justifiable aircraft equipment, Maximum zero fuel weight, Payload capacity** and **SEIFR passenger operation**.

Inserting the following abbreviations: **IFSD**



and **SEIFR**.

Amendment 16:  
(1/CAR/1359)      Revoking the following definitions: **Flight following flight plan, Flight plan** and **SARTIME**.

Inserting the following definitions: **Air traffic services unit, Flight plan** and **SARTIME**.

Amendment 17:  
(1/CAR/1346)      Revoking the definition: **New Zealand registered aircraft**.

Inserting the following definitions: **Three view** and **New Zealand registered aircraft**.

Amendment 18:  
(1/CAR/1325)      Inserting the following definitions: **Aeronautical facility, Aeronautical Telecommunication service, Aeronautical telecommunication service certificate, Critical performance parameter** and **ICAO Annex**.

Amendment 19:  
(ACT 87/2001)      Revoking the following definitions: **Aviation Medical Assessor, Designated medical examiner**, and **Flexibility**.

Revoking and substituting the definition: **Valid**.

Amendment 20:  
(1/CAR/1361)      Inserting the following definitions: **Aerodrome Frequency Response Unit, Aeronautical mobile service, Aeronautical station, Altimeter setting (QNH), AWIB Service, Broadcast, Meteorological service, Traffic information**, and **UNICOM Service**.

Inserting the following abbreviations: **AFRU** and **AWIB**.

Amendment 21:  
(97/CAR/1255)      Revoking the following definitions: **Aircraft Component** and **Aircraft flight manual**.

Inserting the definition: **Turboshaft**.

Revoking and substituting the following

---

	definitions: <b>Category III precision approach procedure, Component, Flight manual, Helicopter, and Turbine powered.</b>
Amendment 22: (2/CAR/4)	Inserting the abbreviation: <b>TAWS</b>
Amendment 23: (2/CAR/2)	Inserting the abbreviation: <b>ACAS</b>
Amendment 24: (1/CAR/1358)	Revoking and substituting the definition: <b>Agricultural Aircraft Operation</b>
Amendment 25 (CA Amendment Act 2004)	Revoking and substituting the definition: <b>Dangerous goods</b>
Amendment 26 (98/CAR/1304)	Revoking and replacing the following definitions: <b>Aerodrome traffic, Day, Flight level, New Zealand Air Navigation Register, Night.</b>  Inserting the following definitions: <b>Auckland Oceanic Flight Information Region, Elevation, New Zealand Flight Information Region, Special VFR flight.</b>  Revoking the definition: <b>Parachute drop zone.</b>  Revoking the abbreviation: <b>PDZ.</b>
Amendment 27 (2/CAR/5)	Revoking and replacing the following definitions: <b>Crew member, Empty weight, Flight attendant, Flight crew member, Flight time.</b>
Amendment 28 (4/CAR/1)	Inserting the definition: <b>General direction</b>  Inserting the following abbreviations: <b>AMC, ME1 and ME2.</b>

Amendment 29  
(4/CAR/10) Inserting the following definitions: **Carry on baggage, Transfer baggage, Transit baggage.**

Amendment 30  
(2/CAR/1), (4/CAR/9) Inserting the following definitions: **Appropriate, Flight instructor, Multi-pilot aircraft, Single-pilot aircraft**

Inserting the abbreviation: **AIPNZ**

Revoking and substituting the following definitions: **Aircraft category and category of aircraft; Flight examiner**

Amendment 31  
(3/CAR/4) Inserting the following definitions: **Contingency fuel, State of registry, Taxi fuel, Trip fuel**

Revoking and substituting the following definitions: **Aeronautical Information Circular, Aeronautical Information Publication New Zealand, Aeronautical telecommunication service certificate, AIP Amendment, AIP service, AIP Supplement, Aviation Security Service, Foreign aircraft, Glider, Gliding organisation, Hang glider, Hang gliding organisation, Integrated Aeronautical Information Package, Microlight organisation, Parachute organisation, Technical Instructions**

Revoking and substituting the abbreviation: **AIPNZ**

Revoking the definition: **Aerodrome traffic zone**

Revoking the following abbreviations: **ATZ, NZAIP**

Amendment 32 Inserting the following definitions:

(4/CAR/2)

**Declared distance, Instrument Runway, Runway end safety area, Runway strip, Stopway**

Inserting the following abbreviations:  
**ASDA, LDA, RESA, TODA, TORA**

Amendment 33  
(1/CAR/1357)

Revoking and substituting the following definitions:

**Airworthiness data, Airworthiness directive, Emergency airworthiness directive, Lifer, Standard part**

Inserting the following definitions:

**Control system, Defect, ICAO Contracting State, Instructions for continued airworthiness, Maintenance Logbook, Priority part, State of Design, Technical arrangement, Technical log**

Revoking and substituting the following abbreviations:

**dBm, dBW**

Amendment 34  
(Civil Aviation  
(Amendment) Act  
2004)

Inserting the following definitions:

**Australia AOC with ANZA privileges, New Zealand AOC with ANZA privileges**

Inserting the abbreviation: **ANZA**

Amendment 34A  
(Civil Aviation  
Amendment Act 2007)

Repealing the definition:

**Sterile area**

Amendment 35  
(5/CAR/3)

Revoking the following definitions:

**Class 3(a) fuel, Class 3(b) fuel**

Inserting the following definitions:

**Class 3.1A— Flammable Liquid, Class 3.1C**

**Flammable liquid, Class 3.1D Flammable liquid**

Amendment 36  
(4/CAR/8)

Inserting the following definitions:

**Emergency locator transmitter, Emergency locator transmitter (automatic fixed), Emergency locator transmitter (survival), Emergency position indicating radio beacon, Personal locator beacon**

Inserting the following abbreviations:

**ELT (AF) and PLB**

Amendment 37  
(Civil Aviation  
Amendment Act 2007)

Inserting the following definition:

**Security enhanced area**

Amendment 38  
(4/CAR/7)

Revoking the definition: **Health and usage monitoring system.**

Inserting the definition: **Automatic engine data recording system.**

Revoking the abbreviation: **HUMS**

Inserting the abbreviation: **AEDRS**

Amendment 39  
(4/CAR/3)

Revoking and replacing the following definitions:

**Screening, Security control, Unlawful interference.**

Inserting the following new definitions:

**Air operator, Declaration of security, Known customer, Mail, Regulated air cargo agent and Statement of content.**

## List of

1.1	General definitions.....	15
1.3	Abbreviations.....	59

## 1.1 General definitions

In rules made under the Act, unless the context otherwise requires—

**Accelerate-stop distance available** means the length of the take-off run available plus the length of any stopway:

**Accident** means an occurrence that is associated with the operation of an aircraft and takes place between the time any person boards the aircraft with the intention of flight and such time as all such persons have disembarked and the engine or any propellers or rotors come to rest, being an occurrence in which—

- (1) a person is fatally or seriously injured as a result of—
  - (i) being in the aircraft; or
  - (ii) direct contact with any part of the aircraft, including any part that has become detached from the aircraft; or
  - (iii) direct exposure to jet blast—

except when the injuries are self-inflicted or inflicted by other persons, or when the injuries are to stowaways hiding outside the areas normally available to passengers and crew; or
- (2) the aircraft sustains damage or structural failure that—
  - (i) adversely affects the structural strength, performance, or flight characteristics of the aircraft; and
  - (ii) would normally require major repair or replacement of the affected component—

except engine failure or damage that is limited to the engine, its cowlings, or accessories, or damage limited to propellers, wing tips, rotors, antennas, tyres, brakes, fairings, small dents, or puncture holes in the aircraft skin; or
- (3) the aircraft is missing or is completely inaccessible:

**Accredited medical conclusion** means the conclusion reached, regarding the medical fitness of an applicant for a medical certificate, by one or

more medical experts acceptable to the Director for the purposes of the case concerned:

**Act** means the Civil Aviation Act 1990:

**Adequate aerodrome**, in relation to ETOPS, means an aerodrome that—

- (1) is associated with a Part 139 certificate or meets safety requirements equivalent to such an aerodrome; and
- (2) has suitable facilities and services available, for the aeroplane type concerned, that include—
  - (i) ATC or an aerodrome flight information service; and
  - (ii) a meteorological reporting service; and
  - (iii) at least one instrument approach procedure; and
  - (iv) a visual approach slope indicator system for turbojet and turbofan powered aeroplanes; and
  - (v) sufficient lighting:

**Aerobatic flight** means—

- (1) an intentional manoeuvre in which the aircraft is in sustained inverted flight or is rolled from upright to inverted or from inverted to upright position; or
- (2) manoeuvres such as rolls, loops, spins, upward vertical flight culminating in a stall turn, hammerhead or whip stall, or a combination of such manoeuvres:

**Aerodrome**—

- (1) means any defined area of land or water intended or designed to be used either wholly or partly for the landing, departure, and surface movement of aircraft; and



- (2) includes any buildings, installations, and equipment on or adjacent to any such area used in connection with the aerodrome or its administration:

**Aerodrome control service** means an air traffic control service provided for the control of aerodrome traffic:

**Aerodrome control tower** means a unit established to provide ATC service to aerodrome traffic:

**Aerodrome flight information service** means a service provided for the purpose of giving advice and information useful for the safe and efficient conduct of flights in the vicinity of an aerodrome:

**Aerodrome Frequency Response Unit** means a ground based VHF radio, which on receipt of a modulated VHF transmission from an aircraft on the appropriate frequency, automatically transmits either a voice or a tone response to confirm the pilot's radio frequency selection:

**Aerodrome operational area** means—

- (1) the movement area at an aerodrome and its associated strips and safety areas; and
- (2) any ground installation or facility provided at an aerodrome for the safety of aircraft operations:

**Aerodrome traffic** means—

- (1) all traffic on the manoeuvring area of an aerodrome; and
- (2) all aircraft flying in the vicinity of an aerodrome:

**Aerodrome traffic circuit** means the pattern flown by aircraft operating in the vicinity of an aerodrome:

**Aeronautical facility** means—

- (1) the various types of communication systems used for an aeronautical broadcasting service, or an aeronautical fixed service, that supports IFR flight or an air traffic service; or

- (2) the ground elements of the various types of communication systems used for an aeronautical mobile service; or
- (3) the various types of radio navigation aids used for the aeronautical radio navigation service; or
- (4) any other type of ground-based telecommunication system that supports IFR flight or an air traffic service; or
- (5) the various types of ground based telecommunication systems that operate in the aeronautical mobile radio frequency bands and are used to provide basic weather information, local aerodrome information, or flight following services:

**Aeronautical Information Circular** means a notice containing information that—

- (1) does not qualify for the origination of a NOTAM or for inclusion in the AIPNZ; and
- (2) relates to flight safety, air navigation, technical, administrative or legislative matters:

**Aeronautical information publication** means a publication issued by, or with the authority of, a State and containing aeronautical information of a lasting character essential to air navigation:

**Aeronautical Information Publication New Zealand** means the AIP for New Zealand published for the Authority by the holder of the AIS certificate for the AIP service:

**Aeronautical information service** means any of the following services that distribute aeronautical information essential for the safety, regularity and efficiency of air navigation—

- (1) AIP service; or
- (2) NOTAM service; or
- (3) Pre-flight information service:

**Aeronautical mobile service** means a mobile service for communication between aeronautical stations and aircraft stations, or between aircraft

stations, in which survival craft stations may participate, and emergency position-indicating radiobeacon stations may also participate on designated distress and emergency frequencies:

**Aeronautical product** means anything that comprises or is intended to comprise any part of an aircraft, or that is or is intended to be installed in or fitted or supplied to an aircraft; and includes fuel and other similar consumable items necessary for the operation of the aircraft:

**Aeronautical station** means a land station in the aeronautical mobile service:

**Aeronautical telecommunication service** means—

- (1) a telecommunication service provided to support the following services as they are defined in ICAO Annex 10, Volume II, Chapter 1—
  - (i) an aeronautical broadcasting service;
  - (ii) an aeronautical fixed service;
  - (iii) an aeronautical mobile service;
  - (iv) an aeronautical radio navigation service; or
- (2) any other telecommunication service provided specifically to support the New Zealand air navigation system:

**Aeronautical telecommunication service certificate** means a certificate issued by the Director in accordance with Part 171 that authorises the holder to provide aeronautical telecommunication services and operate facilities that support IFR flight or an air traffic service:

**Aeroplane** means a power-driven heavier-than-air aircraft deriving its lift in flight chiefly from aerodynamic reactions on surfaces which remain fixed under given conditions of flight:

**Aeroplane movement** means an aeroplane take-off or landing:

**Agricultural Aircraft Operation** means the operation of an aircraft, on a single flight, or on a series of flights, including transit flights to and

from a treatment area that is within 5 nautical miles of the loading area, for the following purposes:

- (1) dispensing an agricultural chemical;
- (2) dispensing any other substance intended for plant nourishment, soil treatment, propagation of plant life, or pest control;
- (3) engaging in dispensing activities directly affecting agriculture, horticulture, or forest preservation;
- (4) dropping farm supplies on farms in rural areas or delivering farm materials to farms in rural areas;
- (5) surveying agricultural, forest, or water areas at a height of less than 500 feet above terrain;
- (6) feeding or transferring livestock on farms in rural areas;
- (7) the reconnaissance of the proposed treatment area for the above types of operation.

**Agricultural chemical** means any substance or mixture of substances intended for—

- (1) preventing, destroying, repelling, or mitigating any insects, rodents, nematodes, fungi, weeds or other forms of plant, animal life or viruses (except viruses on or in living man or other animals) which have been declared by the appropriate authority to be a national or regional pest or noxious plant; or
- (2) use as a plant regulator, defoliant or desiccant:

**AIRAC** means aeronautical information regulation and control, signifying a system aimed at advance notification based on common effective dates, of circumstances that require significant changes in operating practices:

*[The AIRAC system is based upon the international series of common effective dates at intervals of 28 days including 10 January 1991]*

**AIP Amendment** means permanent changes to the information contained in the AIPNZ:

**AIP service** means a service for the publication of the AIPNZ, AIP Amendments, AIP Supplements and aeronautical information circulars:

**AIP Supplement** means temporary changes to the information contained in the AIPNZ that are published by means of special pages:

**Aircraft** means any machine that can derive support in the atmosphere from the reactions of the air otherwise than by the reactions of the air against the surface of the earth:

**Aircraft category and category of aircraft** means any one of the following classes of aircraft: aeroplane, balloon, glider, hang glider, helicopter, or microlight:

**Aircraft engine** means an engine that is used or intended to be used for propelling aircraft, and includes turbo-superchargers, appurtenances and accessories necessary for its functioning, but does not include propellers:

**Aircraft radio station** means—

- (1) all installed radio equipment including antennae, indicators, controls, interconnecting cabling, and wiring into the aircraft electrical system, which are required in order to perform the intended function; and
- (2) all portable emergency radio equipment required to be carried by Part 91:

**Air operation** means an air transport operation or a commercial transport operation:

**Air operator** means the holder of—

- (1) an air operator certificate granted under section 9 of the Act and in accordance with Part 119; or
- (2) a foreign air operator certificate granted under section 9 of the Act and in accordance with Part 129; or
- (3) an Australian air operator certificate with ANZA privileges:

**Air operator security programme** means a programme to safeguard an air operator's passengers, crew, ground personnel, aircraft, and facilities from acts of unlawful interference:

**Airship** means a power-driven lighter-than-air aircraft:

**Air traffic** means all aircraft in flight or operating on any manoeuvring area of an aerodrome:

**Air traffic advisory service** means a service provided within class F airspace to ensure separation, as far as practical, between aircraft that are operating on IFR flight plans:

**Air traffic control service** means a service provided for the purposes of—

- (1) preventing collisions—
  - (i) between aircraft; and
  - (ii) between aircraft and obstructions on any manoeuvring area; and
- (2) expediting and maintaining a safe and efficient flow of air traffic:

**Air traffic control unit** means a unit for providing any air traffic control service, and includes either an area control centre, an approach control office, or an aerodrome control tower:

**Air traffic service** includes—

- (1) any aerodrome control service:
- (2) any area control service:
- (3) any approach control service:
- (4) any flight information service:
- (5) any aerodrome flight information service:
- (6) any alerting service:

- (7) any other air traffic service considered by the Director to be necessary or desirable for the safe and efficient operation of the civil aviation system:

**Air traffic services unit** means a unit providing an air traffic service, which may include an air traffic control unit and a flight information centre:

**Air transport operation** means an operation for the carriage of passengers or goods by air for hire or reward except—

- (1) a commercial transport operation; or
- (2) a sightseeing flight or joyride under VFR by day in—
  - (i) a hot air balloon in accordance with Part 91; or
  - (ii) a microlight aircraft in accordance with Part 103; or
  - (iii) a glider in accordance with Part 104; or
  - (iv) a hang glider or paraglider in accordance with Part 106; or
- (3) a helicopter external load operation in accordance with Part 133; or
- (4) an agricultural aircraft operation in accordance with Part 137; or
- (5) a parachute operation in accordance with Part 105:

**Airworthiness certificate** means—

- (1) for a New Zealand registered aircraft, an airworthiness certificate issued by the Director under Part 21, Subpart H; and
- (2) for a foreign registered aircraft, an airworthiness certificate issued by the competent authority of the State of registry:

**Airworthiness data** means any information necessary to ensure an aeronautical product or a product or component can be maintained in an airworthy condition:

**Airworthiness directive** means a mandatory airworthiness requirement that specifies modifications, inspections, conditions, or limitations to be applied to an aircraft or aeronautical product to ensure continued safe operating conditions:

**Airworthy condition** means the condition of an aircraft, including its components, fuel, and other materials and substances essential to the manufacture and operation of the aircraft, that complies with all the requirements prescribed by the *Civil Aviation Rules* relating to design, manufacture, maintenance, modification, repair, and safety:

**Alerting service** means an air traffic service provided to notify appropriate organisations regarding aircraft in need of search and rescue aid, and to assist such organisations as required:

**Alternate aerodrome** means an aerodrome to which an aircraft may proceed when it becomes either impossible or inadvisable to proceed to or land at the aerodrome of intended landing:

**Altimeter setting (QNH)** means the aerodrome level pressure reduced to mean sea level in accordance with the ICAO Standard Atmosphere, which is specified by a mean sea level pressure of 1013.25 hectopascals, and temperature of 15.0 degrees Celsius with a lapse rate of 6.5 degrees Celsius per 1000 M and is the altimeter sub scale setting to obtain the elevation when on the ground:

**Altitude** means the vertical distance of a level, a point, or an object considered as a point, measured from mean sea level:

**Amateur built aircraft** means an aircraft—

- (1) that is eligible for the issue of a special category airworthiness certificate under Part 21, Subpart H; and
- (2) at least 51% of which is fabricated by the aircraft's amateur constructor:

**Amateur constructor** means a person who constructs an aircraft solely for their own education or recreation:



**Appliance** means any instrument, mechanism, equipment, part, or accessory that is used, or is intended to be used, in operating or controlling an aircraft in flight, or is installed in or attached to the aircraft, that is not part of the airframe, engine, or propeller:

**Approach control office** means a unit established to provide ATC service to controlled flights arriving at, or departing from, one or more aerodromes:

**Approach control service** means an air traffic control service for arriving or departing controlled flights:

**Appropriate**, in relation to a pilot licence or rating, means applicable to the same category of aircraft:

**Approved**, unless used with reference to another person, means approved in writing by the Director:

**Apron** means a defined area on a land aerodrome intended to accommodate aircraft for the purpose of loading or unloading passengers or cargo, refuelling, parking, or maintenance:

**Apron management service** means a service provided to regulate the activities and the movement of aircraft and vehicles on an apron:

**Area control centre** means a unit established to provide ATC service to controlled flights in control areas under its jurisdiction:

**Area control service** means an air traffic control service provided for controlled flights in controlled airspace:

**Area navigation** means a method of navigation which permits aircraft operation on any desired flight path within the coverage of station-referenced navigation aids or within the limits of the capability of self-contained aids, or a combination of these:

**ATC clearance** means authorisation for an aircraft to proceed under conditions specified by an air traffic control unit:

**ATC instruction** means a directive issued by ATC for the purpose of requiring a pilot to take a specific action:

**ATS unit** means a unit established to provide one or more air traffic service:

**Auckland Oceanic Flight Information Region** means—

- (1) all that airspace, excluding airspace within the New Zealand Flight Information Region, bounded by a line joining  
S 30 00 00.0, W 131 00 00.0, S 90 00 00.0, E 00 00 00.0  
(South Pole), S 30 00 00.0, E 163 00 00.0,  
S 28 00 00.0, E 168 00 00.0, S 25 00 00.0, E 171 25 00.0,  
S 25 00 00.0, 180 00 00.0,  
S 15 32 45.1, W 175 40 31.2 (Niuafou'ou),  
S 05 00 00.0, W 171 00 00.0, S 05 00 00.0, W 157 00 00.0,  
S 30 00 00.0, W 157 00 00.0, S 30 00 00.0, W 131 00 00.0; with
- (2) an upper limit of flight level 999; and
- (3) the surface of the earth as the lower limit:

**Augmented crew** means the crew on an aeroplane when it is comprised of more than the minimum crew required by the aeroplane certification:

**Australian AOC with ANZA privileges** has the same meaning as in section 3(1) of the Civil Aviation Act 1988 (Aust):

**Authority** means the Civil Aviation Authority of New Zealand established by section 72A of the Act:

**Automatic engine data recording system** means a system that acquires data from specialised sensors that measure various parameters related to the airworthy condition of an aircraft engine:

**Aviation event** means an event to be conducted below the minimum safe heights prescribed under Part 91 that is—

- (1) an air show or practice for an air show; or
- (2) an air race or practice for an air race; or
- (3) an aerobatic competition; or
- (4) aerobatic training or practice:

**Aviation Security Service** means the Aviation Security Service established under section 72B(2)(ca) of the Civil Aviation Act 1990:

**AWIB Service** means an automatic broadcast of aerodrome and weather information provided specifically for the facilitation of aviation, and for the avoidance of doubt, an AWIB service is not an air traffic service:

**Baggage** means personal property of passengers or crew carried on an aircraft by agreement with the operator, or personal property of passengers or crew that is intended by passengers or crew to be carried on an aircraft:

**Balloon** means a non-power-driven lighter-than-air aircraft:

**Basic weather report** means a verbal comment, in support of aviation, describing any of the following current weather conditions observed at a particular place or airspace:

- (1) wind direction and strength:
- (2) mean sea level air pressure:
- (3) air temperature:
- (4) weather conditions and cloud cover:

**Broadcast** means a transmission intended to be received by all stations:

**Cargo** means any property carried on an aircraft other than mail, stores and baggage:

**Carry on baggage** means baggage and any other item that—

- (1) is carried on to an aircraft by a passenger or crew member with the agreement of the operator; and
- (2) remains in the custody of the passenger or crew member:

**Category II precision approach procedure** means a precision instrument approach and landing with a decision height lower than 200 feet, but not lower than 100 feet, and a runway visual range not less than 350 m:

**Category III precision approach procedure** means one of the following precision instrument approaches and landings:

- (1) **Category IIIA:** A precision instrument approach and landing with—
  - (i) a decision height lower than 100 feet or no decision height; and
  - (ii) a runway visual range not less than 200 m:
- (2) **Category IIIB:** A precision instrument approach and landing with—
  - (i) a decision height lower than 50 feet or no decision height; and
  - (ii) a runway visual range less than 200 m but not less than 50 m:
- (3) **Category IIIC:** A precision instrument approach and landing with no decision height and no runway visual range limitations:

**Ceiling** means the height above ground or water of the base of the lowest layer of cloud below 20 000 feet covering more than half the sky:

**Certificated for single pilot operation**, in relation to an aircraft, means determined by the State of Registry, during the certification process, to be a type of aircraft that can be operated safely with a minimum crew of one pilot:

**Certificated organisation** means an organisation issued with a certificate under rules made under the Act:

**Civil Aviation Rules** means rules made under the Act:

**Class 1 microlight aircraft** means a microlight aircraft other than a Class 2 microlight aircraft:

**Class 2 microlight aircraft** means a microlight aircraft designed and equipped to carry 2 persons:

**Class 3.1A—Flammable liquid** means a liquid that has a flash point of below 23°C and has an initial boiling point (IBP) of a maximum 35°C, and includes petrol based products:

**Class 3.1C—Flammable liquid** means a liquid that has a flash point at or above 23°C, but at or below 60°C, and includes kerosene based products:

**Class 3.1D—Flammable liquid** means a liquid that has a flash point of above 60°C, but at or below 93°C, and includes diesel products:

**Class B cargo or baggage compartment** means a cargo or baggage compartment in which—

- (1) there is sufficient access in flight to enable a crew member to effectively reach any part of the compartment with the contents of a hand fire extinguisher; and
- (2) when the access provisions are being used, no hazardous quantity of smoke, flames, or extinguishing agent, will enter any compartment occupied by the crew or passengers; and
- (3) there is a separate approved smoke detector or fire detector system to give warning at the pilot or flight engineer station:

**Clearance limit** means the point to which an aircraft is granted an ATC clearance:

**Clearway** means a defined rectangular area on the ground or water, at the departure end of the runway—

- (1) under the control of the aerodrome operator; or
- (2) with the agreement of the authority controlling the clearway—

selected or prepared as a suitable area over which an aeroplane may make a portion of its initial climb to a specified height:

**Command practice** means the performance by a co-pilot of the duties and functions of a pilot-in-command during a flight under the supervision of a pilot-in-command designated for the purpose by the operator:

**Commercial agricultural aircraft operation** means an agricultural aircraft operation for hire or reward:

**Commercial transport operation** means an operation for the carriage of passengers or goods by air for hire or reward—

- (1) where—
  - (i) each passenger is performing, or undergoing training to perform, a task or duty on the operation; or
  - (ii) the passengers or goods are carried to or from a remote aerodrome—
- (2) except those operations in paragraph (1) that are—
  - (i) a sightseeing flight or joyride under VFR by day in—
    - a hot air balloon in accordance with Part 91; or
    - a microlight aircraft in accordance with Part 103; or
    - a glider in accordance with Part 104; or
    - a hang glider or paraglider in accordance with Part 106; or
  - (ii) a helicopter external load operation in accordance with Part 133; or
  - (iii) an agricultural operation in accordance with Part 137; or
  - (iv) a parachute operation in accordance with Part 105:

**Component** means any instrument, mechanism, equipment, part, or accessory, including a complete airframe or power plant, that is used, or is intended to be used, in operating or controlling an aircraft in flight, or is installed in or attached to the aircraft, that has a part number or a serial number allocated by the product manufacturer, unless the manufacturer has designated such an item as a standard part:

**Condition monitored maintenance** means a maintenance process that monitors maintenance trends, and relies upon analysis of the operating experience of the whole population of specified items to indicate nascent failures requiring corrective action:

**Configuration** in relation to an aircraft, means a particular combination of the positions of the movable elements, such as wing flaps or landing gear, which affect the aerodynamic characteristics of the aeroplane:

**Congested area** in relation to a city, town, or settlement means any area which is substantially in use for residential, industrial, commercial, or recreational purposes:

**Contaminated**, in relation to a runway, means more than 25% of the runway surface area within the required length and width is covered by surface water, slush, or loose snow more than 3 millimetres in depth, or ice on any part of the runway surface area:

**Contingency fuel** means a fuel provision for any of the following:

- (1) en-route winds or temperatures being different from forecast:
- (2) any deviation from the flight planned routes, altitudes or flight levels:
- (3) variations from optimum operating techniques:

**Control area** means a controlled airspace extending upwards from a specified limit above the earth:

**Controlled airspace** means an airspace of defined dimensions within which air traffic control service is provided to IFR flights, and to VFR flights, in accordance with the airspace classification:

**Controlled flight** means any flight that is subject to an ATC clearance:

**Control system** means a system that has the ability to directly change the flight path, attitude, or propulsive force of an aircraft, and includes the flight controls, the engine and propeller controls, the related system controls, and the associated operating mechanisms:

**Control zone** means a controlled airspace extending upwards from the surface of the earth to a specified limit:

**Convention—**

- (1) means the Convention on International Civil Aviation signed on behalf of the Government of New Zealand in Chicago on the 7th day of December 1944; and
- (2) includes—
  - (i) any amendment to the Convention which has entered into force under Article 94(a) of the Convention and has been ratified by New Zealand; and
  - (ii) any Annex or amendment thereto accepted under Article 90 of the Convention; and
  - (iii) the international standards and recommended practices from time to time accepted and amended by the International Civil Aviation Organisation pursuant to Article 37 of the Convention:

**Conversion instruction** means instruction for the purposes of familiarisation in the operation of aircraft for which a type rating is required; but does not include instruction or supervision of student pilots nor instruction for the purposes of familiarisation in respect of conversion from fixed-wing to rotary-wing aircraft or from rotary-wing to fixed-wing aircraft:

**Co-pilot** means a licensed pilot, serving in any piloting capacity other than as pilot-in-command; but does not include a pilot receiving flight instruction from a pilot on board the aircraft:

**Cost sharing flight** means any flight that is performed solely for the carriage of persons where—

- (1) the flight is not advertised to the public; and
- (2) the crew members receive no payment or other reward for their services; and



- (3) the persons carried by the aircraft, including the crew members, share equally in the cost of the flight; and
- (4) no payment or other reward is required of a person on the flight other than that specified in subparagraph (3)—

and, for the avoidance of doubt, a cost sharing flight is not an operation for hire or reward:

**Crew member** means a person carried by an aircraft who is—

- (1) assigned by the operator—
  - (i) as a flight crew member or flight attendant to perform a duty associated with the operation of the flight; or
  - (ii) to perform a duty associated with the operation of the aircraft during flight time; or
- (2) carried for the sole purpose of—
  - (i) undergoing or giving instruction in the control and navigation of the aircraft; or
  - (ii) undergoing instruction as a flight engineer or flight attendant; or
- (3) authorised by the Director to exercise a function associated with the operation of the aircraft during flight time; or
- (4) a flight examiner:

**Critical performance parameter** means a performance parameter that has a direct effect on the operational integrity of an aeronautical facility:

**Cross-country flight** means a flight which extends more than 25 nautical miles in a straight line distance from the centre of the aerodrome of departure:

**Cruising level** means a level maintained during a significant portion of a flight:

**Current**, in respect of a licence, rating, or medical certificate, means the document is valid and the holder of the document has satisfied all recent experience and medical requirements for the exercise of the privileges:

**Dangerous goods** means articles or substances that are capable of posing risk to health, safety, property, or the environment and—

- (a) are listed in, or classified in accordance with, the ICAO's Technical Instructions for the Safe Transport of Dangerous Goods by Air; or
- (b) have properties that would result in the articles or substances being classified as dangerous goods under the ICAO's *Technical Instructions for the Safe Transport of Dangerous Goods by Air*:

**Date of manufacture**, in relation to a product, means the date that the product inspection records indicate that the product meets its type design:

**Day** means the hours between—

- (1) the beginning of morning civil twilight, which is when the centre of the rising sun's disc is 6 degrees below the horizon; and
- (2) the end of evening civil twilight, which is when the centre of the setting sun's disc is 6 degrees below the horizon:

**Decision altitude** means a specified altitude, referenced to mean sea level, in the precision approach at which a missed approach must be initiated if the required visual reference to continue the approach has not been established:

**Decision height** means a specified height, referenced to the runway threshold, in the precision approach at which a missed approach must be initiated if the required visual reference to continue the approach has not been established:

**Declaration of security** means a declaration made in accordance with the requirements of Part 109 regarding a consignment of cargo or mail:

**Declared distance** in relation to a runway means any of the following—  
take-off run available:

take-off distance available:

accelerate-stop distance available:

landing distance available:

**Defect** means a change in the state or quality of an aeronautical product, a product, or a component that makes it unfit for its intended purpose and not in an airworthy condition:

**Design change** means a change to a type design or a change to any other part of a type certificate or type acceptance certificate that if incorporated would require the modification or repair of a product, its components, or an appliance:

**Detailed inspection**, in respect of a progressive inspection, means a thorough examination of an aircraft and its components, systems and equipment with such disassembly as is necessary and includes the overhaul of a component or system:

**Director** means the person who is for the time being the Director of Civil Aviation under section 72I of the Act:

**Disabled passenger** means any passenger whose physical, medical, or mental condition requires individual attention not normally extended to passengers during an air transport operation:

**Document** means a document in any form, and includes—

- (1) any writing on any material:
- (2) any information recorded or stored by means of any tape recorder, computer, or other device; and any material subsequently derived from information so recorded or stored:
- (3) any book, map, chart, plan, graph, or drawing:
- (4) any photograph, film, negative, tape, or other device in which one or more visual images are embodied so as to be capable (with or without the aid of some other equipment) of being reproduced:

**Domestic aerodrome** means any aerodrome other than an international aerodrome:

**Dry**, in relation to a runway, means a runway that is neither wet nor contaminated, and includes a paved runway that has been specially prepared with grooves or a porous pavement to retain effectively dry-braking action even when moisture is present:

**Dual flight time** means flight time during which a person is receiving flight instruction from an appropriately licensed and rated pilot on board a dual control aircraft:

**Elevation** means the vertical distance of a point or a level, on or affixed to the surface of the earth, measured from mean sea level:

**Emergency airworthiness directive** means an airworthiness directive that is issued by the Director in accordance with section 72I(3C) of the Act:

**Emergency locator transmitter** means an equipment that broadcasts a distinctive signal on a designated radio frequency to facilitate a search and rescue operation:

**Emergency locator transmitter (automatic fixed)** means an emergency locator transmitter that is automatically activated and permanently attached to an aircraft:

**Emergency locator transmitter (survival)** means an emergency locator transmitter that is stowed in an aircraft in a manner which facilitates its ready use in an emergency, is removable from an aircraft, and is manually activated:

**Emergency parachute** means a parachute assembly designed and intended to be used by persons in an emergency:

**Emergency position indicating radio beacon** means an equipment that broadcasts a distinctive signal on a designated radio frequency to facilitate a search and rescue operation, is designed to float upright, and is manually activated:

**Empty weight** means the empty weight of an aircraft, including—

- (1) the airframe, engines, propellers, and rotors of the aircraft; and

- (2) any fixed equipment on the aircraft; and
- (3) any fixed ballast on the aircraft; and
- (4) any unusable fuel on the aircraft; and
- (5) full operating fluids required for the normal operation of the aircraft's systems, except potable water, lavatory precharge water, and water intended for injection into the engines of the aircraft; and
- (6) items specified in the weight and balance section of the flight manual or flight manual and supplement:

**Escorted passenger** means any passenger requiring the personal attendance of an appointed escort, during an air transport operation:

**Extended over-water operation** means any aeroplane operation over a planned route that contains a point in excess of 50 nautical miles from shore:

**Extended-range twin-engine operations** means an operation of a twin-engine aeroplane over a route that contains a point farther than one hour flying time, in still air at the normal one-engine-inoperative cruising speed, from an adequate aerodrome:

**Final reserve fuel** means the minimum quantity of fuel required to provide a margin to secure the safe completion of a flight in the event of any unplanned manoeuvring in the vicinity of the destination or alternate or a suitable aerodrome, as the case may be, and in ordinary circumstances remains on board until completion of the landing:

**Firearm** has the same meaning as in section 11(2) of the Aviation Crimes Act 1972:

**Fit and proper person** means a person who satisfies the fit and proper person test specified in the Act:

**Flight attendant** means an appropriately trained person assigned by the operator to be responsible to the pilot-in-command for passenger safety on an aircraft:

**Flight crew member** means an appropriately qualified person assigned by the operator for duty in an aircraft during flight time as a pilot or flight engineer:

**Flight examiner** means a person who holds a flight examiner rating issued in accordance with Part 61 or is approved by the Director to conduct specific flight tests:

**Flight following service** means a service providing a flight watch over an aircraft, which initiates emergency action in the event of a missed report or non-arrival of the aircraft within a specific time-frame:

**Flight information centre** means a unit established to provide an area flight information service and an alerting service:

**Flight information region** means airspace of defined dimensions within which flight information services and alerting services are provided:

**Flight information service** means an air traffic service provided for the purpose of giving advice and information intended for the safe and efficient conduct of flights:

**Flight instruction** means instruction in the control of aircraft in basic and advanced flight manoeuvres; and includes instruction in respect of conversion from fixed-wing to rotary-wing aircraft or from rotary-wing to fixed-wing aircraft:

**Flight instructor** means a person who holds a flight instructor rating issued in accordance with Part 61 or is approved by the Director to provide flight instruction:

**Flight level** means a surface of constant atmospheric pressure expressed in terms of hundreds of feet that—

- (1) is related to a specific datum 1013.2 hPa; and
- (2) is separated from other such surfaces by specific pressure intervals:

**Flight manual** means a manual, associated with the certificate of airworthiness, containing limitations within which the aircraft may be

considered airworthy, and instructions and information necessary to the flight crew members for the safe operation of the aircraft:

**Flight plan** means specified information that is required under the rules to be provided to an ATS unit or to a flight following service regarding an intended flight, or portion of a flight, of an aircraft:

**Flight time** means the total time from the moment an aircraft first moves for the purpose of flight until the moment it comes to rest at the end of the flight including all associated push back, taxiing and subsequent holding time:

**Foreign aircraft** means an aircraft that—

- (1) is required under Part 47 to be registered; and
- (2) is not a New Zealand registered aircraft:

**Formation flight** means more than one aircraft which—

- (1) navigate and report as a single aircraft; and
- (2) are no more than one nautical mile laterally and within 100 feet vertically from the formation leader:

**Fully functioning dual controls** means pitch, roll, yaw, and engine power controls which can be operated from each pilot station:

**General aviation area** means an airspace, of defined dimensions, in which intensive VFR activity may occur and the rules of Class G airspace apply:

**General direction** in relation to Part 67 means a general direction issued by the Director under section 27G of the Act:

**Geographical co-ordinates** mean latitude and longitude that are expressed relative to the geodetic reference datum of the World Geodetic System 1984:

**Glider—**

- (1) means a non-power-driven heavier-than-air aircraft that derives its lift in flight chiefly from aerodynamic reactions on surfaces which remain fixed under given conditions of flight; and
- (2) includes a powered glider whether the engines are operating or not:

**Gliding organisation** means the holder of an aviation recreation organisation certificate issued in accordance with Part 149 that authorises specified privileges associated with the operation of gliders:

**Goods** means all kinds of moveable property, including animals and mail:

**Hang glider** means a glider, including a powered glider, that is capable of being launched and landed solely by the use of the pilot's legs, and includes paragliders:

**Hang gliding organisation** means the holder of an aviation recreation organisation certificate issued in accordance with Part 149 that authorises specified privileges associated with the operation of hang gliders:

**Heavier-than-air aircraft** means any aircraft deriving its lift in flight chiefly from aerodynamic forces:

**Height** means the vertical distance of a level, a point, or an object considered as a point, measured from a specified datum and includes the vertical dimension of an object:

**Helicopter** means a rotorcraft incorporating one or more power driven rotors:

**Heliport** means any defined area of land or water, and any defined area on a structure, intended or designed to be used either wholly or partly for the landing, departure, and surface movement of helicopters:

**Hover** means a helicopter flight at a constant height and position over the surface:



**ICAO Annex** means an Annex to the Convention and unless otherwise specified in a rule, includes the amendments in force under section 36 of the Act, but excludes any differences to an Annex as notified by New Zealand:

**ICAO Contracting State** means a State that is a signatory to the Convention; and includes an organisation established by a group of States that are signatories to the Convention to issue an aviation related document or authorisation on behalf of those States:

**IFR flight** means a flight conducted in accordance with the instrument flight rules:

**Incident** means any occurrence, other than an accident, that is associated with the operation of an aircraft and affects or could affect the safety of operation:

**Instructions for continued airworthiness** means current airworthiness data provided by the manufacturer of an aeronautical product, a product, or a component, and include any related airworthiness limitations mandated by the airworthiness authority of the State of Design:

**Instrument approach procedure** means a series of predetermined manoeuvres by reference to flight instruments with specified protection from obstacles from the initial approach fix, or where applicable, from the beginning of a defined arrival route, to a point from which a landing can be completed and thereafter, if a landing is not completed, to a position at which holding or en-route obstacle clearance criteria apply:

**Instrument flight** means flight during which an aircraft is piloted solely by reference to instruments and without external reference points:

**Instrument flight time** means time during which an aircraft is piloted solely by reference to instruments and without external reference points:

**Instrument meteorological conditions** means meteorological conditions expressed in terms of visibility, distance from cloud, and ceiling less than the minima specified for visual meteorological conditions:

**Instrument Runway** means a runway intended for the operation of aircraft using instrument approach procedures:

**Instrument time** includes instrument flight time and time during which a pilot is practising simulated instrument flight on an approved mechanical device:

**Integrated Aeronautical Information Package** means a package which consists of the following elements—

- (1) AIPNZ including amendment service:
- (2) supplements to the AIPNZ:
- (3) NOTAM:
- (4) AIC:
- (5) checklists and summaries:

**International aerodrome** means an international airport:

**International airport** means any airport designated as an airport of entry and departure for international air traffic where the formalities incident to customs, immigration, public health, animal and plant quarantine, and similar procedures are carried out:

**International NOTAM office** means an office that is designated for the international exchange of NOTAM:

**Justifiable aircraft equipment** means any equipment necessary for the operation of the aircraft. It does not include equipment or ballast specifically installed, permanently or otherwise, for the purpose of altering the empty weight of an aircraft to meet the maximum payload capacity:

**Known customer** means a shipper of cargo or mail who has an established association with a regulated air cargo agent or an air operator for the carriage of the shipper's cargo or mail by air and who is registered with the regulated air cargo agent or the air operator:

**Landing distance available** means the length of the runway that is declared by the aerodrome operator as available and suitable for the ground run of an aeroplane:

**Level** is a generic term relating to the vertical position of an aircraft in flight and meaning variously height, altitude, or flight level:

**Lifed**, in relation to an aeronautical product or a product or component, means that the instructions for continued airworthiness for the aeronautical product, product, or component specify—

- (1) a finite life time for the aeronautical product, product, or component; or
- (2) a recommended or mandatory overhaul time for the aeronautical product, product, or component:

**Lighter-than-air aircraft** means any aircraft supported chiefly by its buoyancy in the air:

**Mach number** means the ratio of true airspeed to the speed of sound:

**Mail** means any letter, package, parcel, postcard, or other article that is to be delivered by courier, a postal operator, or other postal agency, or diplomatic agency:

**Main parachute** means a parachute, other than an emergency parachute, that is designed and intended to be used as a primary parachute:

**Maintenance**, in relation to an aircraft or aircraft component, means all work and inspections performed to ensure the continued airworthiness of the aircraft or aircraft component, and all modifications:

**Maintenance logbook** means—

- (1) one of the following logbooks as may be appropriate:
  - (i) CAA 2101 Aircraft Logbook:
  - (ii) CAA 2110 Propeller Logbook:
  - (iii) CAA 2158 Engine Logbook:
  - (iv) CAA 1464 Aircraft Airworthiness Directives, Aircraft Modifications, Engine and Propeller Installations Logbook; or
- (2) any other document or storage medium that—

- (i) is acceptable to the Director; and
- (ii) provides a record of the maintenance status of the aircraft, product, or component:

**Maintenance manual** means an approved manual containing limitations within which the aircraft may be considered airworthy, and instructions and information necessary to ensure the aircraft is in an airworthy condition:

**Major modification** means a modification that could potentially affect the safety of an aircraft or its occupants where, as a result of its embodiment, one or more of the following incidents may occur:

- (1) structural collapse:
- (2) loss of control:
- (3) failure of motive power:
- (4) unintentional operation of, or inability to operate, any systems or equipment essential to the safety or operational function of the aircraft:
- (5) incapacitating injury to any occupant:
- (6) unacceptable unserviceability or maintainability:

**Major repair** means a repair that could potentially affect the safety of an aircraft or its occupants where, as a result of its embodiment, one or more of the following incidents may occur:

- (1) structural collapse:
- (2) loss of control:
- (3) failure of motive power:
- (4) unintentional operation of, or inability to operate, any systems or equipment essential to the safety or operational function of the aircraft:

- (5) incapacitating injury to any occupant:
- (6) unacceptable unserviceability or maintainability:

**Manoeuvring area—**

- (1) means that part of an aerodrome to be used for the take-off and landing of aircraft and for the surface movement of aircraft associated with take-off and landing; but
- (2) does not include areas set aside for loading, unloading, or maintenance of aircraft:

**Manufacturer's maintenance programme** means a programme that is contained in a maintenance manual or the instructions for continued airworthiness published by the manufacturer as required by the certificating authority for the aircraft, aircraft engines, propellers, rotors, appliances, emergency equipment, and parts:

**Maximum certificated take-off weight**, in relation to an aircraft, means the weight specified as the maximum take-off weight of the aircraft in a flight manual or airworthiness certificate relating to the aircraft:

**Maximum zero fuel weight** means the maximum permissible weight of an aircraft with no disposable fuel or oil. The zero fuel weight figure may be found in either the aircraft type certificate data sheet, the approved Aircraft Flight Manual, or both:

**Meteorological information** means any meteorological report, analysis, or forecast in support of aviation, and any other statement in support of aviation relating to existing or expected meteorological conditions:

**Meteorological service** means any of the following services that provide meteorological information in support of aviation:

- (1) *Climatology service*: a service for the development and supply of climatological information for a specific place or airspace:
- (2) *Forecast service*: a service for the supply of forecast meteorological information for a specific area or portion of airspace:

- (3) *Information dissemination service*: a service for the collection and dissemination of meteorological information:
- (4) *Meteorological briefing service*: a service for the supply of written and oral meteorological information on existing and expected meteorological conditions:
- (5) *Meteorological reporting service*: a service for the supply of routine meteorological reports:
- (6) *Meteorological watch service*: a service for maintaining a watch over meteorological conditions affecting aircraft operations in a specific area:

**Microlight aircraft** means a basic low performance aircraft designed to carry not more than 2 persons which meets low momentum parameters that are acceptable to the Director:

**Microlight organisation** means the holder of an aviation recreation organisation certificate issued in accordance with Part 149 that authorises specified privileges associated with the operation of microlight aircraft:

**Minimum descent altitude** means a specified altitude, referenced to mean sea level, in a non-precision approach or circling approach below which descent may not be made without visual reference:

**Minimum descent height** means a specified height, referenced to the runway threshold, in a non-precision approach or circling approach below which descent may not be made without visual reference:

**Minister** means the Minister of Transport:

**Modification** means a design change that generally results in a change to the configuration of a product, component, or appliance:

**Movement area** means that part of an aerodrome intended to be used for the take-off and landing of aircraft and for the surface movement of aircraft, and includes the manoeuvring area, maintenance areas, and aprons:

**Multi-pilot aircraft** means an aircraft other than a single-pilot aircraft:

**Newly overhauled** means a product that has not been operated or placed in service, except for functional testing, since having been overhauled:

**New Zealand Air Navigation Register** means the New Zealand Air Navigation Register established under Part 71:

**New Zealand AOC with ANZA privileges** has the meaning set out in section 11G of the Act:

**New Zealand Flight Information Region** means—

- (1) all that airspace bounded by the arc of a circle of 200 nm radius centred on S 37 00 16.7, E 174 48 49.1, (Auckland VOR/DME) from S 39 07 38.1, E 171 33 21.7, clockwise to S 37 32 29.5, E 178 56 08.9, a line joining S 37 32 29.5, E 178 56 08.9, S 38 27 00.0, W 179 44 00.0, S 42 51 30.0, E 175 03 00.0, S 48 09 00.0, E 168 16 00.0, S 45 55 00.0, E 165 18 00.0, S 41 25 27.0, E 170 23 24.0, the arc of a circle of 200 nm radius centred on S 41 20 14.0, E 174 49 01.1, (Wellington VOR/DME) from S 41 25 27.0, E 170 23 24.0, clockwise to S 39 07 38.1, E 171 33 21.7; with
- (2) an upper limit of flight level 999; and
- (3) the surface of the earth as the lower limit.

**New Zealand registered aircraft** means any aircraft that is for the time being registered by the Director under Part 47:

**New Zealand Register of Aircraft** means the register established under section 73 of the Act:

**New Zealand certificate of registration** means an aircraft certificate of registration issued by the Director:

**Night** means the hours between—

- (1) the end of evening civil twilight, which is when the centre of the setting sun's disc is 6 degrees below the horizon; and
- (2) the beginning of morning civil twilight, which is when the centre of the rising sun's disc is 6 degrees below the horizon:

**NOTAM** means a notice distributed by means of telecommunication containing information concerning the establishment, condition or change in any aeronautical facility, service, procedure or hazard, the timely knowledge of which is essential to personnel concerned with flight operations:

**NOTAM service** means a service for the issue and distribution of NOTAM relevant to air navigation in the New Zealand FIR and in the areas of the Auckland Oceanic FIR in which New Zealand is responsible for air traffic services:

**Operable**, in relation to equipment and instruments, means fully functional, calibrated, and meeting the applicable airworthiness requirements:

**Operate**, in relation to an aircraft, means to fly or use the aircraft, or to cause or permit the aircraft to fly, be used, or be in any place, whether or not the person is present with the aircraft; and "operator" has a corresponding meaning:

**Operating cycle** means a complete flight segment consisting of a takeoff, climb, en-route portion, descent, and landing:

**Operational flight plan** means the certificate holders plan for the safe conduct of the flight based on considerations of aeroplane performance, other operating limitations, and relevant expected conditions, on the route to be followed and at the aerodromes concerned:

**Operations specifications** means the conditions imposed by the Director on the air operator certificate and includes any authorisations, limitations, and procedures that form part of the certificate:

**Originating aircraft** means any aircraft about to be used on a regular air transport passenger service from any New Zealand aerodrome, that has been emptied of passengers and goods at the conclusion of a previous flight or flights, but does not include any aircraft transiting New Zealand or any New Zealand airport, in circumstances where passengers and goods are added to an existing load:

**Overhaul**, in relation to an aircraft or aircraft component, means to perform a major work operation which involves dismantling and complete testing to specification and renewal of operational life:



**Owner**, in relation to any aircraft, includes any person lawfully entitled to the possession of the aircraft for 28 days or longer:

**Parachute** means any device, without a motor in operation, comprising a flexible drag, or lift/drag, surface from which a load is suspended by shroud lines capable of controlled deployment from a packed condition:

**Parachute assembly** means any parachute and its associated harness and container system and other component parts for use by persons:

**Parachute landing area** means an area onto which parachute landings are intended to be made:

**Parachute organisation** means the holder of an aviation recreation organisation certificate issued in accordance with Part 149 that authorises specified privileges associated with parachute operations:

**Paraglider** means a hang glider with no rigid primary structure:

**Passenger** in relation to an aircraft, means any person carried by the aircraft, other than a crew member:

**Payload capacity** means—

- (1) when a maximum zero fuel weight is not prescribed, the maximum certificated takeoff weight of an aircraft, less the empty weight, less all justifiable aircraft equipment, and less the operating load consisting of—
  - (i) the minimum weight of fuel required under the CAR for a flight between domestic points 174 nm apart, assuming VFR weather conditions; and
  - (ii) the lesser of the maximum oil capacity as specified on the Type Certificate Data Sheet or 160 kg of oil; and
  - (iii) required flight crew members at 91 kg per crew member; and
  - (iv) required catering supplies; or

- (2) when a maximum zero fuel weight is prescribed, the maximum zero fuel weight less the empty weight that, except for disposable fuel and oil, consists of—
- (i) all justifiable aircraft equipment, and the operating load; and
  - (ii) minimum flight crew at 91 kg per crew member; and
  - (iii) required catering supplies:

**Performance-class 1 helicopter** means a helicopter with performance characteristics such that, in case of critical power-unit failure, it is able to land on the rejected take-off area or safely continue the flight to an appropriate landing area:

**Personal locator beacon** means an equipment that broadcasts a distinctive signal on a designated radio frequency to facilitate a search and rescue operation, is designed to be carried on a person, and is manually activated:

**Pilot-in-command**, in relation to any aircraft, means the pilot responsible for the operation and safety of the aircraft:

**Powered glider** means an aircraft equipped with one or more engines which has, with the engine or engines not operating, the performance characteristics of a glider:

**Precision approach procedure** means an instrument approach procedure utilising azimuth and glide path information:

**Pre-flight information bulletin** means a presentation of current NOTAM information of operational significance, prepared prior to flight:

**Pre-flight information service** means a service for the provision of aeronautical information to a third party for pre-flight planning purposes:

**Pressure altitude** means an atmospheric pressure, expressed in terms of altitude, which corresponds to that pressure in the standard atmosphere:

**Priority part** means a part or assembly in a type certificated product, the failure of which is likely to cause an unsafe condition in an aircraft, aircraft engine or propeller:

**Product** means an aircraft, aircraft engine, or propeller:

**Progressive inspection** means an inspection of a complete aircraft that is split into a number of smaller inspections:

**Propeller** means a device, for propelling an aircraft, that has blades on an engine-driven shaft and that when rotated produces by its action on the air, a thrust approximately perpendicular to its plane of rotation. It includes control components normally supplied by its manufacturer, but does not include main and auxiliary rotors or rotating airfoils of engines:

**Rating** means an authorisation entered on, or associated with, a licence, certificate, or logbook, and forming part of it, stating special conditions, privileges, or limitations relating to the licence or certificate:

**Regular air transport passenger service** means a service offered by an operator consisting of four or more air transport operations for the carriage of passengers between two or more aerodromes within any consecutive 28 day period:

**Regular air transport service** means a service offered by an operator consisting of four or more air transport operations between two or more aerodromes in any consecutive 28 day period:

**Regulated air cargo agent** means the holder of a regulated air cargo agent certificate granted under section 9 of the Act and in accordance with Part 109:

**Remote aerodrome** means any structure or any area of land or water used for take-off or landing—

- (1) to which access by road or water is restricted, limited or obstructed by geographical conditions; and
- (2) that does not meet standards for aerodromes that are acceptable to the Director under Part 139:

**Repair** means a design change that is intended to return the product, component, or appliance to its original, or properly modified configuration:

**Reporting point** means a specified geographical location in relation to which the position of an aircraft can be reported:

**Required inspection** means any inspection required by the CAR, an airworthiness directive, or by an approved maintenance manual, programme or schedule:

**Required navigation performance** means a statement of the navigation performance accuracy necessary for operation within a defined area of airspace:

**Reserve parachute** means a parachute assembly designed and intended to be used as a secondary parachute in the event of the failure of the main parachute:

**Rotorcraft** means any heavier-than-air aircraft which derives its lift in flight from the reaction of the air on one or more rotors on substantially vertical axes:

**Routine inspection** in relation to a progressive inspection, means a visual inspection of an aircraft and its components, systems and equipment as far as practicable without disassembly:

**RNP performance** means a containment value, expressed as a distance in nautical miles from the intended position, within which flights would be for at least 95% of the total flying time:

**Runway** means a defined rectangular area on a land aerodrome prepared for the landing and take-off of aircraft:

**Runway end safety area** means an area symmetrical about the extended centre line of the runway and adjacent to the end of the runway strip primarily intended to reduce the risk of damage to an aeroplane undershooting or over-running the runway:

**Runway strip** means a defined area including the runway, and stopway (if a stopway is provided), that is intended—

- (1) to reduce the risk of damage to an aircraft running off the runway; and
- (2) to provide obstacle protection for aircraft flying over the runway strip during take off or landing operations:

**Runway visual range** means the range over which the pilot of an aircraft on the centre line of a runway can see the runway surface markings or the lights delineating the runway or identifying its centreline:

**SARTIME** means the time nominated by a pilot for the initiation of alerting action:

**Screening** means the application of technical or any other means to detect a weapon, explosive, or other dangerous device, article or substance, that may be used to commit an act of unlawful interference:

**Security** means a combination of measures and human and material resources intended to safeguard civil aviation against acts of unlawful interference:

**Security area** means an area that the Director has declared to be a security area under section 84 of the Act:

**Security control** means a method used to prevent the introduction on board an aircraft or at an aerodrome of a weapon, explosive or other dangerous device, article or substance that may be used to commit an act of unlawful interference:

**Security designated aerodrome** means an aerodrome for the time being designated as a security aerodrome under section 82 of the Act:

**Security enhanced area** means an area that the Director has declared to be a security enhanced area under section 84 of the Act:

**SEIFR passenger operation** means an air transport operation carrying passengers in a single-engine aeroplane under IFR:

**Serious incident** means an incident involving circumstances indicating that an accident nearly occurred:

**Shore** means that area of the land adjacent to the water that is above the high-water mark and excludes land areas that are intermittently under water:

**SIGMET information** means information issued by a meteorological office concerning the occurrence or expected occurrence of specified enroute weather phenomena that may affect the safety of aircraft operations:

**Single-pilot aircraft** means an aircraft that is authorised in its flight manual to be operated with a minimum flight crew of 1 pilot for the type of flight:

**Special VFR flight** means a VFR flight cleared by an ATC unit to operate within controlled airspace in meteorological conditions below visual meteorological conditions:

**Specification** is the minimum performance standard specific to an article used on an aircraft:

**Standard part** means an aeronautical product that conforms to an aeronautical specification that is published in one of the following series and includes design, material, manufacture, and identification requirements:

- (1) Air Force-Navy Aeronautical Standard (AN):
- (2) American National Standards Institute (ANSI):
- (3) Australian Standards (AS):
- (4) British Standards, Aircraft Series (BS):
- (5) Military Standards (MS):
- (6) Military Specifications (MIL-SPEC):
- (7) National Aerospace Standards (NAS):
- (8) New Zealand Standards (NZS):
- (9) SAE Aerospace standard (AS):

(10) Society of Automotive Engineers (SAE):

**Statement of content** means an accurate description of the items that are contained within a consignment of cargo or mail for carriage by air:

**State of Design** means the State, or an organisation established by a group of States, having jurisdiction over the organisation responsible for the type design:

**State of registry** means the state on whose register the aircraft is entered:

**Stopway** means a defined rectangular area on the ground at the end of the take-off run available prepared as a suitable area on which an aircraft can be stopped in the case of an abandoned take-off:

**Synthetic flight trainer** means equipment in which flight conditions are simulated on the ground; and includes—

- (1) a flight simulator, being an apparatus which provides an accurate representation of the flight deck of a particular aircraft type to the extent that the normal environment of flight crew members, the systems, and the performance and flight characteristics of that type are realistically simulated:
- (2) a flight procedure trainer, being an apparatus that provides a representation of aircraft to the extent that realistic flight deck environment, instrument responses, simple systems, and the performance and flight characteristics of aircraft of a particular class or type are simulated:
- (3) a basic instrument flight trainer, being an apparatus equipped with appropriate instruments, simulating the flight deck environment of an aircraft in flight in instrument flight conditions, in which a pilot may be instructed or tested in basic instrument flight manoeuvres and procedures:

**Take-off distance available** means the length of the take-off run available plus the length of any clearway:

**Take-off run available** means the length of the runway declared by the aerodrome operator as available and suitable for the ground run of an aeroplane taking-off:

**Take-off weight** means the weight of the aeroplane at the commencement of the take-off run and includes everything and everyone carried in or on the aeroplane at the commencement of the take-off run:

**Taxi** means movement of an aircraft on the surface of an aerodrome or on water, excluding take-off and landing, but including, in the case of helicopters, operation over the surface of an aerodrome within a height band associated with ground effect and at speeds associated with air taxiing:

**Taxi fuel** means the fuel required for the operation of an aircraft between the engine start to commencement of the take off run and between the runway turnoff following completion of landing run to engine shut down:

**Technical arrangement** means an arrangement between New Zealand and another State to mutually recognise each State's aircraft maintenance organisation certification, maintenance standards and documentation, and personnel licences and certificates to allow maintenance performed on aircraft and components in one State to be recognised by the other State in accordance with the terms of the arrangement:

**Technical data** are drawings, instructions or other data required to be used for product certification, approvals, and authorisations under Part 21 or for the maintenance, modification, and repair of products, their components, and appliances under Part 43:

**Technical Instructions** means ICAO Document 9284 *Technical Instructions for the Safe Transport of Dangerous Goods by Air* approved and published by decision of the Council of the International Civil Aviation Organisation under Annex 18 of the Convention:

**Technical log** means the technical log that is required for every applicable aircraft under rule 91.619:

**Three-view** means, the accurate depiction of an aircraft from a collection of views that includes a plan, a front elevation, and a side elevation:



**Time in service** means, for maintenance time records, aircraft log records, and similar purposes, the elapsed time from the aircraft leaving the surface until touching it again on landing:

**Traffic information** means information issued by an ATS unit, to alert a pilot to other known or observed air traffic which may be in proximity to the position, or intended route of flight, and to help the pilot avoid a collision:

**Traffic load** means the total weight of passengers, baggage, and cargo:

**Transfer baggage** means baggage that is transferred directly from one aircraft to another aircraft:

**Transit baggage** means baggage that—

- (1) is on board an aircraft that arrives at an aerodrome; and
- (2) is still on board that aircraft when that aircraft leaves the aerodrome:

**Translation circuit** means a circuit in a helicopter that includes translation to forward flight:

**Trip fuel** means the fuel required for the planned flight from the commencement of the take off run to the completion of landing run prior to runway turnoff:

**Turbine powered** means powered by turbojet, or turbofan, or turboprop, or turboshaft:

**Turbofan** means a turbojet core engine that uses a proportion of the residual gas flow energy to drive a compressor ducting gas flow around the core engine as additional propulsion:

**Turbojet** means a gas turbine engine that uses the residual gas flow energy directly as propulsion:

**Turboprop** means a gas turbine engine that uses the residual gas flow energy to drive a propeller:

**Turboshaft** means a gas turbine engine that uses the residual gas flow energy to drive a shaft:

**Type—**

- (1) in relation to the licensing of aviation personnel means all aircraft of the same basic design, including all modifications thereto except those modifications which result in a significant change in handling or flight characteristics; or
- (2) in relation to the certification of aircraft, aircraft engines, or propellers, means those aircraft, aircraft engines or propellers which are similar in design:

**UNICOM Service** means a ground radio communications service in the aeronautical mobile service providing local aerodrome information for the facilitation of aviation, and, for the avoidance of doubt, a UNICOM service is not an air traffic service:

**Unlawful interference** means an act or attempted act endangering a passenger, crew member, ground personnel, aircraft, or facility:

**Valid** means —

- (a) in respect of a licence or rating, the document has been issued in accordance with the Civil Aviation rules, and is not expired, suspended, or revoked; and
- (b) in respect of a medical certificate, the medical certificate has been issued in accordance with the Act, and is not expired, suspended, or revoked.

**Variant** means a specifically configured aeroplane for which the Authority has identified training and qualification requirements that are significantly different from those applicable to an aeroplane of the same make, model, and series:

**VFR flight** means a flight conducted in accordance with the visual flight rules:

**Visibility** means the ability, as determined by atmospheric conditions and expressed in units of measurement, to see and identify prominent unlighted objects by day and prominent lighted objects by night:

**Visual meteorological conditions** means meteorological conditions expressed in terms of visibility, distance from cloud, and ceiling equal to or better than specified minima:

**Wet**, in relation to a runway, means a runway with sufficient moisture on its surface to cause it to appear reflective but without significant areas of standing water:

**ZFT simulator** means a synthetic flight trainer which—

- (1) meets the standard of level 5 as described in New Zealand Civil Aviation Publication CAP 37 dated 1 March 1986; or
- (2) meets the standard of level D/phase III as described in Appendix H (dated 30 July 1980) to Part 121 of the United States Federal Aviation Regulations; or
- (3) meets an equivalent standard acceptable to the Director.

### **1.3 Abbreviations**

In rules made under the Act—

**ACC** means area control centre:

**ACAS** means airborne collision avoidance system:

**AD** means airworthiness directive:

**ADF** means automatic direction-finder:

**AEDRS** means automatic engine data recording system

**AFRU** means an Aerodrome Frequency Response Unit:

**AFS** means aeronautical fixed service:

**AFTN** means aeronautical fixed telecommunication network:

**AGL** means above ground level:

**AIC** means Aeronautical Information Circular:

**AIP** means Aeronautical Information Publication:

**AIPNZ** means the Aeronautical Information Publication New Zealand:

**AIS** means aeronautical information service:

**AMC** means an accredited medical conclusion, as defined in section 27A of the Act.

**AMSL** means above mean sea level:

**ANZA** means Australia New Zealand Aviation:

**AQP** means advanced qualification programme:

**ARC** means aerodrome reference code:

**ARFL** means aeroplane reference field length:

**ASDA** means accelerate-stop distance available:

**ATC** means air traffic control service:

**ATCRBS** means air traffic control radio beacon system:

**ATIS** means automatic terminal information service:

**ATS** means air traffic services:

**AWIB** means an Aerodrome and Weather Information Broadcast:

**BRNAV** means basic area navigation:

**BTPD** means body temperature and pressure dry:

**BTPS** means body temperature and pressure standard:

**CAR** means Civil Aviation Rules:

**CBIP** means Certification Board for Inspection Personnel:

**CRM** means crew resource management:

**DA** means decision altitude:

**dBm** means a power expressed in decibels with a reference level of 1 milliwatt:

**dBW** means a power expressed in decibels with a reference level of 1 watt:

**DF** means direction finding:

**DH** means decision height:

**DME** means distance measuring equipment:

**EET** means estimated elapsed time:

**ELT** means emergency locator transmitter:

**ELT(AF)** means emergency locator transmitter (automatic fixed):

**ELT(S)** means emergency locator transmitter (survival):

**EPIRB** means emergency position indicating radio beacon:

**ETA** means estimated time of arrival:

**ETOPS** means extended-range twin-engine operations:

**FAR** means Federal Aviation Regulations issued by the Federal Aviation Administration of the United States of America:

**FDPS** means flight data processing system:

**FIC** means flight information centre:

**FIR** means flight information region:

**GAA** means general aviation area:

**GPS** means global positioning system:

**GPWS** means ground proximity warning system:

**HF** means high frequency:

**ICAO** means the International Civil Aviation Organisation established under the Convention; and includes any successor to the Organisation:

**IFR** means instrument flight rules:

**IFSD** means in-flight shut down:

**ILS** means instrument landing system:

**IMC** means instrument meteorological conditions:

**LDA** means landing distance available:

**LLZ** means localiser:

**LRNS** means long range navigation system:

**MCTOW** means maximum certificated take-off weight:

**MDA** means minimum descent altitude:

**ME1** means a medical examiner who holds a Medical Examiner 1 Certificate issued under the Act:

**ME2** means a medical examiner who holds a Medical Examiner 2 Certificate issued under the Act:

**MEL** means minimum equipment list:

**MLS** means microwave landing system:

**MNPS** means minimum navigation performance specifications:

**MTOPP** means mean tracheal oxygen partial pressure:

**NDB** means non-directional radio beacon:

**NDT** means non-destructive testing:

**NOF** means international NOTAM office:

**NZPMA** means New Zealand Parts Manufacturing Approval:

**NZTSO** means New Zealand Technical Standard Order:

**OGE** means out of ground effect:

**PAR** means precision approach radar:

**PIB** means Pre-flight Information Bulletin:

**PLA** means parachute landing area:

**PLB** means personal locator beacon:

**PRA** means precision radar approach

**PSR** means primary surveillance radar:

**QFE** means atmospheric pressure at aerodrome level or at runway threshold:

**QNH** means an altimeter sub-scale setting to obtain elevation when on the ground:

**RDPS** means radar data processing system:

**RESA** means a runway end safety area:

**RF** means radio frequency:

**RFDPS** radar and flight data processing system:

**RNAV** means area navigation:

**RNP** means required navigation performance:

**RPM** means revolutions per minute:

**RVR** means runway visual range:

**RVSM** means reduced vertical separation minimum:

**SEIFR** means single-engine IFR:

**SELCAL** means selective calling system:

**SFAR** means Special Federal Aviation Regulations issued by the Federal Aviation Administration of the United States of America:

**SSR** means secondary surveillance radar:

**STC** means Supplemental Type Certificate:

**STPD** means standard temperature and pressure dry:

**TAWS** means terrain awareness and warning system:

**TBO** means time between overhaul:

**TCAD** means traffic alert and collision avoidance device:

**TCAS** means traffic alert and collision avoidance system:

**TODA** means take-off distance available:

**TORA** means take-off run available:

**TSO** means a technical standard order that is issued by the Federal Aviation Administration of the United States of America:

**UF** means uplink formats:

**UHF** means ultra high frequency:

**UTC** means co-ordinated universal time:

**V<sub>1</sub>** means take-off decision speed:

**V<sub>2</sub>** means the initial climb out speed:

**V<sub>EF</sub>** means the calibrated speed at which the critical engine is assumed to fail:

**V<sub>S</sub>** means the stalling speed:



**VFR** means visual flight rules:

**VHF** means very high frequency:

**VMC** means visual meteorological conditions:

**VOLMET** means meteorological information for aircraft in flight:

**VOR** means VHF omnidirectional radio range:

**VSM** means vertical separation minimum:

**VSWR** means voltage standing wave ratio:

**ZFT** means zero flight time.