

LEGEND: S = Standard, O = Optional, P = Package, — = Not available

Complete package information is listed at the end of the Feature Availability section.

NOTE: Information shown is correct at time of publication and is subject to change without notice.

2009 Chrysler Town & Country Feature Availability

	LX	Touring	Limited
EXTERIOR			
Antenna—Fixed long-mast	S	S	S
Colors			
Inferno Red Crystal Pearl Coat, Deep Crimson Crystal Pearl Coat, Light Sandstone Metallic Clear Coat, Clearwater Blue Pearl Coat, Modern Blue Pearl Coat, Bright Silver Metallic Clear Coat, Brilliant Black Crystal Pearl Coat, Stone White Clear Coat and Melbourne Green Pearl Coat	O	O	O
Defroster—Electric, rear window	S	S	S
Door Handles			
Body-color	S	S	—
Bright	—	—	S
Fascias			
Body-color	S	S	—
Body-color with bright insert	—	—	S
Rear fascia scuff pad	S	S	S
Grille—Bright	S	S	S
Lamps			
Quad halogen headlamps	S	S	—
Headlamp-off time delay	S	S	S
Automatic headlamps	—	S	S
Fog lamps	—	S	S
High Intensity Discharge headlamps	—	—	S
SmartBeam [®] headlamps	—	P	S
Liftgate—Power	P	S	S
Mirrors—Outside rearview			
Power, heated fold-away	S	S	S
Body-color	—	S	—
Chrome with signal indicators and automatic dimming driver side	—	P	S
Memory	—	—	S
Moldings			
Beltline – Bright	S	S	S
Bodyside – Body-color	S	—	—
Bodyside – Bright	—	S	S
Rear Fascia Scuff Pad	S	S	S
Remote Start	—	P	S
Roof rack—black side rails with black crossbars	O	S	—

Roof rack—chrome side rails with black crossbars	—	—	S
Wiper System			
Rear window wiper/washer	S	S	S
Windshield—Variable intermittent	S	S	S
Rain-sensitive windshield wipers	—	P	S
INTERIOR			
Air Conditioning			
With three-zone manual temperature controls	S	S	—
With three-zone automatic temperature controls and air filtering	—	O	S
Rear air conditioning with heater	S	S	S
Assist Handles	S	S	S
Auxiliary Power Outlet			
115-volt	P	S	S
12-volt DC, front and rear	S	S	S
Carpet			
Standard, floor and cargo area	S	S	—
Luxury, full-length	—	—	S
Colors			
Medium Slate Gray/Light Shale	O	O	O
Medium Pebble Beige/Cream	O	O	O
Console			
Floor console with four cup holders	S	S	—
Premium removable sliding front console with four cup holders		P	S
Overhead console	S	S	S
Rear overhead console with four storage bins	—	S	S
Door Locks—Power	S	S	S
Doors—Power sliding rear-passenger	P	S	S
Floor Mats—Easy-clean	S	S	S
Grocery Bag Hooks—Rear seatback	S	S	S
HomeLink universal home security system transceiver	—	S	S
Illumination			
Entry illumination	S	S	S
Liftgate flood lamp	S	S	S
Rear dome lamp	S	—	—
Courtesy door lamps	—	S	S
Cup holder illumination	—	S	S
Overhead ambient surround lighting	—	S	S
Rear swiveling reading/courtesy lamps	—	S	S
Instrument Panel			
Analog clock in instrument panel	S	S	S
Electroluminescent instrument cluster with 120-mph primary speedometer and tachometer	S	S	S

Electronic Vehicle Information Center (EVIC) with trip computer and Tire Pressure Monitoring display	—	P	S
Woodgrain/satin silver bezel trim	S	S	S
Trip computer with temperature and compass	P	S	S
Mirror			
Day/night manual rearview	S	S	—
Automatic-dimming rearview mirror	—	P	S
Interior observation/conversation mirror with sunglasses holder	S	S	S
Pedals			
Power adjustable	—	S	S
Power adjustable, with memory	—	—	S
Seats			
Cloth, low-back front bucket seats with head restraints	S	S	—
Stain Repel Seat Fabric	S	S	—
Luxury leather-trimmed bucket seats	—	P	S
Stow 'n Go [®] second-row bucket seating and storage system	S	S	S
Swivel 'n Go [™] second-row swiveling bucket seats	O	O	O
Heated front seats	—	O/P	S
Heated second-row seats	—	O/P	S
Integrated child booster seat available with (Swivel 'n Go seats)	P	P	P
Eight-way power driver seat	P	S	—
Eight-way power driver seat and eight-way power passenger seat	—	S	S
Power folding third-row 60/40 bench seat	—	P	O
Driver adjustable lumbar—manual	P	S	S
Shift knob—Leather-wrapped	—	S	S
Sound Systems			
AM/FM radio with CD player and MP3 play capability	S	S	—
Four speakers	S	—	—
Six speakers	P	S	—
Nine speakers with subwoofer and 506-watt amplifier	—	P	S
Radio memory	—	—	S
uconnect studios SIRIUS Satellite Radio—Not available in Hawaii or Puerto Rico (first-year service provided by SIRIUS)	P	S	S
uconnect studios SIRIUS Backseat TV satellite streaming video (first-year service provided by SIRIUS)	—	O	P
uconnect tunes entertainment system with 30-gigabyte hard drive and touch screen with single-disc CD/DVD/MP3 player, AM/FM radio, and ParkView [™] Rear Back-up Camera	P	P	S
uconnect gps including touch screen, voice commands, 30-gigabyte hard drive, navigation radio, SIRIUS Satellite Radio and uconnect phone that is Bluetooth compatible	—	O	O
Speed Control	S	S	S
Steering Wheel			
Tilt steering column	S	S	S
Steering-wheel-mounted audio controls	—	S	S

Leather-wrapped	—	S	S
Storage			
Driver door sill storage	S	S	S
Driver side umbrella holder	S	S	S
Glove boxes, dual	S	S	S
Lower instrument panel cubby bin	S	S	—
Map pockets, dual (second-row)	S	S	S
Sliding door bottle holders	S	S	S
Left rear quarter trim storage bin	S	S	—
Overhead storage	—	S	S
Sun Roof—Power, with mini overhead console		O	O
Sun Visors—driver and front passenger with mirror	S	—	—
Sun Visors—driver and front passenger with illuminated mirror	—	S	S
uconnect phone that is Bluetooth compatible, and with iPod interface	—	P	P
Windows			
Sunscreen glass	S	S	S
Power, front with driver express up/down and passenger express down	S	S	S
Power, second-row	S	S	S
Power, rear quarter vents	S	S	S
Window Shades—Second- and third-row	—	P	S
POWERTRAIN AND CHASSIS			
3.3L V-6 OHV engine with 4-speed automatic transmission	S	—	—
3.8L V-6 OHV engine with 6-speed automatic transmission	—	S	—
4.0L V-6 SOHC engine with 6-speed automatic transmission	—	—	S
Alternator—160-amp	S	S	S
Battery—600-amp, maintenance-free	S	S	S
Brakes—Power, four-wheel disc with ABS	S	S	S
Engine Block Heater	O	O	O
Engine Oil Cooler	—	O/P	S
Flex Fuel Vehicle (FFV)	S	—	—
Front-wheel Drive	S	S	S
Fuel Tank—20-gallon capacity	S	S	S
Remote Start	—	P	S
Steering—Power rack-and-pinion	S	S	S
Suspension			
Front—Independent MacPherson	S	S	S
Rear—Twist-beam axle with coil springs, track bar, gas-charged shock absorbers	S	S	S
Load leveling and height control	—	P	P
Traction Control	S	S	S
Tires			
P225/65R16 BSW All-season	S	S	—

P225/65R17 BSW All-season Touring	—	P	S
Compact spare tire	S	S	S
Wheels			
16-inch steel wheels with full covers	S	—	—
16-inch aluminum wheels	—	S	—
17-inch aluminum wheels	—	P	—
17-inch aluminum chrome-clad wheels	—	—	S
SAFETY AND SECURITY			
Air Bags			
Advanced multistage driver and front passenger	S	S	S
Supplemental all-row side-curtain	S	S	S
Anti-lock Four-wheel Disc Brakes	S	S	S
Blind Spot Monitoring and Rear Cross Path	—	P	P
Brake Assist	S	S	S
Electronic Stability Program (ESP)	S	S	S
Emergency Accident Response System (EARS)	S	S	S
HomeLink universal home security system transceiver	—	S	S
Horns—Dual note electric			
Illuminated Entry	S	S	S
LATCH (Lower Anchors and Tethers for CHildren)	S	S	S
ParkSense [®] Rear Park Assist System	S	S	S
ParkView [™] Rear Back-up Camera	—	P	S
Remote Keyless Entry	P	P	S
Removable Rechargeable Flashlight	S	S	S
Seat Belts	—	S	S
Security Alarm	S	S	S
Sentry Key [®] Engine Immobilizer	—	P	S
Tip Start	S	S	S
Tire Pressure Warning Lamp in Instrument Cluster	S	S	S
Tire Pressure Monitoring Display (TPM)	S	S	—
Warning Lamps—Door ajar, low washer fluid	—	P	S
Warning Chime	S	S	S
	S	S	S
PACKAGES			
Flexible Seating Group —Includes second-row Swivel 'n Go [™] quad chairs which swivel 180 degrees rearward to face the third-row seats; removable and storable table for the second and third row; and “Swivel' n Go” badge			
Mopar Exterior Appearance Group —Includes bright door sills, premium floor mats with logo, splash guards and body-color running boards	O	O	O
Power Convenience Group —Includes power eight-way driver seat with manual lumbar adjustment; right and left power sliding rear doors; and power liftgate	O	O	O
Entertainment Group I —Includes uconnect tunes with 30-gigabyte hard drive and touch screen with single-disc CD/DVD/MP3 player, AM/FM radio, six	O	—	—

speakers, ParkView™ Rear Back-up Camera, and uconnect studios SIRIUS Satellite Radio with first-year subscription provided by SIRIUS; second-row overhead DVD console with 9-inch video screen; two wireless headphones; video remote control; and 115-volt auxiliary power outlet

Premium Group —Includes automatic temperature control with three-zone temperature control; rain-sensitive windshield wipers; power-folding third-row seat; SmartBeam® headlamps; uconnect phone that is Bluetooth compatible; iPod interface; auto-dimming rearview mirror with integrated microphone; 17-inch aluminum wheels and Bridgestone touring tires	O	—	—
Heated Seating Group —Includes heated front- and second-row seats	—	O	—
Security Group —Includes security alarm; uconnect phone that is Bluetooth compatible; iPod interface; auto-dimming rearview mirror with integrated microphone; power multi-function fold-away chrome exterior side mirrors with supplemental turn signal indicator and auto-dimming driver side mirror; ParkSense® Rear Park Assist System; and Blind Spot Monitoring and Rear Cross Path	—	O	—
Entertainment Group II —Includes second- and third-row nine-inch overhead DVD screens; single CD/DVD player; two two-channel wireless headphones; switchable video remote control; uconnect tunes with 30-gigabyte hard drive and touch screen with single-disc CD/DVD/MP3 player, AM/FM radio, and six speakers; ParkView™ Rear Back-up Camera	—	O	—
Family Value Group —Includes removable center front-seat console; second- and third-row window shades; and Remote Start	—	P	—
Trailer Tow Group —Includes heavy-duty engine cooling with engine oil cooler, heavy-duty transmission oil cooler and heavy-duty radiator; load leveling and height control; and trailer tow wiring harness	—	O	—
Safety Group —Includes the uconnect phone that is Bluetooth compatible, and iPod interface; auto-dimming rearview mirror with integrated microphone; and Blind Spot Monitoring and Rear Cross Path	—	O	O
Entertainment Group III —Includes second- and third-row nine-inch overhead DVD screens; single CD/DVD player; two two-channel wireless headphones; switchable video remote control; uconnect studios SIRIUS Backseat TV satellite streaming video with first-year subscription provided by SIRIUS	—	—	O
Legend: S = Standard O = Optional P = Available within package or group — = Not available			

2009 Chrysler Town & Country

Specifications

The information shown is preliminary and based on data available at the time of publication. All dimensions are in inches (millimeters) unless otherwise noted. All dimensions are measured at curb weight with standard wheels and tires unless otherwise noted.

GENERAL INFORMATION

Body Style	Multipurpose vehicle
Assembly Plant	Windsor, Ontario, Canada and Fenton, Mo.
EPA Vehicle Class	Multipurpose vehicle

ENGINE: 3.3-LITER, OHV, SMPI FFV V-6

Availability	Standard – LX, U.S.
Type and Description	Six-cylinder, 60° V-type, liquid-cooled
Displacement	210.5 cu. in. (3301 cu. cm)
Bore x Stroke	3.66 x 3.19 (93 x 81)
Valve System	OHV, 12 valves, roller followers, hydraulic lifters
Fuel Injection	Sequential, multi-port, electronic
Construction	Cast-iron block, aluminum-alloy heads
Compression Ratio	9.3:1
Power (SAE net)	175 hp (131 kW) @ 5,000 rpm (53 bhp/liter)
Torque (SAE net)	205 lb.-ft. (278 N•m) @ 4,000 rpm
Max. Engine Speed	5,600 rpm
Fuel Requirement	Unleaded mid-grade, 87 octane (R+M)/2, and up to E85 ethanol
Oil Capacity	5 qt. (4.7L)
Coolant Capacity	13.36 qt. (12.64L) – standard 16.28 qt. (15.4L) – with rear heater
Emission Controls	Three-way catalytic converter, heated oxygen sensors, electronic EGR, and internal engine features ⁽¹⁾
Estimated EPA Fuel Economy mpg (city/hwy), NAFTA Markets	17/24
Assembly Plant	Trenton Engine Plant, Trenton, Mich.
(1) Meets Federal Tier 2, Bin 5 emission requirements; marketed in California, New York, Massachusetts, Vermont and Maine as a LEV-II (Low Emissions Vehicle).	

ENGINE: 3.8-LITER, OHV, SMPI V-6

Availability	Standard – Touring, U.S. and Canada
Type and Description	Six-cylinder, 60° V-type, liquid-cooled
Displacement	230.5 cu. in. (3778 cu. cm)
Bore x Stroke	3.78 x 3.43 (96 x 87)
Valve System	OHV, 12 valves, roller followers, hydraulic lifters
Fuel Injection	Sequential, multi-port, electronic
Construction	Cast-iron block, aluminum-alloy heads
Compression Ratio	9.6:1
Power (SAE net)	197 hp (147 kW) @ 5,200 rpm (51.8 bhp/liter)

Torque (SAE net)	230 lb.-ft. (312 N•m) @ 4,000 rpm
Max. Engine Speed	5,600 rpm
Fuel Requirement	Unleaded regular, 87 octane (R+M)/2
Oil Capacity	5 qt. (4.7L)
Coolant Capacity	16.28 qt. (15.4L)
Emission Controls	Three-way catalytic converter, heated oxygen sensors, electronic EGR, and internal engine features ⁽²⁾
Estimated EPA Fuel Economy mpg (city/hwy), NAFTA Markets	16/23
Assembly Plant	Trenton Engine Plant, Trenton, Mich. USA
⁽²⁾ Meets Federal Tier 2, Bin 5+ emission requirements; marketed in California, New York, Massachusetts, Vermont and Maine as a ULEV-II (Ultra-Low Emissions Vehicle).	

ENGINE: 4.0-LITER, SOHC, 24-Valve, SMPI V-6

Availability	Optional – Touring, Standard – Limited, U.S. and Canada and all of Mexico
Type and Description	Six-cylinder, 60° bank angle, liquid-cooled, with three-plenum intake manifold, electronically controlled manifold tuning valve and short-runner valves
Displacement	241.2 cu. in. (3952 cu. cm)
Bore x Stroke	3.78 x 3.58 (96 x 91)
Valve System	SOHC, 24 valves, hydraulic, center-pivot roller rocker arms
Fuel Injection	Sequential, multi-port, electronic
Construction	Semi-permanent mold aluminum block with cast-iron liners and cast-aluminum heads
Compression Ratio	10.3:1 on mid-grade fuel
Power (SAE net)	251 hp (189 kW) @ 6,000 rpm (62.75 bhp/liter)
Torque (SAE net)	259 lb.-ft. (350 N•m) @ 4,100 rpm
Max. Engine Speed	6,000 rpm (electronically limited)
Fuel Requirement	Unleaded, 87 octane (R+M)/2
Oil Capacity	5.5 qt. (5.2L) SAE 10W-30
Coolant Capacity	16.28 qt. (15.4L)
Emission Controls	Three-way catalytic converters, quad heated oxygen sensors and internal engine features
Estimated EPA Fuel Economy mpg (city/hwy), NAFTA Markets	17/25
Assembly Plant	Trenton Engine Plant, Trenton, Mich.

TRANSAXLE: 41TE, AUTOMATIC FOUR-SPEED OVERDRIVE

Availability	Standard with 3.3L engine
Description	Four-speed overdrive, adaptive electronic control, electronically modulated converter clutch
Gear Ratios	
1 st	2.842
2 nd	1.57
3 rd	1.0

4 th	0.69
Reverse	3.214
Final Drive Ratio	3.434
Overall Top Gear	2.37

TRANSAXLE: 62TE, AUTOMATIC SIX-SPEED OVERDRIVE

Availability	Standard with 3.8L and 4.0L V-6 engines
Description	6-speed, adaptive electronic control, electronically modulated torque converter clutch
Gear Ratios	
1 st	4.127
2 nd	2.842
3 rd	2.283
4 th	Upshift – 1.452 WOT kickdown – 1.570
5 th	1.0
6 th	0.690
Reverse	3.214
Transfer Ratio	0.95
Final Drive Ratio	3.246
Overall Top Gear	2.24

DRIVETRAIN

Front-wheel Drive	Standard
-------------------	----------

ELECTRICAL SYSTEM

Alternator	160A
Battery	600 CCA, maintenance-free

DIMENSIONS AND CAPACITIES

General

Wheelbase	121.2 (3078.2)
Overhang — Front	37.6 (955.4)
Overhang — Rear	43.7 (1108.9)
Track — Front	65.5 (1663.2)
Track — Rear	64.8 (1645.0)
Overall Length	202.5 (5142.5)
Overall Width	76.9 (1952.2)
Overall Width with Mirrors	88.5 (2246.8)
Overall Height	68.9 (1750.1)
Liftover Height	24.4 (619.9)
Cargo Width at Wheelhouse	49.03 (1245.5)
Maximum Cargo Height	48.56 (1233.4) LX 46.16 (1172.4) Touring/Limited

Angle of Approach (curb load)	14.3°
Angle of Departure (curb load)	18.7°
Breakover Angle (curb load)	13.9°
Minimum Running Ground Clearance (curb load)	6.1 (154.7)
Fuel Tank Capacity, gal. (L)	20 (76)
Gross Vehicle Weight Rating (GVWR), lbs. (kg)	5,700 (2585)
Towing Capacity, lbs. (kg)	1,800 (907) – LX with Trailer Tow Prep Package 3,600 (1632.9) – Touring and Limited with Trailer Tow Prep Package
U.S. Curb Weight, wet lbs. (kg)	
3.3L Gasoline Engine	4,335 (1966.3) — LX, automatic transaxle Weight Distribution % F/R — 56/44
3.8L Gasoline Engine	4,507 (2042.3) — Touring, automatic transaxle Weight Distribution % F/R — 56/44
4.0L Gasoline Engine	4,621 (2095.9) — Limited, automatic transaxle Weight Distribution % F/R — 56/44
ACCOMMODATIONS	
Seating Capacity — F/I/R	2/2/3
Seating Capacity — F/I/R	2/2/3
SAE Total Interior Passenger Volume, cu. ft. (cu. m)	163.5 (4.63) / 156.1 (4.42)
Front	
Head Room	39.8 (1010.9)
Head Room with Sun Roof	37.2 (946.0)
Leg Room	40.6 (1031.7)
Shoulder Room	63.0 (1600.7)
Hip Room	57.6 (1463.0) LX 57.6 (1463.0) Touring/Limited
Seat Travel	8.7 (220)
Intermediate	
Head Room	39.2 (996.7) LX 39.7 (1008.1) Touring/Limited
Leg Room	36.4 (923.8) LX 36.3 (922.5) Touring/Limited
Knee Clearance	3.5 (88.9) LX 3.6 (92.7) Touring/Limited
Shoulder Room	64.7 (1643.4)
Hip Room	64.8 (1646.0) LX 64.8 (1647.1) Touring/Limited
Seat Travel, Optional Swivel 'n Go™ Seats	3.9 (100)
Intermediate Passenger Volume, cu. ft. (cu. m)	53.4 (1.51) LX 54.0 (1.53) Touring/Limited

Rear

Head Room	37.9 (961.9)
Leg Room	37.6 (954.6) LX 31.8 (807.9) Touring/Limited
Knee Clearance	37.6 (113.0) / 31.8(156.7)
Shoulder Room	62.0 (1575.9)
Hip Room	48.7 (1237.7)
Rear Passenger Volume, cu. ft. (cu. m)	51.1 (1.45) LX 43.2 (1.22) Touring/Limited

Cargo Volume

Maximum Cargo Volume, cu. ft. (cu. m)	143.8 (4.07) LX 140.1 (3.97) Touring/Limited
Behind Second-row Seats, cu. ft. (cu. m)	82.7 (2.34) / 83.7 (2.37)
Aft of Third-row Seat, cu. ft. (cu. m)	32.3 (0.92)
Total Passenger plus Cargo Volume, cu. ft. (cu. m)	195.8 (5.54) LX 188.4 (5.34) Touring/Limited

BODY/CHASSIS

Layout	Transverse front engine, front-wheel drive
Construction	Unitized steel with hinged front doors; sliding left and right side doors—power available; rear liftgate with gas props—power available

SUSPENSION

Front	Independent MacPherson strut, coil over gas-charged shock absorbers, stabilizer bar with isolated suspension cradle
Rear	Twist-beam axle with coil springs, track bar, gas-charged shock absorbers; self-leveling shock absorbers included with Trailer Tow Package

STEERING

Type	Power rack-and-pinion
Overall Ratio	16.9:1
Turning Diameter (curb-to-curb)	39.1 ft. (11.92 m)
Steering Turns (lock-to-lock)	3.14

BRAKES

Power Assist Type	All—8 x 9 (204 x 320) tandem-diaphragm vacuum
Availability	U.S.—Standard on all models
Front	
Size and Type	11.9 x 1.1 (302 x 28) vented rotors with 42 mm single-piston IPB caliper
Swept Area (total front)	55.0 sq. in. (355 sq. cm)
Rear	

Size and Type	12.0 x 0.47 (305 x 12) solid rotors with 42 mm single-piston IPB caliper
Swept Area (total rear)	54.3 sq. in. (350 sq. cm)
Parking Brake Type	Integral parking brake
Four-wheel Anti-lock (ABS)	Standard
Electronic Stability Program (ESP)	Standard
All-speed Traction Control	Standard

WHEELS (U.S.)

Availability	Standard—LX
Type and Material	Steel with painted bolt-on wheel cover
Size	16 x 6.5
Availability	Standard—Touring, Optional—LX
Type and Material	Machine-face cast-aluminum with painted pockets
Size	16 x 6.5
Availability	Optional—Touring
Type and Material	Machined cast-aluminum with painted pocket
Size	17 x 6.5
Availability	Standard—Limited
Type and Material	Chrome-clad cast-aluminum
Size	17 x 6.5

TIRES (U.S.)

Availability	Standard—LX and Touring
Size and Type	225/65R16, All-season
Model	Yokohama Avid S33
Revs per Mile (km)	763 (1230)
Availability	Standard—Limited, Optional—Touring
Size and Type	P225/65R17, black sidewall, All-season Touring
Model	Bridgestone Turanza EL400 black sidewall
Revs per Mile (km)	736 (1187)