

# AD-A206 157 DT DOCUMENTATION PAGE

4

1a. REPORT CLASSIFICATION Unclassified		1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION / AVAILABILITY OF REPORT Approved for public release: distribution unlimited.	
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE		4. PERFORMING ORGANIZATION REPORT NUMBER(S) Technical Report #89-1.	
5. MONITORING ORGANIZATION REPORT NUMBER(S)		6a. NAME OF PERFORMING ORGANIZATION Washington University	
6b. OFFICE SYMBOL (If applicable)		7a. NAME OF MONITORING ORGANIZATION Office of Naval Research (Code 1142PT) Personnel & Training Research Programs	
6c. ADDRESS (City, State, and ZIP Code) 660 S. Euclid, Box 8111 Department of Neurology St. Louis, MO 63110		7b. ADDRESS (City, State, and ZIP Code) 800 North Quincy Street Arlington, VA 22217	
8a. NAME OF FUNDING / SPONSORING ORGANIZATION		8b. OFFICE SYMBOL (If applicable)	
8c. ADDRESS (City, State, and ZIP Code)		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N00014-86-K0289	
		10. SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO. 61153N	PROJECT NO. RR04206
		TASK NO. RR04206-OA	WORK UNIT ACCESSION NO. NR44206
11. TITLE (Include Security Classification) The Attention System of the Human Brain			
12. PERSONAL AUTHOR(S) Michael I. Posner and Steven E. Petersen			
13a. TYPE OF REPORT Technical	13b. TIME COVERED FROM 7/1/88 TO 6/30/89	14. DATE OF REPORT (Year, Month, Day) February 28, 1989	15. PAGE COUNT 25
16. SUPPLEMENTARY NOTATION			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB-GROUP	
05	10		
19. ABSTRACT (Continue on reverse if necessary and identify by block number) The concept of attention as central to human performance extends back to the start of experimental psychology, (James, 1890), yet even a few years ago, it would not have been possible to outline in even a preliminary form a functional anatomy of the human attentional system. New developments in neuroscience (Hillyard & Picton, 1987; Raichle, 1983; Wurtz, Goldberg & Robinson, 1980) have opened the study of higher cognition to physiological analysis, and have revealed a system of anatomical areas that appear to be basic to the selection of information for focal (conscious) processing.			
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION Unclassified	
22a. NAME OF RESPONSIBLE INDIVIDUAL Michael I. Posner		22b. TELEPHONE (Include Area Code) (503) 686-4939	22c. OFFICE SYMBOL ONR 1142 PT

**DTIC ELECTE**  
20 MAR 1989  
**S E D**

(Submitted to the Annals of Neuroscience, 1989)

**The Attention System of the Human Brain**

**ONR Technical Report #89-1**

**Michael I. Posner  
Department of Psychology  
University of Oregon  
Eugene, OR 97403**

and

**Steven E. Petersen  
Department of Neurology and Neurological Surgery  
Washington University School of Medicine  
660 S. Euclid, Box 8111  
St. Louis, MO 63110**

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
ERIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

## INTRODUCTION

The concept of attention as central to human performance extends back to the start of experimental psychology, (~~James, 1890~~), yet even a few years ago, it would not have been possible to outline in even a preliminary form a functional anatomy of the human attentional system. New developments in neuroscience (~~Hillyard & Picton, 1987; Raichle, 1983; Wurtz, Goldberg & Robinson, 1980~~) have opened the study of higher cognition to physiological analysis, and have revealed a system of anatomical areas that appear to be basic to the selection of information for focal (conscious) processing.

The importance of attention is its unique role in connecting the mental level of description of processes used in cognitive science with the anatomical level common in neuroscience. Sperry (~~1988~~) describes the central role that mental concepts play in understanding brain function as follows:

"control from below upward is retained but is claimed to not furnish the whole story. The full explanation requires that one take into account new, previously nonexistent, emergent properties, including the mental, that interact causally at their own higher level and also exert causal control from above downward." (p. 609)

If there is hope of exploring causal control of brain systems by mental states, it must lie through an understanding of how voluntary control is exerted over more automatic brain systems. We argue that this can be approached through understanding the human attentional system at the levels of both cognitive operations and of neuronal activity.

As is the case for sensory and motor systems of the brain, our knowledge of the anatomy of attention is incomplete. Nevertheless, we can now begin to identify some principles of organization that allow attention to function as a unified system for the control of mental processing. Although many of our points are still speculative and controversial, we believe they constitute a basis for more detailed studies of attention from a cognitive-neuroscience viewpoint. Perhaps even more important for furthering future studies, multiple methods of mental chronometry, brain lesions, electrophysiology, and several types of neuroimaging have converged on common findings.

Three fundamental findings are basic to this chapter. First, the attention system of the brain is anatomically separate from the data processing systems that

perform operations on specific inputs even when attention is oriented elsewhere. In this sense, the attention system is like other sensory and motor systems. It interacts with other parts of the brain, but maintains its own identity. Second, attention is carried out by a network of anatomical areas. It is neither the property of a single center, nor is it a general function of the brain operating as a whole (Mesulam, 1981; Rizzolatti, Gentilucci & Matelli, 1985). Third, the areas involved in attention carry out different functions, and these specific computations can be specified in cognitive terms (Posner, Petersen, Fox & Raichle, 1988).

To illustrate these principles, it is important to divide the attention system into subsystems that perform different but interrelated functions. In this chapter, we consider three major functions that have been prominent in cognitive accounts of attention (Posner & Boies, 1971): (1) orienting to sensory events; (2) detecting signals for focal (conscious) processing, and (3) the maintenance of a vigilant or alert state.

For each of these subsystems, we adopt an approach that organizes the known information around a particular example. For orienting, we use visual locations as the model, because of the large amount of work done with this system. For detecting, we focus on reporting the presence of a target event. We think this system is a general one that is important for detection of information from sensory processing systems as well as information stored in memory. However the extant data concern primarily the detection of visual locations and processing of auditory and visual words. For alerting, we discuss situations in which one is required to prepare for processing of high priority target events (Posner, 1978).

For the subsystems of orienting, detecting and alerting, we review the known anatomy, the operations performed, and the relationship of attention to data processing systems (e.g. visual word forms, semantic memory) upon which that attentional subsystem is thought to operate. Thus for orienting, we review the visual attention system in relationship to the data processing systems of the ventral occipital lobe. For detecting, we examine an anterior attention system in relationship to networks that subserve semantic associations. For alerting, we examine arousal systems in relationship to the selective aspects of attention. Insofar as possible, we draw together evidence from a wide variety of methods, rather than arguing for the primacy of a particular method.

## ORIENTING

### Visual Locations

Visual orienting is usually defined in terms of the foveation of a stimulus (overt). Foveating a stimulus improves efficiency of processing targets in terms of acuity, but it is also possible to change the priority given a stimulus by attending to its location covertly without any change in eye or head position (Posner, 1988).

If a person or monkey attends to a location, events occurring at that location are responded to more rapidly (Eriksen & Hoffman, 1972; Posner, 1988), give rise to enhanced scalp electrical activity (Mangoun & Hillyard, 1987), and can be reported at a lower threshold (Bashinski & Bachrach, 1980; Downing, 1988). This improvement in efficiency is found within the first 150 millisecond after an event occurs at the attended location. Similarly, if people are asked to move their eyes to a target, an improvement in efficiency at the target location begins well before the eyes move (Remington, 1980). This covert shift of attention appears to function as a way of guiding the eye to an appropriate area of the visual field (Fischer & Breitmeyer, 1987; Posner & Cohen, 1984).

The sensory responses of neurons in several areas of the brain have been shown to have a greater discharge rate when a monkey attends to the location of the stimulus, than when the monkey attends to some other spatial location. Three areas particularly identified with this enhancement effect are the posterior parietal lobe (Mountcastle, 1978; Wurtz, Goldberg & Robinson, 1980), the lateral pulvinar nucleus of the posterolateral thalamus (Petersen, Robinson & Morris, 1987) and the superior colliculus. Similar effects in the parietal cortex have been shown in normal humans using positron emission tomography (Petersen, Fox & Raichle, 1988).

While brain injuries to any of these three areas in human subjects will cause a reduction in the ability to shift attention covertly (Posner, 1988), each area seems to produce a somewhat different type of deficit. Damage to the posterior parietal lobe has its greatest effect on the ability to disengage from an attentional focus to a target located in a direction opposite to the side of the lesion (Posner, 1988).

Patients with a progressive deterioration in the superior colliculus and/or surrounding areas also show a deficit in the ability to shift attention. In this case, the shift is slowed whether or not attention is first engaged elsewhere. This finding suggests that a computation involved in moving attention to the target is impaired. Patients with this damage also return to former target locations as readily as to fresh locations that have not recently been attended. Normal subjects and patients with parietal and other cortical lesions have a reduced probability of returning attention to already examined locations (Posner, 1988; Posner & Cohen, 1984). These two

deficits appear to be those most closely tied to the mechanisms involved with saccadic eye movements.

Patients with lesions of the thalamus and monkeys with chemical injections into the lateral pulvinar also show difficulty in covert orienting (Petersen, Robinson & Morris, 1987; Posner, 1988). This difficulty appears to be in engaging attention on a target on the side opposite the lesion so as to avoid being distracted by events at other locations. A study of patients with unilateral thalamic lesions showed slowing of responses to a cued target on the side opposite the lesion even when the subject had plenty of time to orient there. This contrasted with the results found with parietal and midbrain lesions, where responses are nearly normal on both sides once attention has been cued to that location. Alert monkeys with chemical lesions of this area made faster than normal responses when cued to the side opposite the lesion and given a target on the side of the lesion, as though the contralateral cue was not effective in engaging their attention (Petersen, Robinson & Morris, 1987). They were also worse than normal when given a target on the side opposite the lesion, irrespective of the side of the cue. It appears difficult for thalamic lesioned animals to respond to a contralateral target when another competing event is also present in the ipsilateral field (R. Desimone, personal communication). Data from normal human subjects required to filter out irrelevanties, showed selective metabolic increases in the pulvinar contralateral to the field required to do the filtering (LaBerge & Buchsbaum, 1988). Thalamic lesions appear to give problems in engaging the target location in a way that allows responding to be fully selective.

These findings make two important points. First, they confirm the idea that anatomical areas carry out quite specific cognitive operations. Second, they suggest a hypothesis about the circuitry involved in covert visual attention shifts to spatial locations. The parietal lobe first disengages attention from its present focus, then the midbrain area acts to move the index of attention to the area of the target and the pulvinar is involved in reading out data from the indexed locations. Further studies of alert monkeys should provide ways of testing and modifying this hypothesis.

### Hemispheric Differences

The most accepted form of cognitive localization, resulting from studies of split brain patients (Gazzaniga, 1970), is the view that the two hemispheres perform different functions. Unfortunately, in the absence of methods to study more detailed localization, the literature has tended to divide cognition into various dichotomies assigning one to each hemisphere. As we develop a better understanding of how

cognitive systems (e.g. attention) are localized, hemispheric dominance may be treated in a more differentiated manner.

Just as we can attend to locations in visual space, it is also possible to concentrate attention on a narrow area or to spread it over a wider area (Eriksen & Yeh, 1985). To study this issue, Navon (1978) formed large letters out of smaller ones. It has been found in many studies that one can concentrate attention on either the small or large letters and that the attended stimulus controls the output even though the unattended letter still influences performance. The use of small and large letters as a method of directing local and global attention turns out to be related to allocation of visual channels to different spatial frequencies. Shulman & Wilson (1987) showed that when attending to the large letters, subjects are relatively more accurate in the perception of probe grating of low spatial frequency and this reverses when attending to the small letters.

There is evidence from the study of patients that the right hemisphere is biased toward global processing (low spatial frequencies) and the left for local processing (high spatial frequencies) (Robertson & Delis, 1986; Sergent, 1987). Right hemisphere patients may copy the small letters but miss the overall form, while those with left hemisphere lesions copy the overall form but miscopy the constituent small letters. Detailed chronometric studies of parietal patients reveal difficulties in attentional allocation so that right hemisphere patients attend poorly to the global aspects and left hemisphere to the local aspects (Robertson, Lamb & Knight, 1988).

These studies support a form of hemispheric specialization within the overall structure of the attention system. The left and right hemisphere both carry out the operations needed for shifts of attention in the contralateral direction, but they have more specialized functions in the level of detail to which attention is allocated. It is likely that these hemispheric specializations are not absolute nor innate. Rather they are probably relative and emerge over time, perhaps in conjunction with the development of literacy.

The general anatomy of the attention system that we have been describing lies in the dorsal visual pathway that has its primary cortical projection area in V1 and extends into the parietal lobe (see figure 1). A major aspect of the study

#### INSERT FIG 1

of attention is to see how attention could influence the operations of other cognitive systems such as are involved in the recognition of visual patterns. The visual

pattern recognition system is thought to involve a ventral pathway, stretching from V1 to the infratemporal cortex. Anatomically, these two areas of the brain can be coordinated through the thalamus (pulvinar) (Petersen, Robinson & Morris, 1987), or through other pathways (Zeki & Shipp, 1988). Functionally, attention might be involved in various levels of pattern recognition, from the initial registration of the features to the storage of new visual patterns.

### Pattern Recognition

**VISUAL SEARCH** All neurons are selective in the range of activation to which they will respond. The role of the attention system is to modulate this selection for those types of stimuli that might be most important at a given moment. To understand how this form of modulation operates, it is important to know how a stimulus would be processed without the special effects of attention. In cognition, unattended processing is called "automatic" to distinguish it from the special processing that becomes available with attention.

We have learned quite a bit about the automatic processing that occurs in humans along the ventral pathway during recognition of visual objects (Posner, 1988; Treisman & Gormican, 1988). Treisman has shown that search of complex visual displays for single features can take place in parallel with relatively little effect of the number of distractors. When a target is defined as a conjunction of attributes shared with distractors that are themselves heterogeneous (Duncan & Humphreys, in press), the search process becomes slow, effortful and serial.

We know from cognitive studies (LaBerge & Brown, 1988; Treisman & Gormican, 1988) that cueing people to locations influences a number of aspects of visual perception. Treisman has shown that when attempting to conjoin features, subjects use focal attention, and it has also been shown that spreading focal attention among several objects leads to a tendency for misconjoining features within those objects, regardless of the physical distance between them (Cohen & Ivry, 1989). Thus, attention not only provides a high priority to attended features, but does so in a way that overrides even the physical distance between objects within the focus of attention.

While these reaction time results are by no means definitive markers of attention, there is also evidence from studies with brain lesioned patients that support a role of the visual spatial attention system. These clinical studies examine the ability of patients to bisect lines (Riddoch & Humphreys, 1983), search complex visual patterns (Riddoch & Humphreys, 1987), or report strings of letters (Friedrich,



Walker & Posner, 1985; Sieroff, Pollatsek & Posner, 1988). Damage to the posterior parietal lobe appears to have specific influences on these tasks. Patients with right parietal lesions frequently bisect lines too far to the right and fail to report the left most letters of a random letter string (Sieroff, Pollatsek & Posner, 1988). However, these effects are attentional not in the recognition process itself. Evidence for this is that they can frequently be corrected by cueing the person to attend covertly to the neglected side (Riddoch & Humphreys, 1983; Sieroff, Pollatsek & Posner, 1988). The cues appear to provide time for the damaged parietal lobe to disengage attention and thus compensates for the damage. It is also possible to compensate by substituting a word for a random letter string. Patients who fail to report the left most letters of a random string will often do so correctly when it makes a word. If cues work by directing attention, they should also influence normal performance. Cues presented prior to a letter string do improve the performance of normals for nearby letters, but cues have little or no influence on the report of letters making words (Sieroff & Posner, 1988). Blood flow studies of normal humans show that an area of the left ventral occipital lobe is unique to strings of letters that are either words or orthographically regular nonwords (A. Snyder, S.E. Petersen, P.T. Fox, & M.E. Raichle, personal communication). This visual word form area (see Figure 1) appears to operate without attention, and this confirms other data that recognition of a word may be so automated as not to require spatial attention, while the related tasks of searching for a single letter, forming a conjunction, or reporting letters from a random string do appear to rely upon attention.

Studies of recording from individual cells in alert monkeys confirm that attention can play a role in the operation of the ventral pattern recognition system (Wise & Desimone, 1988). It appears likely that the pathway by which the posterior attention system interacts with the pattern recognition system is through the thalamus (Petersen, Robinson, & Morris, 1987). This interaction appears to require about 90 millisecond since cells in V4 begin to respond to unattended items within their receptive field, but shut these unattended areas off after 90 msec (Wise & Desimone, 1988). Detailed models of the nature of the interaction between attention and pattern recognition are just beginning to appear (Crick, 1984; LaBerge & Brown, 1988).

**IMAGERY** In most studies of pattern recognition, the sensory event begins the process. However, it is possible to instruct human subjects to take information from their long term memories and construct a visual representation (image) that they might then inspect (Kosslyn, 1988). This higher level visual function is called imagery. The importance of imagery as a means of studying mechanisms of high level vision has not been well recognized in neuroscience. When imagery can be

employed as a means of studying vision, it allows more direct access to the higher levels of information processing without contamination from lower levels. There is now considerable evidence that some of the same anatomical mechanisms are used in imagery as are involved in some aspects of pattern recognition (Farah, 1988; Rosslyn, 1988). Patients with right parietal lesions, who show deficits in visual orienting of the type that we have described above, also fail to report the contralesional side of visual images (Bisiach, Luzzatti & Perani, 1981). When asked to imagine a familiar scene, they make elaborate reports of the right side but not the left. The parts of the image that are reported when facing in one direction are neglected when facing in the other. This suggests that the deficit arises at the time of scanning the image.

When normal subjects imagine themselves walking on a familiar route, blood flow studies show activation of the superior parietal lobe on both sides (Roland, 1985). Although many other areas of the brain are also active in this study, most of them are common to other verbal and arithmetical thoughts, but activation of the superior parietal lobe seems more unique to imagery. As discussed previously, the parietal lobe seems to be central to spatial attention to external locations. Thus, it appears likely that the neural systems involved in attending to an external location are closely related to those used when subjects scan a visual image.

## ANTERIOR ATTENTION SYSTEM

In her paper on the topography of cognition, Goldman-Rakic (1988) describes the strong connections between the posterior parietal lobe and areas of the lateral and medial frontal cortex. This anatomical organization is appealing as a basis for relating what has been called involuntary orienting by Luria (1973), and what we have called the posterior attention system, to focal or conscious attention.

Cognitive studies of attention have often shown that detecting a target reduces widespread interference with most other cognitive operations (Posner, 1978). It has been shown that monitoring many spatial locations or modalities reduces little or no interference over monitoring a single modality, unless a target occurs (Duncan, 1980). This finding supports the distinction between a general alert state, and one in which attention is clearly oriented and engaged in processing information. In the alert but disengaged state, any target of sufficient intensity has little trouble in summoning the mechanisms that produce detection. Thus monitoring multiple modalities or locations produce only small amounts of interference. The importance of engaging the focal attention system in the production of widespread interference between signals supports the idea that there is a unified system

involved in detection of signals regardless of their source. As a consequence of detection of a signal by this system, we can produce a wide range of arbitrary responses to it. We take this ability to produce arbitrary responses as evidence that the person is aware of the signal.

Evidence that there are attentional systems common to spatial orienting as well as orienting to language comes from studies of cerebral blood flow during cognitive tasks. Roland (1985) has reported a lateral superior frontal area which is active both during tasks involving language and in spatial imagery tasks. However, these studies do not provide any clear evidence that such common areas are part of an attentional system. More compelling is evidence that midline frontal areas, including the anterior cingulate gyrus and the supplementary motor area, are active during semantic processing of words (Petersen, et al, 1988), and that the degree of blood flow in the anterior cingulate increases as the number of targets to be detected increases (Posner et al, 1988). Thus, the anterior cingulate seems to be particularly sensitive to the operations involved in target detection.

The anterior cingulate gyrus is one of the areas reported by Goldman-Rakic (1988) to have alternating bands of cells that are labelled by injections into the posterior parietal lobe and the dorsolateral prefrontal cortex. These findings suggest that the anterior cingulate should be shown to be important in tasks requiring the posterior attention system as well as in language tasks. It has often been argued from lesion data that the anterior cingulate plays an important role in aspects of attention including neglect (Mesulam, 1980; Mirsky, 1987).

Does attention involve a single unified system, or should we think of its functioning as being executed by separate independent systems? One way to test this idea is to determine whether attention in one domain (e.g. language) affects the ability of mechanisms in another domain (e.g. orienting toward a visual location). If the anterior cingulate system is important in both domains, there should be a specific interaction between even remote domains such as these two. Studies of patients with parietal lesions (Posner, Inhoff, Freidrich & Cohen, 1987) showed that when they were required to monitor a stream of auditory information for a sound, they were slowed in their ability to orient toward a visual cue. The effect of the language task was rather different than engaging attention at a visual location because its effects were bilateral rather than being mainly on the side opposite the lesion. Thus, the language task appeared to involve some but not all of the same mechanisms that were used in visual orienting.

This result is compatible with the view that visual orienting involves separate but interconnected systems with those used for language processing. A similar result was found with normal subjects when they were given visual cues while shadowing an auditory message (Posner, Sandson, Dhawan & Shulman, 1989). Here, the effects of the language task were most marked for cues in the right visual field, as though the common system might have involved lateralized mechanisms of the left hemisphere. These findings fit with the close anatomical links between the anterior cingulate and the posterior parietal lobe on the one hand and language areas of the lateral frontal lobe on the other. They suggest to us a possible hierarchy of attention systems in which the anterior system can pass control to the posterior system when it is not occupied with processing other material.

A spotlight analogy has often been used to describe the selection of information from the ventral pattern recognition system by the posterior attention system (Treisman & Gormican, 1988). A spotlight is a very crude analogy but it does capture some of the dynamics involved in disengaging, moving and engaging attention. This analogy can be stretched still further to consider aspects of the interaction between the anterior attention system and the associative network shown to be active during processing of semantic associates and categories by studies of cerebral blood flow (Petersen et al, 1988).

#### INSERT FIG 2 ABOUT HERE

The temporal dynamics of this type of interaction between attention and semantic activation has been described in some detail (Posner, 1978; 1982).

#### ALERTING

An important attentional function is the ability to prepare and sustain alertness to process high priority signals. The relationship between the alert state and other aspects of information processing has been worked out in some detail for letter and word matching experiments (Posner, 1978). The passive activation of internal units representing the physical form of a familiar letter, its name, and even its semantic classification (e.g. vowel) appears to take place at about the same rate, whether subjects are alert and expecting a target, or whether they are at a lower level of alertness because the target occurs without warning. The alert state produces more rapid responding, but this increase is accompanied by a higher error rate. It is as though the build-up of information about the classification of the target occurs at the same rate regardless of alertness, but in states of high alertness, the selection of a response occurs more quickly, based upon a lower quality of

information, thus resulting in an increase in errors. These results led to the conclusion that alertness does not affect the build-up of information in the sensory or memory systems, but does affect the rate at which attention can respond to that stimulus (Posner, 1978).

Anatomical evidence has accumulated on the nature of the systems producing a change in the alert state. One consistent finding is that the ability to develop and maintain the alert state depends heavily upon the integrity of the right cerebral hemisphere (Heilman, Watson & Valenstein, 1985). This finding fits very well with the clinical observation that patients with right hemisphere lesions more often show signs of neglect and has sometimes led to an idea that all of spatial attention was controlled by the right hemisphere. However, the bulk of the evidence discussed below seems to associate right hemisphere dominance with tasks dependent upon the alert state.

Lesions of the right cerebral hemisphere cause difficulty with alerting. This has been shown using galvanic skin responses in humans and monkeys (Heilman, Watson, & Valenstein, 1985), and for heart rate responses to warning signals (Yokoyama, Jennings, Acles, Hood & Boller, 1987). Performance in vigilance tasks is also more impaired with right rather than left lesions (Coslett, Bowers & Heilman, 1987; Wilkins, Shallice & McCarthy, 1987). It has also been observed in split brain patients that vigilance is poor when information is presented to the isolated left hemisphere, but is relatively good when presented to the isolated right hemisphere (Dimond & Beaumont, 1973). In summary, it is as though the isolated right hemisphere contains the mechanism needed to maintain the alert state so that when lesioned, it reduces performance of the whole organism.

Studies of cerebral blood flow and metabolism involving vigilance tasks have also uniformly shown the importance of areas of the right cerebral hemisphere (Cohen, Semple, Gross, Holcomb, Dowling & Nordahl, 1988; Deutsch, Papanicolaou, Bourbon & Eisenberg, 1988; J. Pardo, P.T. Fox & M.E. Raichle, personal communication). Other attention demanding activity, for example, semantic tasks, and even imagery tasks, do not uniformly show greater activation of the right hemisphere (Petersen et al, 1988; Roland, 1985). Thus, blood flow and metabolic studies also argue for a tie between the right cerebral hemisphere and alerting. Some of these studies provide somewhat better localization. Cohen et al. found an area of the midfrontal cortex that appears to be the most active during their auditory discrimination task. This is an area also found to be active in both visual and somatosensory vigilance conditions (J. Pardo, et al, personal communication). It is of special interest that Cohen et al. report that the higher metabolic activation they

found in the right prefrontal cortex was accompanied by reduced activation in the anterior cingulate. If one views the anterior cingulate as related to target detection, this makes sense. In tasks where one needs to suspend activity while waiting for low probability signals, it is important not to interfere with detecting the external signal. Subjectively, one feels empty headed, due to the effort to avoid any thinking that will reduce the ability to detect the next signal.

There is evidence that the maintenance of the alert state is dependent upon right hemisphere mechanisms, and also that it is closely tied with attention. These two facts both suggest the hypothesis that the norepinephrine (NE) system arising in the locus coeruleus may play a crucial role in the alert state. In a review of animal studies, Aston-Jones, Foote and Bloom (1984) argue that NE cells play a role in changes in arousal or vigilance. Moreover, Robinson (1985) has shown that lesions of the right cerebral hemisphere lead to depletion of NE on both sides, and that the effects are strongest with lesions near the frontal pole. These findings are consistent with the idea that NE pathways course through frontal areas, dividing as they go backward toward posterior areas. Thus, an anterior lesion would have a larger effect.

Recently, Morrison and Foote (1986) have studied the parts of the posterior visual system that are most strongly innervated by NE pathways. They find that in monkeys NE innervation is most strongly present in the posterior parietal lobe, pulvinar and superior colliculus. These are the areas related to the posterior attention system. Much weaker innervation was found in the geniculo-striate pathway and along the ventral pattern recognition pathway. These findings support the ideas that NE pathways provide the basis for maintaining alertness, and that they act most strongly on the posterior attention systems of the right cerebral hemisphere. In accord with these ideas, Posner et al. (1987) found that patients with right parietal lesions had much greater difficulty in maintaining their alertness in the absence of a warning signal than those with left parietal lesions or normal subjects did. Clark, Geffen & Geffen (1989) have found that manipulation of NE levels by drugs had specific effects on attention shifting.

In summary, alertness involves a specific subsystem of attention that acts on the posterior attention system to support visual orienting and probably also influences other attentional subsystems. Physiologically, this system depends upon the NE pathways that arise in the LC and which are more strongly lateralized in the right hemisphere. Functionally, activation of NE works through the posterior attention system to increase the rate at which high priority visual information can be

selected for further processing. This more rapid selection is often at the expense of lower quality information and produces a higher error rate.

## CONSEQUENCES

Study of attention from a neuroscience viewpoint has been impeded because attention has been thought of as a vague, almost vitalistic capacity, rather than as the operation of a separate set of neural areas whose interaction with domain specific systems (e.g. visual word form, or semantic association) is the proper subject for empirical investigation. Even a crude knowledge of the anatomy of the selective attention system has a number of important consequences for research. It allows closer coordination between brain imaging studies, using human subjects and animal studies involving recording from individual cells. In the case of the posterior attention system, we have hypotheses about the connections between neural systems that can best be tested and expanded by studies designed to work out the connections at the cellular level. At higher levels, coordinated studies of PET and ERP imaging may tell us more details about communication between posterior visual word form systems and anterior semantics, and how attention is involved in this form of information transfer. A systems level analysis provides a framework for the more detailed studies that must follow.

A number of recent observations depend upon a better understanding of how attention relates to semantic activation. In the psychological literature, there is a continuing effort to understand the limits to automatic priming of semantic systems (Posner, 1982). In the study of sleep, we find challenging new hypotheses that tell us that during sleep, ongoing neural activity may be interpreted semantically by networks primed by daily activity (Hobson, 1988). Similarly, research on split brain subjects (Gazzaniga, 1970) has led to the idea of an interpreter system present in the left hemisphere that attempts to impose an explanation to the behavior of the self and others. Patients with lesions of the hippocampus, who show no memory that can be retrieved consciously, are able to demonstrate detailed storage by their performance (Squire, 1986). This implies that for memory, as for performance, the distinction between automatic and conscious processing marks different neural mechanisms.

Finally, there are many disorders of higher level cognition that are said to be due to deficits of attention. These include neglect, schizophrenia, closed head injury, and attention deficit disorder, among others. The concept of an attentional system of the brain with specific operations allocated to distinct anatomical areas allows new

approaches to these pathologies. One such example is the proposal that a core deficit in schizophrenia is a failure of the anterior attention system of the left hemisphere to impose the normal inhibitory pattern on the left lateralized semantic network (Early, Posner, Reiman & Raichle, 1989). This proposal provides specific ideas on integration at the level of neurotransmission, anatomy and cognition. Similar ideas may link attention deficit disorder to the right hemisphere mechanisms that control sustaining of attention. It seems apparent that a combined cognitive and anatomical approach may be useful in integrating the long separate physiological and psychosocial influences on psychopathology.



## REFERENCE LIST

- Aston-Jones, G., Foote, S.L., Bloom, F.E. 1984. Anatomy and physiology of locus coeruleus neurons: functional implications. In Frontiers of Clinical Neuroscience, Vol. 2, ed. M.G. Ziegler. Baltimore: Williams & Wilkins.
- Bashinski, H.S., Bachrach, R.T. 1984. Enhancement of perceptual sensitivity as the result of selectively attending to spatial locations. Percept & Psychophys. 28:241-248.
- Bisiach, E., Luzzatti, C., Perani, D. 1981. Unilateral neglect, representational schema and consciousness. Brain, 102:757-765.
- Clark, C.R., Geffen, G.M., Geffen, L.B. In press. Catecholamines and the covert orienting of attention. Neuropsychol.
- Cohen, A. & Ivry, R. In press. Illusory conjunctions inside and outside the focus of attention. J. Exp. Psychol: Human Perc. & Perf.
- Cohen, R.M., Semple, W.E., Gross, M., Holcomb, H.J., Dowling, S.M. Nordahl, T.E. 1988. Functional localization of sustained attention. Neuropsych. Neuropsychol. and Behav Neurol. 1:3-20.
- Coslett, H.B., Bowers, D., Heilman, K.M. 1987. Reduction in cerebral activation after right hemisphere stroke. Neurol. 37:957-962.
- Crick, F. 1984. Function of the thalamic reticular complex: the searchlight hypothesis. Proc. Nat. Acad. of Sci. 81:4586-4590.
- Deutsch, G., Papanicolaou, A.C., Bourbon, T., Eisenberg, H.M. 1988. Cerebral blood flow evidence of right cerebral activation in attention demanding tasks. Int. J. of Neurosci. 36:23-28.
- Dimond, S.J., Beaumont, J.G. 1973. Difference in the vigilance performance of the right and left hemisphere. Cortex, 9:259-265.
- Downing, C.J. 1988. Expectancy and visual-spatial attention effects on vision. J. Exp. Psychol: Hum Percep. and Perf. 14:188-197.
- Duncan, J. 1980. The locus of interference in the perception of simultaneous stimuli. Psychol Rev. 87: 272-300.

- Duncan, J., Humphreys, G.W. In press. Visual search and stimulus similarity. Psychol. Rev.
- Early, T., Posner, M.I., Reiman, E., Raichle, M.E. In press. Left striato-pallidal hyperactivity in schizophrenia. Psychiat. Develop.
- Eriksen, C.W., Hoffman, J.E. 1972. Temporal and spatial characteristics of selective encoding from visual displays. Percept. & Psychophys. 12:201-204.
- Eriksen, C.W. & Yeh, Y. 1985. Allocation of attention in the visual field. J. Exp. Psychol: Hum Percept & Perf. 11:583-597.
- Farah, M.J. 1988. Is visual imagery really visual? Overlooked evidence from neuropsychology. Psych. Rev. 95:307-317.
- Fischer, B., Breitmeyer, B. 1987. Mechanisms of visual attention revealed by saccadic eye movements. Neuropsychol 25 1A:73-84.
- Friedrich, F.J., Walker, J., Posner, M.I. 1985. Effects of parietal lesions on visual matching. Cog. Neuropsychol. 2:253-264.
- Gazzaniga, M.S. 1970. Brain bisected man. New York: Appleton. 171 pp.
- Goldman-Rakic, P.S. 1988. Topography of cognition: parallel distributed networks in primate association cortex. Ann Rev Neurosci, 11:137-156.
- Heilman, K.M., Watson, R.T., Valenstein, E. 1985. Neglect and related disorders. In K.M. Heilman & E. Valenstein (eds) Clinical Neuropsychology. New York: Oxford. 243-293 pp.
- Hillyard, S.A., Picton, T.W. 1987. Electrophysiology of cognition. In F. Plum (ed) Handbook of physiology. Vol. 5, part 2. New York: Am Physiol Soc. 519-584 pp.
- Hobson, J.A. 1988. The dreaming brain. New York: Basic Books. 319 pp.
- James, W. 1890. Principles of psychology. Vol. 1. New York: Holt.
- Kahneman, D. 1973. Attention and effort. Englewood Cliffs, N.J.: Prentice Hall. 246 pp.
- Kosslyn, S.M. 1988. Aspects of a cognitive neuroscience of mental imagery. Science. 240:1621-1626.

- LaBerge, D., Brown, V. In press. Theory of attentional operations in shape identification. Psychol Rev.
- LaBerge, D. & Buchsbaum, M.S. 1988. Attentional filtering and the pulvinar. Program 29th Meeting, Psychonomics Society, (Abstract, p.4).
- Luria, A.R. 1973. The working brain. New York: Basic Books. 398 pp.
- Mangoun, G.R., Hillyard, S.A. 1987. The spatial allocation of attention as indexed by event-related brain potentials. Hum Factors. 29:195-211.
- Mesulam, M.M. 1981. A cortical network for directed attention and unilateral neglect. Ann Neurol. 10:309-325.
- Mirsky, A.F. 1987. Behavioral and psychophysiological markers of disordered attention. Environ Health Persp. 74:191-199.
- Morrison, J.H., Foote, S.L. 1986. Noradrenergic and serotonergic innervation of cortical, thalamic and tectal visual structures in old and new world monkeys. J. Comp. Neurol. 243:117-128.
- Mountcastle, V.B. 1978. Brain mechanisms of directed attention. J. Roy Soc Med. 71:14-27.
- Navon, D. 1977. Forest before trees: the precedence of global features in visual perception. Cog. Psychol., 9:353-383.
- Petersen, S.E., Fox, P.T., Miezin, F.M., Raichle, M.E. 1988. Modulation of cortical visual responses by direction of spatial attention measured by PET. Assoc. Res. Vision and Ophthal. p. 22 (Abstr.)
- Petersen, S.E., Fox, P.T., Posner, M.I., Mintun, M., Raichle, M.E. 1988. Positron emission tomographic studies of the cortical anatomy of single word processing. Nature. 331:585-589.
- Petersen, S.E., Robinson, D.L., Morris, J.D. 1987. Contributions of the pulvinar to visual spatial attention. Neuropsychol. 25:97-105.
- Posner, M.I. 1978. Chronometric Explorations of Mind. Englewood Heights, NJ: Erlbaum. 271 pp.

- Posner, M.I. 1982. Cumulative development of attentional theory. Am Psychol, 32:53-64.
- Posner, M.I. 1988. Structures and functions of selective attention. In T.Boll & B. Bryant (eds) Master Lectures in Clinical Neuropsychology. Washington, DC: Amer Psych Assoc. 173-202 pp.
- Posner, M.I., Boies, S.J. 1971. Components of attention. Psychol Rev., 78:391-408.
- Posner, M.I., Cohen, Y. 1984. Components of performance. In H. Bouma & D. Bowhuis (eds) Attention and Performance X. Hillsdale, NJ: Erlbaum. 531-556 pp.
- Posner, M.I., Inhoff, A., Friedrich, F.J., Cohen, A. 1987. Isolating attentional systems: a cognitive-anatomical analysis. Psychobiol, 15:107-121.
- Posner, M.I., Petersen, S.E., Fox, P.T., Raichle, M.E. 1988. Localization of cognitive operations in the human brain. Science, 240:1627-1631.
- Posner, M.I., Sandson, J., Dhawan, M., Shulman, G.L. 1989. Is word recognition automatic? A cognitive-anatomical approach. J. Cog Neurosci, 1:50-60.
- Posner, M.I., Walker, J.A., Friedrich, F.J., Rafal, R.D. 1984. Effects of parietal lobe injury on covert orienting of visual attention. J. Neurosci, 4:1863-1874.
- Raichle, M.E. 1983. Positron emission tomography. Ann Rev Neurosci, 6:249-267.
- Remington, R. 1980. Attention and saccadic eye movements. J. Exp. Psychol: Hum Percept & Perf. 6:726-744.
- Riddoch, M.J. & Humphreys, G.W. 1983. The effect of cueing on unilateral neglect. Neuropsychol, 21:589-599.
- Riddoch, M.J. & Humphreys, G.W. 1987. Perceptual and action systems in unilateral neglect. In M. Jeannerod (ed) Neurophysiological and Neuropsychological Aspects of Spatial Neglect. Amsterdam: North Holland. 151-181 pp.
- Rizzolatti, G., Gentilucci, M., Matelli, M. 1985. Selective spatial attention: one center, one circuit or many circuits. In M. Posner & O.S.M. Marin (eds) Attention and Performance XI. Hillsdale, NJ: Erlbaum. 251-265.
- Robertson, L., Delis, D.C. 1986. Part-whole processing in unilateral brain damaged patients: dysfunction of hierarchical organization. Neuropsychol, 24:363-370.

- Robertson, L., Lamb, M.R., Knight, R.T. 1988. Effects of lesions of temporal-parietal junction on perceptual and attentional processing in humans. J. Neurosci. 8(10):3757-3769.
- Robinson, R.G. 1985. Lateralized behavioral and neurochemical consequences of unilateral brain injury in rats. In Cerebral Lateralization in Nonhuman Species. New York: Academic Press. 135-156 pp.
- Roland, P.E. 1985. Cortical organization of voluntary behavior in man. Human Neurobiol. 4:155-167.
- Sergent, J. 1982. The balance of power: confrontation or cooperation? J. Exp. Psychol: Hum Percept & Perf. 8:253-272.
- Shulman, G.L., Wilson, J. 1987. Spatial frequency and selective attention to local and global structure. Perception. 16:89-101.
- Sieroff, E., Pollatsek, A., Posner, M.I. 1988. Recognition of visual letter strings following damage to the posterior visual spatial attention system. Cog Neuropsychol. 5:427-449.
- Sieroff, E. & Posner, M.I. 1988. Cueing spatial attention during processing of words and letter strings in normals. Cog Neuropsychol. 5:451-472.
- Sperry, R.L. 1988. Psychology's mentalist paradigm and the religion/science tension. Amer Psychol. 43:607-613.
- Squire, L.R. 1986. Mechanisms of memory. Science. 232:1612-1619.
- Treisman, A.M. & Gormican, S. 1988. Feature analysis in early vision: evidence from search asymmetries. Psychol Rev. 95:15-48.
- Wilkins, A.J., Shallice, T., McCarthy, R. 1987. Frontal lesions and sustained attention. Neuropsychol. 25:359-366.
- Wise, S.P. & Desimone, R. 1988. Behavioral neurophysiology: insights into seeing and grasping. Science. 242:736-741.
- Wurtz, R.H., Goldberg, M.E., Robinson, D.L. 1980. Behavioral modulation of visual responses in monkeys. Prog. in Psychobiol & Physiol Psychol. 9:42-83.

Yokoyama, K., Jennings, R., Ackles, P., Hood, P. & Boller, F. 1987. Lack of heart rate changes during an attention-demanding task after right hemisphere lesions. Neurol. 37:624-630.

Zeki, S. & Shipp, S. 1988. The functional logic of cortical connections. Nature. 335:311-317.

# POSTERIOR ATTENTION SYSTEM




FIGURE 1

# ANTERIOR ATTENTION SYSTEM




FIGURE 2



## FIGURE LEGENDS

Figure 1. Upper two drawings are the lateral (left) and medial (right) surfaces of the left hemisphere. Lower two drawings are the medial (left) and lateral (right) surfaces of the right hemisphere. The location of the posterior visual spatial attention system is shown on the lateral surface of each hemisphere as determined by blood flow studies (Petersen, Fox, Meizen & Raichel, 1988). The location of the visual word form area on the lateral surface of the left hemisphere is from unpublished work using PET by Snyder, S.E. Petersen, & M.E. Raichle, personal communication.

Figure 2. Upper two drawings are the lateral (left) and medial (right) surface of the left hemisphere. The lower two drawings are the medial (left) and lateral (right) surfaces of the right hemisphere. The semantic association area on the lateral aspect of the left hemisphere is determined by blood flow studies (Petersen, et al, 1988). The anterior attention area is also from blood flow studies (Petersen et al, 1988; Posner, et al, 1988).

## ACKNOWLEDGMENTS

This research was supported by Office of Naval Research Contract N-0014-86-0289 and by the Center for Higher Brain Function of Washington University School of Medicine. Special appreciation to Drs. J. Pardo, P. Fox, M. Raichle and A. Snyder for allowing citation of ongoing experiments. Dr. Pardo contributed heavily to our analysis of the alerting literature. Drs. Mary K. Rothbart, Asher Cohen and Gordon Shulman were helpful in the presentation of this analysis.

DR. PHILLIP L. ACERMAN  
UNIVERSITY OF MINNESOTA  
DEPARTMENT OF PSYCHOLOGY  
MINNEAPOLIS, MN 55455

DR. BE. TH. ABELSON  
DEPT. OF COMP. SCIENCE  
TUFTS UNIVERSITY  
MEDFORD, MA 02155

TECHNICAL DIRECTOR,  
ARMY HUMAN ENG. LAB  
ABERDEEN PROVING GROUND  
MD 21005

DR. ROBERT AILERS  
CODE N711  
HUMAN FACTORS LABORATORY  
NAVAL TRAINING SYSTEMS CTR.  
ORLANDO, FL 32813

DR. JOHN ALLEN  
DEPARTMENT OF PSYCHOLOGY  
GEORGE MASON UNIVERSITY  
4400 UNIVERSITY DRIVE  
FAIRFAX, VA 22030

DR. EARL A. ALJLISI  
HQ AFIRL (AFSC)  
BRUNKS, AFB TX 78215

DR. JAMES ANDERSON  
BROWN UNIVERSITY  
CENTER FOR NEURAL SCI.  
PROVIDENCE, RI 02912

DR. NANCY S. ANDERSON  
DEPT. OF PSYCHOLOGY  
UNIVERSITY OF MARYLAND  
COLLEGE PARK, MD 20742

DR. ED AIKEN  
NAVY PERSONNEL RAD CENTER  
SAN DIEGO, CA 92152-4800

TECHNICAL DIRECTOR, ARI  
5901 FINESHOWER AVENUE  
ALEXANDRIA, VA 22333

DR. ALAN BADDELEY - MRC  
APPLIED PSYCHOLOGY UNIT  
15 CHAUCER ROAD  
CAMBRIDGE CB2 2EF  
ENGLAND

DR. JAMES BAIJAS  
GEORGETOWN UNIVERSITY  
DEPARTMENT OF PSYCHOLOGY  
WASHINGTON, D.C. 20057

DR. HAROLD BAINFORD  
NAT. SCIENCE FDN.  
1800 G STREET, N.W.  
WASHINGTON, D.C. 20550

DR. ISAAC BEJAR  
EDUCATIONAL TESTING  
SERVICE  
PRINCETON, NJ 08540

DR. ALVAH BITTNER  
NAVAL BIODYNAMICS LAB.  
NEW ORLEANS, LA 70189

DR. JOHN BLAHA  
DEPT. OF PSYCHOLOGY  
GEORGE MASON UNIV.  
4400 UNIVERSITY DRIVE  
FAIRFAX, VA 22030

SUE BOGNER, ARMY RES. INST.  
ATTN: PERI-SF  
5001 EISENHOWER AV.  
ALEXANDRIA, VA 22334-5600

DR. GORDON H. BOWER  
DEPT. OF PSYCHOLOGY  
STANFORD UNIVERSITY  
STANFORD, CA 94306

MR. DONALD C. BURG  
GENERAL PHYSICS CORP.  
10450 HICKORY RIDGE RD.  
COLUMBIA, MD 21044

DR. GAIL CARPENTER  
NORTHEASTERN UNIV.  
DEPT. OF HEALTH, SOCIAL  
360 HUNTINGTON AVENUE  
BOSTON, MA 02115

DR. TYRONE CASHMAN  
AMER. SOC. OF CYBERNETICS  
3428 FREMONT AVE. SOUTH  
MINNEAPOLIS, MN 55408

DR. ALPHONSE CIAPPAVIS  
8415 BELLOSA LANE  
SUITE 210-BUXTON TOWERS  
BALTIMORE, MD 21284

DR. PAUL R. CHATELIER  
OUSDRE  
PENTAGON  
WASH. D.C. 20330-2000

MR. RAYMOND E. CHRISTEL  
AFHRLMOD  
BROOKS AFB, TX 78215

DR. DAVID E. CLEMENT  
DEPT. OF PSYCHOLOGY  
UNIV. OF SOUTH CAROLINA  
COLUMBIA, SC 29208

DR. CHARLES CLIFTON  
TOBIN HALL  
DEPT. OF PSYCHOLOGY  
UNIV. OF MASSACHUSETTS  
AMHERST, MA 01003

ASST. CHIEF OF STAFF FOR  
RES., DEV., TEST & EVAL.  
NAVAL EDUC. & TR. COM. (N-5)  
NAS PENSACOLA, FL 32508

DR. MICHAEL COLES  
UNIV. OF ILLINOIS  
DEPT. OF PSYCHOLOGY  
CHAMPAIGN, IL 61820

DR. ALLAN M. COLLINS  
BOLT BERANEK & NEWMAN, INC.  
50 MOUNTAIN STREET  
CAMBRIDGE, MA 02138

DR. STANLEY COLLYER  
OFFICE OF NAVAL TECH.  
CODE 322  
800 N. QUINCY ST.  
ARLINGTON, VA 22217-5000

DR. GARY ASTON-JONES  
DEPT. OF BIOLOGY, NYU  
1009 MAIN BLDG.  
WASHINGTON SQUARE  
NEW YORK, NY 10003

DR. LYNN A. COOPER  
LEARNING RECD CENTER  
UNIV. OF PITTSBURGH  
3939 O'HARA STREET  
PITTSBURGH, PA 15213

BRIAN DALLMAN  
3400 TWINTIGS  
LOWRY AFB, CO 80130-5000

LT. JOHN DEATON  
ONR CODE 125  
800 N. QUINCY STREET  
ARLINGTON, VA 22217-5000

DR. STANLEY DEUTSCH  
COMMITTEE ON HUMAN FACTORS  
NAT'L. ACAD. OF SCIENCES  
2101 CONSTITUTION AVE.  
WASHINGTON, DC 20418

DR. R. K. DISMUKES  
ASSOC. DIR. FOR LIFE SCI.  
AFOSR  
BOLLING AFB  
WASHINGTON, DC 20332

DR. DANIEL GOPHER  
IND. ENG. & MANAGEMENT  
TECHNION  
HAIFA 31000  
ISRAEL

DR. SIERNIE GOTT  
AFHRLMODJ  
BROOKS AFB, TX 78215

JORDAN GRAFMAN, PH.D.  
2021 LYTTONSVILLE ROAD  
SILVER SPRING, MD 20910

DR. PAT CARPENTER  
CARNegie-MELLON UNIV.  
DEPT. OF PSYCHOLOGY  
PITTSBURGH, PA 15213

DR. WAYNE GRAY  
ARMY RESEARCH INSTITUTE  
5001 EISENHOWER AVENUE  
ALEXANDRIA, VA 22333

DR. BERT GREEN  
JOHNS HOPKINS UNIVERSITY  
DEPT. OF PSYCHOLOGY  
CHARLES & 34TH ST.  
BALTIMORE, MD 21218

DR. JAMES G. GREENO  
UNIVERSITY OF CALIF.  
BERKELEY, CA 94720

DR. WILLIAM GREENOUGH  
UNIV. OF ILLINOIS  
DEPT. OF PSYCHOLOGY  
CHAMPAIGN, IL 61820

DR. STEPHEN GROSSBERG  
CTR. FOR ADAPT. SYSTEMS  
ROOM 244, BOSTON UNIV.  
111 CUMMINGTON STREET  
BOSTON, MA 02215

DR. HENRY M. HALFF  
HALFF RESOURCES, INC.  
4918 33RD ROAD, NORTH  
ARLINGTON, VA 22207

DR. NANCY P. HALFF  
HALFF RESOURCES, INC.  
4918 33RD ROAD, NORTH  
ARLINGTON, VA 22207

DR. MUHAMMAD K. HABIB  
UNIV. OF NORTH CAROLINA  
DEPT. OF BIOSTATISTICS  
CHAPSL HILL, NC 27514

PROF. EDWARD HAERTEL  
SCHOOL OF EDUCATION  
STANFORD UNIVERSITY  
STANFORD, CA 94305

DR. LEON CHODURA  
BROWN UNIVERSITY  
CENTER FOR NEURAL SCI.  
PROVIDENCE, RI 02912

DR. HAROLD HAWKINS  
ONR - CODE 11-2PT  
800 N. QUINCY ST.  
ARLINGTON, VA  
22217-5000

PROF. JOHN R. HAYES  
CARNegie-MELLON UNIV.  
DEPT. OF PSYCHOLOGY  
SCHENLEY PARK  
PITTSBURGH, PA 15213

DR. JOAN I. HELLER  
505 HADDOCK ROAD  
OAKLAND, CA 94618

DR. STEPHANIE HOAN  
CODE 6021  
NAVAL AIR DEV. CTR.  
WARMINSTER, PA  
18974-5000

DR. EMANUEL DONCHIN  
UNIV. OF ILLINOIS  
DEPT. OF PSYCHOLOGY  
CHAMPAIGN, IL 61820

MR. RALPH DUSEK  
ARD CORPORATION  
5457 TWINS KNOXLS RD.  
SUITE 400  
COLUMBIA, MD 21045

DR. FORD EBNER  
BROWN UNIV. MED. SCHOOL  
ANATOMY DEPT.  
PROVIDENCE, RI 02912

DR. JEFFREY ELMAN  
UCSD  
DEPT. OF LING. C-008  
LA JOLLA, CA 92093

DR. LEE GILES  
AFOSR  
BOLLING AFB  
WASHINGTON, DC 20332

DR. EUGENE E. GLOVE  
ONR DEPARTMENT  
1818 E. GREEN  
PASADENA, CA 91106-3485

DR. JOSEPH GOGUEN  
COMP. SCI. LABORATORY  
SRI INTERNATIONAL  
333 RAVENSWOOD AVE.  
MENLO PARK, CA 94025

DR. LLOYD HUMPHREYS  
UNIV. OF ILLINOIS  
DEPT. OF PSYCHOLOGY  
601 E. DANIEL STREET  
CHICAGO, IL 60607

DR. WENDY KELLOGG  
IBH T.J. WATSON RES. CTR.  
P.O. BOX 216  
YORKTOWN HTS., NY 10598

DR. STEVEN W. KEELE  
DEPT. OF PSYCHOLOGY  
UNIVERSITY OF OREGON  
EUGENE, OR 97403

DR. DENNIS KIBLER  
UNIV. OF CALIFORNIA  
DEPT. OF INFO. & COMP. SCI.  
IRVINE, CA 92717

DR. DAVID KIERAS  
UNIV. OF MICH. TECH. COMM.  
COLLEGE OF ENGINEERING  
1223 E. ENGINEERING BLDG.  
ANN ARBOR, MI 48109

DR. DAVID KLAHR  
CARNegie-MELLON UNIV.  
DEPARTMENT OF PSYCHOLOGY  
SCHENLEY PARK  
PITTSBURGH, PA 15213

DR. EARL HUNT  
DEPT. OF PSYCHOLOGY  
UNIV. OF WASHINGTON  
SEATTLE, WA 98105

DR. ED HUTCHINS, UCSD  
INTELLIGENT SYSTEMS GROUP  
INST. FOR COG. SCI. (C015)  
LA JOLLA, CA 92093

DR. ALICE ISEN  
DEPT. OF PSYCHOLOGY  
UNIV. OF MARYLAND  
CATONSVILLE, MD 21228

DR. DAVID R. LAMBERT  
NAVAL OCEAN SYS. CTR.  
CODE 441T  
371 CATALINA BLVD.  
SAN DIEGO, CA 92152-4800

DR. PAT LANGLEY  
UNIV. OF CALIFORNIA  
DEPT. OF INFO. & COMP. SCI.  
IRVINE, CA 92717

DR. MARCY LANSMAN  
UNIV. OF N. CAROLINA  
THE L.L. THURSTONE LAB.  
DAVIS HALL 013A  
CHAPEL HILL, NC 27514

DR. JILL LARSEN  
CARNegie-MELLON UNIV.  
DEPARTMENT OF PSYCHOLOGY  
PITTSBURGH, PA 15213

DR. RUTH KANFER  
UNIV. OF MINN. - ELLIOTT HALL  
DEPT. OF PSYCHOLOGY  
75 E. RIVER ROAD  
MINNEAPOLIS, MN 55455

DR. MILTON S. KATZ  
ARMY RES. INST.  
5001 EISENHOWER AVE.  
ALEXANDRIA, VA 22333

DR. CLAYTON LEWIS  
UNIV. OF COLORADO  
DEPT. OF COMP. SCI.  
CAMPUS BOX 410  
BOULDER, CO 80309

DR. BOB LLOYD  
DEPT. OF GEOGRAPHY  
UNIV. OF S. CAROLINA  
COLUMBIA, SC 29208

DR. FREDERIC M. LORD  
EDUC. TESTING SERV.  
PRINCETON, NJ 08541

DR. GARY LYNCH  
UNIV. OF CALIFORNIA  
CTR. FOR THE NEUROBIOLOGY  
OF LEARNING & MEMORY  
IRVINE, CA 92717

DR. DON LYON  
P.O. BOX 44  
HIGLEY, AZ 85336

DR. WILLIAM L. HALOY  
CHIEF OF NAVAL ED. & TR.  
NAVAL AIR STATION  
PENSACOLA, FL 32508

DR. EVANS MANDES  
DEPT. OF PSYCHOLOGY  
GEORGE MASON UNIVERSITY  
4000 UNIVERSITY DR.  
FAIRFAX, VA 22030

DR. RICHARD H. GRANGER  
DEPT. OF COMP. SCIENCE  
UNIV. CALIF. AT IRVINE  
IRVINE, CA 92717

DR. STEVEN GRANT  
DEPT. OF BIOLOGY, NYU  
1609 MAIN BUILDING  
WASHINGTON SQUARE  
NEW YORK NY 10003

DR. JEROME FELDMAN  
UNIVERSITY OF ROCHESTER  
COMP. SCIENCE DEPT.  
ROCHESTER, NY 14627

DR. PAUL FELTOVICH  
SIU SCH. OF MEDICINE  
MED. EDUC. DEPT.  
P.O. BOX 3926  
SPRINGFIELD, IL 62708

DR. CRAIG I. FIELDS  
ARPA  
1400 WILSON BLVD.  
ARLINGTON, VA 22209

DR. GAIL FLISCHAMER  
MARGULIS LAB  
BIOLOGICAL SCI. CTR.  
2 CUMMINGTON STREET  
BOSTON, MA 02215

DR. JANE M. FLINN  
DEPT. OF PSYCHOLOGY  
GEORGE MASON UNIV.  
4400 UNIVERSITY DRIVE  
FAIRFAX, VA 22030

DR. MICHELLE GALLAGHER  
UNIV. OF NORTH CAROLINA  
DEPT. OF PSYCHOLOGY  
CHAPEL HILL, NC 27514

DR. R. EDWARD GEISELMAN  
DEPT. OF PSYCHOLOGY  
UNIV. OF CALIFORNIA  
LOS ANGELES, CA 90024

DR. DON GENTNER  
CENTER FOR HUMAN  
INFORMATION PROCESSING  
UNIVERSITY OF CALIFORNIA  
LA JOLLA, CA 92093

DR. RONALD HAMBLEN  
PROF. OF EDUC. & PSYCH.  
UNIV. OF MASS AMHERST  
HILLS HOUSE  
AMHERST, MA 01003

DR. CHERYL HAMEL  
ATSC  
ORLANDO, FL 32813

DR. P. HELMERSEN  
UNIVERSITY OF OSLO  
DEPT. OF PSYCHOLOGY  
BOX 1094  
OSLO 3, NORWAY

DR. STEVEN HILLIARD  
DEPT. OF NEUROSCI.  
UCSD  
LA JOLLA, CA 92093

DR. GEOFFREY HINTON  
COMP. SCIENCE DEPT.  
UNIV. OF TORONTO  
10 KINGS COLLEGE RD.  
TORONTO, CANADA M5S 1A4

DR. JIM HOLLAN  
INTELLIGENCE SYSTEMS GRP.  
INST. FOR COG. SCIENCES  
UCSD  
LA JOLLA, CA 92093

DR. JOHN HOLLAND  
UNIV. OF MICHIGAN  
2313 EAST ENGINEERING  
ANN ARBOR, MI 48109

DR. MELISSA HOLLAND  
ARMY RES. INST. FOR THIS  
BEH. & SOCIAL SCIENCES  
5001 EISENHOWER AVE  
ALEXANDRIA, VA 22331

DR. JAMES HOWARD  
DEPT. OF PSYCHOLOGY  
HUMAN PERFORMANCE LAB.  
CATHOLIC UNIV. OF AMERICA  
WASHINGTON, DC 20064

DR. KEITH HOLYOAK  
UNIV. OF MICHIGAN  
HUMAN PERFORMANCE CTR.  
310 PACKARD ROAD  
ANN ARBOR, MI 48109

DR. WILLIAM EITSTEIN  
UNIV. OF WISCONSIN  
BROGDEN PSYCH. BLDG.  
1202 W. JOHNSON ST.  
MADISON, WI 53706

DR. K. ANDERS ERICSSON  
UNIV. OF CHICAGO  
DEPT. OF PSYCHOLOGY  
BOULDER, CO 80309

COL. DENNIS W. JARVI  
COMMANDER  
AFHRL  
BROOKS, AFB 78235-5601

DR. JOSEPH E. JOHNSON  
ASST. DEAN-GRAD. STUDIES  
COLLEGE OF SCI. & MATH  
UNIV. OF SOUTH CAROLINA  
COLUMBIA, SC 29208

CDR TOM JONES  
ONR CODE 125  
800 N. QUINCY ST.  
ARLINGTON, VA 22217-5000

MR. DANIEL B. JONES  
US NUCLEAR REG. COMM.  
DIV. OF HUMAN FACTORS  
SAFETY  
WASHINGTON, DC 20555

DR. DOUGLAS H. JONES  
THATCHER JONES ASSOC.  
P.O. BOX 6640  
10 TRAFALGAR COURT  
LAWRENCEVILLE, NY 08648

DR. JANE JORGENSEN  
UNIVERSITY OF OSLO  
INST. OF PSYCHOLOGY  
BOX 1094, BLINDERN  
OSLO, NORWAY

DR. MARCEL JUST  
CARNegie-MELLON UNIV.  
DEPT. OF PSYCHOLOGY  
SCHENLEY PARK  
PITTSBURGH, PA 15213

DR. DANIEL KAHNEMAN  
UNIV. OF BR. COL.-PSYCH.  
#154-3053 MAIN MALL.  
VANCOUVER, BR. COLUMBIA  
CANADA V6T 1V7

(Washington Univ./Posner/2/89)

DR. RONALD KNOLL  
BELL LABORATORIES  
MC BRAY HILL, NJ 07974

DR. ALAN M. LESGOLD  
LEARNING RAD CENTER  
UNIV. OF PITTSBURGH  
PITTSBURGH, PA 15260

DR. JIM LEVIN  
DEPT. OF EDUC. PSYCH.  
310 EDUCATION BUILDING  
1310 SOUTH SIXTH STREET  
CHAMPAIGN, IL 61820-4990

DR. JOHN LEVINE  
LEARNING RAD CENTER  
UNIV. OF PITTSBURGH  
PITTSBURGH, PA 15260

DR. MICHAEL LEVINE  
EDUCATIONAL PSYCHOLOGY  
210 EDUCATION BLDG.  
UNIVERSITY OF ILLINOIS  
CHAMPAIGN, IL 61801

DR. JAMES MCMICHAEL  
ASST. FOR MPT RES., DEV.  
AND STUDIES, OP 01B7  
WASHINGTON, DC 20370

DR. GAIL MCKOON, CASI  
PSYCHOLOGY, KRISGE #210  
NORTHWESTERN UNIV.  
1859 SHERIDAN ROAD  
EVANSTON, IL 60201

DR. JOB MCLACHLAN  
NAVY PERSONNEL RAD CTR.  
SAN DIEGO, CA 92152-4000

DR. GEORGE A. MILLER  
DEPT. OF PSYCHOLOGY  
GREEN HALL, PRINCETON  
PRINCETON, NJ 08540

DR. BARBARA MEANS  
HUMAN RES. RES.-ORG.  
1100 SOUTH WASHINGTON  
ALEXANDRIA, VA 22314

DR. ROBERT MISLEVY  
EDUCATION TESTING SERV.  
PRINCETON, NJ 08541

DR. SYLVAN KORNBLUM  
UNIV. OF MICHIGAN  
MENTAL HEALTH RES. INST.  
205 WASHTEWAP PLACE  
ANN ARBOR, MI 48109

DR. STEPHEN ROSSLIN  
HARVARD UNIVERSITY  
1234 WILLIAM JAMES HALL  
31 WILKLAND ST.  
CAMBRIDGE, MA 02138

DR. KENNETH KOTOVSKY  
DEPT. OF PSYCHOLOGY  
COMM. COLLEGE OF ALLEGHENY  
800 ALLEGHENY AVENUE  
PITTSBURGH, PA 15213

DR. RANDY MUMAW  
PROGRAM MANAGER  
TRAINING RES. DIVISION  
1100 S. WASHINGTON  
ALEXANDRIA, VA 22314

DR. ALLEN MUNRO  
BEH. TECHNOLOGY  
LABORATORIES - USC  
1835 S. ELENA AVE., 4TH FL.  
REDONDO BEACH, CA 90371

DIR., MANPOWER & PERS. LAB.  
NPRDC (CODE 06)  
SAN DIEGO, CA 92152-4000

DR. RICHARD NISBETT  
UNIV. OF MICHIGAN  
INST. FOR SOC. RES.  
ROOM 5361  
ANN ARBOR, MI 48109

DR. MARY JO NISSEN  
UNIV. OF MINNESOTA  
N218 ELLIOTT HALL  
MINNEAPOLIS, MN 55455

DEPUTY TECHNICAL DIRECTOR  
NPRDC CODE 01A  
SAN DIEGO, CA 92152-4000

DR. SANDRA P. MARSHALL  
DEPT. OF PSYCHOLOGY  
SAN DIEGO STATE UNIV.  
SAN DIEGO, CA 92183

DR. RICHARDE MAYER  
DEPT. OF PSYCHOLOGY  
UNIV. OF CALIFORNIA  
SANTA BARBARA, CA 93106

JAMES MCBRIDE, PSYCH. CORP.  
C/O HARCOURT, BRACE,  
JAVANOVICH, INC.  
1150 WEST 6TH STREET  
SAN DIEGO, CA 92101

DR. JAY MCCLELLAND  
DEPT. OF PSYCHOLOGY  
CARNegie-MELLON UNIV.  
PITTSBURGH, PA 15213

SPEC. ASST. FOR MARINE  
CORP MATTERS  
ONR CODE 00MC  
800 N. QUINCY ST.  
ARLINGTON, VA 22217-5000

DR. GLEN OSCA  
NOSC, CODE 41  
SAN DIEGO, CA 92152-4800

DR. JUDITH OBASANU  
ARMY RESEARCH INST.  
5001 EISENHOWER AVE.  
ALEXANDRIA, VA 22333

DR. ROBERT F. PASNAK  
DEPT. OF PSYCHOLOGY  
GEORGE MASON UNIV.  
4400 UNIVERSITY DRIVE  
FAIRFAX, VA 22030

PROF. SEYMOUR PAPERT  
20C-109  
MIT  
CAMBRIDGE, MA 02139

DIR. TECH. PROGRAMS ONR  
CODE 11  
800 NORTH QUINCY ST.  
ARLINGTON, VA 22217-5000

DIRECTOR, TRAINING LAB.  
NPRDC (CODE 05)  
SAN DIEGO, CA 92152-4800

DR. SANDRA P. MARSHALL  
DEPT. OF PSYCHOLOGY  
SAN DIEGO STATE UNIV.  
SAN DIEGO, CA 92183

DIR. HUMAN FACTORS &  
& ORGANIZATIONAL SYS. LAB  
NPRDC (CODE 07)  
SAN DIEGO, CA 92152-4800

FLEET SUPPORT OFFICE,  
NPRDC (CODE 301)  
SAN DIEGO, CA 92152-4800

COMMANDING OFFICER  
NAVAL RES. LAB.  
CODE 3637  
WASHINGTON, DC 20390

DR. JAMES L. MCGAUGH  
CTR. FOR NEUROBIOLOGY OF  
LEARNING & MEMORY  
IRVINE, CA 92717

ONR, CODE 11J3  
800 N. QUINCY STREET  
ARLINGTON, VA 22217-5000

MATHEMATICS GROUP, ONR  
CODE 11J1A  
800 NORTH QUINCY ST.  
ARLINGTON, VA 22217-5000

ONR - CODE 11J1P  
800 N. QUINCY STREET  
ARLINGTON, VA 22217-5000

ONR, CODE 11J2  
800 N. QUINCY ST.  
ARLINGTON, VA 22217-5000

DR. SANDRA P. MARSHALL  
DEPT. OF PSYCHOLOGY  
SAN DIEGO STATE UNIV.  
SAN DIEGO, CA 92183

DR. RICHARDE MAYER  
DEPT. OF PSYCHOLOGY  
UNIV. OF CALIFORNIA  
SANTA BARBARA, CA 93106

JAMES MCBRIDE, PSYCH. CORP.  
C/O HARCOURT, BRACE,  
JAVANOVICH, INC.  
1150 WEST 6TH STREET  
SAN DIEGO, CA 92101

DR. JAY MCCLELLAND  
DEPT. OF PSYCHOLOGY  
CARNegie-MELLON UNIV.  
PITTSBURGH, PA 15213

SPEC. ASST. FOR MARINE  
CORP MATTERS  
ONR CODE 00MC  
800 N. QUINCY ST.  
ARLINGTON, VA 22217-5000

DR. GLEN OSCA  
NOSC, CODE 41  
SAN DIEGO, CA 92152-4800

DR. JUDITH OBASANU  
ARMY RESEARCH INST.  
5001 EISENHOWER AVE.  
ALEXANDRIA, VA 22333

DR. ROBERT F. PASNAK  
DEPT. OF PSYCHOLOGY  
GEORGE MASON UNIV.  
4400 UNIVERSITY DRIVE  
FAIRFAX, VA 22030

PROF. SEYMOUR PAPERT  
20C-109  
MIT  
CAMBRIDGE, MA 02139

DIR. TECH. PROGRAMS ONR  
CODE 11  
800 NORTH QUINCY ST.  
ARLINGTON, VA 22217-5000

DR. TOM MORAN  
XEROX PARC  
3333 COYOTE HILL ROAD  
PALO ALTO, CA 94304

DR. MELVIN D. MONTEMERLO  
MSA HEADQUARTERS  
RTE-4  
WASHINGTON, DC 20546

DR. WILLIAM MONTAGUE  
NPRDC CODE 13  
SAN DIEGO, CA 92152-4000

ONR, CODE 1142PT  
800 N. QUINCY STREET  
ARLINGTON, VA 22217-5000  
(6 COPIES)

DR. JESSE ORLANSKY  
INST. FOR DEFENSE ANALYSIS  
1801 N. BEAUREGARD ST.  
ALEXANDRIA, VA 22311

DR. MARTHA POLSON  
DEPT. OF PSYCHOLOGY  
CAMPUS BOX 134  
UNIVERSITY OF COLORADO  
BOULDER, CO 80509

DR. STEVEN E. FOLTROCK  
MCC  
9410 RESEARCH BLVD.  
ECHOLON BLDG. #1  
AUSTIN, TX 78759-4509

DR. LAUREN RESNICK  
LEARNING RAD CENTER  
UNIV. OF PITTSBURGH  
3919 O'HARA STREET  
PITTSBURGH, PA 15213

DR. FRED REIF  
PHYSICS DEPARTMENT  
UNIV. OF CALIFORNIA  
BERKELEY, CA 94720

DR. JAMES A. REGGIS  
UNIV. OF MD SCR. OF MED.  
DEPARTMENT OF NEUROLOGY  
32 S. GREENE STREET  
BALTIMORE, MD 21201

DR. DAIRA PAULSON  
CODE 52-TRAINING SYSTEMS  
NAVY PERSONNEL RAD CTR.  
SAN DIEGO, CA 92152-4000

DR. HAROLD F. O'NEIL, JR.  
SCHOOL OF EDUC. WPH 801  
DEPT. OF EDUC., PSYCH  
& TECHNOLOGY, UNC  
LOS ANGELES, CA 90099-0011

DR. MICHAEL OBERLIN  
NAVAL TRAINING SYS. CTR.  
CODE 711  
ORLANDO, FL 32813-7100

DR. STELLAN OHLSSON  
LEARNING RAD CTR.  
UNIV. OF PITTSBURGH  
3939 O'HARA STREET  
PITTSBURGH, PA 15213

DIR., RES. PROG., ONR  
800 NORTH QUINCY ST.  
ARLINGTON, VA 22217-5000

MR. RAYMOND C. SHOURASKY  
ARMY RESEARCH INST.  
5001 EISENHOWER AVE.  
ALEXANDRIA, VA 22333

DR. HERBERT A. SIMON  
DEPT. OF PSYCHOLOGY  
CARNegie-MELLON UNIV.  
SCHENLEY PARK  
PITTSBURGH, PA 15213

DR. ZITA M. SIMUTIS  
INSTRUCTIONAL TECH.  
SYSTEMS AREA-A, ARI  
5001 EISENHOWER ST.  
ALEXANDRIA, VA 22333

DR. H. WALLACE SINAJKO  
MANPOWER RES. & ADV. SERV.  
SMITHSONIAN INSTITUTE  
801 N. PITT STREET  
ALEXANDRIA, VA 22314

DR. JAMES PAULSON  
DEPT. OF PSYCHOLOGY  
PORTLAND STATE UNIVERSITY  
P.O. BOX 751  
PORTLAND, OR 97207

DR. PETER POLSON  
UNIVERSITY OF COLORADO  
DEPT. OF PSYCHOLOGY  
BOULDER, CO 80509

DR. JAMES W. PELLEGRINO  
C.C. SANTA BARBARA  
DEPT. OF PSYCHOLOGY  
SANTA BARBARA, CA 93106

DR. VANCY PENNINGTON  
UNIVERSITY OF CHICAGO  
GRAD. SCH. OF MED.  
1101 E. 58TH ST.  
CHICAGO, IL 60637

DR. RAY PEREZ  
ARI (PER-IH)  
5001 EISENHOWER AVENUE  
ALEXANDRIA, VA 22333

DR. STEVEN PINKER  
DEPT. OF PSYCHOLOGY  
E16-018 MIT  
CAMBRIDGE, MA 02139

DR. SAUL STERNBERG  
UNIV. OF PENNSYLVANIA  
DEPT. OF PSYCHOLOGY  
3815 WALNUT STREET  
PHILADELPHIA, PA 19104

DR. ELLIOT SOLOWAY  
YALE UNIVERSITY  
COMPUTER SCI. DEPT.  
P.O. BOX 2158  
NEW HAVEN, CT 06520

DR. ALBERT STEVENS  
BOLT BERANEK & NEWMAN, INC.  
19 MOULTON ST.  
CAMBRIDGE, MA 02138

DR. PAUL J. STICHA  
TRAINING RES. DIV.  
HUMBERO  
1100 S. WASHINGTON  
ALEXANDRIA, VA 22314

DR. LYNN REIDER  
DEPT. OF PSYCHOLOGY  
CARNEGIE-MELLON UNIV.  
SCHENLEY PARK  
PITTSBURGH, PA 15213

DR. MARK D. REEKLASE  
ACT  
P.O. BOX 148  
IOWA CITY, IA 52243

DR. MARY C. POTTER  
DEPT. OF PSYCHOLOGY  
MIT (E-16-02)  
CAMBRIDGE, MA 02139

DR. JOSEPH POTOHA  
ATTN: PERI-IC  
ARMY RESEARCH INST.  
5001 EISENHOWER AVE.  
ALEXANDRIA, VA 22333

DR. EARL PRIBRAM  
STANFORD UNIVERSITY  
DEPT. OF PSYCHOLOGY  
BLDG. 401 - JORDAN HALL  
STANFORD, CA 94305

DR. DANIEL REISBERG  
DEPT. OF PSYCHOLOGY  
NEW SCHOOL FOR SOC. RES.  
65 FIFTH AVENUE  
NEW YORK, NY 10003

DR. STEVE SUOMI  
MIL BLDG. 31  
ROOM B2A-15  
BETHESDA, MD 20815

DR. H. SWAMINATHAN  
LAB. OF PSYCHOMETRIC &  
EVALUATION RESEARCH  
UNIV. OF MASSACHUSETTS  
AMHERST, MA 01003

DR. JOHN TANGNEY  
AFOSR/ML  
BOLLING AFB, DC 20332

DR. EDWARD E. SMITH  
BOLT BERANEK & NEWMAN, INC.  
50 MOULTON STREET  
CAMBRIDGE, MA 02138

DR. ALFRED F. SMODE  
SENIOR SCIENTIST  
CODE 07A  
NAVAL TRAINING SYS. CTR.  
ORLANDO, FL 32813

DR. ROBERT F. SMITH  
DEPT. OF PSYCHOLOGY  
GEORGE MASON UNIV.  
4400 UNIVERSITY DR.  
FAIRFAX, VA 22030

DR. LINDA B. SMITH  
DEPT. OF PSYCHOLOGY  
INDIANA UNIVERSITY  
BLOOMINGTON, IN 47405

DR. RICHARD E. SNOW  
DEPT. OF PSYCHOLOGY  
STANFORD UNIVERSITY  
STANFORD, CA 94306

DR. TED STEINKS  
DEPT. OF GEOGRAPHY  
UNIV. OF S. CAROLINA  
COLUMBIA, SC 29208

DR. MICHAEL I. TURVEY  
HASKINS LABORATORY  
270 CROWN STREET  
NEW HAVEN, CT 06510

DR. DAVID VALE  
ASSESSMENT SYSTEMS CORP.  
2333 UNIVERSITY AVE.  
SUITE 310  
ST. PAUL, MN 55114

DR. KURT VAN LERN  
CARNEGIE-MELLON UNIV.  
DEPT. OF PSYCHOLOGY  
SCHENLEY PARK  
PITTSBURGH, PA 15213

DR. JERRY VOGT  
NAVY PERSONNEL R&D CTR.  
CODE 51  
SAN DIEGO, CA 92153-4800

DR. KATHRYN SPOEHR  
BROWN UNIVERSITY  
DEPT. OF PSYCHOLOGY  
PROVIDENCE, RI 02912

DR. ROBERT STERNBERG  
DEPT. OF PSYCHOLOGY  
YALE UNIVERSITY  
BOX 11A, YALE STATION  
NEW HAVEN, CT 06520

JAMES J. STASZEWSKI  
CARNEGIE-MELLON UNIVERSITY  
DEPT. OF PSYCHOLOGY  
SCHENLEY PARK  
PITTSBURGH, PA 15213

DR. DOUGLAS TOWNE  
BEHAVIORAL TECH. LABS  
1845 S. ELENA AVENUE  
REDONDO BEACH, CA 90277

DR. MAURICE TATSUOKA  
230 EDUCATION BLDG.  
1310 S. SIXTH ST.  
CHICAGO, IL 60620

DR. RICHARD F. THOMPSON  
STANFORD UNIVERSITY  
DEPT. OF PSYCHOLOGY  
BLDG. 401 - JORDAN HALL  
STANFORD, CA 94305

MR. BRAD STIMPSON  
NAVY PERSONNEL R&D CTR.  
SAN DIEGO, CA 92153-4800

DR. FUMIKO SAMEJIMA  
DEPT. OF PSYCHOLOGY  
UNIV. OF TENNESSEE  
KNOXVILLE, TN 37916

DR. DONALD RUBIN  
STAT. DEPT., HARVARD  
SCIENCE CTR., RM. 608  
1 OXFORD STREET  
CAMBRIDGE, MA 02138

DR. ERNST Z. ROTHKOFF  
AT&T BELL LABORATORIES  
ROOM 2D-456  
600 MOUNTAIN AVENUE  
MURRAY HILL, NJ 07974

DR. K. TATSUOKA  
CERL  
253 ENGINEERING RES. LAB.  
URBANA, IL 61801

DR. MARTIN A. TOLCOTT  
3001 VEAZEY TERR., NW  
APT. 1817  
WASHINGTON, DC 20008

DR. ROBERT TSUTAKAWA  
UNIVERSITY OF MISSOURI  
DEPT. OF STATISTICS  
722 MATH SCIENCES BLDG.  
COLUMBIA, MO 65211

DR. ZITA E. TYER  
DEPT. OF PSYCHOLOGY  
GEORGE MASON UNIVERSITY  
4400 UNIVERSITY DRIVE  
FAIRFAX, VA 22030

HQ - US MARINES  
CODE MPI - 20  
WASHINGTON, DC 20380

DR. AMOS TYERSKY  
STANFORD UNIVERSITY  
DEPT. OF PSYCHOLOGY  
BLDG. 401 - JORDAN HALL  
STANFORD, CA 94305

DR. JAMES TWEEDDALE  
TECHNICAL DIRECTOR  
NAVY PERSONNEL R&D CTR.  
SAN DIEGO, CA 92153-4800

DR. T. B. SHERIDAN  
DEPT. OF MECH. ENG.  
MIT  
CAMBRIDGE, MA 02139

DR. HEATHER WILD  
NAVAL AIR DEV. CENTER  
CODE 6021  
WARRINSTER, PA 18974-5000

DR. JOSEPH L. YOUNG  
MEMORY & COG. PROCESSES  
NATIONAL SCIENCE FDN.  
WASHINGTON, DC 20550

DR. HOWARD WAINER  
DIV. OF PSYCH. &  
EDUC. TESTING SERV.  
PRINCETON, NJ 08541

DR. GIL RICHARD  
MAIL STOP C04-14  
GRUMMAN AEROSP. CORP.  
BETHPAGE, NY 11714

DR. DAVID RUMELHART  
CENTER FOR HUMAN  
INFORMATION PROC.  
UNIV. OF CALIF.  
LA JOLLA, CA 92093

DR. ANDREW M. ROSE  
AM. INST. FOR RES.  
1855 THOMAS JEFFERSON ST., N  
WASHINGTON, DC 20007

DR. WM. B. ROUSE  
SEARCH TECH., INC.  
25-B TECHNOLOGY PARK ATL.  
NORCROSS, GA 30092

DR. E. L. SALTZMAN  
HASKINS LABORATORIES  
270 CROWN STREET  
NEW HAVEN, CT 06510

DR. DAVID J. WEISS  
N660 ELLIOTT HALL  
UNIV. OF MINNESOTA  
75 E. RIVER ROAD  
MINNEAPOLIS, MN 55455

DR. SHIH SUNG WEN  
JACKSON STATE UNIV.  
1335 J. R. LYNCH ST.  
JACKSON, MS 39217

(Washington Univ./Posner/2/89)

DR. JAIME CARBONELL  
CARNEGIE-MELLON UNIV.  
DEPT. OF PSYCHOLOGY  
PITTSBURGH, PA 15213

DR. JOEL DAVIS  
ONR, CODE 1141NP  
800 NORTH QUINCY ST.  
ARLINGTON, VA 22217-5000

J. D. FLETCHER  
9931 CORSICA STREET  
VIENNA, VA 22180

DR. HANS-WILH SCHROIFF  
INST. FUER PSYCHOLOGIE  
DER RWTH AACHEN  
JAEGERSTRASS ZWISCHEN 17 U. 19  
5100 AACHEN, WEST GERMANY

DR. BETH WARREN  
BOLT BERANEK & NEWMAN, INC.  
50 MOULTON STREET  
CAMBRIDGE, MA 02138

DR. JOHN R. FREDERIKSEN  
BOLT BERANEK & NEWMAN  
50 MOULTON STREET  
CAMBRIDGE, MA 02138

DR. MICHAEL J. SAMET  
PERCEPTRONICS, INC.  
6271 VAREL AVENUE  
WOODLAND HILLS, CA 91364

DR. ROBERT A. WISHER  
U.S. ARMY INST. FOR THE  
BEH. & SOC. SCIENCES  
5001 EISENHOWER AVENUE  
ALEXANDRIA, VA 22333

DR. KEITH WESCOURT  
FMC CORPORTAJON  
CENTRAL ENG. LABS.  
1185 COLEMAN AVE., BOX 580  
SANTA CLARA, CA 95052

DR. ARTHUR SAMUEL  
YALE UNIVERSITY  
DEPT. OF PSYCHOLOGY  
BOX 11A, YALE STATION  
NEW HAVEN, CT 06520

DR. MARTIN F. WISKOFF  
NAVY PERSONNEL R&D CTR.  
SAN DIEGO, CA 92152-6800

DR. NORMAN M. WEINBERGER  
UNIV. OF CALIF.  
CTR. FOR THE NEUROBIOL.  
OF LEARNING & MEMORY  
IRVINE, CA 92717

DR. ROGER SCHANK  
YALE UNIVERSITY  
COMP. SCI. DEPARTMENT  
NEW HAVEN, CT 06520

MR. JOHN H. WOLFE  
NAVY PERSONNEL R&D CTR.  
SAN DIEGO, CA 92152-6800

DR. DOUGLAS WETZEL  
CODE 12  
NAVY PERS. R&D CTR.  
SAN DIEGO, CA 92152-6800

DR. WALTER SCHNEIDER  
LEARNING R&D CTR.  
UNIVERSITY OF PITTSBURGH  
3939 O'HARA STREET  
PITTSBURGH, PA 15260

GEORGE WONG, BIostatISTICS  
MEMORIAL SLOAN-KETTERING  
CANCER CENTER  
1275 YORK AVENUE  
NEW YORK, NY

DR. BARBARA WHITE  
BOLT BERANEK & NEWMAN, INC.  
10 MOULTON ST.  
CAMBRIDGE, MA 02238

DR. MICHAEL G. SHAFTO  
ONR CODE 1142PT  
800 N. QUINCY STREET  
ARLINGTON, VA 22217-5000

DR. DONALD WOODWARD  
OFFICE OF NAVAL RESEARCH  
CODE 1141NP  
800 NORTH QUINCY STREET  
ARLINGTON, VA 22217-5000

DR. BARRY WHITSEL  
UNIV. OF NC  
DEPT. OF PHYSIOLOGY  
MEDICAL SCHOOL  
CHAPEL HILL, NC 27514

DR. JANET SCHOFIELD  
LEARNING R&D CENTER  
UNIV. OF PITTSBURGH  
PITTSBURGH, PA 15260

DR. WALLACE WULFECK, III  
NAVY PERS. R&D CENTER  
SAN DIEGO, CA 92152-6800

DR. CHRISTOPHER WICKENS  
DEPT. OF PSYCHOLOGY  
UNIV. OF ILLINOIS  
CHAMPAIGN, IL 61820

DR. ROBERT J. SEIDEL  
US ARMY RES. INST.  
5001 EISENHOWER AVE.  
ALEXANDRIA, VA 22333

DR. STEVEN ZORNETZER  
ONR, CODE 1140  
800 N. QUINCY ST.  
ARLINGTON, VA 22217-5000

CHIEF OF NAVAL ED. & TR.  
LIAISON OFFICE  
AIR FORCE HUMAN RES. LAB.  
OPERATIONS TRAINING DIV.  
WILLIAMS AFB, AZ 85224

DR. DAVID NAVON  
INST. FOR COGNITIVE SCI.  
UNIV. OF CALIFORNIA  
LA JOLLA, CA 92093

DR. MICHAEL I. POSNER  
UNIVERSITY OF OREGON  
DEPT. OF PSYCHOLOGY  
EUGENE, OR 97403

DR. DONALD A. NORMAN  
INST. FOR COG. SCI.  
UNIV. OF CALIFORNIA  
LA JOLLA, CA 92093

DR. ROBERT SASMOR  
ARMY RES. INSTITUTE  
5001 EISENHOWER AVE.  
ALEXANDRIA, VA 22333

CAPT. P. MICHAEL CURRAN  
ONR, CODE 125  
800 N. QUINCY ST.  
ARLINGTON, VA 22217-5000

DR. MICHAEL J. ZYDA  
NAVAL POSTGRADUATE SCHOOL  
CODE SICK  
MONTEREY, CA 93943-5100

DEFENSE TECH. INFO. CTR.  
CAMERON STATION, BLDG. 5  
ALEXANDRIA, VA 22314  
ATTN: TC

DR. MARSHALL J. FARR  
2520 NORTH VERNON ST.  
ARLINGTON, VA 22207