

System Calls

- Programming interface to the services provided by the OS
- Typically written in a high-level language (C or C++)
- Mostly accessed by programs via a high-level **Application Programming Interface (API)** rather than direct system call use
- **Three most common APIs are Win32 API for Windows,** POSIX API for POSIX-based systems (including virtually all versions of UNIX, Linux, and Mac OS X), and Java API for the Java virtual machine (JVM)

Note that the system-call names used throughout this text are generic

Example of Standard API

EXAMPLE OF STANDARD API

As an example of a standard API, consider the read() function that is available in UNIX and Linux systems. The API for this function is obtained from the man page by invoking the command

man read

on the command line. A description of this API appears below:

A program that uses the read () function must include the unistd. h header file, as this file defines the ssize_t and size_t data types (among other things). The parameters passed to read () are as follows:

- int fd-the file descriptor to be read
- void *buf a buffer where the data will be read into
- size_t count—the maximum number of bytes to be read into the buffer

On a successful read, the number of bytes read is returned. A return value of 0 indicates end of file. If an error occurs, read () returns -1.

System Call Implementation

- Typically, a number associated with each system call
	- **System-call interface** maintains a table indexed according to these numbers
- The system call interface invokes the intended system call in OS kernel and returns status of the system call and any return values
- The caller need know nothing about how the system call is implemented
	- Just needs to obey API and understand what OS will do as a result call
	- Most details of OS interface hidden from programmer by API
		- Managed by run-time support library (set of functions built into libraries included with compiler)

System Call Parameter Passing

- Often, more information is required than simply identity of desired system call
	- Exact type and amount of information vary according to OS and call
- Three general methods used to pass parameters to the OS
	- Simplest: pass the parameters in registers
		- In some cases, may be more parameters than registers
	- Parameters stored in a block*,* or table, in memory, and address of block passed as a parameter in a register
		- This approach taken by Linux and Solaris
	- Parameters placed, or **pushed***,* onto the **stack** by the program and **popped** off the stack by the operating system
	- Block and stack methods do not limit the number or length of parameters being passed

Examples of Windows and Unix System Calls

Example: MS-DOS

- Single-tasking
- Shell invoked when system booted
- Simple method to run program
	- No process created
- Single memory space
- Loads program into memory, overwriting all but the kernel
- Program exit -> shell reloaded

At system startup running a program

Example: FreeBSD

- Unix variant
- **Multitasking**
- User login -> invoke user's choice of shell
- Shell executes fork() system call to create process
	- Executes exec() to load program into process
	- Shell waits for process to terminate or continues with user commands
	- Process exits with:
		- \bullet code = $0 -$ no error
		- \bullet code > 0 error code

Operating System Structure

- General-purpose OS is very large program
- Various ways to structure ones
	- Simple structure MS-DOS
	- More complex -- UNIX
	- Layered an abstrcation
	- Microkernel -Mach

Simple Structure -- MS-DOS

- MS-DOS written to provide the most functionality in the least space
	- Not divided into modules
	- Although MS-DOS has some structure, its interfaces and levels of functionality are not well separated

 UNIX – limited by hardware functionality, the original UNIX operating system had limited structuring. The UNIX OS consists of two separable parts

- Systems programs
- The kernel
	- Consists of everything below the system-call interface and above the physical hardware
	- ▶ Provides the file system, CPU scheduling, memory management, and other operating-system functions; a large number of functions for one level

Beyond simple but not fully layered

Layered Approach

- The operating system is divided into a number of layers (levels), each built on top of lower layers. The bottom layer (layer 0), is the hardware; the highest (layer N) is the user interface.
- With modularity, layers are selected such that each uses functions (operations) and services of only lower-level layers

Microkernel System Structure

- Moves as much from the kernel into user space
- **Mach** example of **microkernel**
	- Mac OS X kernel (**Darwin**) partly based on Mach
- Communication takes place between user modules using **message passing**
- Benefits:
	- Easier to extend a microkernel
	- Easier to port the operating system to new architectures
	- More reliable (less code is running in kernel mode)
	- More secure
- Detriments:
	- Performance overhead of user space to kernel space communication

Modules

- Many modern operating systems implement **loadable kernel modules**
	- Uses object-oriented approach
	- Each core component is separate
	- Each talks to the others over known interfaces
	- Each is loadable as needed within the kernel
- Overall, similar to layers but with more flexible
	- Linux, Solaris, etc

Solaris Modular Approach

Hybrid Systems

- Most modern operating systems are actually not one pure model
	- Hybrid combines multiple approaches to address performance, security, usability needs
	- Linux and Solaris kernels in kernel address space, so monolithic, plus modular for dynamic loading of functionality
	- Windows mostly monolithic, plus microkernel for different subsystem *personalities*
- Apple Mac OS X hybrid, layered, **Aqua** UI plus **Cocoa** programming environment
	- Below is kernel consisting of Mach microkernel and BSD Unix parts, plus I/O kit and dynamically loadable modules (called **kernel extensions**)

Mac OS X Structure

- Apple mobile OS for *iPhone*, *iPad*
	- Structured on Mac OS X, added functionality
	- Does not run OS X applications natively
		- ▶ Also runs on different CPU architecture (ARM vs. Intel)
	- **Cocoa Touch** Objective-C API for developing apps
	- **Media services** layer for graphics, audio, video
	- **Core services** provides cloud computing, databases
	- Core operating system, based on Mac OS X kernel

Android

- Developed by Open Handset Alliance (mostly Google)
	- **Open Source**
- Similar stack to IOS
- Based on Linux kernel but modified
	- Provides process, memory, device-driver management
	- Adds power management
- Runtime environment includes core set of libraries and Dalvik virtual machine
	- Apps developed in Java plus Android API
		- Java class files compiled to Java bytecode then translated to executable than runs in Dalvik VM
- Libraries include frameworks for web browser (webkit), database (SQLite), multimedia, smaller libc

Android Architecture

Application Framework

System Boot

- When power initialized on system, execution starts at a fixed memory location
	- Firmware ROM used to hold initial boot code
- **De** Operating system must be made available to hardware so hardware can start it
	- Small piece of code **bootstrap loader**, stored in **ROM** or **EEPROM** locates the kernel, loads it into memory, and starts it
	- Sometimes two-step process where **boot block** at fixed location loaded by ROM code, which loads bootstrap loader from disk
- Common bootstrap loader, GRUB, allows selection of kernel from multiple disks, versions, kernel options
- Kernel loads and system is then **running**

