

LEVEL ~~III~~


(12)



Litton

BIONETICS

AD A107574



DTIC FILE COPY

THIS DOCUMENT IS BEST QUALITY PRACTICABLE.
IF A COPY OF THIS DOCUMENT CONTAINED A
PAGE OR MORE OF PAGES WHICH DO NOT
REPRODUCE CORRECTLY.

DTIC
ELECTE
NOV 19 1981
S H D

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

12

Mammalian Toxicological
Evaluation
of DIMP and DCPD
(Phase 3 - IMPA)

A082685

FINAL REPORT

By
Francis J. Mecler, Sc.D.

May 1981

S DTIC ELECTE D
NOV 19 1981
H

Supported by
U.S. ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND
Fort Detrick, Frederick, MD 21701

Contract No. DAMD 17-77-C-7003;

Contract Officer's Technical Representative: Dr. Jack C. Dacre
Environmental Protection Research Division
U.S. Army Medical Bioengineering Research and Development Laboratory
Fort Detrick, Frederick, Maryland 21701

Litton Bionetics, Inc.
5516 Nicholson Lane
Kensington, Maryland 20795

Approved for public release; distribution unlimited

The findings in this report are not to be construed as an official
Department of the Army position unless so designated by other authorized documents.

290 685

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Mammalian Toxicological Evaluation of DIMP and DCPD (Phase III - IMPA)		5. TYPE OF REPORT & PERIOD COVERED Final Report - Phase III - IMPA, DEC 76-Apr 80
7. AUTHOR(s) Francis J. Mecler, Sc.D.		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Litton Bionetics, Inc. 5516 Nicholson Lane Kensington, MD 20795		8. CONTRACT OR GRANT NUMBER(s) DAMD17-77-C-7003
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Medical Research and Development Command Ft. Detrick, Frederick, MD 21701		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 62720A.3E162720A835.AA.002
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Medical Bioengineering Research and Development Laboratory Ft. Detrick, Frederick, MD 21701		12. REPORT DATE May 1981
		13. NUMBER OF PAGES 278
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) Approved for public release; distribution unlimited		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
IMPA	eye irritation	rats/mice/rabbits
toxicity	skin sensitization	Ames assay
acute	bacterial mutagenesis	90 day toxicity tests
oral	subchronic toxicity	
dermal		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) IMPA had oral LD50's of 7650 and 6070 mg/kg in male and female rats, respectively, and of 5620 and 6550 mg/kg in male and female mice. It was not irritant to rabbit eyes. It was mildly irritant to rabbit skin but produced no systemic toxicity at a dose of 2 mg/kg. IMPA did not induce dermal sensitization in guinea pigs. No evidence of toxicity followed administration of IMPA in the drinking water at levels up to 3000 ppm to rats for 90 days. IMPA was not mutagenic to five strains of <u>Salmonella</u> indicator organisms in the Ames assay both with and without rat liver activation.		

EXECUTIVE SUMMARY

ISOPROPYL METHYLPHOSPHONIC ACID - SODIUM SALT

The oral LD50 values of sodium IMP (sodium isopropyl methylphosphonate) were calculated to be 7650 (6560-8920) and 6070 (4760-7740) mg/kg in male and female rats, respectively, and 5620 (4530-6990) and 6550 (5140-8360) mg/kg in male and female mice, respectively.

Application of sodium IMP to the intact and abraded skin of rabbits at doses of 2.0 g/kg produced no signs of systemic toxicity. Mild skin irritation was evident.

The Eye Irritation test revealed no signs of irritation in any of the rabbits' eyes which were treated with sodium IMP.

Sodium IMP did not induce dermal sensitization in the guinea pig.

After 90 days of administration of IMPA in the drinking water at levels of 300, 1000 and 3000 ppm, no changes in body weight, food intake, water intake, clinical chemistry or hematologic parameters were seen in treated rats compared to controls.

Sodium IMP did not exert a mutagenic effect in any of five strains of Salmonella indicator organisms in the Ames Assay when tested with or without rat liver activation.

Accession For	
NCIS	✓
DEIC TAG	
Usage Area	
Jurisdiction	
By	
Distribution	
Applicant's Name	
Address	
City	
State	
Zip	
A	Code 23 C. J. Donley

FOREWORD

The studies reported herein were an addition to Contract No. DAMD 17-77-7003. Under this addition acute and subchronic toxicity testing were authorized on IMPA.

In conducting the research described in this report, the investigation(s) adhered to the "Revised 1978 Guide for the Care and Use of Laboratory Animals, U.S.H.E.W., PHS, DHEW Publication No. (NIH) 78-23".

The methods of killing animals at study terminations were intravenous overdosage of pentobarbital sodium for rabbits, inhalation of chloroform for rats, mice and guinea pigs used in acute studies and inhalation of carbon dioxide for rats used in the subchronic study.

E. Ross Hart, Ph.D. was the original Principal Investigator until his retirement in December, 1979. He was replaced by Cipriano Cueto, Jr., Ph.D. who left LBI in May, 1980. In May, 1980 Francis J. Mecler, Sc.D., became the Principal Investigator.

Citations of trade names in this report does not constitute an official Department of Army endorsement or approval of the use of such items.

TABLE OF CONTENTS

	PAGE
IMPA (ISOPROPYL METHYLPHOSPHONIC ACID) SODIUM SALT	
EXECUTIVE SUMMARY	1
FOREWORD	2
SECTION A - INTRODUCTION AND MATERIAL	5
SECTION B - ACUTE ORAL TOXICITY STUDY IN RATS	6
SECTION C - ACUTE ORAL TOXICITY STUDY IN MICES	9
SECTION D - ACUTE DERMAL TOXICITY STUDY IN RABBITS	12
SECTION E - PRIMARY EYE IRRITATION STUDY IN RABBITS	15
SECTION F - DERMAL SENSITIZATION STUDY IN GUINEA PIGS	21
SECTION G - MICROBIAL MUTAGENESIS	31
SECTION H - 90 DAY TOXICITY STUDY IN RATS	41
APPENDIX A - INDIVIDUAL ANIMAL TOXICITY OBSERVATIONS	57
APPENDIX B - PATHOLOGY REPORT	143
APPENDIX C - CHEMICAL ANALYSIS REPORT	257
DISTRIBUTION LIST	276

LIST OF TABLES

IMPA (ISOPROPYL METHYLPHOSPHONIC ACID)		PAGE
TABLE		
E-1	SCORING FOR EYE IRRITATION	18
F-2	OBSERVATIONS	24
G-3	TABULATION OF REVERTANTS IN AMES ASSAY USING SODIUM ISOPROPYL METHYLPHOSPHONATE WITH AND WITHOUT ACTIVATION .	33
G-4	TABULATION OF REVERTANTS IN AMES ASSAY USING SODIUM ISOPROPYL METHYLPHOSPHONATE WITH AND WITHOUT ACTIVATION- REPEAT TEST	34
H-5	MEAN BODY WEIGHTS	45
H-6	MEAN FOOD INTAKE	46
H-7	MEAN DAILY LIQUID INTAKE	47
H-8	COMPOUND INTAKE	48
H-9	MEAN CLINICAL HEMATOLOGY	49
H-10	MEAN CLINICAL CHEMISTRY	52
H-11	MEAN ORGAN WEIGHTS	54
H-12	MEAN ORGAN WEIGHT/BODY WEIGHT PERCENTAGES	55
H-13	CLINICAL SIGNS	58
H-14	INDIVIDUAL BODY WEIGHTS	85
H-15	INDIVIDUAL DAILY FOOD INTAKE	93
H-16	INDIVIDUAL DAILY LIQUID INTAKE	101
H-17	CLINICAL HEMATOLOGY	109
H-18	CLINICAL CHEMISTRY	122
H-19	INDIVIDUAL ORGAN WEIGHTS	127
H-20	INDIVIDUAL ORGAN WEIGHT/BODY WEIGHT PERCENTAGES	135

SECTION A
INTRODUCTION AND MATERIAL
ISOPROPYL METHYLPHOSPHONIC ACID

1. INTRODUCTION

The material, isopropyl methylphosphonic acid (IMPA), was submitted as the sodium salt for toxicologic evaluation. This material is a breakdown product of diisopropyl methylphosphonate (DIMP) and as such required assessment of potential toxic hazard. DIMP has been found in ground water under the Federally owned Rocky Mountain arsenal. IMPA has been identified there as well.

Assessment included determination of potential for bacterial mutagenesis, eye irritation, dermal sensitization, acute dermal toxicity, acute oral toxicity and subchronic toxicity in rats.

2. MATERIAL

The materials used in these studies were three batches of isopropyl methylphosphonic acid, sodium salt, supplied by the U.S. Army Medical Bioengineering Research and Development Laboratory. The first lot was used for all acute studies and to start the subchronic study. The other two lots were used to finish the subchronic study. For the acute studies the material was used as received but for the subchronic study the material was corrected to express the concentrations as the free acid.

The dermal sensitization study utilized Eastman 1-chloro-2,4-dinitrobenzene Lot No. F7A as a positive control. This was purchased through a scientific supply house and used as a 0.1% solution.

3. PURITY ANALYSIS

Isopropyl methylphosphonic acid was provided as the sodium salt in three batches from the US Army Medical Bioengineering Research and Development Laboratory. The laboratory's claim of 99% purity by gas chromatography esterification and titration was accepted and the white crystalline salt was used without further treatment.

SECTION B
ACUTE ORAL TOXICITY STUDY IN RATS
ISOPROPYL METHYLPHOSPHONIC ACID
LBI PROJECT NO. 10734-12

SUMMARY

The oral LD50 values of the test material, IMPA, were 7650 and 6070 mg/kg for male and female rats, respectively.

1. OBJECTIVE

The objective of this study was to evaluate the acute toxicity of the test compound when administered by oral gavage to male and female rats.

2. MATERIAL

Two glass jars (550 g each) containing a white powder and labeled:

Isopropyl Methylphosphonic Acid, Sodium Salt
Batch 1 #127818

were received from U. S. Army Medical Research and Development Command by Litton Bionetics, Inc. (LBI), on December 18, 1978, and designated as LBI No. 3427.

3. EXPERIMENTAL DESIGN

Young adult rats (weighing 187 to 293 g and 56 to 67 days of age at the time of treatment, February 21, 1979) of the Charles River CD strain [CRL:COBS CD (SD) BR] were obtained from the Charles River Breeding Laboratories, Inc., Portage, Michigan. The animals were acclimated to laboratory conditions for seven days in the Rockville facility of the Department of Toxicology. The animals were individually housed in wire-bottom cages in temperature-controlled quarters under artificial illumination controlled to provide a 12-hour light cycle. Water and Purina Laboratory Chow were provided ad libitum with the exception of the night before treatment when food was removed from the cages.

The test material as the salt, was dissolved in deionized water at concentrations of 250 or 500 mg/ml. Single graded doses of the test material were administered by oral gavage to five rats of each sex at each of four dose levels.

3. EXPERIMENTAL DESIGN (Continued)

The rats were observed frequently on the day of treatment and daily thereafter. The animals were weighed on the day of treatment, and on Days 7 and 14 following treatment. Necropsies were performed on all animals that died during the study and on the surviving animals that were killed 14 days after treatment.

4. RESULTS

The data have been summarized as follows below.

Dose (mg/kg)	Mean Body Weight (g)			Deaths Day					Total Mortality <u>Deaths/Treated</u>	
	0	7	14	0	1	2	3	4		5-14
<u>Males</u>										
4640	271	321	352							0/5
6810	235	282	320					1		1/5
10000	257	-	-			5				5/5
14700	286	-	-			5				5/5
<u>Females</u>										
3160	206	231	244							0/5
4640	211	241	242					1		1/5
6810	195	239	238			3				3/5
10000	203	-	-			5				5/5

Based on the deaths occurring in the 14 days after treatment, and using a modification of the method of Horn (Biometrics, V. 12, p. 311, 1956), LD50 values of 7650 mg/kg (95% confidence limits: 6560-8920) and 6070 mg/kg (95% confidence limits: 4760-7740) for male and female rats, respectively, were calculated.

Signs of toxicity included loose or liquid stool in several animals at all dose levels. Reduced motor activity and prostration were observed in some animals at doses greater than 3160 mg/kg. Ataxia was seen in one male at the 10,000 mg/kg dose level, one female at the 10,000 and 4640 mg/kg levels, and three females at the 6810 mg/kg dose level. Additional observations consisted of an opaque eye in one male at the 6810 mg/kg level, abnormal breathing sounds in one female at the 10,000 mg/kg level, and tremors in one female at the 4640 mg/kg dose level.

4. RESULTS (Continued)


No abnormal necropsy findings were observed in any of the survivors. Among rats that died, red or mottled lungs in some of the males at the 10,000 and 14,700 mg/kg levels and some females at the 6810 mg/kg level and one female at the 10,000 and 4640 mg/kg levels were noted. Distended, fluid-filled stomachs and intestines were observed in all animals found dead. In addition some of the stomach linings were red. Dark spots on the thymus were seen in females at 6810 and 10,000 mg/kg levels and males at the 10,000 and 14,700 mg/kg levels.

Thirty days after transmittal of this report, original data and a copy of the final report will be transferred to the LBI Archivist, 5516 Nicholson Lane, Kensington, Maryland, for distribution to the proper repositories. A copy of this report and underlying data were reviewed by the LBI Quality Assurance Unit.


5. CONCLUSION

Following the oral administration of graded doses of the test compound to fasted young adult rats, LD50 values of 7650 and 6070 mg/kg were calculated for male and female rats, respectively. The central nervous system and gastrointestinal tract may be possible sites of toxicity.

Submitted by:




David R. Damske, B.A.
Technical Group Leader
Department of Toxicology



Francis J. Mecler
Senior Toxicologist
Department of Toxicology

2379
Date

Reviewed by:



E. Ross Hart, Ph.D.
Principal Investigator

2-20-77
Date

SECTION C
ACUTE ORAL TOXICITY STUDY IN MICE
ISOPROPYL METHYLPHOSPHONIC ACID
LBI PROJECT NO. 10734-13

SUMMARY

The oral LD50 values of the test material, IMPA, were 5620 and 6550 mg/kg for male and female mice, respectively.

1. OBJECTIVE

The objective of this study was to evaluate the acute toxicity of the test material when administered by oral gavage to male and female mice.

2. MATERIAL

Two glass jars (550 g each) containing a white powder and labeled:

Isopropyl Methylphosphonic Acid, Sodium Salt
Batch 1 #127818

were received from U. S. Army Medical Research and Development Command by Litton Bionetics, Inc. (LBI) on December 18, 1978, and designated as LBI No. 3427.

3. EXPERIMENTAL DESIGN

Young adult mice (weighing 24 to 38 g and nine weeks of age at the time of treatment, February 6, 1979) of the Charles River CD-1 strain were obtained from the Charles River Breeding Laboratories, Inc., Portage, Michigan. The mice were acclimated to laboratory conditions for 13 days in the Rockville facility of the Department of Toxicology. The animals were individually housed in wire-bottom cages in temperature-controlled quarters under artificial illumination controlled to provide a 12-hour light cycle. Acidified water (pH 2.5) and Purina Laboratory Chow were provided ad libitum with the exception of the night before treatment when food was removed from the cages.

The test material as a salt, was dissolved in deionized water at a concentration of 500 mg/ml at 10,000 and 6810 mg/kg, and 250 mg/ml at 4640 and 3160 mg/kg dose levels. Single graded doses of the test material were administered by oral gavage to five mice of each sex at each of four dose levels.

3. EXPERIMENTAL DESIGN (Continued)

The mice were observed frequently on the day of treatment and daily thereafter. The animals were weighed on the day of treatment, and on Days 7 and 14 following treatment. Necropsies were performed on all animals that died during the study and on the surviving animals that were killed 14 days after treatment.

4. RESULTS

The data have been summarized below.

Dose (mg/kg)	Mean Body Weight (g)			Deaths					Total Mortality Deaths/Treated
	Day	7	14	Day	0	1	2	3	
<u>Males</u>									
3160	31	36	35						0/5
4640	31	37	38			1			1/5
6810	34	37	39		3	1			4/5
10000	29	-	-		5				5/5
<u>Females</u>									
3160	26	31	32						0/5
4640	27	32	32				1		1/5
6810	27	33	33		2				2/5
10000	28	-	-		5				5/5

Based on the deaths occurring in the 14 days after treatment, and using a modification of the method of Horn (*Biometrics*, V. 12, p. 311, 1956), LD50 values of 5620 mg/kg (95% confidence limits: 4530-6990) and 6550 mg/kg (95% confidence limits: 5140-8360) for male and female mice, respectively, were calculated.

Signs of toxicity included soft or liquid stool in some mice at all dose levels, except the 3160 mg/kg female mice. Reduced motor activity and ataxia were observed in some mice at dose levels greater than 3160 mg/kg, with all male mice at the 6810 mg/kg level affected and all mice at the 10,000 mg/kg level which were alive at the one hour observation interval. Prostration was observed in one female at the 6810 mg/kg level and two males and one female at the 10,000 mg/kg level.

4. RESULTS (Continued)

No abnormal necropsy findings were observed in any of the mice surviving for 14 days. Among mice that died, fluid-filled stomach and intestines were observed in all animals. Mottled or congested lungs were observed in three females at the 10,000 mg/kg level and dark red areas on the lungs of one female at the 4640 mg/kg dose level were observed.

Thirty days after transmittal of this report, original data from the Department of Toxicology will be transferred to the LBI Archivist, 5516 Nicholson Lane, Kensington, Maryland, for distribution to the proper repositories. A copy of this report was reviewed by the LBI Quality Assurance Unit.

5. CONCLUSION

Following the oral administration of graded doses of the test material to fasted young adult mice, LD50 values of 5620 and 6550 mg/kg were calculated for male and female mice, respectively. The nervous system and gastrointestinal tract may be possible sites of toxicity.

Submitted by:

David R. Damske, B.A.
Technical Group Leader
Department of Toxicology

Francis J. Wecler
Senior Toxicologist
Department of Toxicology

3-14-79
Date

Reviewed by:

Robert P. Beliles
Robert P. Beliles, Ph.D.
Director
Department of Toxicology

3/16/79
Date

SECTION D
ACUTE DERMAL TOXICITY STUDY IN RABBITS
ISOPROPYL METHYLPHOSPHONIC ACID
LBI PROJECT NO. 10734-10

SUMMARY

Following the dermal application of 2.0 g/kg of the test material to young adult female rabbits, no deaths or signs of systemic toxicity were observed. The dermal LD50 was estimated to be greater than 2.0 g/kg.

1. OBJECTIVE

The objective of this study was to evaluate the acute systemic toxicity and the potential for skin irritation of the test material following a single dermal application to six rabbits.

2. MATERIAL

Two glass jars (550 g each) containing a white powder and labeled:

Isopropyl Methylphosphonic Acid, Sodium Salt
Batch 1 #127818

were received from U. S. Army Medical Research and Development Command by Litton Bionetics, Inc. (LBI) on December 18, 1978, and designated as LBI No. 3427.

3. EXPERIMENTAL DESIGN

Young adult female New Zealand White (albino) rabbits (weighing 2.5 to 3.0 kg and 14 weeks of age) were obtained from R and H Rabbitry, Rockville, Maryland. The animals were acclimated to laboratory conditions for 15 days in the Rockville facility of the Department of Toxicology. The animals were individually housed in wire-bottom cages in temperature-controlled quarters under artificial illumination controlled to provide a 12-hour light cycle. Water and Purina Rabbit Chow were provided ad libitum.

Six rabbits were prepared by clipping the skin of the trunk free of hair 24 hours prior to test material application. Three rabbits were further prepared by making epidermal abrasions every 2-3 cm longitudinally over the areas to be exposed. The abrasions were sufficiently deep to penetrate the stratum corneum, but not to disturb the derma. A single 2.0 g/kg dose of the test material was applied to the skin of the rabbits beginning February 6, 1979.

3. EXPERIMENTAL DESIGN (Continued)

After application, the site was covered with gauze and Saran wrap, and the rabbits were placed in restraining collars for 24 hours. At the end of 24 hours, the Saran wrap and collars were removed. The gauze pad was then weighed to determine the amount of unabsorbed test material. The subjects were cleaned by thorough wiping and observed daily for gross signs of poisoning and skin reactions for two weeks after testing. Body weights were obtained initially, and at 7 and 14 days after treatment. The evaluation of skin reactions was based on the following scoring system. All animals surviving 14 days after treatment were necropsied and any changes in the internal organs noted.

Erythema and Eschar Formation

No erythema	0
Very slight erythema (barely perceptible)	1
Well defined erythema	2
Moderate to severe erythema	3
Severe erythema (beet redness) to slight eschar formation (injuries in depth)	4
Total possible erythema score	4

Edema Formation

No edema	0
Very slight edema (barely perceptible).	1
Slight edema (edges of area well defined by definite raising)	2
Moderate edema (raised approximately 1 mm).	3
Severe edema (raised more than 1 mm and extending beyond area of exposure).	4
Total possible edema score.	4

4. RESULTS

The results of the data have been summarized on page 3. On an average, 35% of the applied dose was unabsorbed and remained on the skin and gauze pad after the Saran wrap was removed.

4. RESULTS (Continued)

<u>Rabbit Number</u>	<u>Dose (g/kg)</u>	<u>Skin</u>	<u>Body Weights (kg)</u>		
			<u>Day 0</u>	<u>7</u>	<u>14</u>
5204	2.0	Intact	2.7	3.0	3.1
5205	2.0	Intact	2.7	3.1	3.4
5206	2.0	Intact	2.6	3.0	3.0
5207	2.0	Abraded	2.6	2.9	2.8
5208	2.0	Abraded	2.5	3.1	3.4
5209	2.0	Abraded	3.0	3.2	3.5

Based on the absence of deaths occurring in the 14 days after treatment, the LD50 value was estimated to be greater than 2 g/kg for female rabbits.



Both the intact and abraded rabbits showed very slight to well-defined erythema for one to five days after treatment. Observations included one rabbit with a swollen left eyelid and a white discharge from the left eye, and one rabbit had hair loss at the mid-dorsal cervical region. Observations at necropsy revealed no visible abnormalities.

Thirty days after transmittal of this report, original data from the Department of Toxicology will be transferred to the LBI Archivist, 5516 Nicholson Lane, Kensington, Maryland, for distribution to the proper repositories. A copy of this report was reviewed by the LBI Quality Assurance Unit.


5. CONCLUSION

Following the dermal application of 2.0 g/kg of the test material to young adult female rabbits, no mortalities or signs of systemic toxicity were observed. The dermal LD50 was estimated to be greater than 2.0 g/kg and the dermal response was judged to suggest a mild potential for skin irritation.

Submitted by:

		<u>3-14-79</u>
David R. Damske, B.A. Technical Group Leader Department of Toxicology	Francis J. Mectler Senior Toxicologist Department of Toxicology	Date

Reviewed by:

	<u>3/16/79</u>
Robert P. Beliles, Ph.D. Director Department of Toxicology	Date

SECTION E

PRIMARY EYE IRRITATION AND CORROSIVENESS STUDY IN RABBITS

ISOPROPYL METHYLPHOSPHONIC ACID

LBI PROJECT NO. 10734-11

SUMMARY

The test material, IMPA, was instilled (100 mg) into the eyes of albino rabbits. The eyes were examined at 1, 24, 48 and 72 hours, and at 4 and 7 days after treatment. Based on the scoring system used, the test material was judged not to be irritating to the eye.

1. OBJECTIVE

The objective of this study was to investigate the possibility that direct contamination of the eye with the test material would be followed by irritation and/or injury.

2. MATERIAL

Two glass jars (550 g each) containing a white powder and labeled:

Isopropyl Methylphosphonic Acid, Sodium Salt
Batch 1 #127818

were received from U. S. Army Medical Research and Development Command by Litton Bionetics, Inc. (LBI) on December 18, 1978, and designated as LBI No. 3427.

3. EXPERIMENTAL DESIGN

Six female New Zealand White (albino) rabbits were obtained from B and H Rabbitry, Rockville, Maryland. The animals were acclimated to laboratory conditions for 14 days in the Rockville facility of the Department of Toxicology. The rabbits weighed 2.3 to 2.8 kg at the time of treatment, February 5, 1979. The rabbits were individually housed in wire-bottom cages in temperature-controlled quarters under artificial illumination controlled to provide a 12-hour light cycle. Water and Purina Rabbit Chow were provided ad libitum.

The eyes of the rabbits were examined with the aid of 2% sodium fluorescein before testing to ensure that the eyes were without defects or irritation. The animals were firmly held and 100 mg of the test material was instilled into one eye of each rabbit. The eyes were examined and graded according to the table on page 2. The scores were recorded at 1, 24, 48 and 72 hours, and at 4 and 7 days.

3. EXPERIMENTAL DESIGN (Continued)

<u>CORNEA</u>	<u>GRADE</u>
No ulceration or opacity.....	0
Scattered or diffuse areas of opacity, details of iris clearly visible.....	1 ¹
Easily discernible translucent areas of opacity, details of iris slightly obscured.....	2 ^{1,2}
Nacreous areas of opacity, no details of iris visible, size of pupil barely discernible.....	3 ^{1,2}
Complete corneal opacity, iris not discernible.....	4 ^{1,2}
Ulceration, absence of a gross patch of corneal epithelium.....	4 ²

IRIS

Normal.....	0
Markedly deepened folds, congestion, swelling, moderate circumcorneal injection (any of these or combination of any thereof), iris still reacting to light (sluggish reaction is positive).....	1 ¹
No reaction to light, hemorrhage, gross destruction (any or all of these).....	2 ¹

CONJUNCTIVAE

Redness (refers to palpebral and bulbar conjunctivae excluding cornea and iris):

Vessels normal.....	0
Some vessels definitely injected.....	1
Diffuse, crimson red, individual vessels not easily discernible.....	2 ¹
Diffuse beefy red.....	3 ¹

Chemosis:

No swelling.....	0
Any swelling above normal (includes nictitating membrane).....	1
Obvious swelling with partial eversion of lids.....	2 ¹
Swelling with lids about half closed.....	3 ¹
Swelling with lids more than half closed.....	4 ¹
Ulceration or necrosis of palpebral and bulbar conjunctivae or nictitating membrane.....	4 ²

¹Grades considered positive for irritation.

²Grades considered positive for corrosiveness. In addition, grade 1 opacity evident for any 6 or more days will also be considered as corrosive.

4. RESULTS



The detailed results of the ocular changes in the treated eyes of each rabbit have been included in the Appendix. No changes were observed in the untreated eyes. No ocular changes were observed in five of the six treated rabbits. One rabbit was observed to show a Grade 1 reaction at the 24 hour observation interval for the iris and redness of the conjunctivae.

Thirty days after transmittal of this report, original data from the Department of Toxicology will be transferred to the LBI Archivist, 5516 Nicholson Lane, Kensington, Maryland, for distribution to the proper repositories. A copy of this report was reviewed by the LBI Quality Assurance Unit.

5. CONCLUSION

The test material, IMPA, was judged to be non-irritating when instilled into the eyes of rabbits.

Submitted by:

 _____ David R. Damske, B.A. Technical Group Leader Department of Toxicology	 _____ Francis J. Mecler Senior Toxicologist Department of Toxicology	<u>3-11-79</u> Date
---	--	------------------------

Reviewed by:


 _____ Robert P. Beliles, Ph.D. Director Department of Toxicology	<u>3/16/79</u> Date
--	------------------------

TABLE E-1
 LITTON BIONETICS, INC.
 PROJECT NO. 10734-11

SCORING FOR EYE IRRITATION

RABBIT NUMBER: 5198D

EYE TREATED: RIGHT

	TIME OF OBSERVATION AFTER TREATMENT					
	HOURS				DAY	
	<u>1</u>	<u>24</u>	<u>48</u>	<u>72</u>	<u>4</u>	<u>7</u>
CORNEA	0	0	0	0	0	0
IRIS	0	1	0	0	0	0
CONJUNCTIVAE						
A. REDNESS	0	1	0	0	0	0
B. CHEMOSIS	0	0	0	0	0	0

RABBIT NUMBER: 5199D

EYE TREATED: LEFT

	TIME OF OBSERVATION AFTER TREATMENT					
	HOURS				DAY	
	<u>1</u>	<u>24</u>	<u>48</u>	<u>72</u>	<u>4</u>	<u>7</u>
CORNEA	0	0	0	0	0	0
IRIS	0	0	0	0	0	0
CONJUNCTIVAE						
A. REDNESS	0	0	0	0	0	0
B. CHEMOSIS	0	0	0	0	0	0

TABLE E-1 (CONTINUED)
 LITTON BIONETICS, INC.
 PROJECT NO. 10734-11

SCORING FOR EYE IRRITATION

RABBIT NUMBER: 5200D

EYE TREATED: RIGHT

	TIME OF OBSERVATION AFTER TREATMENT					
	HOURS				DAY	
	<u>1</u>	<u>24</u>	<u>48</u>	<u>72</u>	<u>4</u>	<u>7</u>
CORNEA	0	0	0	0	0	0
IRIS	0	0	0	0	0	0
CONJUNCTIVAE						
A. REDNESS	0	0	0	0	0	0
B. CHEMOSIS	0	0	0	0	0	0

RABBIT NUMBER: 5201D

EYE TREATED: LEFT

	TIME OF OBSERVATION AFTER TREATMENT					
	HOURS				DAY	
	<u>1</u>	<u>24</u>	<u>48</u>	<u>72</u>	<u>4</u>	<u>7</u>
CORNEA	0	0	0	0	0	0
IRIS	0	0	0	0	0	0
CONJUNCTIVAE						
A. REDNESS	0	0	0	0	0	0
B. CHEMOSIS	0	0	0	0	0	0

TABLE E-1 (CONTINUED)
 LITTON BIONETICS, INC.
 PROJECT NO. 10734-11

SCORING FOR EYE IRRITATION

RABBIT NUMBER: 5202D

EYE TREATED: RIGHT

	TIME OF OBSERVATION AFTER TREATMENT					
	HOURS				DAY	
	<u>1</u>	<u>24</u>	<u>48</u>	<u>72</u>	<u>4</u>	<u>7</u>
CORNEA	0	0	0	0	0	0
IRIS	0	0	0	0	0	0
CONJUNCTIVAE						
A. REDNESS	0	0	0	0	0	0
B. CHEMOSIS	0	0	0	0	0	0

RABBIT NUMBER: 5203D

EYE TREATED: LEFT

	TIME OF OBSERVATION AFTER TREATMENT					
	HOURS				DAY	
	<u>1</u>	<u>24</u>	<u>48</u>	<u>72</u>	<u>4</u>	<u>7</u>
CORNEA	0	0	0	0	0	0
IRIS	0	0	0	0	0	0
CONJUNCTIVAE						
A. REDNESS	0	0	0	0	0	0
B. CHEMOSIS	0	0	0	0	0	0

SECTION F

GUINEA PIG SENSITIZATION STUDY

ISOPROPYL METHYLPHOSPHONIC ACID

LBI PROJECT NO. 10734-14

SUMMARY

Guinea pigs were injected intradermally with a 0.1% solution of the test material in ten 0.1 ml injections over a course of three weeks in an attempt to induce sensitization. Two weeks after the last injection a challenge injection of 0.1 ml was made. Based on the observations of the reaction to the challenge injection, the test material was judged to have no potential to induce sensitization in the guinea pig.

1. OBJECTIVE

The objective of this study was to evaluate the potential of the test material to cause skin sensitization in guinea pigs.

2. MATERIAL

Two glass jars (550 g each) containing a white powder and labeled:

Isopropyl Methylphosphonic Acid, Sodium Salt
Batch 1 #127818

were received from U. S. Army Medical Research and Development Command by Litton Bionetics, Inc. (LBI), on December 18, 1978, and designated as LBI No. 3427.

A brown jar (100 g) containing an amber crystalline material and labeled:

Eastman 1-chloro-2,4-dinitrobenzene
Lot No. F7A

was purchased from Scientific Products by Litton Bionetics, Inc. (LBI), and designated as LBI No. 3720.

3. EXPERIMENTAL DESIGN

Thirteen female guinea pigs (weighing 302 to 445 g at the time of treatment, February 7, 1979) of the Hartley strain were obtained from Charles River Breeding Laboratories, Inc., Kingston, New York. The animals were acclimated to laboratory conditions for 14 days in the Rockville facility of the Department of Toxicology. The animals were individually housed in wire-bottom cages in temperature-controlled quarters under artificial illumination controlled to provide a 12-hour light cycle. Water and Purina Guinea Pig Chow were provided ad libitum.

3. EXPERIMENTAL DESIGN (Continued)

One flank of each animal was shaved 24 hours prior to treatment. The animals were divided into two groups. Group 1, consisting of four guinea pigs, received 2,4-dinitro-1-chlorobenzene 0.1% as a positive control. Group 2, consisting of nine guinea pigs, received 0.1 ml of a 0.1% solution of the test material in normal saline. The test solutions were injected intradermally into the shaved flank, three times per week (Monday, Wednesday and Friday) for 10 injections. Fifteen days after the tenth injection, a challenge injection was made to a site below the sensitization site.

At each sensitizing injection an evaluation of the reaction from the previous injection was made. The site of the challenge injection was evaluated 24 and 48 hours after the challenge. The evaluation of the reaction sites included measurement of reaction diameters with calipers and estimation of height of reaction. Color of the reaction site was noted. The guinea pigs were observed daily for mortality.

4. RESULTS

The results of the individual observations have been detailed in Appendix Table F-2.

Observations of the test group guinea pigs' reactions revealed no reaction during the sensitizing period. Very slight reactions consisting of very mild erythema and very slight edema were observed 24 hours after the challenge injection. Two guinea pigs were found dead prior to completion of dosing but these deaths were not considered to be related to test material administration. Observations of the positive control guinea pigs' reactions revealed redness and swelling after the fourth sensitizing injection with the degree of redness and diameter of the reaction increasing with subsequent injections. The response to the challenge injection was greater than the average sensitization reaction. Based on the reaction of the guinea pigs to the challenge injection of the test material, the test material was judged to have no potential to cause skin sensitization in the guinea pig.

Thirty days after transmittal of this report, original data and a copy of the final report will be transferred to the LBI Archivist, 5516 Nicholson Lane, Kensington, Maryland, for distribution to the proper repositories. A copy of this report and underlying data were reviewed by the LBI Quality Assurance Unit.

5. CONCLUSION

Guinea pigs were injected intradermally with a 0.1% solution of the test material in ten 0.1 ml injections over a course of three weeks in an attempt to induce sensitization. Two weeks after the last injection, a challenge injection was made. Based on the observations of the reaction to the challenge injection, the test material was judged to have no potential to induce sensitization in the guinea pig.

Submitted by:

David R. Damske
David R. Damske, B.A.
Technical Group Leader
Department of Toxicology

Francis J. Mecler 4-19-79
Francis J. Mecler Date
Senior Toxicologist
Department of Toxicology

Reviewed by:

E. Ross Hart 4-19-79
E. Ross Hart, Ph.D. Date
Principal Investigator

LITTON BIONETICS, INC.
PROJECT NO. 10734-14

TABLE F-2

OBSERVATIONS

ANIMAL NUMBER: 5439

POSITIVE CONTROL

DOSE (ML)	DATE	OBSERVATIONS		
		DIAMETER (MM)	HEIGHT (MM)	COLOR
0.1	2-09-79	3x3	1	0
	2-12-79	3x4	2	0
	2-14-79	3x10	2	0
	2-16-79	4x15	0	SLIGHT RED
	2-19-79	8x11	0	SEVERE RED
	2-21-79	5x10	2	SEVERE RED
	2-23-79	5x10	3	SEVERE RED
	2-26-79	6x6	2	SEVERE RED
	2-28-79	7x6	2	SEVERE RED

CHALLENGE DOSE

0.1	3-16-79	6x6	2	SEVERE RED
	3-17-79	8x5	2	SEVERE RED

ANIMAL NUMBER: 5440

POSITIVE CONTROL

DOSE (ML)	DATE	OBSERVATIONS		
		DIAMETER (MM)	HEIGHT (MM)	COLOR
0.1	2-09-79	2x2	0	0
	2-12-79	0	0	0
	2-14-79	3x10	0	0
	2-16-79	7x10	1	SLIGHT RED
	2-19-79	15x8	1	0
	2-21-79	15x8	1	SLIGHT RED
	2-23-79	8x18	1	SLIGHT RED
	2-26-79	10x3	1	SLIGHT RED
	2-28-79	7x10	1	SEVERE RED

CHALLENGE DOSE

0.1	3-16-79	7x7	2	RED
	3-17-79	7x6	2	RED

LITTON BIONETICS, INC.
PROJECT NO. 10734-14

TABLE F-2 (CONTINUED)

OBSERVATIONS

ANIMAL NUMBER: 5441

POSITIVE CONTROL

DOSE (ML)	DATE	OBSERVATIONS		
		DIAMETER (MM)	HEIGHT (MM)	COLOR
0.1	2-09-79	1x1	1	SLIGHT RED
	2-12-79	1x1	1	SLIGHT RED
	2-14-79	3x9	1	SLIGHT RED
	2-16-79	10x10	2	SLIGHT RED
	2-19-79	10x10	1	0
	2-21-79	10x10	2	SLIGHT RED
	2-23-79	10x12	2	SEVERE RED
	2-26-79	10x6	1	SEVERE RED
	2-28-79	10x7	1	SEVERE RED

CHALLENGE DOSE

0.1	3-16-79	8x6	2	MODERATE RED
	3-17-79	7x7	2	MODERATE RED

ANIMAL NUMBER: 5442

POSITIVE CONTROL

DOSE (ML)	DATE	OBSERVATIONS		
		DIAMETER (MM)	HEIGHT (MM)	COLOR
0.1	2-09-79	0	0	0
	2-12-79	3x2	1	0
	2-14-79	3x8	1	0
	2-16-79	5x8	2	SLIGHT RED
	2-19-79	5x17	1	0
	2-21-79	7x12	1	SLIGHT RED
	2-23-79	5x10	1	SLIGHT RED
	2-26-79	5x10	1	SLIGHT RED
	2-28-79	5x12	2	SLIGHT RED

CHALLENGE DOSE

0.1	3-16-79	7x7	2	MODERATE RED
	3-17-79	7x7	2	RED

LITTON BIONETICS, INC.
PROJECT NO. 10734-14

TABLE F-2 (CONTINUED)

OBSERVATIONS

ANIMAL NUMBER: 5443

IMPA

DOSE (ML)	DATE	OBSERVATIONS		
		DIAMETER (MM)	HEIGHT (MM)	COLOR
0.1	2-09-79	0	0	0
	2-12-79	0	0	0
	2-14-79	0	0	0
	2-16-79	0	0	0
	2-19-79	0	0	0
	2-21-79	0	0	0
	2-23-79	0	0	0
	2-26-79	0	0	0
	2-28-79	0	0	0

CHALLENGE DOSE

0.1	3-16-79	2x2	1	SLIGHT RED
	3-17-79	0	0	0

ANIMAL NUMBER: 5444

IMPA

DOSE (ML)	DATE	OBSERVATIONS		
		DIAMETER (MM)	HEIGHT (MM)	COLOR
0.1	2-09-79	0	0	0
	2-12-79	0	0	0
	2-14-79	0	0	0
	2-16-79	0	0	0
	2-19-79	0	0	0
	2-21-79	0	0	0
	2-23-79	0	0	0
2-26-79	a			

^aFound dead.

LITTON BIONETICS, INC.
PROJECT NO. 10734-14

TABLE F-2 (CONTINUED)

OBSERVATIONS

ANIMAL NUMBER: 5445

IMPA

DOSE (ML)	DATE	OBSERVATIONS		
		DIAMETER (MM)	HEIGHT (MM)	COLOR
0.1	2-09-79	0	0	0
	2-12-79	0	0	0
	2-14-79	0	0	0
	2-16-79	0	0	0
	2-19-79	0	0	0
	2-21-79	0	0	0
	2-23-79	0	0	0
	2-26-79	0	0	0
	2-28-79	0	0	0

CHALLENGE DOSE

0.1	3-16-79	4x3	1	WELL DEFINED RED
	3-17-79	4x3	0	SLIGHT RED

ANIMAL NUMBER: 5446

IMPA

DOSE (ML)	DATE	OBSERVATIONS		
		DIAMETER (MM)	HEIGHT (MM)	COLOR
0.1	2-09-79	0	0	0
	2-12-79	0	0	0
	2-14-79	0	0	0
	2-16-79	0	0	0
	2-19-79	0	0	0
	2-21-79	0	0	0
	2-23-79	0	0	0
	2-26-79	0	0	0
	2-28-79	0	0	0

CHALLENGE DOSE

0.1	3-16-79	0	0	0
	3-17-79	0	0	0

LITTON BIONETICS, INC.
PROJECT NO. 10734-14

TABLE F-2 (CONTINUED)

OBSERVATIONS

ANIMAL NUMBER: 5447

IMPA

DOSE (ML)	DATE	OBSERVATIONS		
		DIAMETER (MM)	HEIGHT (MM)	COLOR
0.1	2-09-79	0	0	0
	2-12-79	0	0	0
	2-14-79	0	0	0
	2-16-79	0	0	0
	2-19-79	0	0	0
	2-21-79	0	0	0
	2-23-79	0	0	0
	2-26-79	0	0	0
	2-28-79	0	0	0

CHALLENGE DOSE

0.1	3-16-79	2x2	0	SLIGHT RED
	3-17-79	0	0	0

ANIMAL NUMBER: 5448

IMPA

DOSE (ML)	DATE	OBSERVATIONS		
		DIAMETER (MM)	HEIGHT (MM)	COLOR
0.1	2-09-79	0	0	0
	2-12-79	0	0	0
	2-14-79	0	0	0
	2-16-79	0	0	0
	2-19-79	0	0	0
	2-21-79	0	0	0
	2-23-79	0	0	0
	2-26-79	0	0	0
	2-28-79	0	0	0

CHALLENGE DOSE

0.1	3-16-79	1x2	0	SLIGHT RED
	3-17-79	0	0	0

LITTON BIONETICS, INC.
PROJECT NO. 10734-14

TABLE F-2 (CONTINUED)

OBSERVATIONS

ANIMAL NUMBER: 5449

IMPA

DOSE (ML)	DATE	OBSERVATIONS		
		DIAMETER (MM)	HEIGHT (MM)	COLOR
0.1	2-09-79	0	0	0
	2-12-79	0	0	0
	2-14-79	0	0	0
	2-16-79	0	0	0
	2-19-79	0	0	0
	2-21-79	0	0	0
	2-23-79	0	0	0
	2-26-79	0	0	0
	2-28-79	0	0	0

CHALLENGE DOSE

0.1	3-16-79	4x4	1	SLIGHT RED
	3-17-79	0	0	0

ANIMAL NUMBER: 5450

IMPA

DOSE (ML)	DATE	OBSERVATIONS		
		DIAMETER (MM)	HEIGHT (MM)	COLOR
0.1	2-09-79	0	0	0
	2-12-79	0	0	0
	2-14-79	0	0	0
	2-16-79	0	0	0
	2-19-79	0	0	0
	2-21-79	0	0	0
	2-23-79	0	0	0
	2-26-79	0	0	0
	2-28-79	0	0	0

CHALLENGE DOSE

0.1	3-16-79	8x5	1	SLIGHT RED
	3-17-79	0	0	0

LITTON BIONETICS, INC.
PROJECT NO. 10734-14

TABLE F-2 (CONTINUED)

OBSERVATIONS

ANIMAL NUMBER: 5451

IMPA

DOSE (ML)	DATE	OBSERVATIONS		
		DIAMETER (MM)	HEIGHT (MM)	COLOR
0.1	2-12-79	0	0	0
	2-14-79	0	0	0
	2-16-79	0	0	0
	2-19-79	0	0	0
	2-21-79	0	0	0
	2-23-79	0	0	0
	2-26-79	0	0	0
	2-28-79	0	0	0
	3-02-79	0	0	0
	3-05-79	a		

^aFound dead.

SECTION G
MICROBIAL MUTAGENESIS
ISOPROPYL METHYLPHOSPHONIC ACID
LBI PROJECT NO. 10734

- I. SPONSOR: U.S. Army
- II. MATERIAL
- A. Identification: IMPA-isopropyl methylphosphonic acid, Sodium Salt
- B. Date Received: January 22, 1979
- C. Physical Description: White fluffy powder
- III. TYPE OF ASSAY: Ames Salmonella/Microsome Plate Test
- IV. PROTOCOL NO.: DMT-100

V. RESULTS

The results of this assay are presented in Tables G-3 and G-4.

VI. INTERPRETATION OF RESULTS AND CONCLUSIONS

The test compound was examined for mutagenic activity in a series of in vitro microbial assays employing Salmonella indicator organisms. The compound was tested directly and in the presence of liver microsomal enzyme preparations from Aroclor-induced rats.

The compound was tested over a series of concentrations such that there was either quantitative or qualitative evidence of some chemically-induced physiological effects at the high dose level. The low dose in all cases was below a concentration that demonstrated any toxic effect. The dose range employed for the evaluation of this compound was from 1.0 μg to 1000 μg per plate.

The test compound did not exhibit toxicity in the initial test; therefore, a repeat test was conducted at additional doses of 2500 μg and 5000 μg per plate with the strains TA-1537, TA-98 and TA-100. Slight toxicity was observed at 5000 μg per plate with the strain TA-1537.

The results of the tests conducted on the compound in the absence of a metabolic activation system were all negative. The test was repeated with TA-1537 and TA-1538 because of low solvent control values for TA-1538 and because of the overall increased number of revertants over the solvent controls with TA-1537. The repeat tests were also negative.

VI. INTERPRETATION OF RESULTS AND CONCLUSIONS (Continued)

The results of the tests conducted on the compound in the presence of a rat liver activation system were all negative.

The test compound IMPA-ISOPROPYL METHYLPHOSPHONIC ACID, Sodium Salt did not demonstrate genetic activity in any of the assays conducted in this evaluation and was considered not mutagenic under these test conditions.

Submitted by:

Study Director

D.R. Jagannath

3.14.79

D.R. Jagannath, Ph.D.
Section Chief
Submammalian Genetics
Department of Genetics
and Cell Biology

Date

Reviewed by:

David J. Brusick

3/25/79

David J. Brusick, Ph.D.
Director
Department of Genetics
and Cell Biology

Date

TABLET RESULTS

TABLE G-3

A. NAME OR CODE DESIGNATION OF THE TEST COMPOUND: IPHA-ISOPROPYL METHYLPHOSPHONIC ACID, SODIUM SALT
 B. SOLVENT: DISTILLED WATER
 C. TEST INITIATION DATE: 01/31/79
 NOTE: CONCENTRATIONS ARE GIVEN IN MICROGRAMS (UG) PER PLATE.

TEST	SPECIES	TISSUE	REVERTANTS PER PLATE																			
			1	2	1	2	1	2	1	2	1	2										
MUTAGENICITY SOLVENT CONTROL POSITIVE CONTROL** TEST COMPOUND	---	---	24	6	11	4	15	29	167	---	---	---	---	---	---	---	---	---	---	---	---	
	1,500,000 UG	---	1635	451	441	860	878	1124	1525	---	---	---	---	---	---	---	---	---	---	---	---	
	1,000,000 UG	---	22	16	10	9	16	25	135	---	---	---	---	---	---	---	---	---	---	---	---	
	1,000,000 UG	---	18	16	8	7	21	24	151	---	---	---	---	---	---	---	---	---	---	---	---	
	1,000,000 UG	---	14	20	11	1	19	20	157	---	---	---	---	---	---	---	---	---	---	---	---	
	100,000,000 UG	---	12	19	16	8	18	28	170	---	---	---	---	---	---	---	---	---	---	---	---	
	500,000,000 UG	---	17	29	11	17	18	32	137	---	---	---	---	---	---	---	---	---	---	---	---	
	1,000,000,000 UG	---	15	16	9	13	12	22	170	---	---	---	---	---	---	---	---	---	---	---	---	---
	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

TEST	SPECIES	TISSUE	REVERTANTS PER PLATE																			
			1	2	1	2	1	2	1	2	1	2										
MUTAGENICITY SOLVENT CONTROL POSITIVE CONTROL*** TEST COMPOUND	---	---	22	13	15	40	155	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	1,500,000 UG	---	734	84	2552	3454	2334	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	1,000,000 UG	---	15	14	3	47	143	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	1,000,000 UG	---	16	9	3	51	120	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	1,000,000 UG	---	17	11	10	41	143	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	100,000,000 UG	---	16	10	6	46	132	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	500,000,000 UG	---	11	14	5	37	150	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	1,000,000,000 UG	---	17	15	11	37	145	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

*** TA-1535 500UG AZIDE
 TA-1537 9-ANTHRACENE
 TA-1538 2-ANTHRACENE
 TA-98 2-ANTHRACENE
 TA-100 500UG AZIDE

SOLVENT 50 UG PER PLATE

LABULATION OF REVERTANTS IN AMES ASSAY USING SODIUM ISOPROPYL METHYLPHOSPHONATE WITH AND WITHOUT ACTIVATION - REPEAT TEST

V. RESULTS

TABLE G-4

A. NAME OR CODE DESIGNATION OF THE TEST COMPOUND: IMPA-1500(PYR) METHYLPHOSPHONIC ACID, SODIUM SALT
 B. SOLVENT: DISTILLED WATER
 C. TEST INITIATION DATE: 02/06/79
 D. COMMENTS: CONCENTRATIONS ARE GIVEN IN MICROLITERS (UL) OR MICROGRAMS (UG) PER PLATE.

REVERTANTS PER PLATE

TEST	SPECIES	TISSUE	REVERTANTS PER PLATE			
			TA-1537	TA-98	TA-100	TA-100
			1	2	1	2
NORMAL ACTIVATION						
SOLVENT CONTROL	---	---	11	14	38	110
POSITIVE CONTROL**	---	---	441	133	1132	944
TEST COMPOUND	---	---	6	10	39	33
1000.000000 UG	---	---	6	8	34	35
2500.000000 UG	---	---	7	6	36	37
5000.000000 UG	---	---				
ACTIVATION						
SOLVENT CONTROL	RAT	LIVER	15	18	42	44
POSITIVE CONTROL***	RAT	LIVER	425	329	2433	2089
TEST COMPOUND	---	---	12	16	40	52
1000.000000 UG	RAT	LIVER	12	10	50	34
2500.000000 UG	RAT	LIVER	3	7	42	39
5000.000000 UG	RAT	LIVER				

TA-1537 9-AMINJACKEITINE 50 UG/PLATE
 TA-98 2-NITROFLUORENE 10 UG/PLATE
 TA-100 2-NITROAZOLE 1 UG/PLATE

SOLVENT 50 UL PER PLATE

TA-1537 2-ANTHRAMINE 2.5 UG/PLATE
 TA-98 2-ANTHRAMINE 2.5 UG/PLATE
 TA-100 2-ANTHRAMINE 2.5 UG/PLATE

PROTOCOL

1. PURPOSE

The purpose of this study was to evaluate the test material for genetic activity in a microbial assay with and without the addition of mammalian metabolic activation preparations.

2. MATERIALS

A. Indicator Microorganisms

Salmonella typhimurium TA-1535
TA-1537
TA-1538
TA-98
TA-100

B. Activation System

1. Reaction Mixture

<u>Component</u>	<u>Final Concentration/ml</u>
TPN (Sodium salt)	4 μ mol
Glucose-6-phosphate	5 μ mol
Sodium phosphate (dibasic)	100 μ mol
MgCl ₂	8 μ mol
KCL	33 μ mol
Homogenate S9 fraction	0.1 ml

2. S9 Homogenate

A 9,000 x g supernatant prepared from Sprague-Dawley adult male rat liver induced by Aroclor 1254 lot #BIO-82 was purchased from Biological Products, Litton Bionetics, Inc. and was used in these assays.

2. MATERIALS (Continued)

C. Positive Control Chemicals

The chemicals used for positive controls in the nonactivation and activation assays are given in the Tables of Section V. Results.

D. Solvent

The solvent employed to prepare the stock solution of the test chemical is given in the Tables of Section V. Results. All dilutions of the test chemical were made using this solvent.

3. EXPERIMENTAL DESIGN

A. Plate Test (Agar Incorporation)

Approximately 10^3 cells from an overnight culture of each indicator strain were added to separate test tubes containing 2.0 ml molten agar supplemented with biotin and a trace of nistidine. For non-activation tests, at least 4 dose levels of the test compound were added to the contents of the appropriate tubes and poured over the surfaces of selective agar plates. In activation tests, at least 4 dose levels of the test chemical were added to the appropriate tubes with cells. Just prior to pouring, an aliquot of reaction mixture (0.5 ml containing the $9,000 \times g$ liver homogenate) was added to each of the activation overlay tubes, which were then mixed, and the contents poured over the surface of a minimal agar plate and allowed to solidify. The plates were incubated for 48 hrs at $37^\circ C$ and scored for the number of colonies growing on each plate. The concentrations of all chemicals are given in the Tables of Section V. Results. Positive controls using both directly active positive chemicals and those that require metabolic activation were run with each assay.

* Certain classes of chemicals known to be mutagens and carcinogens do not produce detectable responses using the standard Ames agar incorporation method. Some dialkyl nitrosamines and certain substituted hydrazines are mutagenic in suspension assays, but not in the plate assay. Chemicals of these classes should be screened in a suspension assay.

3. EXPERIMENTAL DESIGN (Continued)

B. Recording and Presenting Data

The numbers of colonies on each plate were counted and recorded on printed forms. These raw data were analyzed in a computer program and reported on a printout. The results are presented as revertants per plate for each indicator strain employed in the assay. The positive and solvent controls are provided as reference points. Other relevant data are provided on the computer printout.

4. EVALUATION CRITERIA

Plate test data consist of direct revertant colony counts obtained from a set of selective agar plates seeded with populations of mutant cells suspended in a semisolid overlay. Because the test chemical and the cells are incubated in the overlay for 2 days, and a few cell divisions occur during the incubation period, the test is semiquantitative in nature. Although these features of the assay reduce the quantitation of results, they provide certain advantages not contained in a quantitative suspension test:

- The small number of cell divisions permits potential mutagens to act on replicating DNA, which is often more sensitive than nonreplicating DNA.
- The combined incubation of the compound and the cells in the overlay permits constant exposure of the indicator cells for 2 days.

A. Surviving Populations

Plate test procedures do not permit exact quantitation of the number of cells surviving chemical treatment. At low concentrations of the test chemical, the surviving population on the treatment plates is essentially the same as that on the negative control plates. At high concentrations, the surviving population is usually reduced by some fraction. Our protocol normally employs several doses ranging over 2 or 3 log concentrations, the highest of these doses being selected to show slight toxicity as determined by subjective criteria.

B. Dose Response Phenomena

The demonstration of dose-related increases in mutant counts is an important criterion in establishing mutagenicity. A factor that might modify dose-response results for a mutagen would be the selection of doses that are too low (usually mutagenicity and toxicity are related). If the highest dose is far lower than a toxic concentration, no increases may be observed over the dose range selected.

4. EVALUATION CRITERIA (Continued)

B. Dose-Response Phenomena

Conversely, if the lowest dose employed is highly cytotoxic, the test chemical may kill any mutants that are induced, and the compound will not appear to be mutagenic.

C. Control Tests

Positive and negative control assays are conducted with each experiment and consist of direct-acting mutagens for nonactivation assays and mutagens that require metabolic biotransformation in activation assays. Negative controls consist of the test compound solvent in the overlay agar together with the other essential components. The negative control plate for each strain gives a reference point to which the test data are compared. The positive control assay is conducted to demonstrate that the test systems are functional with known mutagens.

D. Evaluation Criteria for Ames Assay

Because the procedures used to evaluate the mutagenicity of the test chemical are semiquantitative, the criteria used to determine positive effects are inherently subjective and are based primarily on a historical data base. Most data sets are evaluated using the following criteria:

1. Strains TA-1535, TA-1537 and TA-1538

If the solvent control value is within the normal range, a chemical that produces a positive dose response over three concentrations with the highest increase equal to three times the solvent control value is considered to be mutagenic.

2. Strains TA-98 and TA-100

If the solvent control value is within the normal range, a chemical that produces a positive dose response over three concentrations with the highest increase equal to twice the solvent control value for TA-100 and 2-3 times the solvent control value for strain TA-98 is considered to be mutagenic. For these strains, the dose-response increase should start at approximately the solvent control value.

4. EVALUATION CRITERIA (Continued)

D. Evaluation Criteria for Ames Assay

3. Pattern

Because TA-1535 and TA-100 are both derived from the same parental strain (G-46) and because TA-1538 and TA-98 are both derived from the same parental strain (D3052), there is a built-in redundancy in the microbial assay. In general, the two strains of a set respond to the same mutagen and such a pattern is sought. It is also anticipated that if a given strain, e.g., TA-1537, responds to a mutagen in nonactivation tests, it will generally do so in activation tests (the converse of this relationship is not expected). While similar response patterns are not required for all mutagens, they can be used to enhance the reliability of an evaluation decision.

4. Reproducibility

If a chemical produces a response in a single test that cannot be reproduced in one or more additional runs, the initial positive test data lose significance.

The preceding criteria are not absolute, and other extenuating factors may enter into a final evaluation decision. However, these criteria are applied to the majority of situations and are presented to aid those individuals not familiar with this procedure. As the data base is increased, the criteria for evaluation can be more firmly established.

E. Relationship Between Mutagenicity and Carcinogenicity

It must be emphasized that the Ames Salmonella/Microsome Plate Test is not a definitive test for chemical carcinogens. It is recognized, however, that correlative and functional relationships have been demonstrated between these two endpoints. The results of comparative tests on 300 chemicals by McCann et al. (1975) show an extremely good correlation between results of microbial mutagenesis tests and in vivo rodent carcinogenesis assays.

All evaluations and interpretation of the data presented in this report are based only on the demonstration, or lack, of mutagenic activity.

REFERENCES

Ames, B.N., McCann, J. and Yamasake, E. (1975). Methods for detecting carcinogens and mutagens with the Salmonella/mammalian-microsome mutagenicity test. Mutation Res. 31, 347-364.

McCann, J., Choi, E., Yamasaki, E. and Ames, B.N. (1975). Detection of carcinogens as mutagens in the Salmonella/microsome test: Assay of 300 chemicals. Proc. Nat. Acad. Sci. 72, 5135-5139.

SECTION H

90-DAY ORAL TOXICITY STUDY IN RATS

IMPA

LBI PROJECT NO. 10734-15

SUMMARY

Sprague Dawley-derived albino rats, both male and female, were presented sodium IMPA in the drinking water at levels of 300, 1000 and 3000 ppm expressed as free acid. Concurrent controls were presented deionized water adjusted to pH 2.5 with hydrochloric acid. Evaluation of the physical condition of the rats, the body weights, the food intake, the liquid intake, hematologic parameters, clinical chemistry parameters, organ weight analysis and gross and microscopic examination of the tissues revealed no adverse effect of test material administration at these levels.

1. OBJECTIVE

The objective of this study was to evaluate the oral toxicity of the test material when administered to rats in the drinking water over a 3 month period.

2. MATERIAL

Three shipments of test material consisting of 5 glass jars containing a white powder and labeled Isopropyl Methylphosphonic acid, sodium salt (IMPA) were received from USAMBDRL by Litton Bionetics, Inc. (LBI) and designated as follows:

<u>LBI Number</u>	<u>Date Received</u>	<u>Label Information</u>	<u>Number of Jars</u>	<u>Amount Received (g)</u>	<u>Usage Dates</u>
3427	12/18/78	Batch 1 #127818	2	550 each	10/23/80 - 12/07/80
3427A	11/13/80	Notebook No. 761-50	1	590	11/17/80 - 12/14/80
6488	12/05/80	761-67 120280	2	1010 and 420	12/15/80 - 01/23/81

The test material was stored at room temperature with the identity, purity and stability determined by the sponsor. Stability and correctness of each formulation were determined by the LBI Chemistry Department. A new formulation was prepared every 7 to 14 days.

3. EXPERIMENTAL DESIGN

One hundred eighty weanling rats, 90 male and 90 female [CRL:COBS CD(SD)BR] were obtained from the Charles River Breeding Laboratories, Inc., Portage, Michigan on September 24, 1980. The animals were acclimated to laboratory conditions for 29 days in the Rockville facility of the Department of Toxicology before treatment was initiated, October 23, 1980 and were 51 days old on this date. The rats were individually housed in stainless steel wire-bottom cages in a temperature controlled animal room. A 12 hour light cycle was maintained via artificial illumination. The feed, Purina Laboratory Chow 5001®, was provided ad libitum except the night prior to bleeding and terminal necropsy when the feed was removed from the cage.

The rats were randomly assigned by the use of a computer generated random numbers table into their respective cages upon arrival into the facility. All study animals were individually identified by the use of cage tapes and ear tags (F series) as listed below. Extra animals were discarded from the study.

Group Number	Animal Numbers		Dose (ppm as free acid)	Average Test Material Intake (mg/kg/day)	
	Males	Females		Males	Females
1	8610-8629	9695-8714	0	0	0
2	8630-8649	8715-8734	300	26.3	34.8
3	8650-8669	8735-8754	1000	97.0	140.7
4	8670-8689	8755-8774	3000	293.1	406.0

The treated animals received the test material [the amount mixed was corrected for sodium salt (1.159)] in their deionized drinking water which was acidified to a pH 2.5 with hydrochloric acid at the doses listed above 7 days for 13 weeks. The control rats were given acidified deionized water.

All animals were observed twice daily for mortality and overt signs of toxicity throughout the study. Detailed observations, body weights, food consumption and liquid consumption (3 day period) were determined weekly. An ophthalmoscopic examination by a staff veterinarian was performed during the acclimation period to insure all study animals were free of eye abnormalities prior to study initiation. An ophthalmoscopic examination required during the final week of study was omitted.

Clinical pathology determinations were performed on the first 8 rats/sex/group by orbital sinus bleeding at Weeks 4, 8 and termination of the study. The same animals were used for all intervals. Clinical hematology was determined at all intervals and consisted of:

erythrocyte count	hemoglobin
leukocyte count	hematocrit
differential leukocyte count	reticulocyte count

3. EXPERIMENTAL DESIGN (Continued)

Clinical chemistry determinations were performed at termination only and consisted of:

Glucose	Serum Glutamic Oxaloacetic
Blood Urea Nitrogen	Transaminase
Serum Glutamic Pyruvic	Bilirubin
Transaminase	Phosphorus
Creatinine	Calcium

A complete gross necropsy was performed on all animals at the termination of the study. Carbon dioxide was used to kill the rats. The following organs and tissues were taken and preserved in 10% buffered formalin.

Tissues Saved/Examined

Any Unusual Lesions	Esophagus
Brain (Cerebrum, Cerebellum,* Brainstem)	Stomach
Spinal Cord (2 sections, thoracic, cervical)	Small Intestine (Duodenum, Ileum, Jejunum)
Eye (Left)	Large Intestine (Colon, Cecum)
Pituitary	Adrenal Glands*
Salivary Gland (Submandibular)	Pancreas
Heart*	Liver (2 sections)*
Thymus	Kidneys*
Thyroid*	Ovaries/Testes*
Lungs (with Mainstem Bronchi)	Prostate
Trachea	Uteri (Corpus, Cervix)
Spleen*	Skin (Mammary area)
Bone (with marrow) Sternum	Skeletal Muscle Rectus Femoris
Mesenteric Lymph Node	Sciatic Nerve
	Urinary Bladder

Body weights were taken and organ weights indicated by the asterisk were weighed at the termination of the study.

Histopathology was performed on the listed organs and tissues of all rats at the control and 3000 ppm dose levels. In addition, any unusual lesions or observable effects were examined microscopically from the animals of the other two dose levels.

Statistical analysis, when comparing the differences between the treated and control animals, was performed using Dunnett's t-test. A probability value of <0.05 was used as a basis for significance.

4. RESULTS

The analytical chemistry method development and results of analyses have been included in Appendix C.

Observation of the rats during the course of the study revealed no signs indicative of an adverse effect of test material administration. The individual animal observations have been included in Appendix A, Table H-13.

Body weight analysis revealed a slight difference between control and high dose level rats. At Week 11 the high dose males had a decreased body weight compared to control which was statistically significant. There were no other statistically significant decreases and based on the other dosages levels the decrease was not felt to be a test material effect. The mean body weights have been tabulated in Table H-5. The individual data have been included in Appendix A, Table H-14.

Analysis of average daily food intake revealed decreases in the high dose males compared to control which were statistically significant at sporadic points throughout the study. The high dose females exhibited very slight decreases in food intake which were not statistically significant. The increases seen at the other dosage levels led to the conclusion the decreased food intake was not due to test material administration. The mean food intake data have been tabulated in Table H-6, while the individual data have been presented in Appendix A, Table H-15.

No differences were observed in liquid intake which would indicate rejection of the dosed water; in fact some increases in water intake were seen in treated rats compared to the controls. The mean liquid intake data have been tabulated in Table H-7, while the individual data have been presented in Appendix A, Table H-16.

An approximation of dosage based on body weight liquid intake and the mean analyzed concentrations of the drinking water. These data have been presented in Table H-8.

Clinical hematology determinations for Weeks 4, 8 and 12 revealed no effect of test material administration on the parameters examined. The mean values have been tabulated in Table H-9, while the individual data have been presented in Appendix A, Table H-17.

Clinical chemistry determinations mean values have been presented in Table H-10. The individual data have been presented in Appendix A, Table H-18. There were no differences observed between control and treated groups for any of the parameters examined.

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

TABLE H-5

MEAN BODY WEIGHTS (G)

DOSE LEVEL (PPM)	WEEKS ON TEST												
	0	1	2	3	4	5	6	7	8	9	10	11	12
MALES													
0	242.6	288.1	321.8	349.9	372.9	387.0	414.2	423.5	440.1	455.1	466.6	480.9	491.1
300	244.2	289.2	320.3	348.9	367.1	383.6	408.7	416.9	434.5	450.7	464.0	476.0	489.3
1000	255.5	304.5*	340.1*	372.1*	387.9	404.1	427.6	436.0	458.2	476.0	489.9	496.9	507.2
3000	235.9	277.6	307.5	335.6	355.1	370.4	392.3	400.7	418.2	432.3	442.9	453.0*	465.9
FEMALES													
0	169.5	187.4	200.1	209.2	217.6	221.0	234.3	234.0	242.5	247.4	252.9	259.3	259.4
300	175.1	193.5	205.4	216.7	227.1	229.3	244.1	240.1	249.7	255.6	261.3	269.3	269.9
1000	176.6	195.1	207.9	219.4	227.5	229.9	245.7	242.0	254.6	259.9	262.8	271.8	270.8
3000	170.8	186.1	199.2	207.8	215.1	218.3	230.5	229.4	240.6	243.5	247.1	255.4	254.8

*p<0.05 as compared to controls: Dunnett's t-test.

LITTON BIOMETICS, INC.
PROJECT NO. 10734-15

TABLE H-6
MEAN DAILY FOOD INTAKE (G)

DOSE LEVEL (PPM)	WEEKS ON TEST											
	1	2	3	4	5	6	7	8	9	10	11	12
MALES												
0	22.8	23.4	23.0	23.1	22.1	22.9	23.1	22.6	23.2	23.5	22.9	23.4
300	23.4	23.0	23.0	22.6	22.2	22.4	22.9	22.0	24.6	22.8	22.8	23.6
1000	23.7	23.8	24.2	23.8	22.7	22.5	23.4	22.7	24.3	23.6	22.4	23.4
3000	21.9	22.0*	22.1	21.9	21.3	21.6*	21.5*	20.5*	22.2	21.4*	21.7	22.5
FEMALES												
0	16.3	16.2	15.8	15.5	14.8	15.8	15.5	14.8	15.4	15.7	16.4	15.5
300	17.5	17.2	16.8	16.7	16.2	16.1	15.9	15.9	16.2	16.3	16.7	16.1
1000	17.4	17.3	17.5*	16.7	16.1	16.6	16.7*	16.4*	17.1*	16.7	17.1	16.4
3000	16.5	16.3	15.6	16.0	16.1	15.2	15.4	14.9	15.9	15.3	15.8	15.3

*p<0.05 as compared to controls: Dunnett's t-test.

LITTON BIOMETICS, INC.
PROJECT NO. 10734-15

TABLE H-7

MEAN DAILY LIQUID INTAKE (G)

DOSE LEVEL (PPM)	WEEKS ON TEST											
	1	2	3	4	5	6	7	8	9	10	11	12
MALES												
0	36.4	37.3	37.9	40.2	38.7	43.2	38.7	37.8	38.5	36.5	44.3	36.5
300	35.9	34.1	35.4	38.5	38.0	39.8	36.8	28.5	39.4	38.5	46.4	38.5
1000	38.2	36.6	40.2	40.4	40.2	42.6	39.8	42.1	44.7*	39.9	46.3	39.7
3000	35.8	34.8	37.0	38.0	39.5	39.2	34.7	39.6	39.6	35.2	44.3	38.6
FEMALES												
0	32.2	28.2	28.1	31.9	29.9	30.7	29.1	29.3	30.6	30.9	36.7	26.1
300	29.9	27.5	27.3	33.2	29.4	31.5	29.1	29.7	30.9	30.4	36.6	29.0
1000	33.8	32.2*	33.1*	34.1	36.9*	35.5*	34.6*	33.5	36.6*	34.2	39.9	32.6*
3000	28.8	27.8	29.3	33.3	33.3	33.6	31.6	34.0*	35.0	30.0	38.2	32.1*

*p<0.05 as compared to controls: Dunnett's t-test.

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

TABLE H-8

COMPOUND INTAKE

DOSE LEVEL (MG/KG/DAY)	WEEKS ON TEST												
	1	2	3	4	5	6	7	8	9	10	11	12	
0	0	0	0	0	0	0	0	0	0	0	0	0	0
300	38.4	30.8	28.9	28.8	27.0	27.1	23.5	17.9	23.7	22.3	26.1	21.2	
1000	139.1	111.8	110.0	101.0	96.4	98.1	86.6	89.8	90.8	78.0	87.9	74.3	
3000	418.1	345.4	331.5	312.0	306.5	291.6	243.7	272.3	260.9	224.4	275.6	234.8	
<u>FEMALES</u>													
0	0	0	0	0	0	0	0	0	0	0	0	0	0
300	44.6	37.1	34.7	40.0	33.8	35.9	31.1	32.3	32.3	31.1	36.6	28.1	
1000	178.1	153.5	148.1	144.6	150.9	143.7	131.0	128.8	133.7	122.4	141.2	111.6	
3000	464.6	411.6	405.3	441.5	426.6	424.1	377.7	408.4	400.8	339.4	426.0	346.3	

Calculations are based on the mean body weight at the beginning of the week and the liquid intake at the end of the week. The mean analyzed concentrations were used - 261.2, 930.3 and 2755.3 ppm.

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

TABLE H-9
MEAN CLINICAL HEMATOLOGY - WEEK 4

<u>MALES</u>		<u>ERYTHROCYTE COUNT</u>		<u>HEMOGLOBIN</u>		<u>HEMATOCRIT</u>		<u>RETICULOCYTE</u>	
<u>DOSE LEVEL</u>	<u>LEUKOCYTE COUNT</u>	<u>(10⁶/MM³)</u>	<u>(10⁶/MM³)</u>	<u>(G%)</u>	<u>(VOL %)</u>	<u>(%)</u>	<u>(%)</u>	<u>(%)</u>	<u>(%)</u>
0	7.14	7.707	16.04	49.19	1.96				
300	6.64	7.232	15.80	47.13	2.05				
1000	8.70	7.914	16.25	48.56	1.80				
3000	7.24	7.371	15.94	47.19	2.42				
<u>FEMALES</u>									
0	5.61	7.637	16.02	48.06	1.69				
300	5.19	7.059	15.42	45.38*	1.87				
1000	6.57	7.821	15.85	47.06	1.52				
3000	5.29	7.206	15.62	46.00	2.25				

*p<0.05 as compared to controls: Dunnett's t-test.

LITTON BIOMETICS, INC.
PROJECT NO. 10734-15

TABLE H-9 (CONTINUED)

MEAN CLINICAL HEMATOLOGY - WEEK 8

<u>MALES</u>						
<u>DOSE LEVEL (PPM)</u>	<u>LEUKOCYTE COUNT (10³/MM³)</u>	<u>ERYTHROCYTE COUNT (10⁶/MM³)</u>	<u>HEMOGLOBIN (G%)</u>	<u>HEMATOCRIT (VOL %)</u>	<u>RETICULOCYTE (%)</u>	
0	6.24	8.277	16.12	48.88	2.42	
300	6.19	8.251	15.94	48.25	2.79	
1000	7.25	8.496	16.35	48.50	2.06	
3000	6.81	7.992	16.35	48.56	1.90	
<u>FEMALES</u>						
0	5.45	7.929	16.41	49.19	2.24	
300	4.41	7.754	16.09	48.25	2.37	
1000	4.64	8.176	16.02	47.38	1.81	
3000	4.42	7.787	16.05	48.19	1.70	

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

TABLE H-9 (CONTINUED)

MEAN CLINICAL HEMATOLOGY - WEEK 12

<u>MALES</u>						
<u>DOSE LEVEL</u> (PPM)	<u>LEUKOCYTE COUNT</u> (10^3 /MM ³)	<u>ERYTHROCYTE COUNT</u> (10^6 /MM ³)	<u>HEMOGLOBIN</u> (G%)	<u>HEMATOCRIT</u> (VOL %)	<u>RETICULOCYTE</u> (%)	
0	7.67	7.751	16.10	48.0	2.03	
300	7.05	7.582	15.82	47.50	1.70	
1000	8.76	7.934	16.07	47.81	1.90	
3000	7.06	7.805	16.29	48.31	2.15	
<u>FEMALES</u>						
0	6.07	7.266	15.77	47.31	1.92	
300	5.01	6.782	15.52	46.56	1.81	
1000	5.42	6.865	15.64	46.06	2.40	
3000	5.54	7.000	15.52	45.69	1.57	

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

TABLE H-10
MEAN CLINICAL CHEMISTRY - WEEK 12

		MALES									
DOSE LEVEL (PPM)	BILIRUBIN TOTAL (MG/DL)	BLOOD UREA NITROGEN (MG/DL)	CALCIUM (MG/DL)	CREATININE (MG/DL)	GLUCOSE (MG/DL)	PHOSPHORUS (MG/DL)	SERUM GLUTAMIC- OXALOACETIC TRANSAMINASE (MU/ML)	SERUM GLUTAMIC- PYRUVIC TRANSAMINASE (MU/ML)			
0	0.07	12.3	11.43	0.50	110.0	5.97	93.1	27.4			
300	0.10	13.3	11.49	0.52	115.9	6.17	90.1	33.3			
1000	0.10	13.3	11.64	0.59	110.5	6.65	83.4	28.0			
3000	0.09	12.1	11.62	0.55	108.9	6.62	93.6	34.8			
FEMALES											
0	0.10	16.0	11.95	0.56	102.4	6.05	111.3	36.6			
300	0.12	15.8	11.81	0.62	111.4	5.40	137.0	40.5			
1000	0.14	14.0	12.04	0.61	106.1	5.60	104.4	48.9			
3000	0.09	13.8	11.89	0.60	99.8	5.97	96.0	29.0			

4. RESULTS (Continued)

The organs weighed at the terminal necropsy were analyzed both as absolute weights and as percentages of body weight. The mean weights have been tabulated in Table H-11 and mean percentages in Table H-12. The individual organ weights and percentages have been included in Appendix A, Tables H-19 and H-20, respectively. Kidneys weights were higher than controls for mid dose male and female rats. The differences were statistically significant for the absolute weights but not so when expressed as a percentage of body weight. No other differences were observed other than a statistically significant increase in absolute heart weight seen in the low dose females. These increases were not related to dosage and were felt not to indicate an effect of test material administration.

Microscopic examination of the tissues taken at necropsy revealed no findings which would indicate any adverse effect occurred due to administration of the test material. The report of the Pathologist, Richard H. Cardy, D.V.M., has been included in Appendix B.

Thirty days after transmittal of this report, original data and a copy of the final report will be transferred to the LBI Archivist, 1330 Piccard Drive, Rockville, Maryland for distribution to the proper repositories. A copy of this report and underlying data were reviewed by the LBI Quality Assurance Unit prior to submission to the sponsor.

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

TABLE H-11

MEAN ORGAN WEIGHTS (GRAMS)

TERMINAL KILL

<u>MALES</u>										
<u>DOSE LEVEL (PPM)</u>	<u>BODY WEIGHT</u>	<u>BRAIN</u>	<u>HEART</u>	<u>THYROID</u>	<u>SPLEEN</u>	<u>ADRENALS</u>	<u>LIVER</u>	<u>KIDNEYS</u>	<u>TESTES</u>	
0	466.8	2.1290	1.6413	0.0279	0.7659	0.0618	15.8009	3.7819	3.4849	
300	463.4	2.1539	1.6802	0.0278	0.7830	0.0711	16.6292	3.9488	3.6408	
1000	483.0	2.1384	1.7240	0.0300	0.8071	0.0696	17.2295	4.1075*	3.5449	
3000	438.3	2.1436	1.6156	0.0281	0.7355	0.0648	15.4912	3.8331	3.6797	
<u>FEMALES</u>										
<u>DOSE LEVEL (PPM)</u>	<u>BODY WEIGHT</u>	<u>BRAIN</u>	<u>HEART</u>	<u>THYROID</u>	<u>SPLEEN</u>	<u>ADRENALS</u>	<u>LIVER</u>	<u>KIDNEYS</u>	<u>OVARIES</u>	
0	247.3	1.9495	0.9728	0.0246	0.5631	0.0794	9.0236	2.2157	0.1414	
300	253.4	1.9740	1.0620*	0.0289	0.5861	0.0805	9.5102	2.3853	0.1252	
1000	251.8	1.9812	1.0395	0.0242	0.5843	0.0797	9.5790	2.4231*	0.1489	
3000	238.1	1.9619	1.0145	0.0215	0.5526	0.0805	8.3843	2.2853	0.1232	

*p<0.05 as compared to controls: Dunnett's t-test.

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

TABLE H-12

MEAN ORGAN WEIGHT/BODY WEIGHT PERCENTAGES

TERMINAL KILL

<u>MALES</u>										
<u>DOSE LEVEL (PPM)</u>	<u>BRAIN</u>	<u>HEART</u>	<u>THYROID</u>	<u>SPLEEN</u>	<u>ADRENALS</u>	<u>LIVER</u>	<u>KIDNEYS</u>	<u>TESTES</u>		
0	0.4586	0.3522	0.0059	0.1644	0.0133	3.3856	0.8108	0.7510		
300	0.4678	0.3639	0.0060	0.1688	0.0154	3.5918	0.8537	0.7898		
1000	0.4460	0.3572	0.0063	0.1672	0.0145	3.5567	0.8497	0.7399		
3000	0.4925	0.3697	0.0064	0.1684	0.0148	3.5410	0.8769	0.8479		
<u>FEMALES</u>										
<u>DOSE LEVEL (PPM)</u>	<u>BRAIN</u>	<u>HEART</u>	<u>THYROID</u>	<u>SPLEEN</u>	<u>ADRENALS</u>	<u>LIVER</u>	<u>KIDNEYS</u>	<u>OVARIES</u>		
0	0.7946	0.3944	0.0101	0.2261	0.0322	3.6642	0.8998	0.0570		
300	0.7863	0.4209	0.0117	0.2317	0.0322	3.7522	0.9428	0.0497		
1000	0.7934	0.4153	0.0096	0.2356	0.0317	3.8020	0.9648	0.0595		
3000	0.8302	0.4272	0.0090	0.2326	0.0338	3.5222	0.9611	0.0514		

5. CONCLUSION

Sprague Dawley-derived albino rats, both male and female, were presented sodium IMP in the drinking water at levels of 300, 1000 and 3000 ppm expressed as free acid. Concurrent controls were presented deionized water adjusted to pH 2.5 with hydrochloric acid. Evaluation of the physical condition of the rats, the body weights, the food intake, the liquid intake, hematologic parameters, clinical chemistry parameters, organ weight analysis and gross and microscopic examination of the tissues revealed no adverse effect of test material administration at these levels.

Submitted by:

David R. Damske
David R. Damske, B.A.
Group Leader
Department of Toxicology

8-11-81
Date

Francis J. Meeler
Francis J. Meeler, Sc.D., D.A.B.T.
Study Director
Department of Toxicology

August 11, 1981
Date

Reviewed by:

Douglas K. Craig
Douglas K. Craig, Ph.D.
Director
Department of Toxicology

8-11-81
Date

SECTION H

APPENDIX A

TOXICOLOGY OBSERVATION REPORT

TABLE H-13
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	DOSE	GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIED COMMENTS
000	0 PPM	FEMALE	08710	EAR TAG MISSING EAR TAG REPLACED : EAR-RIGHT ***** EAR TAG NO. 8710E
001		MALE	08615	EAR TAG INFECTION : EAR-RIGHT
			08623	EAR TAG INFECTION : EAR-RIGHT
		FEMALE	08699	EAR TAG INFECTION : EAR-RIGHT
			08710	EAR TAG INFECTION : EAR-RIGHT
	300 PPM	MALE	08630	EAR TAG INFECTION : EAR-RIGHT
			08632	EAR TAG INFECTION : EAR-RIGHT
			08637	EAR TAG INFECTION : EAR-RIGHT
	1000 PPM		08651	EAR TAG INFECTION : EAR-RIGHT
			08666	DISCOLORED URINE ***** RED
		FEMALE	08742	EAR TAG MISSING EAR TAG REPLACED : EAR-LEFT ***** #8742F
	3000 PPM	MALE	08676	EAR TAG INFECTION : EAR-RIGHT
			08686	EAR TAG INFECTION : EAR-RIGHT
002	0 PPM	MALE	08615	EAR TAG INFECTION : EAR-RIGHT
		FEMALE	08699	EAR TAG INFECTION : EAR-RIGHT
			08710	EAR TAG INFECTION : EAR-RIGHT
	300 PPM	MALE	08630	EAR TAG INFECTION : EAR-RIGHT
			08637	EAR TAG INFECTION : EAR-RIGHT
			08638	EAR TAG INFECTION : EAR-RIGHT
			08639	EAR TAG INFECTION : EAR-RIGHT
	1000 PPM		08651	EAR TAG INFECTION : EAR-RIGHT
			08655	EAR TAG INFECTION : EAR-RIGHT
			08662	EAR TAG INFECTION : EAR-RIGHT
			08663	EAR TAG INFECTION : EAR-RIGHT
			08667	EAR TAG INFECTION : EAR-RIGHT
			08669	EAR TAG INFECTION : EAR-RIGHT
	3000 PPM		08676	EAR TAG INFECTION : EAR-RIGHT
			08683	EAR TAG INFECTION : EAR-RIGHT
			08686	EAR TAG INFECTION : EAR-RIGHT
003	0 PPM	MALE	08613	EAR TAG INFECTION : EAR-RIGHT
			08615	EAR TAG INFECTION : EAR-RIGHT
	300 PPM		08630	EAR TAG INFECTION : EAR-RIGHT
			08632	CRLST : EYE-LEFT:AROUND ***** RED

TOXICOLOGY OBSERVATION REPORT

2

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	DOSE	GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIER COMMENTS		
003	300 PPM	MALE	08635	EAR TAG INFECTION : EAR-RIGHT		
			08637	EAR TAG INFECTION : EAR-RIGHT		
			08638	EAR TAG INFECTION : EAR-RIGHT		
			08639	EAR TAG INFECTION : EAR-RIGHT		
			08726	EAR TAG MISSING		
			08651	EAR TAG INFECTION : EAR-RIGHT		
	1000 PPM	MALE	08653	EAR TAG INFECTION : EAR-RIGHT		
			08655	EAR TAG INFECTION : EAR-RIGHT		
			08662	EAR TAG INFECTION : EAR-RIGHT		
			08663	EAR TAG INFECTION : EAR-RIGHT		
			08667	EAR TAG INFECTION : EAR-RIGHT		
			08669	EAR TAG INFECTION : EAR-RIGHT		
	3000 PPM	FEMALE	08739	EAR TAG INFECTION : EAR-RIGHT		
			MALE	08682	EAR TAG INFECTION : EAR-RIGHT	
				08683	EAR TAG INFECTION : EAR-RIGHT	
		08686		EAR TAG INFECTION : EAR-RIGHT		
		004	0 PPM	MALE	08610	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
					08611	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM EAR TAG INFECTION : EAR-RIGHT
08612	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM					
08613	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM EAR TAG INFECTION : EAR-RIGHT					
08614	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM					
08615	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM					
08616	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM					
08617	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM					
FEMALE	08695				FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM	
	08696				FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM	
	08697				FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM	
	08698				FASTED : OVERNIGHT	

TOXICOLOGY OBSERVATION REPORT

3

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1373415

WEEK NO.	DOSE	GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIED COMMENTS	
004	J	PPM	FEMALE	BLOOD SUBMITTED FOR HEMOGRAM CRUST : EYE-RIGHT:AROUND RED *****	
			08699	FASTED : OVERNIGHT	
			08700	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT	
			08701	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT	
			08702	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT	
				BLOOD SUBMITTED FOR HEMOGRAM CRUST : EYE-RIGHT:AROUND RED *****	
			08714	EAR TAG MISSING EAR TAG REPLACED : EAR-RIGHT #87140 *****	
	300	PPM	MALE	08630	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM EAR TAG INFECTION : EAR-RIGHT
			08631	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM	
			08632	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM CRUST : EYES:AROUND RED *****	
			08633	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM	
			08634	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM EAR TAG INFECTION : EAR-RIGHT	
			08635	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM EAR TAG INFECTION : EAR-RIGHT	
			08636	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM	
			08637	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM	
			08639	EAR TAG INFECTION : EAR-RIGHT	
			08648	EAR TAG INFECTION : EAR-RIGHT	
			FEMALE 08715	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM	
			08716	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM	
			08717	FASTED : OVERNIGHT	

TOXICOLOGY OBSERVATION REPORT

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	DOSE GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIER COMMENTS
004	300 PPM	FEMALE	08718 BLOOD SUBMITTED FOR HEMOGRAM
			08718 FASTED : OVERNIGHT
			08719 BLOOD SUBMITTED FOR HEMOGRAM
			08719 FASTED : OVERNIGHT
			08720 BLOOD SUBMITTED FOR HEMOGRAM
			08720 FASTED : OVERNIGHT
			08721 BLOOD SUBMITTED FOR HEMOGRAM
			08721 FASTED : OVERNIGHT
			08722 BLOOD SUBMITTED FOR HEMOGRAM
			08722 FASTED : OVERNIGHT
			08724 BLOOD SUBMITTED FOR HEMOGRAM
			08724 EAR TAG INFECTION : EAR-RIGHT
			08726 EAR TAG MISSING
			08726 EAR TAG REPLACED : EAR-LEFT
1000	PPM	MALE	***** 08728
			08728 EAR TAG INFECTION : EAR-RIGHT
			08650 FASTED : OVERNIGHT
			08651 BLOOD SUBMITTED FOR HEMOGRAM
			08651 FASTED : OVERNIGHT
			08652 BLOOD SUBMITTED FOR HEMOGRAM
			08652 FASTED : OVERNIGHT
			08653 BLOOD SUBMITTED FOR HEMOGRAM
			08653 FASTED : OVERNIGHT
			08654 BLOOD SUBMITTED FOR HEMOGRAM
			08654 EAR TAG INFECTION : EAR-RIGHT
			08654 FASTED : OVERNIGHT
			08655 BLOOD SUBMITTED FOR HEMOGRAM
			08655 FASTED : OVERNIGHT
			08656 BLOOD SUBMITTED FOR HEMOGRAM
			08656 EAR TAG INFECTION : EAR-RIGHT
			08657 BLOOD SUBMITTED FOR HEMOGRAM
			08657 FASTED : OVERNIGHT
08659 BLOOD SUBMITTED FOR HEMOGRAM			
08659 EAR TAG INFECTION : EAR-RIGHT			
08662 EAR TAG INFECTION : EAR-RIGHT			
08663 EAR TAG INFECTION : EAR-RIGHT			
08665 EAR TAG INFECTION : EAR-RIGHT			
08667 EAR TAG INFECTION : EAR-RIGHT			
08667 EAR TAG INFECTION : EAR-RIGHT			
FEMALE		08735 BLOOD SUBMITTED FOR HEMOGRAM	
		08735 FASTED : OVERNIGHT	

TOXICOLOGY OBSERVATION REPORT

5

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	** DOSE GROUP/SEX *	ANIMAL NUMBER	OBSERVATIONS : QUALIFIER COMMENTS
004	1000 PPM FEMALE	08737	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT
		08738	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT
		08739	BLOOD SUBMITTED FOR HEMOGRAM EAR TAG INFECTION : EAR-RIGHT
		08740	FASTED : OVERNIGHT
		08741	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT
		08742	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT
	3000 PPM MALE	08670	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT
		08671	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT
		08672	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT
		08673	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT
		08674	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT
		08675	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT
		08676	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT
		08677	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT
		08678	EAR TAG INFECTION : EAR-RIGHT
		08679	EAR TAG INFECTION : EAR-RIGHT
		08682	EAR TAG INFECTION : EAR-RIGHT
		08683	EAR TAG INFECTION : EAR-RIGHT
		08685	EAR TAG INFECTION : EAR-RIGHT
	FEMALE	08755	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT
		08756	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT
		08757	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT
		08758	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT
		08759	BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT

TOXICLOGY OBSERVATION REPORT

6

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	DOSE	GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIER COMMENTS
004	3000 PPM	FEMALE	08760	BLOOD SUBMITTED FOR HEMOGPAM FASTED : OVERNIGHT
			08761	BLOOD SUBMITTED FOR HEMOGPAM FASTED : OVERNIGHT
			08762	BLOOD SUBMITTED FOR HEMOGPAM FASTED : OVERNIGHT
			08764	BLOOD SUBMITTED FOR HEMOGPAM EAR TAG INFECTION : EAR-RIGHT
005	300 PPM	MALE	08610	EAR TAG INFECTION : EAR-RIGHT
			08611	EAR TAG INFECTION : EAR-RIGHT
			08613	EAR TAG INFECTION : EAR-RIGHT
			08625	EAR TAG INFECTION : EAR-RIGHT
			08630	EAR TAG INFECTION : EAR-RIGHT
	1000 PPM	FEMALE	08632	CRUST : EYE-RIGHT:AROUND ***** RED
			08634	EAR TAG INFECTION : EAR-RIGHT
			08635	EAR TAG INFECTION : EAR-RIGHT
			08639	EAR TAG INFECTION : EAR-RIGHT
			08728	EAR TAG INFECTION : EAR-RIGHT
006	3000 PPM	MALE	08732	EAR TAG INFECTION : EAR-RIGHT
			08653	EAR TAG INFECTION : EAR-RIGHT
			08655	EAR TAG INFECTION : EAR-RIGHT
			08657	EAR TAG INFECTION : EAR-RIGHT
			08659	EAR TAG INFECTION : EAR-RIGHT
	3000 PPM	FEMALE	08663	EAR TAG INFECTION : EAR-RIGHT
			08664	EAR TAG MISSING
			08665	EAR TAG INFECTION : EAR-RIGHT
			08667	EAR TAG INFECTION : EAR-RIGHT
			08739	EAR TAG INFECTION : EAR-RIGHT
006	3 PPM	MALE	08678	EAR TAG INFECTION : EAR-RIGHT
			08679	EAR TAG INFECTION : EAR-RIGHT
			08682	EAR TAG INFECTION : EAR-RIGHT
			08683	EAR TAG INFECTION : EAR-RIGHT
			08685	EAR TAG INFECTION : EAR-RIGHT
			08686	EAR TAG INFECTION : EAR-RIGHT
			08688	EAR TAG INFECTION : EAR-RIGHT
			08610	EAR TAG INFECTION : EAR-RIGHT
			08611	THICKENED EAR(S) : EAR-RIGHT
			08613	EAR TAG INFECTION : EAR-RIGHT
08614	EAR TAG INFECTION : EAR-RIGHT			
08615	EAR TAG INFECTION : EAR-RIGHT			
08624	THICKENED EAR(S) : EAR-RIGHT			

TOXICOLOGY OBSERVATION REPORT

7

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	DOSE	GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIED COMMENTS	
006	0 PPM 300 PPM	MALE	08625	EAR TAG INFECTION : EAR-RIGHT	
			08630	EAR TAG INFECTION : EAR-RIGHT	
			08632	DISCHARGE : EYE-RIGHT	
			08634	EAR TAG INFECTION : EAR-RIGHT	
			08635	EAR TAG INFECTION : EAR-RIGHT	
			08637	EAR TAG INFECTION : EAR-RIGHT	
			08639	EAR TAG INFECTION : EAR-RIGHT	
			08642	EAR TAG INFECTION : EAR-RIGHT	
			08648	EAR TAG INFECTION : EAR-RIGHT	
	08649	THICKENED EAR(S) : EAR-RIGHT			
	FEMALE	08725	LACRIMATION : EYE-RIGHT		
		08728	EAR TAG INFECTION : EAR-RIGHT		
		08732	THICKENED EAR(S) : EAR-RIGHT		
	1000 PPM	MALE	08653	EAR TAG INFECTION : EAR-RIGHT	
			08655	EAR TAG INFECTION : EAR-RIGHT	
			08657	EAR TAG INFECTION : EAR-RIGHT	
			08659	EAR TAG INFECTION : EAR-RIGHT	
			08662	EAR TAG INFECTION : EAR-RIGHT	
08663			EAR TAG INFECTION : EAR-RIGHT		
08664			EAR TAG MISSING		
08665			EAR TAG INFECTION : EAR-RIGHT		
08667			THICKENED EAR(S) : EAR-RIGHT		
08669			THICKENED EAR(S) : EAR-RIGHT		
FEMALE			08738	EAR TAG INFECTION : EAR-RIGHT	
			08740	THICKENED EAR(S) : EARS-BOTH	
3000 PPM			MALE	08671	LOCAL HAIR LOSS : LIMBS-FOPE
				08678	EAR TAG INFECTION : EAR-RIGHT
				08679	EAR TAG INFECTION : EAR-RIGHT
	08680	EAR TAG INFECTION : EAR-RIGHT			
	08681	THICKENED EAR(S) : EAR-RIGHT			
	08682	EAR TAG INFECTION : EAR-RIGHT			
	08683	THICKENED EAR(S) : EAR-RIGHT			
	08685	EAR TAG INFECTION : EAR-RIGHT			
	08686	EAR TAG INFECTION : EAR-RIGHT			
	08688	THICKENED EAR(S) : EAR-RIGHT			
	FEMALE	08755		ROUGH HAIR COAT	
		08763		EAR TAG MISSING	
		08764		EAR TAG INFECTION : EAR-RIGHT	
08766		LACRIMATION : EYES-BOTH			
08772		EAR TAG INFECTION : EAR-RIGHT			
007	0 PPM	MALE	08610	EAR TAG INFECTION : EAR-RIGHT	
			08611	THICKENED EAR(S) : EAR-RIGHT	
			08613	EAR TAG INFECTION : EAR-RIGHT	

TOXICOLOGY OBSERVATION REPORT

3

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	DOSE	GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIED ***** COMMENTS	
007	0 PPM	MALE	08614	EAR TAG INFECTION : EAR-RIGHT	
			08615	EAR TAG INFECTION : EAR-RIGHT	
			08625	EAR TAG INFECTION : EAR-RIGHT	
			300 PPM	08630	EAR TAG INFECTION : EAR-RIGHT
				08632	CRUST : EYE-LEFT:AROUND
				*****	RED
	1000 PPM	MALE	08634	EAR TAG INFECTION : EAR-RIGHT	
			08635	EAR TAG INFECTION : EAR-RIGHT	
			08637	EAR TAG INFECTION : EAR-RIGHT	
			08639	EAR TAG INFECTION : EAR-RIGHT	
			08642	EAR TAG INFECTION : EAR-RIGHT	
			08643	EAR TAG INFECTION : EAR-RIGHT	
3000 PPM	MALE	FEMALE	08648	EAR TAG INFECTION : EAR-RIGHT	
			08732	EAR TAG INFECTION : EAR-RIGHT	
			MALE	08652	EAR TAG MISSING
				08653	EAR TAG INFECTION : EAR-RIGHT
				08655	EAR TAG INFECTION : EAR-RIGHT
				08657	EAR TAG INFECTION : EAR-RIGHT
	08659	EAR TAG INFECTION : EAR-RIGHT			
	08662	EAR TAG INFECTION : EAR-RIGHT			
	FEMALE	FEMALE	08663	EAR TAG INFECTION : EAR-RIGHT	
			*****	RED	
			08664	EAR TAG MISSING	
			*****	REPLACED : EAR-RIGHT	
*****			#8664A		
08665			EAR TAG INFECTION : EAR-RIGHT		
FEMALE	FEMALE	08667	EAR TAG INFECTION : EAR-RIGHT		
		08669	EAR TAG INFECTION : EAR-RIGHT		
		08737	CONVULSIONS-CLONIC EXCESSIVE SALIVATION		
		08738	EAR TAG INFECTION : EAR-RIGHT		
		08740	THICKENED EAR(S) : EAR-RIGHT		
		3000 PPM	MALE	08671	LOCAL HAIR LOSS : LIMBS-FCRE
08678	EAR TAG INFECTION : EAR-RIGHT				
08679	EAR TAG INFECTION : EAR-RIGHT				
08680	EAR TAG INFECTION : EAR-RIGHT				
08681	EAR TAG INFECTION : EAR-RIGHT				
08682	EAR TAG INFECTION : EAR-RIGHT				
08685	EAR TAG INFECTION : EAR-RIGHT				
08686	EAR TAG INFECTION : EAR-RIGHT				
08688	EAR TAG INFECTION : EAR-RIGHT				
FEMALE	FEMALE			08755	ROUGH HAIR COAT
		08763	EAR TAG MISSING		

TOXICOLOGY OBSERVATION REPORT

9

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	DOSE	GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIED COMMENTS
007	3000 PPM	FEMALE		EAR TAG REPLACED : EAR-LEFT
			*****	#8763A
			08764	EAR TAG INFECTION : EAR-RIGHT
			08770	EAR TAG INFECTION : EAR-RIGHT
			08772	EAR TAG INFECTION : EAR-RIGHT
008	0 PPM	MALE	08610	FASTED : OVERNIGHT
				BLOOD SUBMITTED FOR HEMOGRAM
			08611	FASTED : OVERNIGHT
				BLOOD SUBMITTED FOR HEMOGRAM
			08612	FASTED : OVERNIGHT
				BLOOD SUBMITTED FOR HEMOGRAM
			08613	FASTED : OVERNIGHT
				BLOOD SUBMITTED FOR HEMOGRAM
			08614	FASTED : OVERNIGHT
				BLOOD SUBMITTED FOR HEMOGRAM
			08615	FASTED : OVERNIGHT
				BLOOD SUBMITTED FOR HEMOGRAM
				EAR TAG INFECTION : EAR-RIGHT
			08616	FASTED : OVERNIGHT
				BLOOD SUBMITTED FOR HEMOGRAM
			08617	FASTED : OVERNIGHT
				BLOOD SUBMITTED FOR HEMOGRAM
			08624	EAR TAG INFECTION : EAR-RIGHT
			08625	TEETH CUT
				EAR TAG INFECTION : EAR-RIGHT
				CRUST : EYE-LEFT:AROUND
			*****	RED
		FEMALE	08695	FASTED : OVERNIGHT
				BLOOD SUBMITTED FOR HEMOGRAM
			08696	FASTED : OVERNIGHT
				BLOOD SUBMITTED FOR HEMOGRAM
			08697	FASTED : OVERNIGHT
				BLOOD SUBMITTED FOR HEMOGRAM
			08698	FASTED : OVERNIGHT
				BLOOD SUBMITTED FOR HEMOGRAM
			08699	FASTED : OVERNIGHT
				BLOOD SUBMITTED FOR HEMOGRAM
			08700	FASTED : OVERNIGHT
				BLOOD SUBMITTED FOR HEMOGRAM
			08701	FASTED : OVERNIGHT
				BLOOD SUBMITTED FOR HEMOGRAM
			08702	FASTED : OVERNIGHT
				BLOOD SUBMITTED FOR HEMOGRAM

TOXICOLOGY OBSERVATION REPORT

10

TABLE H-13 (CONTINUED)

CLINICAL SIGNS
PROJECT NUMBER - 1073415

WEEK NO. ** DOSE GROUP/SEX *	ANIMAL NUMBER	OBSERVATIONS : QUALIFIER ***** COMMENTS *****
008 0 PPM	FEMALE 08704	EAR TAG INFECTION : EAR-RIGHT
300 PPM	MALE 08630	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
	08631	EAR TAG INFECTION : EAR-RIGHT FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
	08632	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
	08633	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
	08634	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM EAR TAG INFECTION : EAR-RIGHT
	08635	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
	08636	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM CRUST : EYE-RIGHT:AROUND ***** RED
	08637	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM EAR TAG INFECTION : EAR-RIGHT
	08639	EAR TAG INFECTION : EAR-RIGHT
	08642	EAR TAG INFECTION : EAR-RIGHT
	08646	EAR TAG MISSING EAR TAG REPLACED : EAR-LEFT ***** #8646F
	08648	EAR TAG INFECTION : EAR-RIGHT
	FEMALE 08715	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
	08716	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
	08717	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
	08718	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
	08719	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM CRUST : EYE-RIGHT:AROUND ***** RED
	08720	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
	08721	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM

TOXICOLOGY OBSERVATION REPORT

11

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	** DOSE	GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIED ***** COMMENTS
008	300 PPM	FEMALE	08722	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM CRUST : EYE-RIGHT:AROUND ***** RED
	1000 PPM	MALE	08650	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
			08651	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
			08652	EAR TAG INFECTION : EAR-RIGHT FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM EAR TAG MISSING EAR TAG REPLACED : EAR-LEFT ***** #8652A CRUST : EYE-RIGHT:AROUND ***** RED
			08653	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
			08654	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
			08655	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM EAR TAG INFECTION : EAR-RIGHT
			08656	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
			08657	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
			08659	EAR TAG INFECTION : EAR-RIGHT
			08661	EAR TAG INFECTION : EAR-RIGHT
			08662	EAR TAG INFECTION : EAR-RIGHT
			08663	TEETH CUT EAR TAG INFECTION : EAR-RIGHT CRUST : EYE-RIGHT:AROUND ***** RED
			08665	EAR TAG INFECTION : EAR-RIGHT
			08667	EAR TAG INFECTION : EAR-RIGHT
			08669	EAR TAG INFECTION : EAR-RIGHT
		FEMALE	08735	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
			08736	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
			08737	FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
			08738	FASTED : OVERNIGHT

TOXICOLOGY OBSERVATION REPORT

2

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	** DOSE GROUP/SEX *	ANIMAL NUMBER	OBSERVATIONS : QUALIFIED COMMENTS
008	1000 PPM	FEMALE	BLOOD SUBMITTED FOR HEMOGRAM EAR TAG INFECTION : EAR-RIGHT CRUST : EYE-RIGHT:AROUND ***** RED 08739 FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM EYE OPACITY-RIGHT EYE CRUST : EYE-RIGHT:AROUND ***** BROWN 08740 FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM 08741 FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM 08742 FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM
	3000 PPM	MALE	08670 FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM 08671 FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM 08672 FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM 08673 FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM 08674 FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM 08675 FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM 08676 FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM 08677 FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM 08679 EAR TAG INFECTION : EAR-RIGHT 08680 EAR TAG INFECTION : EAR-RIGHT 08681 EAR TAG INFECTION : EAR-RIGHT 08682 EAR TAG INFECTION : EAR-RIGHT 08685 EAR TAG INFECTION : EAR-RIGHT 08686 EAR TAG INFECTION : EAR-RIGHT
		FEMALE	08755 FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM 08756 FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM 08757 FASTED : OVERNIGHT BLOOD SUBMITTED FOR HEMOGRAM 08758 FASTED : OVERNIGHT

TOXICOLOGY OBSERVATION REPORT

3

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	DOSE GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIED COMMENTS			
008	3000 PPM	FEMALE	08759 BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT			
			08760 BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT			
			08761 BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT			
			08762 BLOOD SUBMITTED FOR HEMOGRAM FASTED : OVERNIGHT			
			08764 BLOOD SUBMITTED FOR HEMOGRAM CRUST : EYE-RIGHT:AROUND			
			***** RED			
			08772 EAR TAG INFECTION : EAR-RIGHT			
			08772 EAR TAG INFECTION : EAR-RIGHT			
			009	3 PPM	MALE	08615 EAR TAG INFECTION : EAR-RIGHT
						08625 TEETH CUT
						***** RED
						08627 EAR TAG INFECTION : EAR-RIGHT
						08633 EAR TAG INFECTION : EAR-RIGHT
						08634 EAR TAG INFECTION : EAR-RIGHT
08637 EAR TAG INFECTION : EAR-RIGHT						
08642 EAR TAG INFECTION : EAR-RIGHT						
08648 EAR TAG INFECTION : EAR-RIGHT						
1000	PPM	MALE				08651 EAR TAG INFECTION : EAR-RIGHT
						08655 EAR TAG INFECTION : EAR-RIGHT
						08659 EAR TAG INFECTION : EAR-RIGHT
						08661 EAR TAG INFECTION : EAR-RIGHT
						08663 TEETH CUT
			08665 EAR TAG INFECTION : EAR-RIGHT			
			08667 EAR TAG INFECTION : EAR-RIGHT			
			08669 EAR TAG INFECTION : EAR-RIGHT			
3000	PPM	FEMALE	08735 EAR TAG INFECTION : EAR-RIGHT			
			08738 EAR TAG INFECTION : EAR-RIGHT			
			08739 EYE OPACITY-RIGHT EYE			
			***** BROWN			
3000	PPM	MALE	08671 LOCAL HAIR LOSS : LIMBS-FORE			
			08679 EAR TAG INFECTION : EAR-RIGHT			
			08680 EAR TAG INFECTION : EAR-RIGHT			
			08682 EAR TAG INFECTION : EAR-RIGHT			
			08685 EAR TAG INFECTION : EAR-RIGHT			
			08686 EAR TAG INFECTION : EAR-RIGHT			

TOXICOLOGY OBSERVATION REPORT

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	** DOSE	GROUP/SEX *	ANIMAL NUMBER	OBSERVATIONS : QUALIFIED ***** COMMENTS *****
009	3000 PPM	FEMALE	08764	EAR TAG INFECTION : EAR-RIGHT
			08772	EAR TAG INFECTION : EAR-RIGHT
			08774	CRUST : EYE-LEFT:AROUND ***** RED
010	0 PPM	MALE	08615	EAR TAG INFECTION : EAR-RIGHT
			08625	TEETH CUT
			08627	EAR TAG INFECTION : EAR-RIGHT
	300 PPM	MALE	08634	EAR TAG INFECTION : EAR-RIGHT
			08637	EAR TAG INFECTION : EAR-RIGHT
			08642	EAR TAG INFECTION : EAR-RIGHT
	1000 PPM	MALE	08651	EAR TAG INFECTION : EAR-RIGHT
			08655	EAR TAG INFECTION : EAR-RIGHT
			08659	EAR TAG INFECTION : EAR-RIGHT
			08661	EAR TAG INFECTION : EAR-RIGHT
			08663	TEETH CUT
			08667	EAR TAG INFECTION : EAR-RIGHT
			08739	EYE OPACITY-RIGHT EYE CRUST : EYE-RIGHT:AROUND ***** BROWN
	3000 PPM	MALE	08670	EAR TAG MISSING
			08671	LOCAL HAIR LOSS : LIMBS-FORE
			08679	EAR TAG INFECTION : EAR-RIGHT
			08680	TEETH CUT CRUST : EYE-LEFT:AROUND ***** RED
			08682	EAR TAG INFECTION : EAR-RIGHT
		FEMALE	08685	EAR TAG INFECTION : EAR-RIGHT
08686			EAR TAG INFECTION : EAR-RIGHT	
08766			EAR TAG MISSING	
08772			EAR TAG INFECTION : EAR-RIGHT	
011			0 PPM	MALE
	08615	EAR TAG INFECTION : EAR-RIGHT SMALL ULCERATION(<1CM) : EAR-RIGHT:BELOW ***** W/ CRUST		
	08617	EAR TAG MISSING		
	08625	TEETH CUT		
	08627	EAR TAG INFECTION : EAR-RIGHT		
	FEMALE	08707	EAR TAG INFECTION : EAR-RIGHT	
		08711	TEETH CUT CRUST : EYE-LEFT:AROUND ***** BROWN	

TOXICOLOGY OBSERVATION REPORT

5

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	DOSE	GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIER COMMENTS
011	0 PPM	FEMALE	08712	TEETH CUT
	300 PPM	MALE	08630	TEETH CUT
			08634	EAR TAG INFECTION : EAR-RIGHT
			08637	EAR TAG INFECTION : EAR-RIGHT
			08638	TEETH CUT
			08642	EAR TAG INFECTION : EAR-RIGHT
			08647	EAR TAG INFECTION : EAR-RIGHT
		FEMALE	08722	EAR TAG INFECTION : EAR-RIGHT
			08723	EYE DISCHARGE : EYE-LEFT
			*****	CLEAR
			09725	SKIN FLAKY : TAIL
			08728	SKIN FLAKY : TAIL
	1000 PPM	MALE	08551	EAR TAG INFECTION : EAR-RIGHT
			08655	EAR TAG INFECTION : EAR-RIGHT
			08657	EAR TAG INFECTION : EAR-RIGHT
			08659	EAR TAG INFECTION : EAR-RIGHT
			08661	EAR TAG INFECTION : EAR-RIGHT
			08662	TEETH CUT
			08663	TEETH CUT
				EAR TAG INFECTION : EAR-RIGHT
			08665	EAR TAG INFECTION : EAR-RIGHT
			08666	EAR TAG INFECTION : EAR-RIGHT
			08667	EAR TAG INFECTION : EAR-RIGHT
		FEMALE	08739	LOCAL HAIR LOSS : LIMB-FORE, LEFT
				CRUST : EYE-RIGHT
			*****	ON CORNEA
				CRUST : EYE-RIGHT:AROUND
			*****	BROWN
			08748	SKIN FLAKY : TAIL
				ULCEATION : MULTIPLE SITES
			*****	TAIL
	3000 PPM	MALE	08670	EAR TAG REPLACED : EAR-LEFT
			*****	8670A
			08671	LOCAL HAIR LOSS : LIMBS-FORE
			08673	TEETH CUT
				EAR TAG INFECTION : EAR-RIGHT
			08679	EAR TAG INFECTION : EAR-RIGHT
			08680	TEETH CUT
				CRUST : EYE-RIGHT:AROUND
			08682	EAR TAG INFECTION : EAR-RIGHT
			08683	EAR TAG INFECTION : EAR-RIGHT
			08685	EAR TAG INFECTION : EAR-RIGHT
			08686	EAR TAG INFECTION : EAR-RIGHT

TOXICOLOGY OBSERVATION REPORT

16

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	** DOSE GROUP/SEX *	ANIMAL NUMBER	OBSERVATIONS : QUALIFIER COMMENTS
011	3000 PPM	MALE	08688 EAR TAG INFECTION : EAR-RIGHT
			08689 EAR TAG INFECTION : EAR-RIGHT
	FEMALE	08761 SMALL ULCERATION(<1CM) : MULTIPLE SITES	
		***** TAIL	
		08764 EAR TAG INFECTION : EAR-RIGHT	
		08766 EAR TAG REPLACED : EAR-LEFT	
	*****	8766A	
012	0 PPM	MALE	08612 CRUST : EYE-LEFT:AROUND
			08615 EAR TAG INFECTION : EAR-RIGHT
			SMALL ULCERATION(<1CM) : EAR-RIGHT:BELOW
		*****	W/ CRUST
			08616 CRUST : EYE-LEFT:AROUND
			08617 EAR TAG REPLACED : EAR-RIGHT
		*****	8617A
	FEMALE	08625 TEETH CUT	
			EAR TAG INFECTION : EAR-RIGHT
			EAR TAG INFECTION : EAR-RIGHT
		08711 TEETH CUT	
		08712 TEETH CUT	
		08714 TEETH CUT	
		08630 THICKENED EAR(S) : EAR-RIGHT	
300 PPM	MALE	08634 EAR TAG INFECTION : EAR-RIGHT	
		08637 EAR TAG INFECTION : EAR-RIGHT	
		08642 EAR TAG INFECTION : EAR-RIGHT	
		08647 EAR TAG INFECTION : EAR-RIGHT	
	FEMALE	08722 EAR TAG INFECTION : EAR-RIGHT	
		08725 SKIN FLAKY : TAIL	
1000 PPM	MALE		08729 SKIN FLAKY : TAIL
			08651 EAR TAG INFECTION : EAR-RIGHT
			08657 EAR TAG INFECTION : EAR-RIGHT
			08661 EAR TAG INFECTION : EAR-RIGHT
			08662 TEETH CUT
	FEMALE		08663 TEETH CUT
			EAR TAG INFECTION : EAR-RIGHT
			08665 EAR TAG INFECTION : EAR-RIGHT
			08666 EAR TAG INFECTION : EAR-RIGHT
			08667 EAR TAG INFECTION : EAR-RIGHT
			08735 EAR TAG INFECTION : EAR-RIGHT
	08737 THICKENED EAR(S) : EARS-BOTH		
	08739 LOCAL HAIR LOSS : LIMBS-FORE		
	LOCAL HAIR LOSS : EYE-RIGHT:AROUND		
	CRUST : EYE-RIGHT		
*****	REC. ON CORNEA		

TOXICOLOGY OBSERVATION REPORT

17

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	DOSE	GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIER COMMENTS
012	1000 PPM	FEMALE	08740	THICKENED EAR(S) : EARS-BOTH ENLARGED : EAR-RIGHT
			08748	SKIN ABNORMAL : TAIL
			*****	FLAKY
			*****	SMALL MASS(<1CM) : NOSE:ABOVE FIRM
			*****	SMALL SCAB(<1CM) : TAIL SEVERAL
	3000 PPM	MALE	08754	EAR TAG INFECTION : EAR-RIGHT
			08671	LOCAL HAIR LOSS : LIMBS-FOPE
			08673	EAR TAG INFECTION : EAR-RIGHT
			08679	EAR TAG INFECTION : EAR-RIGHT
			08680	TEETH CUT
FEMALE		*****	CRUST : EYE-RIGHT:AROUND RED	
		08681	THICKENED EAR(S) : EAR-RIGHT	
		08682	THICKENED EAR(S) : EAR-RIGHT	
		08683	EAR TAG INFECTION : EAR-RIGHT	
		08685	EAR TAG INFECTION : EAR-RIGHT	
013	0 PPM	MALE	08686	EAR TAG INFECTION : EAR-RIGHT
			08688	THICKENED EAR(S) : EAR-RIGHT
			08689	THICKENED EAR(S) : EAR-RIGHT
			08760	THICKENED EAR(S) : EAR-RIGHT
			08761	SMALL SCAB(<1CM) : TAIL SEVERAL
08764	EAR TAG INFECTION : EAR-RIGHT			
08610	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM			
08611	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM			
08612	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM			
08613	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM			
08614	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM			
08615	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM			
08616	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM			
08617	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM TERMINAL KILL			

TOXICOLOGY OBSERVATION REPORT

18

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO. **	DOSE	GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIED ***** COMMENTS *****
013	0 PPM	MALE	08618	FASTED : OVERNIGHT TERMINAL KILL
			08619	FASTED : OVERNIGHT TERMINAL KILL
			08620	FASTED : OVERNIGHT TERMINAL KILL
			08621	FASTED : OVERNIGHT TERMINAL KILL
			08622	FASTED : OVERNIGHT TERMINAL KILL
			08623	FASTED : OVERNIGHT TERMINAL KILL
			08624	FASTED : OVERNIGHT TERMINAL KILL
			08625	FASTED : OVERNIGHT TERMINAL KILL
			08626	FASTED : OVERNIGHT TERMINAL KILL
			08627	FASTED : OVERNIGHT TERMINAL KILL
			08628	FASTED : OVERNIGHT TERMINAL KILL
			08629	FASTED : OVERNIGHT TERMINAL KILL
		FEMALE	08695	FASTED : OVERNIGHT FASTED : OVERNIGHT
			08696	BLOOD SUBMITTED FOR CHEM AND HEMOGRAM FASTED : OVERNIGHT
			08697	BLOOD SUBMITTED FOR CHEM AND HEMOGRAM FASTED : OVERNIGHT
			08698	BLOOD SUBMITTED FOR CHEM AND HEMOGRAM FASTED : OVERNIGHT
			08699	BLOOD SUBMITTED FOR CHEM AND HEMOGRAM FASTED : OVERNIGHT
			08700	BLOOD SUBMITTED FOR CHEM AND HEMOGRAM FASTED : OVERNIGHT
			08701	BLOOD SUBMITTED FOR CHEM AND HEMOGRAM FASTED : OVERNIGHT
			08702	BLOOD SUBMITTED FOR CHEM AND HEMOGRAM FASTED : OVERNIGHT
			08703	BLOOD SUBMITTED FOR CHEM AND HEMOGRAM FASTED : OVERNIGHT TERMINAL KILL

TOXICOLOGY OBSERVATION REPORT

19

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	DOSE	GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIER COMMENTS
013	0 PPM	FEMALE	08704	FASTED : OVERNIGHT TERMINAL KILL
			08705	FASTED : OVERNIGHT TERMINAL KILL
			08706	FASTED : OVERNIGHT TERMINAL KILL
			08707	FASTED : OVERNIGHT TERMINAL KILL
			08708	FASTED : OVERNIGHT TERMINAL KILL
			08709	FASTED : OVERNIGHT TERMINAL KILL
			08710	FASTED : OVERNIGHT TERMINAL KILL
			08711	FASTED : OVERNIGHT TERMINAL KILL
			09712	FASTED : OVERNIGHT TERMINAL KILL
			08713	FASTED : OVERNIGHT TERMINAL KILL
			08714	FASTED : OVERNIGHT TERMINAL KILL
	300 PPM	MALE	08630	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08631	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08632	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08633	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08634	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08635	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08636	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM TERMINAL KILL
			08637	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM TERMINAL KILL
			08638	FASTED : OVERNIGHT TERMINAL KILL

TOXICOLOGY OBSERVATION REPORT

3

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	** DOSE GROUP/SEX *	ANIMAL NUMBER	OBSERVATIONS : QUALIFIED ***** COMMENTS *****
013	300 PPM	MALE	
		08639	FASTED : OVERNIGHT TERMINAL KILL
		08640	FASTED : OVERNIGHT TERMINAL KILL
		08641	FASTED : OVERNIGHT TERMINAL KILL
		08642	FASTED : OVERNIGHT TERMINAL KILL
		08643	FASTED : OVERNIGHT TERMINAL KILL
		08644	FASTED : OVERNIGHT TERMINAL KILL
		08645	FASTED : OVERNIGHT TERMINAL KILL
		08646	FASTED : OVERNIGHT TERMINAL KILL
		08647	FASTED : OVERNIGHT TERMINAL KILL
		08648	FASTED : OVERNIGHT TERMINAL KILL
		08649	FASTED : OVERNIGHT TERMINAL KILL
	FEMALE	08715	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
		08716	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
		08717	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
		08718	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
		08719	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
		08720	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
		08721	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
		08722	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM TERMINAL KILL
		08723	FASTED : OVERNIGHT TERMINAL KILL
		08724	FASTED : OVERNIGHT TERMINAL KILL

TOXICOLOGY OBSERVATION REPORT

21

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1C73415

WEEK NO.	DOSE	GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIED COMMENTS
013	300 PPM	FEMALE	08725	FASTED : OVERNIGHT TERMINAL KILL
			08726	FASTED : OVERNIGHT TERMINAL KILL
			08727	FASTED : OVERNIGHT TERMINAL KILL
			08728	FASTED : OVERNIGHT TERMINAL KILL
			08729	FASTED : OVERNIGHT TERMINAL KILL
			08730	FASTED : OVERNIGHT TERMINAL KILL
			08731	FASTED : OVERNIGHT TERMINAL KILL
			08732	FASTED : OVERNIGHT TERMINAL KILL
			08733	FASTED : OVERNIGHT TERMINAL KILL
			08734	FASTED : OVERNIGHT TERMINAL KILL
	1000 PPM	MALE	08650	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08651	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08652	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08653	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08654	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08655	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08656	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08657	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08658	FASTED : OVERNIGHT TERMINAL KILL
			08659	FASTED : OVERNIGHT TERMINAL KILL
			08660	FASTED : OVERNIGHT TERMINAL KILL

TOXICOLOGY OBSERVATION REPORT

22

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	** DOSE	GROUP/SEX	* ANIMAL NUMBER	***** OBSERVATIONS : QUALIFIER COMMENTS *****
013	1000 PPM	MALE		FASTED : OVERNIGHT
			08661	FASTED : OVERNIGHT TERMINAL KILL
			08662	FASTED : OVERNIGHT TERMINAL KILL
			08663	FASTED : OVERNIGHT TERMINAL KILL
			08664	FASTED : OVERNIGHT TERMINAL KILL
			08665	FASTED : OVERNIGHT TERMINAL KILL
			08666	FASTED : OVERNIGHT TERMINAL KILL
			08667	FASTED : OVERNIGHT TERMINAL KILL
			08668	FASTED : OVERNIGHT TERMINAL KILL
			08669	FASTED : OVERNIGHT TERMINAL KILL
		FEMALE	08735	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08736	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08737	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08738	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08739	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08740	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08741	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM TERMINAL KILL
			08742	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM TERMINAL KILL
			08743	FASTED : OVERNIGHT TERMINAL KILL
			08744	FASTED : OVERNIGHT TERMINAL KILL
			08745	FASTED : OVERNIGHT TERMINAL KILL

TOXICCLOGY OBSERVATION REPORT

23

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	** DOSE	GROUP/SEX *	ANIMAL NUMBER	OBSERVATIONS : QUALIFIER COMMENTS
013	1000 PPM	FEMALE	08746	FASTED : OVERNIGHT TERMINAL KILL
			08747	FASTED : OVERNIGHT TERMINAL KILL
			08748	FASTED : OVERNIGHT TERMINAL KILL
			08749	FASTED : OVERNIGHT TERMINAL KILL
			08750	FASTED : OVERNIGHT TERMINAL KILL
			08751	FASTED : OVERNIGHT TERMINAL KILL
			08752	FASTED : OVERNIGHT TERMINAL KILL
			08753	FASTED : OVERNIGHT TERMINAL KILL
			08754	FASTED : OVERNIGHT TERMINAL KILL
	3000 PPM	MALE	08670	FASTED : OVERNIGHT
			08671	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08672	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08673	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08674	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08675	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08676	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08677	FASTED : OVERNIGHT BLOOD SUBMITTED FOR CHEM AND HEMOGRAM
			08678	FASTED : OVERNIGHT TERMINAL KILL
			08679	FASTED : OVERNIGHT TERMINAL KILL
			08680	FASTED : OVERNIGHT TERMINAL KILL
			08681	FASTED : OVERNIGHT TERMINAL KILL

TOXICOLOGY OBSERVATION REPORT

4

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO. **	DOSE GROUP/SEX *	ANIMAL NUMBER	OBSERVATIONS : QUALIFIED COMMENTS
013	3000 PPM	MALE	FASTED : OVERNIGHT 08682 TERMINAL KILL
			FASTED : OVERNIGHT 08683 TERMINAL KILL
			FASTED : OVERNIGHT 08684 TERMINAL KILL
			FASTED : OVERNIGHT 08685 TERMINAL KILL
			FASTED : OVERNIGHT 08686 TERMINAL KILL
			FASTED : OVERNIGHT 08687 TERMINAL KILL
			FASTED : OVERNIGHT 08688 TERMINAL KILL
			FASTED : OVERNIGHT 08689 TERMINAL KILL
		FEMALE	FASTED : OVERNIGHT 08755 FASTED : OVERNIGHT
			BLOOD SUBMITTED FOR CHEM AND HEMOGRAM 08756 FASTED : OVERNIGHT
			BLOOD SUBMITTED FOR CHEM AND HEMOGRAM 08757 FASTED : OVERNIGHT
			BLOOD SUBMITTED FOR CHEM AND HEMOGRAM 08758 FASTED : OVERNIGHT
			BLOOD SUBMITTED FOR CHEM AND HEMOGRAM 08759 FASTED : OVERNIGHT
			BLOOD SUBMITTED FOR CHEM AND HEMOGRAM 08760 FASTED : OVERNIGHT
			BLOOD SUBMITTED FOR CHEM AND HEMOGRAM 08761 FASTED : OVERNIGHT
			BLOOD SUBMITTED FOR CHEM AND HEMOGRAM 08762 FASTED : OVERNIGHT
			BLOOD SUBMITTED FOR CHEM AND HEMOGRAM FASTED : OVERNIGHT
			08763 TERMINAL KILL
			FASTED : OVERNIGHT
			08764 TERMINAL KILL
			FASTED : OVERNIGHT
			08765 TERMINAL KILL
			FASTED : OVERNIGHT
			08766 TERMINAL KILL
			FASTED : OVERNIGHT
			08767 TERMINAL KILL

TOXICOLOGY OBSERVATION REPORT

5

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	DOSE GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIED COMMENTS		
013	3000 PPM FEMALE	08768	FASTED : OVERNIGHT TERMINAL KILL		
		08769	FASTED : OVERNIGHT TERMINAL KILL		
		08770	FASTED : OVERNIGHT TERMINAL KILL		
		08771	FASTED : OVERNIGHT TERMINAL KILL		
		08772	FASTED : OVERNIGHT TERMINAL KILL		
		08773	FASTED : OVERNIGHT TERMINAL KILL		
		08774	FASTED : OVERNIGHT TERMINAL KILL		
		014	0 PPM MALE	08610	FASTED : OVERNIGHT TERMINAL KILL
				08611	FASTED : OVERNIGHT TERMINAL KILL
				08612	FASTED : OVERNIGHT TERMINAL KILL
08613	FASTED : OVERNIGHT TERMINAL KILL				
08614	FASTED : OVERNIGHT TERMINAL KILL				
08615	FASTED : OVERNIGHT TERMINAL KILL				
FEMALE	08616		FASTED : OVERNIGHT TERMINAL KILL		
	08695		FASTED : OVERNIGHT TERMINAL KILL		
	08696		FASTED : OVERNIGHT TERMINAL KILL		
	08697		FASTED : OVERNIGHT TERMINAL KILL		
	08698		FASTED : OVERNIGHT TERMINAL KILL		
08699	FASTED : OVERNIGHT TERMINAL KILL				
08700	FASTED : OVERNIGHT TERMINAL KILL				
08701	FASTED : OVERNIGHT TERMINAL KILL				

TOXICOLOGY OBSERVATION REPORT

26

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	DOSE	GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIER ***** COMMENTS *****		
014	300 PPM	MALE	08630	TERMINAL KILL FASTED : OVERNIGHT		
			08631	TERMINAL KILL FASTED : OVERNIGHT		
			08632	TERMINAL KILL FASTED : OVERNIGHT		
			08633	TERMINAL KILL FASTED : OVERNIGHT		
			08634	TERMINAL KILL FASTED : OVERNIGHT		
			08635	TERMINAL KILL FASTED : OVERNIGHT		
			FEMALE	08715	TERMINAL KILL FASTED : OVERNIGHT	
				08716	TERMINAL KILL FASTED : OVERNIGHT	
				08717	TERMINAL KILL FASTED : OVERNIGHT	
		08718		TERMINAL KILL FASTED : OVERNIGHT		
		08719		TERMINAL KILL FASTED : OVERNIGHT		
		08720		TERMINAL KILL FASTED : OVERNIGHT		
		08721		TERMINAL KILL FASTED : OVERNIGHT		
		1000 PPM		MALE	08650	TERMINAL KILL FASTED : OVERNIGHT
					08651	TERMINAL KILL FASTED : OVERNIGHT
			08652		TERMINAL KILL FASTED : OVERNIGHT	
			08653		TERMINAL KILL FASTED : OVERNIGHT	
			08654		TERMINAL KILL FASTED : OVERNIGHT	
08655	TERMINAL KILL FASTED : OVERNIGHT					
08656	TERMINAL KILL FASTED : OVERNIGHT					
FEMALE	08735		TERMINAL KILL FASTED : OVERNIGHT			
	08736		TERMINAL KILL FASTED : OVERNIGHT			

TOXICOLOGY OBSERVATION REPORT

27

TABLE H-13 (CONTINUED)
 CLINICAL SIGNS
 PROJECT NUMBER - 1073415

WEEK NO.	DOSE GROUP/SEX	ANIMAL NUMBER	OBSERVATIONS : QUALIFIED COMMENTS
014	1000 PPM	FEMALE 08737	TERMINAL KILL FASTED : OVERNIGHT
		08739	TERMINAL KILL FASTED : OVERNIGHT
		08739	TERMINAL KILL FASTED : OVERNIGHT
		08740	TERMINAL KILL FASTED : OVERNIGHT
3000 PPM	MALE	08670	TERMINAL KILL FASTED : OVERNIGHT
		08671	TERMINAL KILL FASTED : OVERNIGHT
		08672	TERMINAL KILL FASTED : OVERNIGHT
		08673	TERMINAL KILL FASTED : OVERNIGHT
		08674	TERMINAL KILL FASTED : OVERNIGHT
		08675	TERMINAL KILL FASTED : OVERNIGHT
	FEMALE	08676	TERMINAL KILL FASTED : OVERNIGHT
		08755	TERMINAL KILL FASTED : OVERNIGHT
		08756	TERMINAL KILL FASTED : OVERNIGHT
		08757	TERMINAL KILL FASTED : OVERNIGHT
		08758	TERMINAL KILL FASTED : OVERNIGHT
		08759	TERMINAL KILL FASTED : OVERNIGHT
		08760	TERMINAL KILL FASTED : OVERNIGHT
08761	TERMINAL KILL FASTED : OVERNIGHT		

TABLE H-14

PROJECT NO. 1073415
 COMPUTER GROUP NO: 169A
 LITTON BIOMETRICS, INC.
 BODY WEIGHT IN GRAMS
 GROUP 1 MALES DOSE: 0 PPM

ANML NO.	DATES OF TESTING (1980-1981)												
	10/23	10/30	11/ 6	11/13	11/20	11/26	12/ 4	12/11	12/18	12/24	12/31	1/ 8	1/15
8610	244.2	301.5	338.9	375.0	395.9	404.9	439.8	451.4	461.6	475.1	494.1	505.5	519.4
8611	236.5	286.9	316.6	355.4	365.5	383.3	406.4	418.1	422.2	444.6	451.9	464.8	479.4
8612	223.3	273.6	317.9	346.5	360.5	382.2	418.8	431.7	445.0	469.7	483.1	491.3	504.0
8613	220.9	269.2	301.3	327.7	357.5	373.9	409.2	419.2	431.6	457.9	460.2	482.2	493.6
8614	262.8	316.6	352.6	382.6	393.9	417.0	446.6	452.5	463.9	485.5	498.9	515.5	521.4
8615	218.3	250.0	278.1	295.0	302.6	316.7	335.3	340.9	354.5	364.6	376.5	398.3	400.1
8616	247.0	280.8	311.5	340.8	353.7	367.2	391.8	407.6	420.6	424.6	434.6	452.8	454.4
8617	245.7	290.9	329.6	361.5	372.4	391.0	411.9	427.4	444.6	459.4	468.7	481.4	492.1
8618	254.1	296.7	330.9	357.5	365.8	402.6	433.0	436.9	463.4	478.7	492.6	506.3	524.2
8619	252.2	300.6	330.6	360.6	384.8	405.5	420.2	427.0	442.0	469.4	476.6	497.2	494.4
8620	221.0	268.1	302.0	336.7	359.6	375.8	402.1	412.1	439.6	450.1	463.2	475.3	487.8
8621	244.2	286.5	319.7	345.1	380.9	399.5	427.5	430.3	455.6	461.7	489.0	504.4	517.2
8622	260.5	306.3	343.0	369.9	401.5	395.6	427.1	432.0	454.6	473.7	484.0	489.5	498.4
8623	234.3	282.6	318.7	339.4	368.6	386.6	407.9	419.6	433.9	449.7	461.6	479.8	485.8
8624	262.1	312.6	349.4	371.1	404.4	419.3	446.0	450.3	479.2	492.6	502.3	517.2	525.8
8625	210.7	253.4	279.6	307.5	332.9	344.2	377.5	386.5	384.7	395.2	398.6	417.9	428.7
8626	257.8	313.1	339.4	373.4	389.4	393.5	420.5	425.1	451.4	454.3	461.5	469.7	481.6
8627	267.5	307.9	345.4	372.0	413.0	419.4	445.5	455.0	474.1	496.4	505.6	519.7	536.2
8628	252.6	293.5	323.8	343.9	375.2	387.2	416.8	431.3	456.0	465.5	476.9	483.7	493.2
8629	236.6	271.2	306.1	335.8	355.0	375.5	399.9	412.5	424.0	433.4	451.3	465.4	480.5
SAMPLE	20	20	20	20	20	20	20	20	20	20	20	20	20
MEAN	242.6	288.1	321.8	349.9	372.9	387.0	414.2	423.5	440.1	455.1	466.6	480.9	491.1
S.D.	16.8	19.5	21.1	22.8	26.3	25.0	26.2	25.8	29.6	31.9	33.2	31.2	33.4
S.E.	3.8	4.4	4.7	5.1	5.9	5.6	5.9	5.8	6.6	7.1	7.4	7.0	7.5

TABLE H-14 (CONTINUED)
 PROJECT NO. 1073415
 COMPUTER GROUP NO: 169B
 LITTON BIOMETRICS, INC.
 BODY WEIGHT IN GRAMS
 GROUP 1 FEMALES DOSE: 0 PPM

ANML NO.	DATES OF TESTING (1980-1981)												
	10/23	10/30	11/ 6	11/13	11/20	11/26	12/ 4	12/11	12/18	12/24	12/31	1/ 8	1/15
8695	174.4	187.2	209.3	213.6	233.2	237.0	241.9	240.2	257.8	253.4	265.6	266.7	263.7
8696	153.1	173.0	177.0	186.9	198.8	196.6	212.7	209.9	225.4	247.2	232.1	240.5	240.6
8697	168.8	188.9	200.8	220.0	225.1	233.9	258.5	251.6	262.4	265.8	279.2	286.2	284.1
8698	162.2	184.8	211.2	219.8	228.1	244.1	245.2	258.6	256.5	246.6	275.5	286.3	298.9
8699	177.2	209.8	215.6	233.6	231.0	243.5	250.1	257.9	260.0	263.9	276.1	285.1	291.1
8700	200.2	237.6	250.8	266.4	265.5	278.3	294.6	289.4	302.6	299.1	319.1	319.8	322.4
8701	159.7	175.5	175.4	177.9	186.3	195.9	206.9	214.0	219.5	231.8	240.9	245.9	244.0
8702	162.7	175.1	186.3	195.3	199.3	207.8	218.1	215.5	228.6	249.8	227.0	245.1	239.1
8703	170.9	195.9	201.6	217.9	234.0	203.5	249.0	237.6	246.7	252.0	250.6	260.0	261.7
8704	185.3	191.1	208.4	214.0	224.8	227.9	235.4	239.4	248.1	260.3	253.1	262.3	266.1
8705	167.0	190.1	185.6	203.2	213.6	210.3	219.3	223.8	228.5	234.6	238.5	247.7	246.9
8706	173.8	186.1	205.4	218.3	217.3	220.9	237.6	229.2	240.3	241.7	253.3	262.5	254.4
8707	165.2	178.0	197.1	197.8	213.3	212.3	218.5	222.7	237.4	232.3	234.8	249.3	247.4
8708	176.4	182.7	212.0	211.1	228.4	223.1	239.1	234.7	241.9	253.5	253.5	260.8	265.1
8709	177.7	188.9	196.5	203.4	206.7	215.6	231.0	233.0	227.1	246.2	254.3	259.2	253.5
8710	160.0	188.1	203.6	219.3	214.2	233.1	239.6	237.3	240.9	246.4	251.0	264.2	265.6
8711	153.9	167.6	178.4	182.9	193.9	197.7	213.6	205.3	213.7	218.3	220.7	222.0	222.9
8712	154.2	166.2	181.9	181.2	203.9	208.2	211.0	209.8	223.9	220.8	228.4	226.5	228.8
8713	180.5	190.6	208.4	209.8	215.5	219.4	231.4	238.2	243.8	240.2	245.6	249.2	248.1
8714	167.6	190.0	192.1	211.9	218.6	215.6	231.8	231.7	244.7	244.7	259.6	247.2	254.4
SAMPLE	20	20	20	20	20	20	20	20	20	20	20	20	20
MEAN	169.5	187.4	200.1	209.2	217.6	221.0	234.3	234.0	242.5	247.4	252.9	259.3	259.4
S.D.	11.7	15.6	17.3	20.2	17.6	19.9	20.4	20.1	19.8	17.5	22.7	22.4	23.6
S.E.C.	2.6	3.5	3.9	4.5	3.9	4.4	4.6	4.5	4.4	3.9	5.1	5.0	5.3

TABLE H-14 (CONTINUED)

PROJECT NO. 1073415
 COMPUTER GROUP NO: 169C
 LITTON BIONETICS, INC.
 BODY WEIGHT IN GRAMS
 GROUP 2 MALES DOSE: 300 PPM

ANML NO.	DATES OF TESTING (1980-1981)												
	10/23	10/30	11/ 6	11/13	11/20	11/26	12/ 4	12/11	12/18	12/24	12/31	1/ 8	1/15
8630	259.3	299.9	339.2	369.5	378.3	397.7	429.3	442.6	454.2	470.6	493.7	494.2	523.4
8631	241.7	282.8	310.8	339.2	342.0	361.6	396.8	410.5	415.5	442.2	447.6	473.2	477.9
8632	249.6	296.0	321.1	362.7	370.7	401.3	428.7	431.7	448.0	470.1	487.6	501.4	512.3
8633	234.8	274.9	311.1	344.1	349.3	373.4	394.9	413.8	443.0	454.9	459.0	472.2	484.4
8634	256.3	310.0	333.4	363.7	384.1	395.1	421.8	432.7	443.7	457.5	470.3	479.1	499.4
8635	238.8	284.4	323.0	353.4	365.1	385.5	405.9	416.6	430.0	451.3	460.2	473.3	486.8
8636	256.8	300.7	327.8	360.8	373.5	392.3	414.3	432.6	445.6	471.0	482.1	496.6	515.0
8637	223.1	260.0	281.4	301.3	314.0	336.8	363.4	371.5	374.8	390.8	406.8	421.7	435.2
8638	248.1	294.1	329.4	360.7	378.9	391.9	413.0	419.3	442.3	458.0	475.7	476.7	491.0
8639	234.7	286.6	326.4	361.5	389.8	408.7	431.8	441.7	463.0	479.1	498.0	510.3	527.4
8640	212.5	249.9	280.7	305.5	327.8	336.0	366.9	371.9	390.6	403.4	411.0	422.6	434.2
8641	274.3	326.1	360.3	389.1	427.2	442.1	473.9	472.2	515.4	519.8	530.7	547.2	559.5
8642	210.5	259.0	286.2	312.5	311.0	344.7	367.6	372.8	385.3	413.1	420.3	428.8	441.0
8643	275.5	323.8	353.5	382.4	412.4	427.0	450.0	455.3	490.3	485.3	520.5	538.5	557.0
8644	222.3	253.5	269.5	280.1	297.4	306.0	320.6	328.7	344.0	354.2	365.9	383.8	382.3
8645	247.1	291.0	332.3	364.7	387.9	402.2	426.0	433.6	459.5	478.6	490.2	494.4	514.2
8646	250.3	295.6	331.7	370.1	388.2	397.6	418.2	425.7	440.6	454.8	463.2	476.3	491.7
8647	237.5	285.3	313.8	346.6	353.2	372.0	395.3	402.2	418.9	432.7	444.4	462.0	472.9
8648	272.0	322.2	359.6	381.2	414.5	423.3	449.6	453.8	458.1	489.9	498.7	502.7	512.2
8649	239.8	283.4	309.0	340.2	356.3	377.5	402.5	409.0	427.2	436.9	454.4	464.8	476.4
SAMPLE	20	20	20	20	20	20	20	20	20	20	20	20	20
MEAN	244.2	289.2	320.3	348.9	367.1	383.6	408.7	416.9	434.5	450.7	464.0	476.0	489.3
S.D.	18.7	22.2	25.6	29.4	33.8	31.7	35.2	34.3	39.3	38.1	40.4	39.4	42.8
S.E.	4.2	5.0	5.7	6.6	7.6	7.5	7.9	7.7	8.8	8.5	9.0	8.8	9.6

TABLE H-14 (CONTINUED)
 PROJECT NO. 1073415
 COMPUTER GROUP NO: 169D
 LITTON BIONETICS, INC.
 BODY WEIGHT IN GRAMS
 GROUP 2 FEMALES DOSE: 300 PPM

ANWL NO.	DATES OF TESTING (1980-1981)												
	10/23	10/30	11/ 6	11/13	11/20	11/26	12/ 4	12/11	12/18	12/24	12/31	1/ 8	1/15
8715	162.0	173.3	196.1	201.5	200.8	208.4	222.3	224.4	234.1	247.0	249.5	262.4	257.4
8716	164.5	182.3	185.3	210.9	213.0	215.7	225.8	236.1	241.4	238.5	252.4	264.1	265.7
8717	192.1	200.9	206.3	220.1	229.7	228.4	249.3	242.1	258.4	257.6	264.7	273.5	272.8
8718	184.2	210.4	224.9	234.8	249.5	250.7	272.6	268.2	281.7	287.1	297.4	299.7	300.7
8719	182.2	199.2	205.8	228.0	220.7	220.7	242.8	235.7	242.8	243.0	247.2	257.9	257.3
8720	168.8	196.7	198.6	212.5	226.9	232.8	232.4	231.6	237.0	243.9	254.5	256.3	260.1
8721	172.2	194.8	201.2	223.4	248.8	250.0	250.9	244.3	249.5	260.2	262.3	271.2	279.0
8722	153.3	164.8	171.6	171.8	181.8	181.8	201.0	190.2	207.2	204.2	212.0	225.3	220.9
8723	188.7	200.3	206.9	225.3	240.0	240.0	252.7	246.8	257.7	262.4	266.1	273.3	273.9
8724	159.7	171.1	183.7	190.5	196.7	200.8	212.5	203.5	211.8	215.0	217.3	230.3	231.4
8725	163.2	179.1	187.8	199.1	211.9	212.3	228.8	229.5	236.9	241.6	245.4	254.9	254.8
8726	186.7	212.9	238.6	248.2	252.8	258.9	271.7	274.2	278.4	291.7	298.5	309.7	317.5
8727	146.0	158.6	170.8	179.9	191.6	193.1	207.3	206.1	221.9	226.7	227.6	230.9	236.7
8728	189.9	213.1	228.6	233.7	249.2	257.1	264.0	265.6	271.0	284.0	289.1	291.2	289.0
8729	176.4	208.3	214.9	228.2	235.0	245.0	258.2	247.9	250.7	272.8	272.0	276.0	281.8
8730	195.3	212.3	231.1	246.5	260.5	266.4	287.8	284.0	296.6	302.0	307.3	317.4	324.6
8731	174.7	182.7	192.2	199.9	207.6	208.7	218.3	216.0	228.9	227.0	231.8	235.6	233.0
8732	187.1	203.6	224.8	235.3	249.4	242.4	273.8	262.1	280.0	284.7	290.9	302.0	298.7
8733	166.3	193.4	210.3	214.3	228.4	227.7	240.4	237.9	240.5	250.2	260.7	268.7	256.3
8734	189.0	211.3	224.1	229.2	247.7	249.1	268.8	255.9	267.3	271.5	279.4	286.4	287.3
SAMPLE	20	20	20	20	20	20	20	20	20	20	20	20	20
MEAN	175.1	193.5	205.4	216.7	227.1	229.3	244.1	240.1	249.7	255.6	261.3	269.3	269.9
S.D.	14.2	17.1	19.9	20.9	21.1	23.9	24.9	24.5	24.2	26.7	27.2	26.6	28.2
Set.	3.2	3.8	4.5	4.7	5.2	5.3	5.6	5.5	5.4	6.0	6.1	5.9	6.3

TABLE H-14 (CONTINUED)
 PROJECT NO. 1073415
 COMPUTER GROUP NO: 169E
 LITTON BIONETICS, INC.
 BODY WEIGHT IN GRAMS
 GROUP 3 MALES DOSE: 1000 PPM

ANHL NO.	DATES OF TESTING (1980-1981)												
	10/23	10/30	11/ 6	11/13	11/20	11/26	12/ 4	12/11	12/18	12/24	12/31	1/ 8	1/15
8650	234.7	282.6	319.8	347.7	354.0	379.3	404.2	423.1	431.8	451.4	464.0	470.3	482.0
8651	281.8	324.1	366.5	404.2	415.0	437.8	473.2	489.0	511.3	536.6	572.5	555.1	571.9
8652	247.7	293.2	317.9	351.2	353.9	373.7	390.4	411.1	399.5	413.4	430.2	439.1	446.5
8653	252.3	305.7	325.2	359.5	366.7	376.2	395.9	405.5	413.3	440.6	448.5	462.5	481.8
8654	255.6	302.6	338.7	366.3	378.1	406.1	412.2	423.1	443.6	458.5	468.7	481.1	509.0
8655	235.8	280.8	318.1	351.5	357.7	381.4	411.3	426.2	433.8	458.3	469.0	489.1	509.0
8656	266.1	323.3	364.2	392.7	378.8	410.1	444.4	461.7	487.0	515.5	526.0	550.3	569.1
8657	222.5	272.1	309.8	332.8	357.4	368.7	392.6	403.5	418.4	438.1	454.8	470.6	481.2
8658	266.3	305.9	342.3	377.5	402.5	408.0	433.3	445.3	466.2	481.1	494.7	486.3	501.2
8659	249.4	294.8	333.3	367.3	393.5	402.5	422.0	433.0	456.6	479.1	491.4	498.0	508.6
8660	265.5	307.0	341.6	361.7	381.0	396.5	414.1	425.0	437.9	449.7	467.9	480.2	482.6
8661	253.2	297.1	338.9	366.6	386.8	404.8	422.9	436.2	456.2	469.7	482.6	494.2	496.3
8662	274.3	336.1	362.5	395.9	413.9	436.6	456.3	452.7	493.9	506.0	509.9	506.5	522.8
8663	234.2	271.3	299.3	333.2	359.8	366.9	390.3	391.5	419.3	429.1	433.9	425.4	446.3
8664	267.8	326.5	368.4	398.2	412.6	429.5	442.8	465.2	476.0	503.2	506.0	513.6	521.1
8665	255.9	321.9	359.9	398.5	433.4	450.2	471.2	418.3	494.8	522.9	541.4	547.5	575.3
8666	255.1	294.8	335.5	362.8	384.6	388.7	416.1	420.3	452.3	467.5	485.3	487.3	496.8
8667	256.8	306.8	333.7	370.4	393.5	410.8	434.1	442.2	478.2	488.0	502.9	507.9	529.4
8668	257.6	305.1	352.2	385.2	411.4	425.3	450.5	465.2	491.3	492.7	514.3	527.8	533.7
8669	277.0	337.6	373.3	419.8	434.7	457.1	479.9	493.4	522.4	532.9	543.3	557.8	-
SAMPLE	20	20	20	20	20	20	20	20	20	20	20	20	19
MEAN	255.5	304.5*	340.1*	372.1*	387.9	404.1	427.6	436.0	458.2	476.0	489.9	496.9	507.2
S.D.	15.3	19.5	21.2	23.9	26.3	27.9	28.4	28.1	35.4	35.8	38.0	37.2	37.3
S.E.	3.4	4.4	4.7	5.3	5.9	6.2	6.1	6.1	7.9	8.0	8.5	8.3	8.6

*p<0.05 as compared to controls: Dunnett's t-test.

TABLE H-14 (CONTINUED)

PROJECT NO. 1073415
 COMPUTER GROUP NO: 169F
 LITTON BIOMETICS, INC.
 BODY WEIGHT IN GRAMS
 GROUP J FEMALES DOSE: 1000 PPM

ANML NO.	DATES OF TESTING (1980-1981)												
	10/23	10/30	11/ 6	11/13	11/20	11/26	12/ 4	12/11	12/18	12/24	12/31	1/ 8	1/15
8735	172.6	179.4	207.6	208.0	229.3	216.7	241.9	230.8	252.6	250.0	255.5	267.2	258.2
8736	175.5	192.6	202.6	216.2	226.0	220.1	239.6	233.6	238.0	248.7	249.8	256.5	265.7
8737	197.4	212.9	230.3	241.8	254.2	256.0	272.3	262.0	270.8	283.1	287.2	303.9	295.0
8738	197.5	217.0	235.1	259.0	267.1	269.9	283.1	289.2	290.4	298.2	311.3	323.4	320.6
8739	176.1	184.0	205.8	205.7	201.3	203.1	217.3	215.3	218.8	219.6	224.2	227.8	225.7
8740	180.5	205.7	212.4	222.2	228.3	220.5	237.9	243.7	247.3	260.1	252.3	264.6	260.2
8741	181.1	198.5	199.6	211.7	222.7	215.8	231.5	229.2	237.2	250.8	244.6	265.0	253.4
8742	161.9	177.3	204.6	214.9	224.0	232.8	246.5	243.1	250.7	271.0	272.0	280.8	286.9
8743	195.0	209.1	230.2	255.0	248.8	264.3	290.3	278.1	322.8	302.5	312.1	319.5	314.2
8744	189.4	211.3	216.5	220.5	232.1	236.0	242.7	240.9	250.5	255.6	257.1	263.7	266.3
8745	149.2	171.6	173.3	186.2	182.8	199.5	206.3	208.5	215.5	221.4	223.0	232.4	232.7
8746	183.1	197.8	215.7	224.8	242.1	241.7	260.8	253.9	275.6	275.5	291.0	287.5	286.6
8747	160.8	180.0	187.5	194.1	200.2	208.9	211.0	215.2	226.7	228.3	232.0	240.4	244.8
8748	179.5	214.3	217.6	234.1	242.0	247.3	274.3	257.4	269.9	280.0	278.0	287.5	282.7
8749	153.4	177.9	188.6	201.3	214.3	208.6	233.7	223.4	239.7	239.6	251.3	257.4	258.3
8750	172.6	184.6	204.5	216.0	227.8	232.9	245.2	243.3	264.3	264.3	277.1	276.8	271.5
8751	162.2	168.7	185.5	188.6	196.0	201.9	212.0	202.6	216.8	227.0	224.6	231.2	234.3
8752	169.1	193.3	209.6	228.9	218.7	239.5	262.6	254.1	276.6	284.4	278.2	283.9	289.2
8753	209.1	239.2	241.6	255.1	257.0	257.4	275.7	274.2	285.8	293.3	295.3	301.0	310.1
8754	167.7	186.1	199.5	203.0	235.5	225.0	230.0	241.0	244.3	252.4	250.0	264.6	260.0
SAMPLE	20	20	20	20	20	20	20	20	20	20	20	20	20
MEAN	176.6	195.1	207.9	219.4	227.5	229.9	245.7	242.0	254.6	259.9	262.8	271.8	270.8
S.D.	15.7	18.3	18.8	21.4	21.6	21.4	24.9	23.3	27.5	25.3	27.1	27.5	27.0
S.E.	3.5	4.1	4.2	4.9	4.8	4.8	5.6	5.2	6.2	5.6	6.1	6.1	6.0

TABLE H-14 (CONTINUED)
 PROJECT NO. 1073415
 COMPUTER GROUP NO. 1496
 LITTON BIOMETRICS, INC.
 BODY WEIGHT IN GRAMS
 GROUP ♀ MALES DOSE: 3000 PPM

ANML NO.	DATES OF TESTING (1980-1981)												
	10/23	10/30	11/ 6	11/13	11/20	11/26	12/ 4	12/11	12/18	12/24	12/31	1/ 8	1/15
8670	231.3	275.7	297.4	328.7	346.0	363.1	383.4	390.1	406.3	409.1	424.9	429.6	441.8
8671	248.5	291.0	290.9	337.3	349.6	375.9	398.1	408.7	419.3	445.7	452.8	465.8	479.5
8672	242.2	261.0	295.0	321.0	328.3	348.4	369.2	387.7	398.5	406.1	427.6	437.3	447.2
8673	250.2	300.3	332.5	366.2	381.6	408.2	428.9	450.0	461.5	485.1	497.7	508.0	531.1
8674	239.3	296.5	332.0	370.0	396.9	413.5	444.1	455.0	475.4	502.2	513.0	523.1	542.1
8675	262.2	311.0	327.8	365.1	369.0	390.9	408.5	412.6	434.9	449.2	455.7	465.3	467.7
8676	253.9	301.7	332.5	358.4	373.7	391.1	409.7	421.9	446.9	458.7	477.0	476.0	503.4
8677	254.5	298.4	321.9	351.9	352.8	365.7	392.7	398.8	394.6	401.7	417.2	438.1	455.4
8678	245.7	285.8	316.0	348.6	371.0	390.6	411.6	425.0	435.5	446.6	464.3	465.5	486.9
8679	238.7	275.7	315.3	336.5	361.7	368.8	390.9	389.9	408.9	423.9	427.4	446.1	456.4
8680	229.0	265.8	293.5	319.5	340.1	351.4	370.5	375.4	401.4	410.2	396.6	412.4	426.1
8681	236.1	275.3	308.1	329.9	361.4	365.6	394.1	395.5	418.8	435.6	447.0	465.0	469.9
8682	227.3	274.7	311.2	335.6	370.4	378.9	408.3	415.9	437.2	448.1	459.9	466.1	478.1
8683	226.9	270.2	304.5	326.1	352.9	367.0	389.4	387.9	414.8	434.4	451.7	461.2	475.1
8684	189.0	227.1	259.1	280.2	307.5	318.8	345.5	353.2	368.0	391.5	401.1	410.9	420.1
8685	207.6	246.7	279.1	303.4	318.9	333.0	346.8	347.3	382.1	385.1	394.4	396.8	408.0
8686	232.0	266.6	303.9	324.7	345.2	362.8	381.1	400.9	401.0	407.4	417.9	433.6	443.8
8687	232.4	272.6	306.5	334.5	354.6	368.1	386.0	389.0	418.6	430.7	442.2	444.0	454.7
8688	258.2	305.5	348.6	379.6	409.9	423.0	448.2	460.2	485.6	506.0	511.8	527.6	540.9
8689	213.4	250.5	273.8	295.1	310.7	323.8	339.0	349.8	354.9	368.2	377.5	388.3	399.4
SAMPLE	20	20	20	20	20	20	20	20	20	20	20	20	20
MEAN	235.9	277.6	307.5	335.6	355.1	370.4	392.3	400.7	418.2	432.3	442.9	453.0*	465.9
S.D.	18.0	21.7	22.2	25.6	26.4	27.8	29.7	32.0	33.3	37.1	38.1	37.8	41.3
S.E.	4.0	4.8	5.0	5.7	5.9	6.2	6.6	7.2	7.4	8.3	8.5	8.5	9.2

*p<0.05 as compared to controls: Dunnett's t-test.

TABLE H-14 (CONTINUED)
 PROJECT NO. 1073915
 COMPUTER GROUP NO: 169H
 LITTON BIONETICS, INC.
 BODY WEIGHT IN GRAMS
 GROUP ♀ FEMALES DOSE: 3000 PPM

ANML NO.	DATES OF TESTING (1980-1981)												
	10/23	10/30	11/ 6	11/13	11/20	11/26	12/ 4	12/11	12/18	12/24	12/31	1/ 8	1/15
8755	147.2	167.2	175.1	176.7	184.7	182.2	197.5	188.8	201.7	200.4	201.3	219.2	211.3
8756	187.7	200.0	212.0	224.6	230.6	242.7	253.3	250.9	260.6	268.6	275.0	295.7	296.9
8757	171.9	194.2	200.4	218.3	228.1	236.4	246.0	249.2	255.1	266.2	264.5	273.7	275.1
8758	158.9	179.0	182.5	185.1	195.0	203.7	210.5	210.2	220.8	231.0	236.2	233.2	233.8
8759	158.0	172.4	186.6	202.2	205.3	207.4	227.4	219.2	232.6	238.4	240.4	256.8	246.7
8760	181.3	195.7	206.6	225.0	218.0	230.8	244.3	243.4	249.2	256.8	266.8	268.3	267.8
8761	190.2	210.5	213.1	231.4	229.5	238.0	248.0	252.3	256.3	260.8	261.6	274.1	275.3
8762	173.7	188.2	213.8	215.9	222.0	243.1	242.2	249.6	245.5	254.8	263.2	275.7	269.6
8763	179.6	197.7	202.2	217.5	218.0	222.4	225.3	235.7	266.4	238.0	240.1	249.2	247.7
8764	201.2	203.4	225.1	233.9	242.0	250.9	259.1	251.0	255.9	263.9	262.6	270.9	264.6
8765	145.4	150.9	166.3	171.8	183.5	186.8	198.0	188.6	206.4	207.0	209.9	221.2	217.9
8766	178.6	194.5	210.3	214.8	223.2	218.7	238.9	241.1	252.0	261.9	266.5	272.5	274.7
8767	149.0	167.9	176.1	184.4	191.8	195.1	206.8	201.5	216.1	213.4	217.6	213.7	226.4
8768	157.0	172.5	186.5	192.5	191.8	197.5	201.6	199.1	209.5	220.1	217.3	226.5	219.4
8769	157.9	181.8	187.2	193.7	213.7	168.0	225.9	217.0	240.2	233.7	237.9	241.7	247.2
8770	180.9	190.5	209.3	215.5	224.3	230.5	241.4	241.4	250.7	252.6	258.7	271.8	271.6
8771	181.2	188.5	216.5	223.5	232.2	236.2	242.9	251.3	257.4	257.7	258.7	269.2	262.0
8772	177.7	192.3	197.2	196.7	203.3	213.8	224.5	227.2	235.2	242.3	244.1	248.7	251.3
8773	164.2	174.6	187.1	193.5	202.9	207.4	201.3	202.9	216.3	211.4	217.0	219.0	225.5
8774	174.8	201.1	230.5	240.0	252.6	255.2	275.2	266.8	283.6	290.9	302.3	307.5	311.6
SAMPLE	20	20	20	20	20	20	20	20	20	20	20	20	20
MEAN	170.8	186.1	199.2	207.8	215.1	218.3	230.5	229.4	240.6	243.5	247.1	255.4	254.8
S.D.	15.4	14.9	17.6	20.0	19.6	24.3	22.3	24.1	22.4	24.1	25.5	26.9	27.0
S.E.	3.4	3.3	3.9	4.5	4.4	5.4	5.0	5.4	5.0	5.4	5.7	6.0	6.0

TABLE H-15

PROJECT NO. 1073415
 COMPUTER GROUP NO: 165A
 LITTON BIOMETICS, INC.
 DAILY FOOD INTAKE IN GRAMS
 GROUP 1 MALES DOSE: 0 PPM

ANML NO.	DATES OF TESTING (1980-1981)											
	10/20	11/6	11/13	11/20	11/26	12/4	12/11	12/18	12/24	12/31	1/8	1/15
A610	23.3	24.6	25.4	-	23.6	24.7	24.4	-	24.5	24.4	11	12
A611	22.5	23.0	24.0	-	21.6	22.1	20.6	-	21.3	20.7	24.0	24.7
A612	21.5	23.3	23.0	-	22.4	23.4	24.7	-	23.8	24.5	23.5	23.8
A613	21.6	22.8	23.8	-	23.4	24.3	25.4	-	25.9	25.2	25.6	26.4
A614	23.1	24.2	23.9	-	25.0	24.1	24.5	-	24.0	24.1	23.4	24.3
A615	19.9	21.8	19.3	-	19.0	19.5	19.2	-	20.4	20.2	20.0	20.6
A616	23.3	23.0	23.0	-	20.2	21.5	22.4	-	20.7	21.9	21.6	22.0
A617	24.6	25.3	23.9	-	22.3	23.2	23.4	-	23.6	22.8	22.8	22.6
A618	22.1	22.0	21.3	21.1	20.7	23.3	23.4	22.9	24.0	24.3	23.8	24.1
A619	21.5	22.4	21.1	21.4	20.9	21.4	21.4	20.9	22.7	22.5	22.1	22.6
A620	21.4	21.8	21.6	22.0	20.6	21.7	22.6	22.9	22.7	23.8	22.6	23.7
A622	23.8	24.7	24.6	24.3	23.3	24.0	23.9	22.1	24.5	24.4	23.5	24.0
A623	21.7	22.7	21.8	22.5	21.5	22.6	22.5	22.1	21.8	22.0	21.7	22.9
A624	23.9	24.1	24.2	25.2	23.0	24.3	24.9	24.2	25.1	24.8	23.5	25.3
A625	22.6	21.4	21.6	22.8	20.9	22.7	22.1	20.6	18.5	23.1	-	22.4
A626	25.1	25.2	25.8	23.5	22.0	22.9	24.0	24.6	23.3	23.4	23.5	23.8
A627	23.7	23.9	24.0	23.7	23.1	23.4	23.7	23.8	24.9	25.9	23.9	24.5
A628	26.0	26.4	25.8	25.4	26.0	22.9	23.4	22.4	24.3	26.1	23.6	23.5
A629	21.8	23.3	22.5	22.4	21.3	22.4	24.0	23.0	22.5	23.3	23.4	23.2
SAMPLE	20	20	20	12	20	20	20	12	20	20	19	20
MEAN	22.8	23.4	23.0	23.1	22.1	22.9	23.1	22.6	23.2	23.5	22.9	23.4
S.D.	1.5	1.4	1.8	1.4	1.7	1.3	1.5	1.2	1.9	1.5	1.3	1.4
S.E.	0.3	0.3	0.4	0.4	0.4	0.3	0.3	0.4	0.4	0.3	0.2	0.3

TABLE H-15 (CONTINUED)

PROJECT NO. 1073415
 COMPUTER GRCLP NO: 1698
 LITTON BIONETICS, INC.
 DAILY FOOD INTAKE IN GRAMS
 GROUP 1 FEMALES DOSE: 0 PPM

ANML NO.	DATES OF TESTING (1980-1981)													
	10/30	11/6	11/13	11/20	11/26	12/4	12/11	12/18	12/24	12/31	1/8	1/15		
8695	14.0	16.3	15.8	-	15.0	16.2	15.2	-	16.2	16.8	17.8	17.3		
8696	15.9	14.9	14.3	-	11.8	14.3	14.0	-	14.9	14.7	14.9	14.5		
8697	16.2	16.1	16.7	-	17.4	17.7	17.0	-	16.6	18.5	18.5	17.8		
8698	17.7	18.3	18.6	-	18.9	17.4	15.9	-	13.4	18.2	18.9	18.9		
8699	17.5	17.0	17.2	-	16.0	17.4	17.9	-	17.3	17.8	17.2	17.1		
8700	19.3	19.4	18.4	-	19.2	18.8	18.4	-	17.9	19.8	19.4	17.6		
8701	16.1	15.3	13.0	-	15.0	15.4	15.9	-	16.9	16.6	16.1	15.1		
8702	15.6	15.9	16.3	-	14.7	15.8	14.7	-	14.6	14.0	16.3	14.5		
8703	20.5	16.9	17.7	16.9	15.2	18.7	15.1	14.5	16.7	14.4	18.2	14.1		
8704	16.4	17.1	15.7	15.3	14.4	15.2	15.2	15.8	16.7	15.4	15.7	16.2		
8705	16.0	15.2	14.8	14.8	14.1	14.8	15.7	14.6	15.2	14.9	16.3	15.5		
8706	15.2	16.6	16.5	16.3	14.9	16.0	15.8	15.7	15.8	16.6	17.0	16.0		
8707	14.6	16.2	14.6	15.2	13.1	14.4	14.4	14.2	13.8	11.6	14.7	14.9		
8708	14.8	16.7	15.4	15.9	12.8	15.4	14.4	14.6	15.6	14.8	15.5	14.9		
8709	15.8	16.1	15.4	15.2	14.4	15.4	14.1	16.4	15.6	15.4	16.5	14.7		
8710	17.7	16.3	16.9	14.9	15.1	14.8	14.1	13.6	14.8	14.0	16.0	14.6		
8711	15.0	14.9	13.9	15.2	13.2	15.3	12.5	13.7	12.8	13.7	14.4	13.1		
8712	14.3	14.9	13.2	15.5	13.7	14.0	14.3	14.6	13.3	14.2	14.2	13.8		
8713	14.9	16.1	15.1	15.1	14.2	14.8	16.3	14.9	14.4	15.7	16.1	14.5		
8714	17.8	14.4	16.1	15.6	13.8	14.8	17.3	14.8	15.7	15.5	15.4	15.4		
SAMPLE	20	20	20	12	20	20	20	12	20	20	20	20		
MEAN	16.3	16.2	15.8	15.5	14.8	15.8	15.5	14.8	15.4	15.7	16.4	15.5		
S.D.	1.7	1.2	1.6	0.6	1.9	1.4	1.4	0.8	1.4	1.8	1.5	1.5		
S.E.	0.4	0.3	0.3	0.2	0.4	0.3	0.3	0.2	0.3	0.4	0.3	0.3		

TABLE H-15 (CONTINUED)
 PROJECT NO. 1073415
 COMPUTER GRCLP NO: 169C
 LITTON BIOMETRICS, INC.
 DAILY FOOD INTAKE IN SWAMS
 GROUP 2 MALES DOSE: 300 PPM

ANML NO.	DATES OF TESTING (1980-1981)											
	10/30	11/6	11/13	11/20	11/26	12/4	12/11	12/18	12/24	12/31	1/8	1/15
8630	24.0	24.5	23.5	-	22.6	23.1	23.9	-	24.1	22.1	22.2	23.2
8631	22.8	19.9	21.5	-	21.2	22.7	23.1	-	24.4	21.7	23.0	22.1
8632	24.5	23.8	24.7	-	23.8	24.0	24.9	-	26.3	25.3	24.8	25.3
8633	22.0	-	24.5	-	23.1	23.5	24.0	-	25.7	23.0	23.9	24.0
8634	25.0	23.3	24.1	-	23.8	24.1	23.9	-	25.5	24.0	23.6	24.6
8635	23.8	24.1	24.2	-	24.0	23.2	23.7	-	25.7	23.4	23.4	24.1
8636	24.1	23.4	24.3	-	24.2	-	-	-	26.4	24.2	24.3	25.5
8637	20.9	20.9	19.6	-	20.2	-	22.2	-	24.8	21.9	23.2	24.2
8638	22.1	23.9	22.9	22.9	22.3	23.9	23.4	22.6	24.6	24.1	23.4	22.2
8639	22.7	21.9	22.5	22.4	21.6	22.3	23.1	21.6	23.6	23.6	23.2	24.5
8640	22.5	22.6	21.9	22.0	20.1	21.7	22.1	20.3	23.4	21.5	22.2	22.0
8641	21.9	25.3	24.9	25.6	21.9	23.8	24.5	24.6	25.2	24.4	24.4	24.9
8642	21.0	-	22.3	22.6	19.7	20.4	20.6	20.7	22.1	20.9	20.6	22.1
8643	-	-	24.2	24.4	24.9	25.1	26.6	26.6	28.8	-	-	27.2
8644	19.5	17.3	17.0	16.8	16.6	16.0	17.3	17.1	18.8	18.1	19.0	18.2
8645	24.3	24.8	24.5	22.5	23.1	22.4	23.2	23.1	25.2	23.3	22.6	25.0
8646	24.6	24.1	25.2	25.3	23.7	23.7	23.5	21.3	23.2	21.7	22.6	22.3
8647	21.8	21.7	20.7	19.9	19.9	19.5	20.6	20.4	22.4	22.0	22.0	22.1
8648	26.9	25.3	25.4	24.3	22.3	23.4	23.1	23.1	26.3	24.2	23.4	24.1
8649	24.3	23.9	24.4	22.1	23.5	22.6	23.2	23.0	25.0	24.0	22.6	24.6
SAMPLE	19	17	20	12	20	19	19	12	20	19	19	20
MEAN	23.4	23.0	23.0	22.6	22.2	22.4	22.9	22.0	24.6	22.8	22.8	23.4
S.D.	2.0	2.1	2.2	2.4	2.1	2.1	1.9	2.4	2.0	1.7	1.4	1.9
S.E.	0.5	0.5	0.5	0.7	0.5	0.5	0.4	0.7	0.5	0.4	0.3	0.4

TABLE H-15 (CONTINUED)
 PROJECT NO. 1073415
 COMPUTER GROUP NO: 169D
 LITTON BIOMETICS, IAC.
 DAILY FOOD INTAKE IN GRAMS
 GROUP 2 FEMALES DOSE: 300 PPM

ANML NO.	DATES OF TESTING (1980-1981)											
	10/30	11/6	11/13	11/20	11/26	12/4	12/11	12/18	12/24	12/31	1/8	1/15
8715	16.2	18.6	16.1	-	31.2	16.0	16.1	-	17.7	18.1	17.9	16.2
8716	16.3	16.5	17.4	-	14.9	15.5	16.0	-	15.2	15.9	16.8	15.0
8717	16.2	15.6	17.1	-	13.2	18.2	16.1	-	16.8	17.1	17.5	16.7
8718	17.7	18.0	18.0	-	15.7	17.6	16.9	-	16.3	17.3	17.3	16.1
8719	16.2	16.2	16.9	-	14.3	15.2	13.9	-	14.2	15.0	15.7	14.9
8720	19.0	21.0	16.2	-	20.5	15.5	15.0	-	16.1	16.3	15.9	16.1
8721	16.8	14.8	16.5	-	16.5	15.5	15.6	-	16.5	15.5	15.2	16.4
8722	16.1	15.7	13.7	-	15.5	-	14.2	-	16.1	15.3	15.3	15.0
8723	17.8	15.4	16.1	16.2	13.5	14.5	14.9	14.2	14.7	14.8	15.0	15.8
8724	14.3	13.8	14.0	13.0	12.3	12.7	12.4	12.5	12.9	12.5	13.8	13.4
8725	16.0	15.9	16.6	16.1	14.3	16.3	15.3	14.7	15.5	15.6	16.4	15.6
8726	19.1	19.6	18.9	18.6	17.7	19.2	18.9	17.9	19.1	19.1	20.6	20.3
8727	14.8	14.9	14.6	15.5	13.1	15.4	14.9	15.2	16.4	15.3	16.0	15.3
8728	17.5	17.6	17.9	18.4	16.2	16.9	17.8	16.9	17.0	17.4	16.8	17.3
8729	22.1	16.9	17.1	16.2	16.3	15.4	15.9	13.8	17.1	14.9	15.3	14.7
8730	16.5	17.8	17.1	17.7	16.3	17.8	17.0	17.4	19.0	18.6	19.7	20.1
8731	21.0	16.8	17.6	15.1	13.5	14.3	15.4	14.7	14.1	14.0	13.9	14.0
8732	17.4	18.0	18.4	18.0	16.2	18.0	17.0	17.1	16.9	17.7	18.4	14.1
8733	18.5	17.8	16.9	16.9	15.4	16.1	16.4	18.3	15.1	16.5	17.7	14.9
8734	20.1	20.6	18.4	18.9	16.7	-	17.5	18.6	17.7	18.7	19.1	17.8
SAMPLE	20	20	20	12	20	18	20	12	20	20	20	20
MEAN	17.5	17.2	16.8	16.7	16.2	16.1	15.9	15.9	16.2	16.3	16.7	16.1
S.E.	2.0	2.0	1.4	1.7	4.0	1.6	1.5	2.0	1.6	1.7	1.9	1.8
S.E.	0.4	0.4	0.3	0.5	0.9	0.4	0.3	0.6	0.4	0.4	0.4	0.4

TABLE H-15 (CONTINUED)

PROJECT NO. 1073415
 COMPUTER GROUP NO: 169F
 LITTON BIOMETRICS, INC.
 DAILY FOOD INTAKE IN GRAMS
 GROUP 3 MALES DOSE: 1000 PPM

ANML NO.	DATES OF TESTING (1980-1981)													
	10/30	11/ 6	11/13	11/20	11/26	12/ 4	12/11	12/18	12/24	12/31	1/ 8	1/15		
R650	24.0	24.3	24.6	-	25.5	24.4	25.5	-	25.1	23.9	22.6	22.3		
R651	24.1	25.1	26.1	-	25.1	-	26.0	-	-	24.3	-	21.1		
R652	21.8	19.7	21.6	-	21.8	20.2	20.6	-	20.7	20.6	19.9	19.8		
R653	26.4	24.8	27.0	-	24.6	22.5	24.0	-	26.6	24.6	24.6	26.9		
R654	25.1	24.9	25.8	-	21.1	22.6	22.5	-	24.2	22.8	22.1	22.9		
R655	20.5	19.9	21.0	-	20.7	20.8	21.3	-	22.4	21.2	21.5	22.4		
R656	24.4	24.8	23.7	-	20.6	23.8	25.6	-	25.7	26.0	25.9	24.1		
R657	21.9	22.2	21.5	-	21.6	21.5	22.4	-	24.6	22.5	21.4	23.4		
R658	26.3	24.8	23.9	23.8	23.4	22.4	23.9	22.9	24.4	23.9	21.1	23.8		
R659	22.5	23.6	23.1	22.9	20.8	21.9	22.0	21.4	22.1	21.1	22.5	22.2		
R660	23.2	22.8	22.9	20.8	19.7	20.2	20.6	20.0	21.5	22.1	21.0	21.2		
R661	23.9	24.1	24.0	23.1	22.4	21.6	22.4	21.8	24.1	22.1	22.4	22.0		
R662	25.0	24.4	25.1	24.4	24.5	24.5	26.4	25.1	25.1	24.8	24.1	22.8		
R663	20.8	21.5	23.0	22.3	21.4	21.4	21.3	19.4	19.7	18.7	17.8	22.8		
R664	26.8	26.9	26.3	24.4	22.5	22.1	25.3	22.8	25.4	24.2	24.1	22.7		
R665	-	26.2	-	-	26.7	-	20.2	-	30.2	-	-	-		
R666	22.0	22.6	22.7	22.9	20.5	21.0	20.8	21.2	21.4	22.7	21.5	22.7		
R667	24.4	23.3	25.2	23.8	23.5	24.3	25.1	24.6	25.8	25.4	24.1	26.3		
R668	21.8	24.6	24.9	24.9	23.8	24.0	25.9	24.8	25.7	26.7	-	25.4		
R669	-	25.7	26.5	24.3	25.4	25.4	26.4	25.2	27.9	25.3	25.1	-		
SAMPLE	18	20	19	11	20	18	20	11	19	19	17	18		
MEAN	23.7	23.8	24.2	23.8	22.7	22.5	23.4	22.7	24.3	23.6	22.4	23.4		
S.D.	1.9	1.9	1.8	1.9	2.1	1.6	2.1	2.1	2.4	2.3	2.0	1.9		
S.E.	0.4	0.4	0.4	0.6	0.5	0.4	0.5	0.6	0.6	0.5	0.5	0.5		

TABLE H-15 (CONTINUED)

PROJECT NO. 1073415
 COMPUTER GROUP NO: 169F
 LITTON RIGMETICS, INC.
 DAILY FOOD INTAKE IN GRAMS
 GROUP 3 FEMALES DOSE: 1000 PPM

ANML MO.	DATES OF TESTING (1980-1981)											
	10/30	11/6	11/13	11/20	11/26	12/ 4	12/11	12/18	12/24	12/31	1/ 8	1/15
	1	2	3	4	5	6	7	8	9	10	11	12
R735	16.6	18.0	16.5	-	14.5	16.7	15.7	-	15.7	16.4	16.2	15.8
R736	15.9	14.8	15.8	-	14.4	15.6	15.5	-	17.1	15.6	15.8	16.2
R737	18.2	18.8	19.2	-	16.2	17.4	17.0	-	18.4	18.6	18.7	16.3
R738	18.5	20.2	21.0	-	18.3	19.0	19.6	-	18.3	21.0	20.6	19.0
R739	14.9	14.5	16.1	-	14.2	-	15.8	-	14.7	13.2	14.9	14.8
R740	18.0	15.5	17.2	-	15.4	15.9	16.9	-	17.3	14.3	16.9	15.3
R741	15.8	16.2	14.4	-	14.2	15.1	16.0	-	17.5	15.7	18.6	16.4
R742	14.9	16.9	19.6	-	18.2	18.9	19.2	-	21.3	21.3	20.7	22.8
R743	17.2	16.9	19.1	16.7	18.4	18.2	18.0	20.0	17.7	18.3	17.4	15.2
R744	16.7	15.9	15.9	14.7	15.1	14.4	15.9	14.9	16.0	14.4	15.3	14.7
R745	20.6	16.2	15.9	16.0	14.7	14.8	16.4	14.4	16.2	14.7	15.8	14.8
R746	16.6	16.0	16.9	17.3	16.8	16.8	16.9	17.0	17.2	17.2	17.9	16.4
R747	15.8	14.7	14.9	14.0	13.6	13.0	14.2	14.9	14.1	15.0	14.4	15.0
R748	22.4	21.9	22.5	21.9	19.8	20.8	18.5	18.7	18.6	19.4	20.4	18.5
R749	17.2	17.7	17.5	16.4	16.6	16.5	16.5	16.2	16.2	16.8	16.1	16.5
R750	15.7	16.6	16.9	16.5	15.6	16.3	16.9	16.7	17.4	17.6	16.9	16.7
R751	15.3	14.6	15.7	14.7	15.0	14.2	15.0	14.5	15.6	14.4	15.2	14.6
R752	21.4	24.4	19.6	17.8	17.2	17.4	15.9	17.1	17.2	15.6	15.0	14.6
R753	19.9	19.2	17.8	16.9	15.7	17.0	17.4	16.4	17.6	17.4	17.8	17.9
R754	17.0	16.6	17.6	17.7	16.9	18.0	17.2	16.3	17.8	17.5	18.0	16.4
SAMPLE	20	20	20	12	20	19	20	12	20	20	20	20
MEAN	17.4	17.3	17.5*	16.7	16.1	16.6	16.7*	16.4*	17.1*	16.7	17.1	16.4
S.D.	2.2	2.6	2.1	2.0	1.7	1.9	1.4	1.7	1.6	2.2	1.9	2.0
S.E.	0.5	0.6	0.5	0.6	0.4	0.4	0.3	0.5	0.4	0.5	0.4	0.4

*p<0.05 as compared to controls: Dunnett's t-test.

TABLE H-15 (CONTINUED)

PROJECT NO. 1073415
 COMPUTER GRCLP NO: 165G
 LITTON BIOMETRICS, INC.
 DAILY FOOD INTAKE IN GRAMS
 GROUP 4 MALES DOSE: 3000 PPM

ANML NO.	DATES OF TESTING (1980-1981)											
	10/30	11/ 6	11/13	11/20	11/26	12/ 4	12/11	12/18	12/24	12/31	1/ 8	1/15
8670	23.8	20.5	20.5	-	26.9	20.7	20.8	-	21.3	20.2	11	17.8
8671	21.8	-	24.6	-	23.8	22.6	22.1	-	21.7	22.9	20.2	21.4
8672	22.3	22.1	20.0	-	19.8	21.0	21.7	-	22.0	22.1	23.2	23.3
8673	25.8	25.2	24.6	-	24.4	24.6	25.4	-	26.2	26.8	21.9	22.2
8674	24.6	24.2	25.0	-	23.8	24.8	25.7	-	26.4	24.9	25.4	25.2
8675	26.5	24.9	25.2	-	21.7	22.3	21.9	-	21.1	21.6	22.0	20.8
8676	-	22.4	22.6	-	21.4	21.9	22.7	-	21.8	23.3	23.7	23.9
8677	23.0	21.9	22.3	-	21.6	21.3	21.6	-	21.0	21.1	22.0	22.6
8678	-	23.1	23.4	22.2	21.7	22.4	-	20.7	21.4	21.0	21.2	22.8
8679	21.6	23.9	22.5	21.6	19.8	20.8	19.3	19.3	21.8	18.6	19.1	20.3
8680	20.3	19.9	20.7	21.1	20.5	20.9	20.5	20.9	21.0	17.8	18.6	21.5
8681	21.6	21.3	21.2	23.5	20.1	22.3	21.9	20.8	21.6	23.1	23.8	22.9
8682	21.3	20.9	21.8	22.4	20.7	21.1	20.8	21.7	23.0	21.6	22.9	23.8
8683	21.6	22.6	21.1	21.4	20.1	20.8	20.5	20.0	21.7	21.1	22.0	22.6
8684	20.1	20.1	21.2	22.6	20.1	21.2	21.5	21.7	20.9	20.7	20.8	20.5
8685	19.5	20.0	20.6	20.3	18.5	19.6	18.9	18.7	18.2	18.4	20.9	19.7
8686	19.4	20.9	21.1	20.2	19.6	19.7	19.1	18.6	20.0	21.2	20.3	22.7
8687	20.1	21.0	20.4	21.3	19.1	20.4	20.7	20.4	20.8	20.0	19.1	20.7
8688	-	23.1	23.9	26.0	22.5	24.5	24.1	25.2	24.5	23.9	24.5	24.5
8689	19.5	19.8	19.0	19.9	18.8	18.9	19.2	18.7	20.4	18.7	19.7	19.4
SAMPLE	17	19	20	12	20	26	19	12	20	20	19	20
MEAN	21.9	22.0*	22.1	21.9	21.3	21.6*	21.5*	20.5*	22.2	21.4*	21.7	22.5
S.D.	2.2	1.7	1.8	1.7	2.4	1.6	1.9	1.8	2.1	2.3	1.9	2.2
S.E.	0.5	0.4	0.4	0.5	0.5	0.4	0.4	0.5	0.5	0.5	0.4	0.5

*p<0.05 as compared to controls: Dunnett's t-test.

TABLE H-15 (CONTINUED)

PROJECT NO. 1073415
 COMPUTER GROUP NO: 165H
 LITTON BIOMETICS, INC.
 DAILY FOOD INTAKE IN GRAMS
 GROUP 4 FEMALES DOSE: 3000 PPM

ANML NO.	DATES OF TESTING (1980-1981)											
	10/30	11/6	11/13	11/20	11/26	12/4	12/11	12/18	12/24	12/31	1/8	1/15
8755	14.3	14.5	12.3	-	12.9	13.1	-	-	14.4	13.4	15.4	14.3
8756	16.5	15.8	16.0	-	16.2	17.0	17.2	-	17.7	17.4	18.4	17.1
8757	19.2	17.1	16.4	-	16.5	15.4	16.1	-	16.6	15.6	16.0	16.1
8758	14.3	14.1	14.3	-	14.6	14.3	13.9	-	14.9	12.9	14.3	14.6
8759	15.4	15.7	15.7	-	16.3	16.6	16.6	-	18.5	16.8	17.3	16.1
8760	15.6	15.3	14.5	-	13.6	14.2	14.4	-	14.2	15.4	15.0	14.8
8761	18.9	17.4	17.0	-	15.3	15.6	16.6	-	15.2	15.7	16.4	15.5
8762	16.5	17.7	16.1	-	17.0	17.4	17.1	-	16.7	17.3	17.9	16.0
8763	16.3	14.8	15.3	-	12.4	12.7	14.2	13.4	14.5	13.8	14.4	13.4
8764	17.1	17.6	18.6	18.7	16.0	17.1	16.5	16.7	18.1	16.7	17.0	16.3
8765	14.4	16.1	15.4	16.4	13.9	16.1	15.3	15.9	16.2	16.1	16.6	14.6
8766	17.6	17.8	15.7	15.9	14.4	16.2	16.4	16.1	17.2	16.4	16.7	16.7
8767	16.9	15.3	14.7	15.7	16.1	13.4	13.1	12.7	13.9	12.8	12.5	13.3
8768	16.3	15.8	13.2	13.4	12.6	13.0	12.2	12.7	14.4	12.9	13.4	12.9
8769	19.1	14.6	15.4	16.3	15.1	14.4	15.0	15.8	14.6	14.5	14.2	15.1
8770	15.3	19.1	16.4	16.6	15.1	15.5	14.4	15.3	16.5	15.8	17.6	16.3
8771	15.1	17.4	15.9	15.8	13.8	14.8	15.9	15.4	15.9	15.0	16.0	15.1
8772	16.8	16.1	15.4	15.0	14.0	14.1	14.4	14.1	15.7	15.4	14.9	15.6
8773	16.2	14.1	14.2	13.8	36.2	17.2	13.4	12.9	12.8	12.4	12.5	13.3
8774	18.1	20.5	19.8	20.9	18.7	20.1	16.9	17.4	19.3	19.1	18.9	18.6
SAMPLE	20	20	20	20	20	20	19	12	20	20	20	20
MEAN	16.5	16.3	15.6	16.0	16.1	15.2	15.4	14.9	15.9	15.3	15.8	15.3
S.D.	1.5	1.7	1.7	2.1	5.0	1.9	1.5	1.6	1.7	1.8	1.9	1.4
S.E.	0.3	0.4	0.4	0.6	1.1	0.4	0.3	0.5	0.4	0.4	0.4	0.3

TABLE H-16
 PROJECT NO. 1075015
 COMPUTER GROUP #01 169A
 LITTON INDUSTRIES, INC.
 DAILY LIQUID INTAKE IN GRAMS

GROUP 1	MALES										DOSE: 0 PPM	
	ANML DATES OF TESTING (1980-1981)											
	10/30	11/ 6	11/13	11/20	11/26	12/ 4	12/11	12/18	12/24	12/31	1/ 8	1/15
	1	2	3	4	5	6	7	8	9	10	11	12
8610	40.8	58.3	57.7	51.3	48.2	46.3	52.0	-	43.8	47.7	48.2	47.0
8611	32.3	45.3	39.1	40.8	36.1	32.8	24.7	31.6	33.9	28.7	34.9	29.8
8612	30.7	33.5	34.2	37.1	36.2	38.8	38.0	41.5	38.5	35.4	40.6	35.4
8613	35.3	42.5	48.6	50.2	43.9	55.9	45.1	49.3	54.0	43.5	50.5	42.1
8614	38.1	34.5	35.1	44.6	41.0	41.8	45.1	34.4	39.9	37.9	38.2	36.1
8615	29.3	31.7	31.1	34.3	33.0	33.6	34.7	34.8	27.5	32.2	38.8	27.5
8616	36.7	31.9	35.2	38.9	36.7	46.9	33.6	43.8	52.2	30.2	40.6	35.2
8617	65.2	38.0	38.3	44.8	36.8	50.0	38.0	49.3	40.2	34.9	39.5	37.3
8618	26.0	27.8	28.7	32.8	37.7	35.7	29.8	34.6	32.3	32.0	37.2	30.6
8619	36.6	36.8	40.2	40.6	40.9	42.3	42.5	34.3	39.2	35.7	49.0	35.6
8620	35.5	24.8	33.8	32.6	37.5	39.3	39.5	35.1	35.2	40.6	40.0	34.1
8621	51.6	38.0	29.6	39.1	36.8	41.6	36.5	36.3	35.2	35.7	42.8	37.0
8622	36.6	40.3	40.3	43.8	46.5	43.1	39.4	40.5	42.7	36.1	49.9	33.3
8623	31.9	30.3	29.1	32.8	30.4	32.8	30.6	28.1	31.5	30.1	37.9	32.4
8624	41.2	38.8	43.3	42.1	44.4	48.6	46.1	42.8	49.8	38.3	51.3	50.4
8625	33.7	37.8	32.0	37.6	32.2	43.7	38.5	25.8	35.2	34.9	54.5	33.1
8626	48.1	39.4	44.7	44.9	46.0	48.6	43.8	47.7	42.0	42.5	48.6	40.7
8627	31.8	35.1	36.5	38.1	38.0	41.3	34.1	35.3	35.0	41.8	42.5	33.4
8628	31.6	30.1	32.1	35.0	32.5	37.6	39.0	36.3	35.2	31.4	46.2	35.8
8629	37.6	46.3	49.0	42.3	40.2	63.9	-	37.1	46.4	41.2	56.0	42.9
SAMPLE	20	20	20	20	20	20	19	19	20	20	20	20
MEAN	36.4	37.3	37.9	40.2	38.7	43.2	38.7	37.8	38.5	36.5	44.3	36.5
S.D.	8.3	7.1	7.6	5.4	5.0	7.8	6.0	6.6	6.5	5.1	6.2	5.6
S.E.	1.8	1.5	1.7	1.2	1.1	1.7	1.3	1.5	1.4	1.1	1.3	1.2

TABLE H-16 (CONTINUED)

PROJECT NO. 1075415
 COMPUTER GROUP-103 1998
 LILLION BIOMETRICS, INC.
 DAILY LIQUID INTAKE IN GRAMS

ANML NO.	DATES OF TESTING (1980-1981)											
	10/30	11/6	11/13	11/20	11/26	12/4	12/11	12/18	12/24	12/31	1/8	1/15
8695	26.8	28.3	23.3	34.1	30.9	26.8	29.0	35.3	34.5	32.0	35.1	27.6
8696	21.9	19.3	23.1	26.7	24.7	22.6	24.3	30.1	26.0	22.4	32.8	21.3
8697	32.2	28.3	31.4	38.3	42.4	41.3	39.3	43.0	43.9	44.5	43.7	32.3
8698	32.3	35.3	32.3	35.1	35.2	34.5	37.3	31.6	27.2	39.0	45.8	35.8
8699	28.0	27.4	24.0	28.4	28.4	29.1	27.6	24.3	24.2	29.7	30.6	24.1
8700	39.0	-	-	45.6	32.4	40.7	39.2	38.6	46.4	58.6	45.8	32.1
8701	46.4	25.6	27.1	30.8	27.0	28.4	30.2	27.5	32.5	29.0	40.1	23.5
8702	26.0	26.8	24.8	26.4	25.2	29.3	20.9	29.5	23.1	21.9	33.3	19.6
8703	48.8	32.1	30.5	33.6	33.2	33.6	28.2	27.5	32.6	28.3	35.0	25.3
8704	23.8	21.3	25.6	26.4	26.7	24.3	26.4	25.1	35.4	23.5	26.6	27.1
8705	28.2	22.6	23.1	43.0	40.5	24.1	29.9	27.7	30.4	25.4	42.5	24.6
8706	34.6	31.5	32.3	38.3	31.7	37.4	36.0	31.2	34.4	34.4	45.6	33.5
8707	33.1	29.0	25.0	27.8	29.2	27.1	23.7	29.1	29.9	23.0	43.8	22.8
8708	31.6	31.2	26.1	37.3	28.0	32.9	24.8	25.2	30.6	30.7	31.3	27.9
8709	30.0	32.6	34.7	30.5	27.2	39.3	32.6	34.4	25.2	41.3	45.8	26.4
8710	29.6	33.3	44.3	28.1	36.0	25.8	26.8	18.9	26.8	21.0	29.6	22.8
8711	27.1	27.3	25.1	27.1	25.5	32.6	29.5	24.5	28.5	27.4	27.0	21.3
8712	41.2	29.4	22.8	29.6	23.8	29.9	26.2	30.0	29.4	31.1	27.4	24.0
8713	25.6	32.9	31.7	23.1	24.7	25.9	25.1	25.6	25.5	23.7	47.0	24.7
8714	35.0	22.0	26.4	28.6	26.0	28.0	25.1	26.3	26.5	33.0	26.3	25.2
SAMPLE	20	19	19	20	20	20	20	20	20	20	20	20
MEAN	32.2	28.2	28.1	31.9	29.9	30.7	29.1	29.3	30.6	30.9	36.7	26.1
S.D.	7.0	4.4	5.4	6.0	5.3	5.6	5.2	5.4	6.1	9.2	7.6	4.3
S.E.	1.5	1.0	1.2	1.3	1.1	1.2	1.1	1.2	1.3	2.0	1.7	0.9

TABLE H-16 (CONTINUED)

PROJECT NO. 1075415
 COMPUTER GROUP CO: 109C
 LITTON INDUSTRIES, INC.
 DAILY LIQUID LEAKAGE TO GRAMS

GROUP 2	SAMPLES		DUSEL 500 MPH											
	DATES UP TESTING (1980-1981)													
NO.	10/30	11/6	11/13	11/20	11/26	12/4	12/11	12/18	12/24	12/31	1/8	1/15		
8630	1	2	3	4	5	6	7	8	9	10	11	12		
8631	30.8	29.8	34.7	34.2	33.7	35.5	36.0	41.6	43.4	41.7	47.1	41.3		
8632	38.1	39.5	44.4	52.9	48.5	46.8	29.5	35.8	33.5	27.8	38.4	28.8		
8633	34.4	35.8	40.1	42.1	35.4	37.3	29.6	43.8	33.7	28.0	59.5	45.4		
8634	38.6	34.2	42.2	46.4	47.0	37.9	37.3	37.7	41.2	40.5	33.1	30.6		
8635	41.8	42.8	45.9	48.2	52.5	47.1	45.2	49.1	55.6	48.2	59.0	46.6		
8636	35.8	34.5	36.1	40.6	40.3	45.5	45.2	44.5	50.8	36.7	63.9	47.5		
8637	30.2	28.9	26.9	33.9	35.8	36.4	35.9	40.2	39.0	36.2	44.3	37.3		
8638	32.2	31.1	32.3	34.8	36.5	41.4	32.5	33.5	38.5	40.6	37.3	61.8		
8639	32.0	33.6	32.3	37.7	35.0	44.0	58.5	34.8	35.9	38.5	40.5	38.1		
8640	29.9	29.8	28.6	33.1	26.6	36.4	24.6	35.1	40.2	33.3	36.6	32.0		
8641	44.3	37.8	35.2	42.8	32.9	44.8	35.4	42.3	37.9	36.0	51.2	32.5		
8642	31.0	28.6	28.1	29.3	34.0	30.7	30.2	33.6	34.4	30.5	39.7	34.1		
8643	37.5	45.0	36.1	40.6	47.9	47.1	44.1	43.3	43.0	38.9	50.3	43.4		
8644	27.4	22.6	23.9	27.8	30.2	29.3	30.6	32.5	33.5	33.3	44.6	32.8		
8645	38.5	35.1	42.5	40.7	36.7	49.1	41.6	46.6	-	79.0	59.3	53.3		
8646	32.8	29.8	36.6	36.0	34.7	32.6	28.9	27.9	30.5	29.7	41.2	28.0		
8647	34.0	32.0	29.0	28.3	31.5	33.5	34.1	32.8	38.3	33.5	47.8	28.6		
8648	40.6	38.5	40.4	44.4	47.6	44.4	44.5	37.4	39.0	39.1	46.6	37.0		
8649	31.9	33.8	33.4	31.7	32.5	32.0	32.8	32.6	36.2	32.7	36.3	31.2		
SAMPLE	19	20	20	20	20	20	20	20	19	20	20	20		
MEAN	35.9	34.1	35.4	38.5	38.0	39.8	36.8	38.5	39.4	38.5	46.4	38.5		
S.D.	6.9	5.3	6.1	6.9	7.1	6.3	7.9	5.7	6.1	11.0	8.9	9.0		
S.E.	1.5	1.2	1.3	1.5	1.5	1.4	1.7	1.2	1.4	2.4	1.9	2.0		

TABLE H-16 (CONTINUED)

PROJECT NO. 1075015
 COMPUTER GROUP NO. 1090
 LITTON AIRISTICS, INC.
 DAILY LIQUID INTAKE IN GRAMS

GROUP 2 FEMALE	DOSE 300 PPM																							
	DATES OF TESTING (1980-1981)																							
SAMPLE NO.	10/30		11/6		11/13		11/20		11/26		12/4		12/11		12/18		12/24		12/31		1/8		1/15	
	20	20	2	2	3	3	4	4	5	5	6	6	7	7	8	8	9	9	10	10	11	11	12	12
0715	27.8	29.6	27.7	30.9	26.2	29.6	27.1	27.1	28.2	27.8	27.1	27.1	27.1	32.8	32.8	41.5	41.5	33.6	33.6	34.8	34.8	31.1	31.1	
0716	26.4	26.0	30.6	35.9	30.4	27.8	31.5	30.9	30.4	27.8	31.5	31.5	31.5	29.1	29.1	29.2	29.2	33.6	33.6	31.9	31.9	25.9	25.9	
0717	25.2	22.1	27.1	59.5	46.4	35.1	50.9	46.4	46.4	35.1	34.3	34.3	40.6	49.1	49.1	29.5	29.5	45.4	45.4	58.0	58.0	24.8	24.8	
0718	37.6	34.1	33.6	41.2	34.0	37.8	34.3	34.3	34.0	37.8	34.3	34.3	40.6	40.6	40.6	37.9	37.9	37.5	37.5	35.1	35.1	32.0	32.0	
0719	28.2	23.6	28.9	31.5	19.6	24.2	24.3	19.6	32.5	24.2	24.3	24.3	28.1	28.1	28.1	28.9	28.9	24.7	24.7	30.4	30.4	23.5	23.5	
0720	24.0	26.9	32.6	33.3	32.5	25.0	22.5	32.5	32.5	25.0	22.5	22.5	24.3	24.3	24.3	28.7	28.7	28.1	28.1	26.7	26.7	21.8	21.8	
0721	29.4	26.2	33.1	34.4	28.4	30.7	26.1	34.4	28.4	30.7	26.1	26.1	27.2	27.2	27.2	33.7	33.7	29.5	29.5	32.4	32.4	31.8	31.8	
0722	27.2	23.6	17.5	25.5	25.7	30.0	22.8	25.5	25.7	30.0	22.8	22.8	31.1	31.1	31.1	25.6	25.6	21.7	21.7	33.3	33.3	23.3	23.3	
0723	36.5	29.5	27.1	41.5	33.2	33.6	33.6	33.2	33.2	33.6	33.6	33.6	30.6	30.6	30.6	35.3	35.3	35.2	35.2	41.5	41.5	36.8	36.8	
0724	28.3	25.8	20.9	25.3	22.1	22.0	27.5	22.1	22.1	22.0	27.5	27.5	20.9	20.9	20.9	24.0	24.0	22.7	22.7	42.6	42.6	25.5	25.5	
0725	27.5	26.0	29.5	32.1	29.2	28.5	30.1	29.2	31.2	28.5	30.1	30.1	32.4	32.4	32.4	17.0	17.0	31.5	31.5	35.8	35.8	32.3	32.3	
0726	34.0	31.4	36.0	35.8	31.2	32.6	33.5	31.2	31.2	32.6	33.5	33.5	25.1	25.1	25.1	40.5	40.5	40.8	40.8	40.8	40.8	36.2	36.2	
0727	25.1	25.0	20.7	33.1	27.6	30.0	27.4	27.6	27.6	30.0	27.4	27.4	29.3	29.3	29.3	36.2	36.2	27.8	27.8	33.6	33.6	28.7	28.7	
0728	33.7	33.1	26.0	32.0	38.7	24.2	33.1	32.0	31.2	24.2	30.4	25.6	32.9	32.9	32.9	32.7	32.7	28.9	28.9	35.9	35.9	30.8	30.8	
0729	31.5	25.8	23.1	26.6	24.0	30.4	25.6	26.6	24.0	30.4	25.6	25.6	24.7	24.7	24.7	32.2	32.2	27.5	27.5	25.6	25.6	26.3	26.3	
0730	26.6	27.0	30.8	30.0	27.9	32.3	32.9	27.9	24.0	32.3	32.9	32.9	41.5	41.5	41.5	15.7	15.7	33.7	33.7	36.5	36.5	38.3	38.3	
0731	29.9	25.4	19.8	26.8	26.5	26.1	23.0	26.8	26.5	26.1	23.0	23.0	23.4	23.4	23.4	28.2	28.2	24.7	24.7	31.2	31.2	23.4	23.4	
0732	29.6	27.5	27.7	31.6	24.2	46.1	29.9	24.2	24.2	46.1	29.9	29.9	26.9	26.9	26.9	33.6	33.6	29.7	29.7	34.8	34.8	32.0	32.0	
0733	29.0	28.2	24.7	26.3	26.7	29.1	27.3	26.7	26.7	29.1	27.3	27.3	25.6	25.6	25.6	32.9	32.9	31.5	31.5	35.6	35.6	25.5	25.5	
0734	35.9	35.3	28.0	31.3	31.6	45.6	33.6	31.6	31.6	45.6	33.6	33.6	26.0	26.0	26.0	36.0	36.0	31.9	31.9	49.0	49.0	30.5	30.5	
SAMPLE	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	
MEAN	29.9	27.5	27.3	33.2	29.4	31.5	29.1	29.1	29.4	31.5	29.1	29.1	29.7	29.7	29.7	30.9	30.9	30.4	30.4	36.6	36.6	29.0	29.0	
S.D.	3.7	3.6	4.9	7.6	5.9	5.9	4.4	4.4	5.9	5.9	4.4	4.4	6.9	6.9	6.9	6.8	6.8	5.4	5.4	1.3	1.3	4.8	4.8	
S.E.	0.8	0.8	1.1	1.7	1.3	1.3	0.9	0.9	1.3	1.3	0.9	0.9	1.5	1.5	1.5	1.5	1.5	1.2	1.2	1.6	1.6	1.0	1.0	

TABLE H-16 (CONTINUED)
 PROJECT No. 1075415
 COMPUTER GROUP No. 169E
 LITHON BIODELICS, INC.
 DAILY LIQUID INTAKE IN GRAMS

GROUP	MALES		DOSE1		1000 PPM												
	DATES OF TESTING (1980-1981)										12/24		12/31		1/8		1/15
ANML NO.	10/30	11/6	11/13	11/20	11/26	12/4	12/11	12/16	12/24	12/31	1/8	1/15					
8650	43.2	42.3	47.6	46.9	54.0	53.6	45.1	55.9	51.9	44.5	60.1	42.9					
8651	36.8	34.3	39.4	45.5	37.7	40.3	34.1	46.2	46.3	42.0	57.9	73.1					
8652	37.6	31.8	37.0	44.0	36.7	39.1	38.7	40.0	37.9	32.5	43.5	35.5					
8653	42.6	40.6	44.1	44.5	37.0	40.1	49.1	43.9	41.7	36.5	44.6	36.5					
8654	35.9	37.9	37.8	36.0	31.5	40.6	32.8	45.1	38.7	35.4	59.3	30.3					
8655	35.9	36.2	36.8	39.1	46.3	45.0	37.3	41.1	49.6	36.5	42.0	42.6					
8656	39.4	40.2	39.8	28.1	37.2	45.0	40.5	43.3	53.2	42.2	53.1	51.8					
8657	40.3	36.8	37.6	51.1	34.9	44.4	59.4	59.1	39.4	39.7	44.0	38.8					
8658	37.2	33.0	38.7	46.4	46.5	37.3	40.1	38.5	44.7	36.4	40.7	32.5					
8659	33.0	33.0	33.7	37.6	41.3	38.5	33.3	40.3	47.9	41.4	37.0	31.6					
8661	34.5	35.4	33.2	34.0	33.3	36.0	36.1	34.0	33.2	39.2	38.5	36.5					
8662	44.6	44.0	50.7	49.9	58.8	58.1	56.5	49.5	53.7	57.0	47.5	45.6					
8663	38.0	39.8	43.2	36.1	45.1	43.1	41.6	41.6	53.3	40.9	52.8	39.1					
8664	38.9	38.2	40.0	35.8	39.6	40.7	45.7	36.2	45.3	55.2	76.6	32.2					
8665	43.0	36.5	44.3	43.3	42.7	46.9	46.9	49.5	44.4	46.9	44.3	44.7					
8666	34.6	29.2	50.1	54.1	29.0	33.6	28.3	31.3	34.5	35.1	34.8	31.5					
8667	41.5	35.8	46.4	39.8	42.2	44.3	40.2	42.8	53.7	40.6	44.8	45.4					
8668	32.3	36.3	39.6	38.6	38.0	41.8	40.1	37.7	34.5	38.5	42.6	34.4					
8669	35.4	33.9	40.5	40.5	38.5	44.8	40.8	38.6	43.3	30.4	46.5	-					
SAMPLE	20	20	20	20	20	20	19	20	20	19	20	19					
MEAN	38.2	36.6	40.2	40.4	40.2	42.6	39.8	42.1	44.7*	39.9	46.3	39.7					
S.D.	3.5	3.6	4.6	6.1	7.3	5.6	6.3	6.2	6.7	6.0	9.8	10.1					
S.E.	0.7	0.8	1.0	1.3	1.6	1.2	1.4	1.3	1.5	1.3	2.2	2.3					

*p<0.05 as compared to controls; Dunnett's t-test.

TABLE H-16 (CONTINUED)

PROJECT NO. 1073415
 COMPUTER GROUP NO: 1894
 CITTON BIOLOGICS, INC.
 DAILY LIQUID INTAKE IN GRAMS

SAMPLE NO.	DATES OF TESTING (1980-1981)										17/8	17/15
	10/30	11/6	11/13	11/20	11/26	12/4	12/11	12/18	12/24	12/31		
	1	2	3	4	5	6	7	8	9	10	11	12
8735	25.8	55.2	36.0	34.6	28.9	31.0	22.5	27.6	29.3	26.5	32.1	26.3
8736	37.2	43.5	32.6	35.7	62.5	59.4	64.4	35.5	40.0	40.6	43.5	54.4
8737	35.2	34.1	34.0	35.8	30.2	32.8	30.1	32.7	38.5	29.7	37.6	27.7
8738	31.6	31.2	30.5	34.0	31.5	33.8	33.0	35.5	42.0	38.7	36.6	33.6
8739	37.2	31.3	36.5	33.2	33.9	34.0	42.3	36.1	36.2	45.2	42.6	34.8
8740	36.1	31.1	33.2	33.3	35.1	44.1	42.6	36.3	46.8	29.9	41.3	37.5
8741	34.0	27.7	24.7	34.1	28.3	34.4	38.5	27.6	34.2	34.2	39.6	26.8
8742	29.5	33.4	32.9	29.5	55.6	44.3	-	47.8	-	61.9	68.8	61.9
8743	27.6	25.9	35.4	34.8	34.7	36.8	33.0	34.5	32.5	35.7	33.1	32.1
8744	30.8	29.1	24.0	27.7	34.5	34.4	38.6	32.4	26.1	29.7	33.3	28.3
8745	55.3	29.7	26.8	24.9	28.7	25.1	22.0	25.2	24.0	21.5	28.5	20.3
8746	24.9	25.6	25.8	30.2	27.4	36.1	31.0	32.8	31.5	30.2	35.8	27.8
8747	26.1	36.0	27.5	30.5	42.4	24.5	23.5	25.6	27.9	27.9	29.1	23.5
8748	33.4	25.7	30.9	31.7	29.5	34.6	31.0	26.7	39.8	34.5	32.2	26.5
8749	38.7	45.5	45.4	49.4	39.2	43.3	45.4	36.3	36.4	42.3	45.8	42.2
8750	34.9	31.8	37.1	34.2	48.0	43.9	32.0	35.1	48.1	30.7	58.5	29.7
8751	-	38.5	44.0	37.7	45.0	35.1	37.6	40.8	44.8	39.2	58.0	32.3
8752	34.1	31.0	32.9	35.1	37.2	29.8	30.8	34.3	36.2	30.1	36.3	28.5
8753	41.8	33.5	32.2	31.1	31.5	33.3	30.5	33.3	42.1	33.2	37.2	34.3
8754	28.1	26.7	50.6	26.2	34.8	24.0	29.5	26.0	34.2	22.2	27.5	23.7
SAMPLE	19	20	20	20	20	20	19	20	19	20	20	20
MEAN	33.8	32.2*	33.1*	34.1	36.9*	35.5*	34.6*	33.5	36.6*	34.2	39.9	32.6*
S.D.	7.0	5.6	5.4	5.4	9.4	7.7	9.7	5.8	6.8	9.0	10.8	10.1
S.E.	1.6	1.2	1.2	1.2	2.1	1.7	2.2	1.3	1.5	2.0	2.4	2.2

*p<0.05 as compared to controls: Dunnett's t-test.

TABLE H-16 (CONTINUED)

PROJECT NO. J073015
 COMPUTER GROUP JOB 1696
 LITTON MEDICALS, INC.
 DAILY LIQUID INTAKE IN GRAMS

SAMPLE NO.	GROUP 4 MALES OUSEL 5000 PPM													
	DATES OF TESTING (1980-1981)													
	10/30	11/6	11/15	11/20	11/26	12/4	12/11	12/18	12/24	12/31	1/8	1/15	1/20	1/27
0670	37.0	28.6	32.8	37.0	32.4	33.5	29.8	35.3	33.0	34.0	35.3	36.3	34.0	35.3
0671	33.4	34.1	38.8	42.8	36.0	41.6	32.6	39.1	50.0	33.5	41.8	41.0	33.5	41.8
0672	32.1	32.1	24.3	34.6	30.6	34.2	33.3	43.4	35.0	37.5	71.6	56.7	37.5	71.6
0673	42.7	37.2	45.4	46.4	51.0	41.4	42.7	43.0	47.8	39.7	48.5	42.3	39.7	48.5
0674	45.0	33.8	-	39.3	36.9	36.9	33.4	40.3	42.5	38.8	48.5	34.3	38.8	48.5
0675	42.3	38.7	38.4	38.0	42.0	44.0	35.4	43.0	48.2	36.2	42.8	34.4	36.2	42.8
0676	34.0	31.6	33.5	28.1	33.2	35.2	28.3	46.5	34.4	34.4	43.6	36.2	34.4	43.6
0677	37.8	33.6	34.3	37.3	35.5	39.0	34.0	40.1	34.2	37.5	39.5	38.0	37.5	39.5
0678	32.4	28.3	33.9	32.1	35.5	31.2	29.6	33.1	31.4	26.2	35.8	35.8	26.2	35.8
0679	34.8	38.9	37.4	39.8	38.5	38.1	30.5	38.0	39.4	26.0	41.2	35.9	26.0	41.2
0680	31.3	24.6	33.3	41.2	42.3	40.7	42.1	38.6	36.0	33.0	37.2	32.3	33.0	37.2
0681	38.5	42.1	45.4	46.5	44.4	52.3	56.9	56.3	60.3	48.8	71.2	47.9	48.8	71.2
0682	32.0	36.2	36.1	42.3	36.1	38.1	37.0	38.1	43.8	37.2	41.1	35.3	37.2	41.1
0683	35.1	35.7	33.9	35.5	33.7	38.3	33.5	36.8	38.8	33.5	44.1	39.0	33.5	44.1
0684	35.4	39.9	45.7	40.0	34.4	39.4	34.5	40.4	38.2	36.1	40.6	-	36.1	40.6
0685	30.3	26.4	28.7	30.9	33.2	31.9	26.6	32.0	27.2	28.3	32.5	27.3	28.3	32.5
0686	28.0	28.1	30.1	31.5	29.4	31.7	22.0	24.6	22.2	27.5	31.6	28.3	27.5	31.6
0687	38.4	46.3	48.3	42.1	41.5	47.3	43.7	46.0	42.4	41.6	51.1	47.9	41.6	51.1
0688	41.4	42.2	43.8	42.8	48.7	53.7	40.0	43.8	47.0	41.5	51.5	50.3	41.5	51.5
0689	29.5	32.1	28.6	31.8	33.2	36.4	32.8	32.6	36.8	33.4	42.5	33.8	33.4	42.5
SAMPLE MEAN	20	20	19	20	20	20	20	20	20	20	20	19	20	20
S.D.	35.8	34.8	37.0	38.0	39.5	39.2	34.7	39.6	39.6	35.2	44.3	38.6	35.2	44.3
S.E.	4.8	5.4	6.2	5.2	7.4	6.2	7.7	6.6	8.6	5.6	10.6	7.5	5.6	10.6
S.E.	1.0	1.2	1.4	1.1	1.6	1.4	1.7	1.4	1.9	1.2	2.5	1.7	1.2	2.5

TABLE H-16 (CONTINUED)

PROJECT NO. 1075415
 COMPUTER GROUP NO: 169H
 LITTON BIOMETRICS, INC.
 DAILY LIQUID INTAKE 1% GRAMS

GROUP 4 FEMALE DOSE: 5000 PPM

ANML DATES OF TESTING (1980-1981)

SAMPLE NO.	10/30		11/6		11/15		11/20		11/26		12/4		12/11		12/18		12/24		12/31		1/8		1/15	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
8755	25.0	25.7	23.8	34.1	28.3	33.1	27.5	39.6	32.0	29.5	33.0	26.3	30.5	28.4	39.7	34.6	32.0	29.5	33.8	34.1	30.6	30.6	30.6	30.6
8756	29.9	22.3	25.1	33.3	32.7	34.0	31.1	34.6	53.6	32.4	34.6	31.1	38.4	39.7	34.6	34.6	53.6	32.4	34.6	34.6	44.0	44.0	44.0	44.0
8757	33.5	26.1	25.2	34.5	36.5	35.4	36.7	38.6	39.1	27.6	36.7	36.7	38.6	39.7	34.6	38.6	39.1	27.6	34.6	34.6	33.1	33.1	33.1	33.1
8758	29.9	28.8	35.2	39.8	37.5	39.1	37.3	45.3	39.3	34.6	37.3	37.3	45.3	39.3	34.6	45.3	39.3	34.6	34.6	34.6	32.9	32.9	32.9	32.9
8759	34.8	34.7	33.6	38.6	42.0	40.7	-	38.4	36.5	28.0	40.7	-	38.4	36.5	28.0	38.4	36.5	28.0	28.0	28.0	40.2	40.2	40.2	40.2
8760	26.6	23.6	33.9	27.3	29.4	37.6	33.0	34.6	29.7	33.8	37.6	33.0	34.6	29.7	33.8	34.6	29.7	33.8	33.8	34.1	34.1	34.1	34.1	34.1
8761	29.5	23.6	27.8	27.1	27.9	31.1	26.3	30.5	28.4	25.0	31.1	26.3	30.5	28.4	25.0	30.5	28.4	25.0	25.0	25.0	30.6	30.6	30.6	30.6
8762	29.7	30.8	29.4	33.4	40.4	35.6	38.5	38.4	39.7	34.6	35.6	38.5	38.4	39.7	34.6	38.4	39.7	34.6	34.6	34.6	44.0	44.0	44.0	44.0
8763	30.5	26.4	32.6	25.6	32.7	28.5	29.8	27.3	26.1	25.0	28.5	29.8	27.3	26.1	25.0	27.3	26.1	25.0	25.0	25.0	33.1	33.1	33.1	33.1
8764	35.7	38.0	37.4	45.8	46.7	40.7	37.8	34.4	43.2	39.2	40.7	37.8	34.4	43.2	39.2	40.7	43.2	39.2	39.2	39.2	39.2	39.2	39.2	39.2
8765	28.5	33.2	33.5	45.9	37.0	40.5	41.7	42.0	43.1	37.0	40.5	41.7	42.0	43.1	37.0	42.0	43.1	37.0	37.0	37.0	40.9	40.9	40.9	40.9
8766	28.6	29.7	24.9	36.2	24.8	30.3	29.1	32.7	29.5	28.9	30.3	29.1	32.7	29.5	28.9	32.7	29.5	28.9	28.9	28.9	34.8	34.8	34.8	34.8
8767	24.9	25.6	25.2	25.7	22.0	27.3	21.3	26.2	22.3	25.9	27.3	21.3	26.2	22.3	25.9	26.2	22.3	25.9	25.9	25.9	23.4	23.4	23.4	23.4
8768	22.7	26.1	33.5	32.8	28.8	28.3	23.6	25.8	33.3	24.5	28.3	23.6	25.8	33.3	24.5	25.8	33.3	24.5	24.5	24.5	30.0	30.0	30.0	30.0
8769	34.1	26.9	27.7	29.6	35.0	38.4	32.7	35.5	29.0	30.0	38.4	32.7	35.5	29.0	30.0	35.5	29.0	30.0	30.0	30.0	46.2	46.2	46.2	46.2
8770	25.2	31.3	33.1	28.6	37.0	34.5	40.7	37.3	42.3	36.4	34.5	40.7	37.3	42.3	36.4	37.3	42.3	36.4	36.4	36.4	46.2	46.2	46.2	46.2
8771	22.5	24.2	26.4	29.7	29.5	28.1	32.1	31.0	40.4	25.8	28.1	32.1	31.0	40.4	25.8	31.0	40.4	25.8	25.8	25.8	37.1	37.1	37.1	37.1
8772	29.8	26.1	23.1	32.9	29.1	28.8	28.7	29.1	36.7	30.0	28.8	28.7	29.1	36.7	30.0	29.1	36.7	30.0	30.0	30.0	42.5	42.5	42.5	42.5
8773	25.6	23.1	20.1	24.2	28.2	22.3	19.0	21.6	21.6	21.6	22.3	19.0	21.6	21.6	21.6	21.6	21.6	21.6	21.6	21.6	25.2	25.2	25.2	25.2
8774	29.0	31.8	34.6	40.6	41.4	37.8	33.0	36.5	33.7	39.0	37.8	33.0	36.5	33.7	39.0	36.5	33.7	39.0	39.0	39.0	74.3	74.3	74.3	74.3
SAMPLE MEAN	28.8	27.8	29.3	33.3	33.3	33.3	31.6	34.0	35.0	30.0	35.6	31.6	34.0	35.0	30.0	34.0	35.0	30.0	30.0	30.0	38.2	38.2	38.2	38.2
S.D.	3.7	4.3	4.9	6.3	6.3	5.3	6.3	5.9	7.9	4.8	7.9	6.3	5.9	7.9	4.8	5.9	7.9	4.8	4.8	4.8	10.4	10.4	10.4	10.4
S.E.	0.8	0.9	1.1	1.4	1.4	1.1	1.4	1.3	1.7	1.0	1.7	1.4	1.3	1.7	1.0	1.3	1.7	1.0	1.0	1.0	2.3	2.3	2.3	2.3

*p<0.05 as compared to controls: Dunnett's t-test.

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

TABLE H-17

CLINICAL HEMATOLOGY

KEY

WBC	=	Leukocyte Count	$10^3/\text{mm}^3$
RBC	=	Erythrocyte Count	$10^6/\text{mm}^3$
HGB	=	Hemoglobin	g%
HCT	=	Hematocrit	vol %
RET	=	Reticulocyte	%
BN	=	Band Neutrophils	%
SG	=	Segmented Neutrophils	%
LY	=	Lymphocytes	%
MO	=	Monocytes	%
EO	=	Eosinophils	%
BS	=	Basophils	%
IM	=	Immature	%
OT	=	Other	%

* - $p < 0.05$ as compared to controls: Dunnett's t-test.

I = Quantity not sufficient

CALCULATION OF STANDARD DEVIATION

TABLE H-17 (CONTINUED)
 INDIVIDUAL DATA ON THE TESTS FOR
 INTERVAL OF STROKE REACTION

DOSE GROUP	INDIVIDUAL	INC	DEC	MGIN	MCT	NET	BN SG LY MO ED HS IM UT	
0 PPG	0610	7.4	7.25	17.0	50.5	0.8	. 19 81	
	0611	4.7	7.30	17.8	51.0	1.4	. 13 87	
	0612	7.0	7.91	16.1	49.0	2.6	. 23 76	
	0613	7.8	7.59	17.6	48.0	1.4	. 29 70 . 2	
	0614	8.9	7.92	17.1	50.5	1.7	. 7 89 2 2	
	0615	8.5	8.85	16.9	53.0	2.5	. 36 62 . 2	
	0616	7.5	7.55	15.0	47.0	2.9	. 14 83 . 3	
	0617	4.8	7.51	14.8	44.5	2.4	. 19 79 . 2	
	7.0 PPG	0618	7.14	7.707	16.04	49.14	1.96	
		0619	0.55	0.146	0.32	0.44	0.26	B
	5.00 PPG	0620	4.2	6.78	15.2	46.0	1.0	. 12 87 . 1
		0621	4.7	6.85	16.5	48.0	2.6	. 15 84 . 1
		0622	4.5	7.97	16.4	49.5	2.2	. 11 89
		0623	8.5	8.71	15.6	46.5	2.4	. 19 81
		0624	7.4	7.91	15.4	46.0	1.5	. 10 90
		0625	8.0	7.54	16.0	47.0	2.2	. 14 81 5
		0626	8.9	8.68	15.3	45.0	2.6	. 29 70 . 1
0627		8.8	7.38	16.2	49.0	1.5	. 20 80	
10.0 PPG		0628	8.04	7.232	15.80	47.13	2.05	
		0629	0.54	0.142	0.17	0.56	0.18	A

CHEMICAL WEATHERING DATA FOR 1964-1965

TABLE H-17 (CONTINUED)

1. TOTAL WEIGHT OF WEATHERED AGGREGATE
 2. PERCENTAGE OF WEATHERED AGGREGATE

TEST GROUP	WEIGHT (G)	WEIGHT (%)	WGT	MCT	RET	HN	SG	LY	MO	FO	RS	IM	OT
100 PPT	8520	7.5	7.85	48.0	1.4	• 15	43	1	•	•	•	•	•
	8521	11.5	7.54	49.0	1.8	1	27	70	1	•	•	•	•
	8552	4.5	7.55	49.0	1.8	•	21	78	1	•	•	•	•
	8553	10.2	8.46	51.0	2.0	•	22	77	•	•	•	•	•
	8554	8.8	8.21	50.5	1.4	•	15	82	2	•	•	•	•
	8555	7.3	7.85	47.0	1.7	•	17	81	1	•	•	•	•
	8556	10.1	7.85	46.5	2.4	•	30	66	4	•	•	•	•
	8557	8.4	8.05	47.5	1.9	•	16	83	1	•	•	•	•
	8558	8.7	7.914	48.56	1.80	•	•	•	•	•	•	•	•
	SE	0.77	0.111	0.57	0.11	•	•	•	•	•	•	•	•
3000 PPT	8570	6.6	7.84	47.5	2.2	•	23	77	•	•	•	•	•
	8571	9.5	7.51	46.0	1.4	•	17	81	1	•	•	•	•
	8572	7.5	7.10	48.0	4.7	•	31	67	1	•	•	•	•
	8573	8.4	7.27	47.0	3.8	•	28	69	3	•	•	•	•
	8574	5.8	7.42	45.0	1.0	•	23	75	1	•	•	•	•
	8575	8.4	7.04	46.0	1.8	•	12	87	1	•	•	•	•
	8576	9.9	6.95	47.0	2.7	•	11	88	1	•	•	•	•
	8577	5.5	7.84	51.0	1.8	•	28	70	1	•	•	•	•
	8578	7.2	7.371	47.19	2.42	•	•	•	•	•	•	•	•
	SE	0.39	0.122	0.64	0.44	•	•	•	•	•	•	•	•

CUT-DIAL OF AFD CIPHERS FOR 0-10/5015

TABLE H-17 (CONTINUED)
 INTERVALS OF 1000 CIPHERS WITH
 INTERVAL OF 1000 CIPHERS

GROUP	Actual	ML	MDC	HGM	HCT	MFT	HN	SG	LY	MO	EO	HS	IM	UT	
0 PPS	8695	4.4	7.24	16.3	47.5	1.4	• 23	75	2	•	•	•	•	•	
	8696	4.6	6.46	14.1	48.0	1.6	• 36	64	•	•	•	•	•	•	
	8697	4.4	6.03	17.0	48.5	0.8	• 10	48	1	•	•	•	•	•	
	8698	5.4	7.55	15.1	46.5	1.4	• 14	85	•	•	•	•	•	•	
	8699	6.1	7.55	16.8	49.0	1.9	• 22	78	•	•	•	•	•	•	
	8700	6.2	6.91	17.6	55.0	2.0	• 15	85	•	•	•	•	•	•	
	8701	4.6	7.85	16.3	47.0	1.3	• 10	89	•	•	•	•	•	•	
	8702	4.4	7.07	15.0	45.0	5.1	• 14	81	•	•	•	•	•	•	
	8703	5.61	7.637	16.02	44.06	1.69	• 20	78	2	•	•	•	•	•	
	8704	0.253	0.246	0.42	0.83	0.24	• 17	82	1	•	•	•	•	•	
300 PPS	8715	4.5	7.15	15.8	46.0	1.2	• 14	82	2	•	•	•	•	•	
	8716	5.4	6.55	16.2	47.0	1.8	• 20	78	2	•	•	•	•	•	
	8717	4.7	7.70	15.4	45.0	2.6	• 17	82	1	•	•	•	•	•	
	8718	4.7	7.49	15.8	47.0	1.4	• 13	86	•	•	•	•	•	•	
	8719	5.5	7.05	15.4	45.0	1.0	• 12	87	•	•	•	•	•	•	
	8720	5.1	6.54	14.9	46.0	2.9	• 9	91	•	•	•	•	•	•	
	8721	5.0	6.54	14.8	42.5	1.8	• 17	80	1	2	•	•	•	•	
	8722	5.5	7.46	15.1	44.5	2.3	• 13	87	•	•	•	•	•	•	•
	8723	5.19	7.054	15.42	45.34*	1.47	• 20	78	2	•	•	•	•	•	
	8724	0.252	0.242	0.37	0.52	0.24	• 17	82	1	•	•	•	•	•	

CELLULOSE PHOSPHATE ESTERS FOR POLYESTERS

TABLE IV-17 (CONTINUED)
 INDIVIDUAL VALUES OF MEAN AND STANDARD DEVIATION
 INDIVIDUAL OF STUDIES REFERRED

DISP GROUP	Average M	SD	SEC	SEC	SEC	HIGH	HCT	NET	BN SG LY MU EU HS IM UT
1000 PPM	M755		6.7	6.66	15.1	45.0	1.4	31 68	1
	M756		4.6	4.58	15.6	46.0	1.8	6 95	1
	M757		7.0	7.75	15.4	46.5	2.0	12 87	1
	M758		7.2	7.77	16.6	48.5	0.4	19 80	1
	M759		6.3	7.82	15.4	46.0	1.6	25 73	2
	M760		7.8	9.02	16.7	49.5	1.1	11 85	2
	M761		7.5	7.58	15.6	46.0	1.1	12 87	1
	M762		7.5	7.59	16.4	49.0	2.1	8 92	1
MEAN SE			6.57 0.30	7.821 0.251	15.85 0.22	47.06 0.59	1.52 0.20		
5000 PPM	M755		4.0	7.64	15.2	44.0	3.5	21 77	1 1
	M756		5.8	6.87	15.4	46.0	2.9	14 85	1
	M757		5.0	6.98	15.2	44.0	4.3	13 86	1
	M758		4.8	6.19	16.5	49.0	3.0	10 89	1
	M759		4.6	7.32	15.5	46.5	0.9	13 87	1
	M760		4.9	6.52	16.2	47.0	1.3	9 89	2
	M761		5.7	7.28	16.8	44.5	1.1	19 79	2
	M762		7.5	7.05	16.2	47.0	1.0	14 84	1 1
MEAN SE			5.29 0.58	7.268 0.196	15.62 0.21	46.00 0.62	2.25 0.47		

CLINICAL MEMATULOSIS FROM P-1073415

TABLE H-17 (CONTINUED)
 INDIVIDUAL ANIMAL MEMATULOSIS-MALES
 INTERVAL OF STUDY= WEEK 8

DOSE GROUP	ANIMAL NO	MBC	MHC	HGM	MCT	RET	HN	SG	LY	HU	EU	RS	IM	UT	
0 PPM	8610	5.2	8.58	16.0	49.0	1.9	.	14	84	2	
	8611	4.7	6.69	17.1	51.0	1.3	.	16	82	.	2	.	.	.	
	8612	6.8	8.86	16.4	50.5	2.5	.	25	75	
	8613	4.2	8.30	15.9	48.0	2.9	.	19	81	
	8614	6.8	7.99	16.1	48.5	3.2	.	9	86	3	2	.	.	.	
	8615	9.0	6.20	16.4	50.5	1.4	.	26	72	2	
	8616	4.7	8.02	15.7	48.0	2.6	.	10	87	2	1	.	.	.	
	8617	3.5	7.58	15.4	45.5	3.6	.	12	87	1	
	MEAN		6.24	8.277	16.12	48.88	2.42								
	SE		0.74	0.149	0.18	0.64	0.29								8
500 PPM	8630	4.8	8.85	16.9	51.0	2.8	.	32	68	
	8631	5.0	6.21	16.4	49.0	1.8	.	12	87	.	1	.	.	.	
	8632	8.2	8.86	17.1	51.5	2.4	.	2	14	81	2	1	.	.	
	8633	6.6	7.87	15.2	46.5	1.9	.	6	94	
	8634	7.8	8.17	15.1	46.0	5.4	.	10	90	
	8635	6.0	7.53	15.3	46.0	2.4	.	9	84	1	1	.	.	.	
	8636	5.3	6.60	15.5	47.0	2.8	.	8	90	2	
	8637	6.0	7.92	16.0	49.0	2.8	.	21	79	
	MEAN		6.19	8.251	15.94	48.25	2.74								
	SE		0.43	0.171	0.28	0.78	0.40								8

CLINICAL HEMATOLOGIES FOR P-1073415

TABLE H-17 (CONTINUED)
 INDIVIDUAL ANIMAL HEMATOLOGIES-MALES
 INTERVAL OF STUDY= WEEK 8

DOSE GROUP	ANIMAL NO	RBC	HGB	HCT	HET	HN	SG	LY	MO	EU	HS	IM	OT	
1000 PPM	M650	9.4	17.4	51.0	1.7	.	11	85	3	1	.	.	.	
	M651	7.4	16.8	49.5	2.6	.	12	87	1	
	M652	4.8	17.5	51.0	1.4	.	10	86	3	1	.	.	.	
	M653	5.7	15.4	47.5	1.8	.	13	85	1	1	.	.	.	
	M654	8.2	15.1	45.0	1.6	.	21	77	1	1	.	.	.	
	M655	6.6	16.2	49.0	2.9	.	14	86	
	M656	9.3	16.5	48.0	2.5	.	12	84	2	2	.	.	.	
	M657	6.6	15.9	47.0	2.0	.	10	90	
	MEAN		7.25	16.35	48.50	2.06								
	SE		0.58	0.51	0.75	0.19								
5000 PPM	M670	6.1	17.2	51.0	2.1	.	12	87	1	
	M671	7.9	17.0	50.0	1.2	.	85	8	6	1	.	.	.	
	M672	6.0	16.1	49.0	2.9	.	10	87	2	1	.	.	.	
	M673	6.0	15.9	48.0	1.3	.	5	89	3	3	.	.	.	
	M674	3.8	15.6	45.0	1.6	.	14	85	1	
	M675	5.4	14.6	43.0	2.1	.	10	89	1	1	.	.	.	
	M676	13.3	16.7	49.0	3.0	.	16	82	1	1	.	.	.	
	M677	5.5	17.7	52.5	1.0	.	13	87	
	MEAN		6.81	16.35	48.56	1.90								
	SE		1.01	0.55	1.10	0.27								

CLINICAL HEMATOLOGIES FOR P-1073415

TABLE N-17 (CONTINUED)
INDIVIDUAL ANIMAL HEMATOLOGIES-FEMALES
INTERVAL OF STUDY WEEK 8

DOSE GROUP	ANIMAL NO	WBC	MBC	HGB	HCT	NET	B.T	Sis	LT	MU	EU	HS	IM	UT	
0 PPM	8695	4.8	8.42	16.5	50.0	2.0	.	26	74	
	8696	4.6	8.58	16.0	48.0	1.2	.	15	87	
	8697	10.0	8.27	16.3	49.0	1.7	.	.	14	86	
	8698	4.2	8.30	15.7	45.5	2.0	.	.	14	85	.	1	.	.	
	8699	4.2	8.37	17.0	51.0	1.8	.	.	18	91	
	8700	7.2	6.95	16.8	51.0	1.8	.	.	15	82	.	5	.	.	
	8701	3.1	6.55	15.8	47.0	3.6	.	.	5	96	
	8702	5.5	7.90	17.2	52.0	4.2	.	.	10	89	.	1	.	.	
	MEAN	5.45	7.724	16.41	49.19	2.24
	SE	0.77	0.200	0.27	0.79	0.57
500 PPM	8715	3.9	7.55	15.7	46.0	2.8	.	9	90	
	8716	4.5	6.70	16.4	50.0	3.0	.	15	85	
	8717	4.4	7.65	16.1	49.0	3.5	.	.	19	78	.	1	.	.	
	8718	4.7	6.85	16.7	51.5	1.0	.	.	11	89	
	8719	4.6	8.15	16.7	47.0	1.0	.	.	11	89	
	8720	3.5	7.50	14.2	43.0	2.5	.	.	9	91	
	8721	6.6	6.35	16.5	49.5	3.1	.	.	9	90	.	.	1	.	
	8722	3.1	7.59	15.5	47.0	2.1	.	.	12	87	.	.	1	.	
	MEAN	4.41	7.754	16.09	48.25	2.37
	SE	0.58	0.215	0.50	0.77	0.28

CLINICAL HEMATOLOGIES FOR P-1073415

TABLE H-17 (CONTINUED)
INDIVIDUAL ANIMAL HEMATOLOGIES--FEMALES
INTERVAL OF STUDY--WEEK 8

DOSE GROUP	ANIMAL ID	HGB	HMC	HPC	HGB	HCT	RET	BN	SG	LY	MU	EO	NS	IM	UT	
1000 PPM	A755	3.7	7.68	14.9	42.0	2.2		19	81							
	A756	4.8	7.99	15.3	46.5	1.2		24	75	1						
	A757	4.5	8.03	15.0	47.0	2.0		11	88	1						
	A758	5.9	7.83	16.8	51.0	1.9		18	82							
	A759	4.4	9.22	16.4	48.5	2.7		16	84							
	A760	5.3	8.12	16.9	48.0	1.5		12	88							
	A761	3.2	7.87	15.7	46.0	1.9		10	88	1	1					
	A762	5.3	8.67	17.2	50.0	1.1		9	87	2	2					
	MEAN		4.64	8.176	16.02	47.34	1.81									
	SE		0.31	0.182	0.32	0.98	0.19									
N		8	8	8	8	8										
5000 PPM	A755	2.4	6.98	15.2	47.0	1.0		15	83	1	1					
	A756	4.1	7.31	16.0	47.5	1.7		21	78	1						
	A757	2.7	7.84	15.9	48.0	1.3		18	81	1						
	A758	6.7	8.97	16.2	55.0	2.0		17	83							
	A759	2.5	7.63	16.0	47.0	1.6		13	87							
	A760	5.8	8.89	16.2	49.0	1.2		12	87		1					
	A761	5.0	7.19	15.0	45.0	1.8		7	92		1					
	A762	6.3	7.49	15.9	47.0	3.0		6	94							
	MEAN		4.42	7.787	16.05	48.19	1.70									
	SE		0.63	0.266	0.34	1.05	0.22									
N		8	8	8	8	8										

CLINICAL HEMATOLOGIES FOR P-1073015

TABLE H-17 (CONTINUED)
 INDIVIDUAL ANIMAL HEMATOLOGIES-MALES
 INTERVAL OF STUDY= WEEK 12

DOSE GROUP	ANIMAL NO	WBC	MBC	HGB	HCT	HET	MN	SG	LY	MO	EU	BS	IM	OT
0 PPM	H610	9.7	7.26	17.2	50.0	2.4	.	27	69	2
	H611	7.3	6.25	16.0	47.5	1.8	.	23	76	1
	H612	8.0	6.07	16.4	49.5	1.2	.	20	79	1
	H613	.1	.1	.1	.1	.1
	H614	5.3	4.93	17.2	51.5	0.8	.	18	82
	H615	11.5	8.15	15.1	45.0	3.8	.	47	52	1
	H616	6.5	7.32	15.4	46.0	1.6	.	10	88	2
H617	5.4	8.30	15.4	46.5	2.6	.	12	87	1	
MEAN		7.67	7.751	16.10	48.00	2.03								
	SE	0.86	0.332	0.33	0.90	0.38								
	N	7	7	7	7	7								
500 PPM	H630	5.6	6.00	15.8	47.0	1.2	.	39	58
	H631	6.2	6.30	16.4	49.0	1.8	.	17	83
	H632	10.5	8.30	16.2	48.5	1.8	.	22	76	.	2	.	.	.
	H633	5.9	7.27	15.4	46.0	1.2	.	15	84	.	1	.	.	.
	H634	7.5	8.45	15.3	45.0	1.7	.	12	88
	H635	7.2	8.04	16.0	48.5	1.4	.	22	78
	H636	5.9	8.23	16.1	49.0	2.1	.	16	84
H637	7.6	8.07	15.4	47.0	2.4	.	31	68	.	1	.	.	.	
MEAN		7.05	7.582	15.82	47.50	1.70								
	SE	0.57	0.338	0.15	0.53	0.15								
	N	8	8	8	8	8								

CLINICAL HEMATOLOGIES FOR P-10/3015

TABLE H-17 (CONTINUED)
 INDIVIDUAL ANIMAL HEMATOLOGIES-MALES
 INTERVAL OF STUDY= WEEK 12

DOSE GROUP	ANIMAL NO	WBC	RBC	HGB	HCT	RET	HN	SG	LY	MO	EO	HS	IM	OT
1000 PPM	8650	10.3	6.91	15.2	44.5	1.6	.	13	87
	8651	6.8	6.19	15.0	43.0	2.4	.	21	76	.	1	.	.	.
	8652	8.4	7.80	16.0	48.0	1.0	.	22	72	5	1	.	.	.
	8653	8.5	6.32	16.2	47.5	2.8	.	18	81	.	1	.	.	.
	8654	7.0	8.37	16.1	49.0	2.0	.	10	87	2	1	.	.	.
	8655	7.9	9.67	17.0	51.5	1.8	.	12	84	2	2	.	.	.
	8656 8657	12.2 9.0	8.58 9.63	16.5 16.6	49.0 50.0	1.4 2.2	.	20 15	80 84	.	.	1	.	.
MEAN		8.76	7.934	16.07	47.81	1.90								
	SE	0.63	0.486	0.24	1.00	0.20								
N		8	8	8	8	8								
5000 PPM	8670	4.8	7.53	15.4	44.5	3.6	.	16	81	3
	8671	6.8	7.93	17.2	51.0	1.3	.	33	62	5
	8672	4.2	6.32	15.8	46.0	2.4	.	7	90	2	1	.	.	.
	8673	7.7	7.02	15.5	45.0	2.0	.	25	71	4
	8674	7.8	7.79	14.9	44.5	1.9	.	21	78	1
	8675	6.0	7.97	16.3	49.5	1.3	.	23	77
	8676 8677	10.7 8.5	9.22 8.66	17.8 17.4	54.0 52.0	2.6 2.1	.	17 29	82 70	1
MEAN		7.06	7.805	16.29	48.31	2.15								
	SE	0.74	0.318	0.38	1.34	0.26								
N		8	8	8	8	8								

CLINICAL HEMATOLOGIES FOR M-1075015

TABLE M-17 (CONTINUED)
 INDIVIDUAL ANIMAL HEMATOLOGIES-FEMALES
 INTERVAL OF STUDY= WEEK 12

DOSE GROUP	ANIMAL ID	WBC	WMC	HGB	HCT	RET	BM	SG	LY	MO	EU	HS	IM	UT	
0 PPM	M695	5.9	6.59	16.3	47.0	1.0	.	21	78	.	1	.	.	.	
	M696	7.0	6.68	15.4	45.5	0.8	.	27	68	3	2	.	.	.	
	M697	11.7	6.64	14.7	44.0	2.0	.	14	86	
	M698	7.3	6.85	15.2	46.0	1.6	.	33	62	2	3	.	.	.	
	M699	3.2	7.43	16.2	49.0	2.8	.	19	81	
	M700	3.7	6.74	16.6	50.5	2.0	.	19	79	1	1	.	.	.	
	M701	5.5	7.67	17.2	51.5	3.6	.	25	75	
	M702	4.3	7.53	14.6	45.0	1.6	.	16	83	1	
	MEAN	6.07	7.266	15.77	47.31	1.92									
	SE	0.96	0.260	0.33	0.96	0.52									
N	8	8	8	8	8										
300 PPM	M715	2.9	6.61	15.1	46.0	1.6	.	15	84	.	1	.	.	.	
	M716	6.3	5.54	17.3	49.0	1.8	.	10	88	1	1	.	.	.	
	M717	4.8	5.75	15.5	46.0	2.2	.	5	93	2	
	M718	5.1	5.97	15.6	46.5	1.4	.	26	72	.	2	.	.	.	
	M719	7.0	7.36	15.4	46.5	1.8	.	5	94	1	
	M720	3.7	7.86	14.7	44.5	2.3	.	13	85	.	2	.	.	.	
	M721	3.9	6.99	15.2	45.5	1.9	.	8	92	
	M722	6.4	8.58	15.4	48.5	1.5	.	20	80	
	MEAN	5.01	6.782	15.52	46.56	1.81									
	SE	0.52	0.363	0.27	0.53	0.11									
N	8	8	8	8	8										

CLINICAL HEMATOLOGIES FOR P-1073415

TABLE H-17 (CONTINUED)
INDIVIDUAL ANIMAL HEMATOLOGIES-FEMALES
INTERVAL OF STUDY= WEEK 12

DOSE GROUP	ANIMAL NO	HGB	RBC	HCT	HET	HN	SG	LY	MD	EO	BS	IM	OT
1000 PPM	8755	5.4	5.27	41.0	2.4	.	28	72
	8756	3.8	5.99	45.0	3.4	.	24	76
	8757	7.5	6.10	44.0	2.2	.	8	91	1
	8738	3.4	6.30	50.5	2.6	.	17	81	.	2	.	.	.
	8739	5.8	7.87	46.0	2.5	.	21	78	.	1	.	.	.
	8740	6.1	8.07	45.5	2.7	.	23	77
	8741	4.4	7.19	46.0	1.6	.	22	78
	8742	7.0	8.13	50.5	1.8	.	28	72
	MEAN	5.42	6.865	46.06	2.40
	SE	0.52	0.387	1.12	0.20
N	8	8	8	8	
5000 PPM	8755	5.2	6.87	44.0	1.5	.	29	69	1	1	.	.	.
	8756	4.6	5.04	45.0	1.2	.	18	80	1	1	.	.	.
	8757	3.8	5.89	43.0	1.9	.	13	85	2
	8758	8.4	8.11	55.0	0.9	.	15	82	3
	8759	5.3	7.75	46.0	1.7	.	17	81	1	1	.	.	.
	8760	6.2	7.38	44.0	2.5	.	24	75	.	1	.	.	.
	8761	6.6	7.91	45.0	1.9	.	17	83
	8762	6.2	7.05	45.5	1.0	.	12	87	.	1	.	.	.
	MEAN	5.54	7.000	45.69	1.57
	SE	0.59	0.375	1.10	0.19
N	8	8	8	8	

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

TABLE H-18

CLINICAL CHEMISTRY

KEY

BILI	=	Bilirubin, total	mg/dl
BUN	=	Blood Urea Nitrogen	mg/dl
CA	=	Calcium	mg/dl
CRTN	=	Creatinine	mg/dl
GLCS	=	Glucose	mg/dl
P	=	Phosphorus	mg/dl
SGOT	=	Serum Glutamic-oxaloacetic Transaminase	mU/ml
SGPT	=	Serum Glutamic-pyruvic Transaminase	mU/ml
I	=	Quantity not sufficient	
L	=	Depleted substrate	
M	=	Value questioned by computer	
R	=	Repeat value	

CLINICAL CHEMISIRIPS FOR P-1075415

TABLE H-18 (CONTINUED)
 INDIVIDUAL ANIMAL CHEMISIRIPES-MALES
 INTERVAL OF STUDY= WEEK 12

DOSE GROUP	ANIMAL NO	HILI	HUN	CA	CRTN	GLCS	P	SGUT	SGPT
0 PPM	8610	0.1	11	11.5	0.5	102	6.1	117	34
	8611	0.1	14	11.3	0.4	111	5.5	91	34
	8612	0.1	11	11.8	0.5	112	6.1	90	30
	8613	0.1	1	1	0.1	1	0.1	0.1	0.1
	8614	0.0	11	11.4	0.6	120	6.3	94	27
	8615	0.0 M	13	11.2	0.6	100	6.0	112	28
	8616	0.1	14	11.2	0.4	118	6.0	75	15
8617	0.1	12	11.6	0.5	107	5.8	73	24	
500 PPM	MEAN	0.07	12.5	11.43	0.50	110.0	5.97	93.1	27.4
	SE	0.02	0.5	0.08	0.03	2.9	0.10	6.5	2.5
	N	7	7	7	7	7	7	7	7
	8630	0.1	15	12.0	0.6	100	5.7	77	39
	8631	0.1	12	11.9	0.5	118	6.6	60	25
	8632	0.1	13	11.8	0.5	134	6.0	70	30
	8633	0.1	13	11.5	0.5	116	6.4	65	24
8634	0.1	13	11.1	0.5	123	6.1	88	28	
8635	0.1	13	11.7	0.5	105	6.0	175	55	
8636	0.1	14	11.4	0.6	126	7.0	83	28	
8637	0.1	13	10.5	0.5	105	5.6	103	37	
MEAN	SE	0.10	13.3	11.49	0.52	115.9	6.17	90.1	33.5
	N	0.00	0.3	0.17	0.02	4.2	0.17	13.1	3.6
	N	8	8	8	8	8	8	8	8

CLINICAL CHEMISTRIES FOR P-1073415

TABLE H-18 (CONTINUED)
INDIVIDUAL ANIMAL CHEMISTRIES-MALES
INTERVAL OF STUDY= WEEK 12

DOSE GROUP	ANIMAL NO	BILI	HUN	CA	CHTN	GLCS	P	SGOT	SGPT
1000 PPM	8650	0.1	15	11.4	0.5	114	6.4	91	37
	8651	0.1	14	11.3	0.6	125	5.8	68	21
	8652	0.1	14	12.1	0.6	95	6.8	85	29
	8653	0.1	12	11.8	0.5	114	6.7	77	22
	8654	0.1	13	11.0	0.5	113	6.0	69	23
	8655	0.1	12	12.1	0.7	109	8.4	80	25
	8656	0.1	12	11.7	0.7	103	6.5	89	32
	8657	0.1	14	11.7	0.6	111	6.6	108	35
	MEAN	0.10	13.5	11.64	0.59	110.5	6.65	63.4	28.0
	SE	0.00	0.4	0.14	0.03	3.1	0.28	4.6	2.2
N	8	8	8	8	8	8	8	8	
5000 PPM	8670	0.1	10	11.6	0.6	109	7.2	66	16
	8671	0.1	13	12.3	0.5	114	6.1	90	74
	8672	0.1	13	11.4	0.5	101	6.7	77	19
	8673	0.1	10	11.7	0.5	109	6.6	98	36
	8674	0.1	12	10.8	0.5	114	5.8	106	29
	8675	0.1	13	11.2	0.6	103	6.3	96	29
	8676	0.0 ^m	13	12.2	0.6	112	6.6	90	34
	8677	0.1	13	11.8	0.6	109	7.7	126	41
	MEAN	0.09	12.1	11.62	0.55	108.9	6.62	93.6	34.8
	SE	0.01	0.5	0.16	0.02	1.7	0.21	6.4	6.3
N	8	8	8	8	8	8	8	8	

CLINICAL CHEMISTRIES FOR P-10/3415

TABLE H-18 (CONTINUED)
INDIVIDUAL ANIMAL CHEMISTRIES-FEMALES
INTERVAL OF STUDY WEEK 12

DOSE GROUP	ANIMAL NO	BILI	BUN	CA	CRTN	GLCS	P	SGOT	SGPT	
0 PPM	8695	0.1	15	11.8	0.5	102	5.6	82	25	
	8696	0.1	17	12.8	0.4	91	6.6	115	47	
	8697	0.1	15	12.0	0.6	128	4.7	110	49	
	8698	0.1	12	10.8	0.4	116	4.8	61	21	
	8699	0.1	20	12.8	0.7	100	7.6	160	47	
	8700	0.1	19	12.4	0.7	92	6.0	129	42	
	8701	0.1	16	11.4	0.6	90	7.6	111	20	
	8702	0.1	14	11.6	0.6	100	5.5	111	42	
	MEAN		0.10	16.0	11.95	0.56	102.4	6.05	111.3	36.6
	SE		0.00	0.9	0.25	0.04	4.7	0.40	10.5	4.4
500 PPM	8715	0.1	15	10.9	0.6	130	4.9	79	36	
	8716	0.1	18	12.9	0.6	87	7.8	143	46	
	8717	0.1	12	11.7	0.5	111	5.3	74	24	
	8718	0.1	15	12.7	0.6	117	5.7	93	24	
	8719	0.1	16	11.6	0.6	104	4.9	77	20	
	8720	0.2	15	11.7	0.7	118	5.5	385	74	
	8721	0.2	19	11.9	0.8	117	5.0	155	75	
	8722	0.1	16	11.1	0.6	107	4.1	90	25	
	MEAN		0.12	15.8	11.81	0.62	111.4	5.40	137.0	40.5
	SE		0.02	0.8	0.25	0.03	4.5	0.38	37.1	8.0

CLINICAL CHEMISTRIES FOR P-10/3015

TABLE H-18 (CONTINUED)
INDIVIDUAL ANIMAL CHEMISTRIES-FEMALES
INTERVAL OF STUDY= WEEK 12

DOSE GROUP	ANIMAL NO	BILI	BUN	CA	CK/MN	GLCS	P	SGOT	SGPT
1000 PPI	8735	0.1	15	11.6	0.6	102	5.3	80	39
	8736	0.1	17	11.5	0.7	121	3.6	97	37
	8737	0.2	13	12.3	0.4	122	5.5	77	29
	8738	0.1	14	11.8	0.7	106	6.2	60	21
	8739	0.1	15	12.5	0.7	93	8.4	110	38
	8740	0.1	14	12.2	0.6	97	5.0	126	60
	8741	0.2 M	14	11.9	0.6	116	3.9	126	47
	8742	0.2	12	12.5	0.6	92	6.9	165R	120R
	MEAN	0.14	14.0	12.04	0.61	106.1	5.60	104.4	48.9
	SE	0.02	0.5	0.14	0.04	4.3	0.55	11.8	11.0
	N	8	8	8	8	8	8	8	8
	5000 PPI	8755	0.1	14	11.3	0.5	101	5.5	66
8756		0.1 M	15	12.2	0.7	113	5.2	85R	32
8757		0.1	14	12.0	0.6	104	5.2	96	25
8758		0.0	15	12.1	0.6	83	6.0	L	31
8759		0.1	13	11.9	0.6	112	6.2	104	31
8760		0.1	15	11.7	0.6	96	5.3	126	54
8761		0.1	11	12.4	0.5	100	5.8	88	22
8762		0.1	15	11.5	0.7	89	6.6	107	19
MEAN		0.09	13.8	11.89	0.60	99.8	5.97	96.0	29.0
SE		0.01	0.5	0.13	0.03	3.1	0.34	7.2	4.1
N		8	8	8	8	8	8	8	8

TABLE H-19
 PROJECT NO. 1073415
 ORGAN WEIGHTS IN MALE RATS (GRAMS)
 DOST - CONTROL
 GROUP - 1
 TERMINAL KILL

ANIMAL NUMBER	BODY WEIGHT	BRAIN	HEART	THYROID	SPLEEN	ADRE'LS	LIVER	KIDNEYS	TESTES
8610	484.0	2.1170	1.6460	0.0210	0.7680	0.0480	14.9970	3.7040	3.8070
8611	454.0	2.1490	1.6530	0.0320	0.7950	0.0610	13.8000	5.2440	3.0380
8612	481.0	2.2900	1.4570	0.0340	0.9040	0.0620	16.2310	3.8730	3.5810
8613	464.0	2.1840	1.8470	0.0340	0.6760	0.0680	17.5760	3.6650	3.6250
8614	501.0	2.0990	1.4430	0.0340	0.6630	0.0680	15.7560	3.8460	3.1700
8615	374.0	2.1070	1.3490	0.0100	0.6380	0.0530	14.0390	3.1660	3.2660
8616	437.0	2.0550	1.7350	0.0300	0.7700	0.0600	14.0400	5.8660	3.8690
8617	460.0	2.0480	1.6920	0.0140	0.7440	0.0460	14.1700	3.9560	3.5380
8618	502.0	2.0510	1.6880	0.0250	0.6750	0.0710	16.6960	4.6000	3.6600
8619	512.0	2.2040	1.7520	0.0350	0.8990	0.0620	16.7170	4.0380	3.3570
8620	466.0	2.0710	1.4720	0.0300	0.7570	0.0450	17.6140	4.0620	3.6000
8621	495.0	2.2370	1.7260	0.0130	0.8010	0.0700	17.0460	4.0750	3.5560
8622	478.0	2.2200	1.5460	0.0420	0.8400	0.0750	16.6150	3.9940	3.3520
8623	463.0	2.1330	1.7040	0.0360	0.7510	0.0690	15.9280	4.1600	3.8000
8624	504.0	2.0720	1.7410	0.0400	0.8300	0.0760	19.8310	3.7760	3.5600
8625	395.0	2.0780	1.3360	0.0310	0.6510	0.0740	12.6320	3.1990	3.4980
8626	455.0	2.2460	1.7980	0.0190	0.9110	0.0480	17.8710	3.4370	3.2870
8627	509.0	2.2980	2.0460	0.0240	0.8960	0.0570	17.0570	3.7970	3.5670
8628	479.0	1.9060	1.6180	0.0380	0.6270	0.0540	14.2190	3.9300	3.2940
8629	424.0	2.0160	1.5770	0.0160	0.7230	0.0710	13.1830	3.2500	3.4740
N	20	20	20	20	20	20	20	20	20
MEAN	466.8	2.1290	1.6413	0.0279	0.7659	0.0618	15.0009	3.7819	3.4849
S.D.	37.0	0.0996	0.1735	0.0096	0.0932	0.0104	1.8569	0.3692	0.2174
S.E.	8.3	0.0223	0.0388	0.0021	0.0238	0.0023	0.4152	0.0825	0.0487

TABLE H-19 (CONTINUED)
 PROJECT NO. 1073415
 ORGAN WEIGHTS IN MALE RATS (GRAMS)
 DOSE - 300 PPM
 GROUP - 2
 TERMINAL KILL

ANIMAL NUMBER	BODY WEIGHT	BRAIN	HEART	THYROID	SPLEEN	ADRE'LS	LIVER	KIDNEYS	TESTES
8630	472.0	2.3310	1.6600	0.0260	0.7360	0.0650	15.7070	3.9460	3.5500
8631	460.0	2.2220	1.5990	0.0300	1.0340	0.0780	15.4190	4.4190	3.4120
8632	486.0	2.1500	1.8470	0.0330	0.8480	0.0650	15.6570	3.5840	3.3830
8633	453.0	2.3360	1.5670	0.0390	0.7450	0.0660	14.3000	3.9520	3.2180
8634	459.0	2.0420	1.6400	0.0220	0.8750	0.0560	16.8930	4.3670	4.2000
8635	455.0	2.0930	1.6010	0.0180	0.6580	0.0500	13.9470	3.4370	4.4000
8636	471.0	2.1780	1.6890	0.0240	0.6800	0.0890 ^a	17.2140	4.0220	4.1000
8637	411.0	2.0480	1.5330	0.0240	0.7520	0.0770	13.3620	3.8880	3.6700
8638	471.0	2.0740	1.5520	0.0300	0.6550	0.0560	16.7890	4.0810	3.4400
8639	503.0	2.0600	1.6520	0.0290	0.7350	0.0610	17.7100	4.2740	3.6170
8640	414.0	2.1210	1.4760	0.0220	0.7450	0.0590	15.2580	3.5830	3.3330
8641	538.0	2.2740	1.7620	0.0170	1.0580	0.0730	17.2380	4.4410	3.6690
8642	429.0	2.1730	1.7820	0.0310	0.7080	0.0590	15.5900	3.6600	3.5050
8643	536.0	2.2680	1.7750	0.0460	0.9900	0.0960	18.1750	4.3380	3.7870
8644	369.0	2.1170	1.4320	0.0310	0.5450	0.0660	13.7170	3.0850	3.4880
8645	489.0	1.9600	1.4330	0.0310	0.7070	0.0920	20.2840	4.3390	3.9210
8646	461.0	2.1190	1.6110	0.0360	0.9360	0.0670	20.6370	3.6800	3.4270
8647	444.0	2.2120	1.9430	0.0390	0.7350	0.0920	16.8230	4.2200	3.3150
8648	485.0	2.1420	2.0300	0.0120	0.7680	0.0690	19.5370	3.7020	3.9100
8649	462.0	2.1590	2.0000	0.0220	0.7520	0.0790	18.2090	4.0190	3.2710
H	20	20	20	20	20	19	20	20	20
MEAN	463.4	2.1539	1.6802	0.0278	0.7830	0.0711	16.6292	3.9488	3.6408
S.D.	39.8	0.0987	0.1738	0.0085	0.1338	0.0135	2.0826	0.3743	0.3306
S.E.	7.9	0.0221	0.0389	0.0019	0.0299	0.0031	0.4657	0.0837	0.0739

^aOrgan weight taken after fixation; deleted from statistical calculation.

TABLE H-19 (CONTINUED)
 PROJECT NO. 1073415
 UMGAR WEIGHS IN MALE RATS (GRAMS)
 DOSE - 1000 PPM
 GROUP - 5
 TERMINAL KILL

ANIMAL NUMBER	BODY WEIGHT	BRAIN	HEART	THYROID	SPLEEN	ADRE'LS	LIVER	KIDNEYS	TESTES
8650	447.0	2.1510	1.9780	0.0270	0.6940	0.0670	13.9590	3.5400	4.0260
8651	540.0	2.0720	1.8670	0.0220	0.9430	0.0610	17.3070	4.5090	3.4650
8652	412.0	2.0200	1.3890	0.0160	0.6910	0.0830	13.6830	3.6000	3.5850
8653	453.0	1.9600	1.6960	0.0410	0.7530	0.0430	18.6780	3.9610	3.5830
8654	447.0	1.9980	1.6810	0.0300	0.7600	0.0610	14.7000	3.9130	3.6920
8655	463.0	2.3000	1.4530	0.0360	0.6300	0.0710	13.6980	3.7780	3.1320
8656	521.0	2.2900	1.6700	0.0180	0.9730	0.0660	19.2630	4.6490	3.2750
8657	452.0	2.2000	1.5830	0.0240	0.8780	0.0650	15.9290	3.5540	3.6370
8658	489.0	2.0460	2.3140	0.0300	0.7150	0.0410	19.8060	3.9990	3.5490
8659	488.0	2.1250	1.8300	0.0230	0.6070	0.0520	17.8620	4.1030	3.4230
8660	469.0	2.1590	1.5970	0.0420	0.7520	0.0790	15.0390	4.0220	3.5850
8661	482.0	2.0010	1.5540	0.0220	0.8150	0.0710	17.9460	4.7820	3.8500
8662	492.0	2.2190	1.6560	0.0160	0.9010	0.0680	20.7300	4.4550	3.6150
8663	422.0	2.1500	1.2930	0.0730	0.7960	0.0990	12.0320	3.2100	3.5130
8664	502.0	2.2130	1.9480	0.0280	0.9490	0.0900	18.5140	3.8620	3.2870
8665	547.0	2.3410	1.9040	0.0230	0.9520	0.0680	21.7230	4.5070	3.3790
8666	470.0	2.2420	1.6670	0.0150	0.9440	0.0440	17.7350	3.6040	3.9020
8667	498.0	0.00	1.9450	0.0440	0.6570	0.1010	16.9860	5.3290	3.6240
8668	515.0	2.1260	1.6930	0.0330	0.9080	0.0550	14.3440	4.2220	3.3060
8669	553.0	1.9670	1.7620	0.0370	0.8250	0.0820	18.6570	4.5520	3.4710
N	20	19	20	20	20	20	20	20	20
MEAN	483.0	2.1384	1.7240	0.0300	0.8071	0.0696	17.2295	4.1075*	3.5449
S.D.	59.4	0.1149	0.2326	0.0135	0.1186	0.0169	2.6173	0.5173	0.2201
S.E.	8.8	0.0264	0.0520	0.0030	0.0265	0.0038	0.5852	0.1157	0.0492

*p<0.05 as compared to controls: Dunnett's t-test.
 †Organ weight not taken.

TABLE H-19 (CONTINUED)
 PROJECT NO. 1075415
 URGAIN WEIGHTS IN MALE RATS (GRAMS)
 DOSE - 5000 PPM.
 GROUP - 4
 TERMINAL KILL

ANIMAL NUMBER	BODY WEIGHT	BRAIN	HEART	THYROID	SPLEEN	ADRE'LS	LIVER	KIDNEYS	TESTES
8670	416.0	2.1360	1.6130	0.0370	0.7410	0.0550	13.2730	3.3200	3.4930
8671	446.0	2.1260	1.6880	0.0220	0.6510	0.0580	14.2320	3.9430	3.6330
8672	414.0	2.1360	1.6080	0.0300	0.6890	0.0820	13.5570	3.9070	4.1280
8673	503.0	2.0460	1.7740	0.0450	0.7730	0.0620	16.5000	3.9230	3.4910
8674	506.0	2.0570	2.0080	0.0360	0.7280	0.0550	16.0500	4.2490	3.5800
8675	424.0	2.1320	1.7400	0.0270	0.6940	0.0730	15.6800	4.2740	3.7000
8676	457.0	2.0490	1.5880	0.0280	0.9450	0.0510	17.3180	4.0690	2.9470
8677	404.0	2.1040	1.6720	0.0270	0.6750	0.0760	13.8190	3.7810	3.7610
8678	463.0	1.9470	1.6110	0.0200	0.7590	0.0450	17.6250	3.7580	3.7570
8679	435.0	2.3210	1.4740	0.0320	0.6850	0.0650	13.0360	3.5640	3.7390
8680	429.0	2.1620	1.6010	0.0380	0.7450	0.0550	15.3300	3.8990	3.4100
8681	444.0	2.0400	1.6000	0.0180	0.7080	0.0460	15.2840	3.5800	3.4550
8682	454.0	2.1750	1.4150	0.0250	0.8200	0.0540	17.6540	3.7110	3.5200
8683	448.0	2.1190	1.5050	0.0290	0.5870	0.0720	16.5540	3.6590	3.1140
8684	402.0	2.0610	1.7080	0.0170	0.6590	0.0430	13.7750	3.2780	6.0570
8685	388.0	2.0580	1.3400	0.0270	0.6110	0.0750	16.5170	3.6430	3.4030
8686	429.0	2.2230	1.5640	0.0420	0.6890	0.0740	13.0270	3.7260	3.4460
8687	429.0	2.1870	1.6000	0.0200	0.6610	0.0660	16.3280	4.0030	4.0530
8688	503.0	2.2050	1.6790	0.0150	0.7430	0.1370	18.9940	4.6950	3.5000
8689	364.0	2.2190	1.5250	0.0270	0.7470	0.0550	15.0730	3.6800	3.4090
N	20	20	20	20	20	20	20	20	20
MEAN	438.3	2.1436	1.6156	0.0281	0.7355	0.0648	15.4912	3.4331	3.6797
S.D.	36.7	0.0887	0.1408	0.0083	0.0895	0.0204	1.7520	0.3379	0.6213
S.E.	8.2	0.0198	0.0315	0.0019	0.0200	0.0046	0.3918	0.0755	0.1389

TABLE H-19 (CONTINUED)
 PROJECT NO. 1073415
 ORGAN WEIGHTS IN FEMALE MATS (GRAMS)
 DOSE - CONTROL
 GROUP - 1
 TERMINAL KILL

ANIMAL NUMBER	BODY WEIGHT	BRAIN	HEART	THYROID	SPLEEN	ADRE'LS	LIVER	KIDNEYS	OVARIES
8695	249.0	1.8630	0.9330	0.0210	0.6280	0.0850	8.9540	2.1910	0.1410
8696	0.0 ^b	1.9350	0.9760	0.0200	0.5770	0.0950	8.7570	2.2090	0.1540
8697	272.0	2.0750	0.9920	0.0330	0.9400	0.0570	10.1510	2.3650	0.1220
8698	275.0	1.9490	1.0490	0.0240	0.7840	0.0670	8.3700	2.1150	0.1520
8699	266.0	2.0370	0.9960	0.0350	0.7420	0.0940	9.9790	2.2630	0.1320
8700	296.0	1.8350	1.0110	0.0170	0.6950	0.0740	11.1960	2.3090	0.1530
8701	231.0	2.0150	0.9070	0.0260	0.6060	0.0770	8.9000	2.2670	0.1170
8702	228.0	1.8800	1.0100	0.0170	0.4100	0.0710	8.7510	2.3480	0.1430
8703	241.0	1.9030	0.9230	0.0350	0.5030	0.0880	8.2990	2.1110	0.0660
8704	273.0	2.0290	1.0300	0.0300	0.4810	0.0650	8.5930	2.4800	0.1370
8705	239.0	1.8560	0.9940	0.0170	0.4410	0.0690	8.5840	2.3310	0.1060
8706	249.0	1.9570	0.9200	0.0160	0.5430	0.0990	7.4820	1.9480	0.1990
8707	234.0	2.0370	0.8790	0.0210	0.3400	0.0700	8.1070	2.0970	0.1230
8708	248.0	1.8890	0.9370	0.0480	0.5960	0.0530	10.4750	2.2950	0.2090
8709	245.0	2.0280	1.0750	0.0190	0.5240	0.0740	8.9190	2.1790	0.1710
8710	256.0	1.7990	1.1370	0.0200	0.4920	0.0850	10.1710	2.3450	0.1890
8711	210.0	2.0750	0.7500	0.0190	0.5680	0.0690	8.4440	1.8850	0.1310
8712	216.0	1.9440	0.9020	0.0220	0.4500	0.0740	8.6220	2.0130	0.1120
8713	234.0	1.9610	0.9280	0.0340	0.4380	0.1300	8.4480	2.2600	0.1360
8714	237.0	1.9230	1.1070	0.0180	0.5040	0.0730	9.2700	2.3040	0.1350
N	19	20	20	20	20	20	20	20	20
MEAN	247.3	1.9495	0.9728	0.0246	0.5631	0.0794	9.0236	2.2157	0.1414
S.D.	21.6	0.0819	0.0878	0.0085	0.1423	0.0172	0.9159	0.1502	0.0331
S.E.	5.0	0.0183	0.0196	0.0019	0.0318	0.0038	0.2048	0.0356	0.0074

^b Body weight not taken.

TABLE H-19 (CONTINUED)
 PROJECT NO. 1073415
 ORGAN WEIGHTS IN FEMALE RATS (GRAMS)
 DOSE - 300 PPM
 GROUP - 2
 TERMINAL KILL

ANIMAL NUMBER	BODY WEIGHT	BRAIN	HEART	THYROID	SPLEEN	ADRE'LS	LIVER	KIDNEYS	OVARIES
8715	243.0	1.4290	1.0100	0.0310	0.5030	0.0640	9.9610	2.2960	0.1180
8716	243.0	1.4910	0.9980	0.0370	0.5220	0.0770	8.8970	2.0690	0.1290
8717	260.0	2.1560	1.3260	0.0280	0.5890	0.0860	7.8640	2.5340	0.1370
8718	283.0	1.9360	1.0420	0.0250	0.5840	0.0660	10.9250	2.1480	0.1420
8719	241.0	1.4550	1.1080	0.0250	0.5660	0.0760	9.8260	2.4900	0.1420
8720	240.0	1.9590	0.8970	0.0240	0.6520	0.0830	9.8900	2.1230	0.1130
8721	253.0	1.9590	1.2300	0.0290	0.5990	0.0420	9.9770	1.9440	0.1390
8722	208.0	2.1290	1.0680	0.0730	0.6760	0.0680	8.4960	2.3020	0.1250
8723	259.0	1.9220	1.0780	0.0150	0.6330	0.0670	9.0770	2.5460	0.0900
8724	220.0	1.9680	0.9440	0.0310	0.4620	0.1100	7.7070	2.0240	0.1310
8725	241.0	1.9340	1.0640	0.0140	0.5300	0.0710	8.6730	2.1440	0.1350
8726	247.0	2.0140	1.2260	0.0300	0.6900	0.0930	13.0210	3.5490	0.1110
8727	223.0	1.8430	0.8630	0.0120	0.4180	0.0880	7.5890	2.1630	0.0820
8728	277.0	1.9170	1.0090	0.0370	0.7250	0.0360	10.0580	2.3440	0.1300
8729	266.0	1.9140	0.9860	0.0250	0.5290	2.0720 ^a	8.5850	2.3450	0.1040
8730	305.0	2.1120	1.1320	0.0250	0.6970	0.0690	11.1970	2.8890	0.1280
8731	218.0	1.8970	0.9130	0.0430	0.4660	0.0720	8.4350	2.4320	0.0920
8732	281.0	2.0690	1.2330	0.0180	0.6290	0.0960	10.7040	2.6470	0.1490
8733	245.0	1.9600	1.0390	0.0140	0.4960	0.1060	9.4790	2.1130	0.1860
8734	266.0	1.9480	1.0340	0.0430	0.6550	0.1000	9.8440	2.5050	0.0690
IN	20	20	20	20	20	19	20	20	20
MEAN	253.4	1.9740	1.0620*	0.0289	0.5861	0.0805	9.5102	2.3853	0.1252
S.D.	26.4	0.0856	0.1219	0.0138	0.0875	0.0174	1.3305	0.3659	0.0312
S.E.	5.9	0.0191	0.0273	0.0031	0.0196	0.0039	0.2975	0.0818	0.0070

*p<0.05 as compared to controls; Dunnett's t-test.
^aWeight judged erroneous. Omitted from statistics.

TABLE H-19 (CONTINUED)
 PROJECT 40. 1075415
 ORGAN WEIGHTS IN FEMALE MICE (GRAMS)
 DOSE - 1000 PPM
 GROUP - 3
 TERMINAL KILL

ADIPAL NUMBER	BODY WEIGHT	BRAIN	HEART	THYROID	SPLEEN	ADIPALS	LIVER	KIDNEYS	OVARIES
8735	243.0	2.0690	1.0440	0.0180	0.5670	0.0570	9.6580	2.3070	0.1470
8736	250.0	1.9730	0.9510	0.0450	0.5480	0.0610	10.6810	2.2150	0.1180
8737	281.0	2.0410	1.0160	0.0360	0.7240	0.0440	8.6490	2.4430	0.1540
8738	292.0	1.9010	0.9460	0.0210	0.6750	0.1150	10.9610	2.4390	0.1850
8739	210.0	1.9650	0.9190	0.0130	0.6750	0.0630	7.3490	1.9960	0.1370
8740	231.0	2.0890	1.0510	0.0250	0.7840	0.0730	6.6460	2.2050	0.1420
8741	237.0	2.0360	1.0430	0.0130	0.6400	0.0660	10.5260	2.3000	0.1520
8742	251.0	2.0620	1.1350	0.0090	0.6050	0.0910	11.4920	2.7560	0.1970
8743	297.0	2.0220	1.2410	0.0350	0.6050	0.0990	11.0870	2.7250	0.1710
8744	245.0	2.0690	1.0100	0.0250	0.6900	0.0610	8.6600	2.1540	0.1270
8745	219.0	2.0820	0.9470	0.0140	0.3880	0.0780	8.2620	2.3570	0.1520
8746	274.0	1.9440	1.2190	0.0140	0.4990	0.0860	10.3000	2.7210	0.1450
8747	234.0	2.0390	1.1440	0.0270	0.4840	0.0600	9.1820	2.6110	0.1520
8748	270.0	2.0700	1.0630	0.0270	0.6170	0.0900	10.8160	2.7120	0.2130
8749	234.0	1.9160	0.9560	0.0270	0.5250	0.0890	9.1300	2.3100	0.1330
8750	257.0	1.9760	0.9060	0.0180	0.6570	0.0850	10.0330	2.4920	0.1160
8751	216.0	1.5010	1.0350	0.0330	0.4630	0.0860	7.4660	1.9250	0.1240
8752	266.0	1.9380	1.1210	0.0190	0.5050	0.0790	10.1620	2.3910	0.1590
8753	288.0	1.9560	1.0710	0.0360	0.5730	0.0550	10.8200	2.7720	0.0900
8754	242.0	1.9740	0.9730	0.0290	0.5040	0.1060	9.3070	2.6310	0.1650
4	20	20	20	20	19	20	20	20	20
MEAN	251.8	1.9812	1.0395	0.0242	0.5843	0.0797	9.5790	2.4231*	0.1489
S.D.	25.6	0.1275	0.0950	0.0096	0.1002	0.0173	1.3046	0.2534	0.0287
S.E.	5.7	0.0285	0.0212	0.0022	0.0250	0.0039	0.3051	0.0567	0.0064

*p<0.05 as compared to controls: Dunnett's t-test.

Organ lost; weight not taken.

TABLE H-19 (CONTINUED)
 PROJECT NO. 1073415
 ORGAN WEIGHTS IN FEMALE RATS (GRAMS)
 DOSE - 5000 PPM
 GROUP - 4
 TERMINAL KILL

ANIMAL NUMBER	BODY WEIGHT	HEART	THYROID	SPLEEN	ADRENALS	LIVER	KIDNEYS	OVARIES
8755	203.0	1.8450	0.0190	0.4560	0.0560	7.7420	1.8800	0.1360 ^a
8756	272.0	1.9860	0.0340	0.6330	0.0620	9.7360	2.7700	0.1360
8757	257.0	2.0440	0.0160	0.5110	0.1000	8.9960	2.3340	0.1010
8758	216.0	1.9260	0.0160	0.6330	0.0560	7.5620	1.9040	0.1440
8759	229.0	2.0340	0.0190	0.5700	0.1080	8.3740	2.2940	0.1450
8760	252.0	2.0250	0.0180	0.7330	0.0570	9.0540	2.2780	0.0640
8761	253.0	1.9780	0.0430	0.6690	0.0730	7.9370	2.4830	0.1350
8762	245.0	2.0040	0.0120	0.5780	0.0710	8.1230	2.1760	0.1520
8763	238.0	1.9040	0.0160 ^a	0.4420	0.0650	8.2510	2.5570	0.1300
8764	251.0	1.8690	0.0180	0.5460	0.0730	9.0870	2.3020	0.1620
8765	194.0	1.8730	0.0150	0.4910	0.0910	7.3530	2.0920	0.1080
8766	262.0	1.9760	0.0290	0.6560	0.0910	9.2050	2.5340	0.1070
8767	211.0	1.8670	0.0200	0.4280	0.0710	8.3760	2.0630	0.1310
8768	209.0	1.9580	0.0210	0.4750	0.0840	7.5560	2.1410	0.1360 ^a
8769	230.0	2.0680	0.0080	0.4860	0.0750	7.8610	2.3220	0.0540
8770	255.0	2.0270	0.0120	0.4600	0.0960	10.0380	2.2810	0.1160
8771	249.0	2.0350	0.0350	0.6220	0.1070	8.0890	2.3140	0.1600
8772	236.0	2.0490 ^a	0.0190	0.6610	0.0670	7.9540	2.2700	0.1650
8773	211.0	1.8600	0.0210	0.4740	0.0940	6.0160	2.1140	0.1210
8774	245.0	1.9450	0.0340	0.4610	0.0920	10.3560	2.7480	0.1060
N	20	19	19	20	19	20	20	18
MEAN	238.1	1.9619	0.0215	0.5526	0.0805	8.3843	2.2833	0.1232
S.D.	24.1	0.0728	0.0092	0.0976	0.0171	1.0179	0.2302	0.0311
S.E.	5.4	0.0167	0.0021	0.0218	0.0039	0.2276	0.0515	0.0073

^a Organ weight taken after fixation; deleted from statistical calculation.

TABLE H-20
 PROJECT NO. 1073015
 UMGAN WEIGHT-BODY WEIGHT PERCENTAGES IN MALE RATS
 DOSE - CONTROL
 GROUP - 1
 TERMINAL KILL

ANIMAL NUM-BER	BRAIN	HEART	THYROID	SPLEEN	ADRE'LS	LIVER	KIDNEYS	TESTES
8610	0.4374	0.3401	0.0043	0.1587	0.0099	3.0986	0.7653	0.7866
8611	0.4733	0.3641	0.0070	0.1751	0.0134	3.0396	0.7145	0.6692
8612	0.4761	0.3029	0.0071	0.1879	0.0129	3.3744	0.8052	0.7029
8613	0.4707	0.3981	0.0073	0.1457	0.0147	3.7479	0.7899	0.7813
8614	0.4190	0.2880	0.0068	0.1323	0.0136	3.1449	0.7677	0.6327
8615	0.5634	0.3607	0.0027	0.1706	0.0142	3.7537	0.8465	0.8733
8616	0.4703	0.3970	0.0069	0.1762	0.0137	3.2128	0.8647	0.8854
8617	0.4452	0.3678	0.0030	0.1617	0.0100	3.0804	0.8600	0.7691
8618	0.4086	0.3563	0.0050	0.1345	0.0141	3.3259	0.9163	0.7291
8619	0.4305	0.3422	0.0068	0.1756	0.0121	3.2650	0.7887	0.6557
8620	0.4444	0.3154	0.0064	0.1624	0.0092	3.7798	0.8717	0.7725
8621	0.4519	0.3487	0.0026	0.1618	0.0141	3.4436	0.8232	0.7184
8622	0.4644	0.3234	0.0088	0.1757	0.0157	3.4759	0.8356	0.7013
8623	0.4607	0.3680	0.0078	0.1622	0.0149	3.4402	0.8985	0.8207
8624	0.4111	0.3454	0.0079	0.1647	0.0151	3.9347	0.7492	0.7063
8625	0.5261	0.3382	0.0078	0.1648	0.0187	3.1980	0.8099	0.8856
8626	0.4936	0.3952	0.0042	0.2002	0.0105	3.9277	0.7554	0.7224
8627	0.4515	0.4020	0.0047	0.1760	0.0112	3.3511	0.7460	0.7008
8628	0.3979	0.3378	0.0079	0.1309	0.0113	2.9685	0.8205	0.6877
8629	0.4755	0.3719	0.0038	0.1705	0.0167	3.1092	0.7665	0.8193
N	20	20	20	20	20	20	20	20
MEAN	0.4586	0.3522	0.0059	0.1644	0.0133	3.3856	0.8108	0.7510
S.D.	0.0395	0.0318	0.0020	0.0178	0.0024	0.3036	0.0561	0.0758
S.E.	0.0088	0.0071	0.0004	0.0040	0.0005	0.0679	0.0125	0.0169

TABLE H-20 (CONTINUED)

PROJECT NO. 1075415
 ORGAN WEIGHT-BODY WEIGHT PERCENTAGES IN MALL RATS
 DOSE - 300 PPM
 GROUP - 2
 TERMINAL KILL

ANIMAL NUMBER	BRAIN	HEART	THYROID	SPLEEN	ADME 'LS	LIVER	KIDNEYS	TESTES
8630	0.4939	0.3517	0.0042	0.1559	0.0138	3.3278	0.8360	0.7521
8631	0.4850	0.3476	0.0065	0.2248	0.0170	3.3735	0.9607	0.7417
8632	0.4424	0.3800	0.0068	0.1745	0.0175	3.2216	0.7292	0.6961
8633	0.5157	0.3459	0.0086	0.1645	0.0146	3.1567	0.8724	0.7104
8634	0.4449	0.3573	0.0048	0.1906	0.0122	3.6804	0.9514	0.9150
8635	0.4600	0.3519	0.0040	0.1446	0.0110	3.0653	0.7598	0.9670
8636	0.4624	0.3366	0.0051	0.1444	0.0189 ^a	3.6548	0.8539	0.8705
8637	0.4983	0.3730	0.0058	0.1830	0.0187	3.2560	0.9363	0.8929
8638	0.4403	0.3295	0.0064	0.1391	0.0123	3.5645	0.8665	0.7304
8639	0.4095	0.3284	0.0058	0.1461	0.0121	3.5209	0.8697	0.7588
8640	0.5123	0.3565	0.0053	0.1800	0.0143	3.6855	0.8655	0.8051
8641	0.4227	0.3275	0.0032	0.1967	0.0136	3.2041	0.8255	0.6820
8642	0.5065	0.4154	0.0072	0.1650	0.0138	3.6540	0.8531	0.8170
8643	0.4231	0.3312	0.0086	0.1847	0.0183	3.3909	0.8093	0.7065
8644	0.5757	0.3881	0.0084	0.1477	0.0179	3.7173	0.8360	0.9453
8645	0.4008	0.2471	0.0063	0.1446	0.0188	4.1481	0.8873	0.8018
8646	0.4597	0.3495	0.0078	0.2030	0.0145	4.4766	0.7983	0.7434
8647	0.4982	0.4376	0.0088	0.1651	0.0207	3.7890	0.9505	0.7406
8648	0.4416	0.4186	0.0025	0.1584	0.0142	4.0262	0.7633	0.8062
8649	0.4673	0.4329	0.0048	0.1628	0.0171	3.9413	0.8699	0.7080
N	20	20	20	20	19	20	20	20
MEAN	0.4678	0.3639	0.0060	0.1688	0.0134	3.5918	0.8537	0.7898
S.D.	0.0426	0.0379	0.0018	0.0231	0.0028	0.3636	0.0641	0.0866
S.E.	0.0095	0.0085	0.0004	0.0052	0.0006	0.0813	0.0143	0.0194

^aOrgan weight taken after fixation; deleted from statistical calculation.

TABLE H-20 (CONTINUED)
 PROJECT NO. 1073415
 ORGAN WEIGHT-BODY WEIGHT PERCENTAGES IN MALE RATS
 DOSE - 1000 PPM
 GROUP - 3
 TERMINAL KILL

ANIMAL NUMBER	BRAIN	HEART	THYROID	SPLEEN	ADRE'LS	LIVER	KIDNEYS	TESTES		
									19	20
8650	0.4812	0.4425	0.0060	0.1553	0.0150	3.1228	0.7919	0.9007		
8651	0.3837	0.3457	0.0041	0.1746	0.0113	3.2050	0.8350	0.6417		
8652	0.4903	0.5371	0.0039	0.1677	0.0201	3.3211	0.8738	0.8701		
8653	0.4327	0.5744	0.0091	0.1662	0.0095	4.1232	0.8744	0.7909		
8654	0.4470	0.3761	0.0067	0.1700	0.0181	3.2886	0.8754	0.8260		
8655	0.4968	0.3138	0.0078	0.1561	0.0153	2.9585	0.8160	0.6765		
8656	0.4395	0.3205	0.0035	0.1868	0.0127	3.6973	0.8923	0.6286		
8657	0.4867	0.3502	0.0053	0.1942	0.0144	3.5241	0.7863	0.8046		
8658	0.4286	0.4732	0.0061	0.1462	0.0084	4.0503	0.8178	0.7258		
8659	0.4555	0.3750	0.0047	0.1244	0.0107	3.6602	0.8408	0.7014		
8660	0.4613	0.3412	0.0090	0.1607	0.0169	3.2135	0.8594	0.7660		
8661	0.4151	0.3224	0.0046	0.1691	0.0147	3.7232	0.9921	0.7988		
8662	0.4510	0.3366	0.0033	0.1831	0.0138	4.2134	0.9055	0.7348		
8663	0.5095	0.3064	0.0173	0.1886	0.0235	2.8512	0.7607	0.8325		
8664	0.4408	0.3880	0.0056	0.1890	0.0179	3.6680	0.7693	0.6548		
8665	0.4280	0.3481	0.0042	0.1740	0.0124	3.9713	0.8239	0.6177		
8666	0.4770	0.3547	0.0032	0.2009	0.0104	3.7734	0.7668	0.8302		
8667	0.406	0.3906	0.0088	0.1319	0.0203	3.8124	1.0701	0.7277		
8668	0.4128	0.3287	0.0064	0.1763	0.0107	3.5619	0.8198	0.6419		
8669	0.5557	0.3186	0.0067	0.1492	0.0148	3.3738	0.8231	0.6277		
N	19	20	20	20	20	20	20	20	20	20
MEAN	0.4460	0.3572	0.0063	0.1672	0.0145	3.5567	0.8497	0.7399		
S.D.	0.0593	0.0426	0.0032	0.0213	0.0040	0.3841	0.0758	0.0889		
S.E.	0.0090	0.0095	0.0007	0.0048	0.0009	0.0859	0.0169	0.0199		

^dOrgan weight not taken.

TABLE H-20 (CONTINUED)
 PROJECT NO. 1073415
 URBAN WEIGHT-BODY WEIGHT PERCENTAGES IN MALE RATS
 DOSE = 3000 PPM
 GROUP "4"
 TERRIMAL HILL

ANIMAL NUMBER	BRAIN	HEART	THYROID	SPLEEN	ADME'S	LIVER	KIDNEYS	TESTES
8670	0.5135	0.3877	0.0089	0.1781	0.0132	3.1906	0.7981	0.8397
8671	0.4767	0.3785	0.0049	0.1908	0.0130	3.1910	0.8841	0.8146
8672	0.5589	0.3847	0.0072	0.1648	0.0196	3.2433	0.9347	0.9876
8673	0.4167	0.3527	0.0089	0.1537	0.0123	3.2803	0.7799	0.6940
8674	0.4065	0.3968	0.0071	0.1434	0.0109	3.1719	0.8397	0.7075
8675	0.5028	0.4104	0.0064	0.2108	0.0172	3.6981	1.0080	0.8726
8676	0.4593	0.3475	0.0061	0.2068	0.0112	3.7895	0.8904	0.6449
8677	0.5208	0.4139	0.0067	0.1671	0.0188	3.4205	0.9359	0.9309
8678	0.4313	0.3479	0.0043	0.1639	0.0097	3.8067	0.8117	0.8114
8679	0.5336	0.3389	0.0074	0.1575	0.0149	2.9968	0.8193	0.8595
8680	0.5086	0.3752	0.0089	0.1737	0.0128	3.5734	0.9089	0.7949
8681	0.4595	0.3604	0.0041	0.1595	0.0104	3.4423	0.7613	0.7777
8682	0.4791	0.3117	0.0053	0.1806	0.0119	3.9326	0.8174	0.7753
8683	0.4730	0.3359	0.0065	0.1310	0.0161	3.6951	0.8614	0.6951
8684	0.5127	0.4244	0.0042	0.1639	0.0107	3.4266	0.8154	1.5067
8685	0.5304	0.3454	0.0070	0.1575	0.0188	4.2570	0.9389	0.8771
8686	0.5182	0.3846	0.0098	0.1606	0.0172	3.0366	0.8685	0.8033
8687	0.5098	0.3750	0.0047	0.1541	0.0154	3.8056	0.9331	0.9448
8688	0.4584	0.5358	0.0050	0.1477	0.0272	3.7761	0.9334	0.6958
8689	0.6014	0.4153	0.0073	0.2024	0.0149	4.0848	0.9973	0.9258
N	20	20	20	20	20	20	20	20
MEAN	0.4925	0.3697	0.0064	0.1684	0.0148	3.5410	0.8769	0.8479
S.D.	0.0488	0.0313	0.0019	0.0211	0.0042	0.3550	0.0709	0.1815
S.E.	0.0109	0.0070	0.0004	0.0047	0.0004	0.0794	0.0159	0.0806

TABLE H-20 (CONTINUED)
 PROJECT NO. 1073415
 UMBAN WEIGHT-BODY WEIGHT PERCENTAGES IN FEMALE RATS
 DOSE - CONTROL
 GROUP - I
 TERMINAL KILL

ANIMAL NUMBER	BRAIN	HEART	THYROID	SPLEEN	ADME'S	LIVER	KIDNEYS	UVARIES
8695	0.7402	0.3747	0.0084	0.2522	0.0341	3.5960	0.8799	0.0566
8696 ^b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8697	0.7629	0.3647	0.0121	0.2456	0.0210	5.7320	0.6695	0.0449
8698	0.7087	0.3815	0.0087	0.2851	0.0244	5.0436	0.7691	0.0553
8699	0.7658	0.3744	0.0132	0.2789	0.0353	3.7515	0.6508	0.0496
8700	0.6199	0.3416	0.0057	0.2300	0.0250	3.7824	0.7801	0.0517
8701	0.8725	0.3926	0.0115	0.2623	0.0335	3.6528	0.9814	0.0506
8702	0.8246	0.4430	0.0075	0.1798	0.0311	5.4582	1.0298	0.0627
8703	0.7896	0.3630	0.0145	0.2087	0.0365	3.4436	0.8759	0.0274
8704	0.7432	0.3773	0.0110	0.1762	0.0238	3.1476	0.9084	0.0502
8705	0.7766	0.4159	0.0071	0.1845	0.0289	5.5916	0.9753	0.0444
8706	0.7859	0.3695	0.0064	0.2181	0.0398	5.0048	0.7823	0.0799
8707	0.8705	0.3756	0.0090	0.1453	0.0299	3.4645	0.8962	0.0526
8708	0.7617	0.3778	0.0194	0.2403	0.0214	4.2238	0.9254	0.0843
8709	0.8278	0.4388	0.0078	0.2139	0.0302	3.6404	0.8894	0.0698
8710	0.7027	0.4441	0.0078	0.1922	0.0332	3.9730	0.9160	0.0738
8711	0.9081	0.5571	0.0090	0.2705	0.0424	4.0210	0.8976	0.0824
8712	0.9000	0.4176	0.0102	0.2083	0.0343	3.9917	0.9319	0.0519
8713	0.8380	0.3966	0.0145	0.1872	0.0556	3.6103	0.9658	0.0581
8714	0.8114	0.4671	0.0076	0.2127	0.0308	3.9114	0.9722	0.0570
N	19	19	19	19	19	19	19	19
MEAN	0.7946	0.3944	0.0101	0.2261	0.0322	3.6642	0.8998	0.0570
S.D.	0.0613	0.0340	0.0034	0.0479	0.0082	0.3321	0.0709	0.0133
S.E.	0.0167	0.0078	0.0008	0.0110	0.0019	0.0762	0.0163	0.0031

^bBody weight not taken.

TABLE H-20 (CONTINUED)
 PROJECT NO. 1073415
 ORGAN WEIGHT-BODY WEIGHT PERCENTAGES IN FEMALE RATS
 DOSE - 300 PPM
 GROUP - 2
 TERMINAL KILL

ANIMAL NUMBER	BRAIN	HEART	THYROID	SPLEEN	ADRE'LS	LIVER	KIDNEYS	OVARIES
8715	0.7527	0.4156	0.0126	0.2070	0.0263	4.0992	0.9449	0.0486
8716	0.8193	0.4107	0.0152	0.2560	0.0317	3.6613	0.8514	0.0531
8717	0.8292	0.5100	0.0108	0.2265	0.0331	3.0246	0.9746	0.0527
8718	0.6841	0.3682	0.0088	0.2064	0.0233	3.8604	0.7590	0.0502
8719	0.8112	0.4598	0.0104	0.2349	0.0315	4.0772	1.0332	0.0589
8720	0.8162	0.3737	0.0100	0.2717	0.0346	4.1208	0.8846	0.0471
8721	0.7743	0.4862	0.0115	0.2368	0.0324	3.9435	0.7684	0.0549
8722	1.0236	0.5231	0.0351	0.3260	0.0327	4.0846	1.1067	0.0601
8723	0.7421	0.4162	0.0058	0.2444	0.0259	3.5046	1.0216	0.0547
8724	0.8936	0.4291	0.0141	0.2100	0.0500	3.5032	0.9200	0.0605
8725	0.8025	0.4498	0.0058	0.2199	0.0295	3.5988	0.8896	0.0560
8726	0.6781	0.4128	0.0101	0.2323	0.0313	4.3842	1.1949	0.0374
8727	0.8489	0.3670	0.0054	0.1874	0.0395	3.4031	0.9700	0.0368
8728	0.6921	0.4643	0.0134	0.2617	0.0130	3.6310	0.8462	0.0469
8729	0.7195	0.3707	0.0094	0.1989	0.7789 ^a	3.2274	0.8816	0.0391
8730	0.6925	0.3711	0.0082	0.2285	0.0292	3.6711	0.9472	0.0420
8731	0.8702	0.4188	0.0197	0.2138	0.0330	3.8693	1.1156	0.0422
8732	0.7434	0.4388	0.0064	0.2238	0.0342	3.8093	0.9420	0.0708
8733	0.8000	0.4241	0.0057	0.2024	0.0433	3.8690	0.8624	0.0759
8734	0.7523	0.3887	0.0162	0.2462	0.0376	3.7008	0.9417	0.0259
MEAN	0.7863	0.4209	0.0117	0.2317	0.0322	3.7522	0.9428	0.0497
S.D.	0.0846	0.0465	0.0067	0.0313	0.0077	0.3290	0.1113	0.0123
S.E.	0.0189	0.0104	0.0015	0.0070	0.0017	0.0736	0.0249	0.0028

^aWeight judged erroneous. Omitted from statistics.

TABLE H-20 (CONTINUED)
 PROJECT NO. 1075415
 ORGAN WEIGHT-HOURLY WEIGHT PERCENTAGES IN FEMALE RATS
 DOSE - 1000 PPM
 GROUP - 3
 TERMINAL KILL

ANIMAL NUMBER	BRAIN	HEART	THYROID	SPLEEN	ADRE'LS	LIVER	KIDNEYS	OVARIES
8735	0.8514	0.4296	0.0074	0.2333	0.0235	3.9745	0.9494	0.0605
8736	0.7892	0.3804	0.0180	0.2192	0.0244	4.2124	0.8860	0.0472
8737	0.7263	0.3616	0.0128	0.2577	0.0335	3.1491	0.8694	0.0548
8738	0.6510	0.3240	0.0072	0.1969	0.0394	3.7538	0.8533	0.0634
8739	0.9357	0.4376	0.0062	0.3214	0.0300	3.4995	0.9505	0.0652
8740	0.9043	0.4550	0.0108	0.3394	0.0316	2.8771	0.9545	0.0615
8741	0.8591	0.4401	0.0055	0.2700	0.0278	4.4413	0.9705	0.0641
8742	0.8215	0.4522	0.0036	0.2410	0.0363	4.5785	1.0980	0.0785
8743	0.6808	0.4178	0.0118	0.0000	0.0333	3.7330	0.9175	0.0576
8744	0.8405	0.4122	0.0102	0.2816	0.0249	3.6163	0.8792	0.0518
8745	0.9507	0.4324	0.0064	0.1772	0.0356	3.7726	1.0763	0.0694
8746	0.7095	0.4449	0.0051	0.1821	0.0314	3.7591	0.9931	0.0529
8747	0.8714	0.4889	0.0115	0.2068	0.0256	3.9239	1.1158	0.0650
8748	0.7667	0.3937	0.0100	0.2507	0.0333	4.0059	1.0044	0.0789
8749	0.8188	0.4085	0.0115	0.2235	0.0380	3.9017	0.9872	0.0568
8750	0.7696	0.3525	0.0070	0.2556	0.0331	3.4039	0.9696	0.0451
8751	0.6449	0.4792	0.0153	0.2236	0.0398	3.4537	0.8912	0.0574
8752	0.7286	0.4214	0.0071	0.1898	0.0297	3.8283	0.8989	0.0598
8753	0.6792	0.3719	0.0125	0.1990	0.0191	3.7569	0.9625	0.0312
8754	0.8157	0.4021	0.0120	0.2083	0.0438	3.8459	1.0872	0.0682
N	20	20	20	19	20	20	20	20
MEAN	0.7934	0.4153	0.0096	0.2356	0.0317	3.8020	0.9648	0.0595
S.D.	0.0884	0.0423	0.0037	0.0447	0.0063	0.3495	0.0804	0.0110
S.E.	0.0198	0.0094	0.0008	0.0103	0.0014	0.0871	0.0180	0.0025

^cOrgan lost; weight not taken.

TABLE H-20 (CONTINUED)
 PROJECT NO. 1073415
 ORGAN WEIGHT-BODY WEIGHT PERCENTAGES IN FEMALE RATS
 DOSE = 3000 PPM
 GROUP = 4
 TERMINAL KILL

ANIMAL NUMBER	BRAIN	HEART	THYROID	SPLEEN	ADME'S	LIVER	KIDNEYS	UVARIES
8755	0.9069	0.4517	0.0094	0.2246	0.0276	3.8138	0.9261	0.0670 ^a
8756	0.7401	0.4371	0.0125	0.2511	0.0301	3.5794	1.0184	0.0500
8757	0.7473	0.5969	0.0062	0.1988	0.0389	3.5004	0.9082	0.0393
8758	0.8917	0.4037	0.0074	0.2917	0.0259	3.5102	0.8815	0.0667
8759	0.8882	0.4603	0.0083	0.2489	0.0472	3.6568	1.0017	0.0633
8760	0.8028	0.3857	0.0071	0.2988	0.0226	3.5929	0.9040	0.0254
8761	0.7418	0.4573	0.0170	0.2644	0.0269	3.1372	0.9814	0.0534
8762	0.8180	0.5069	0.0049	0.2359	0.0290	3.3155	0.8862	0.0620
8763	0.8000	0.4382	0.0067 ^a	0.1857	0.0273	3.4668	0.9903	0.0546
8764	0.7446	0.5928	0.0072	0.2175	0.0291	3.6203	0.9171	0.0645
8765	0.9412	0.4161	0.0075	0.2467	0.0457	3.6950	1.0513	0.0543
8766	0.7542	0.4084	0.0111	0.2504	0.0347	3.5134	0.9672	0.0408
8767	0.8848	0.5559	0.0095	0.2028	0.0336	3.9697	0.9777	0.0526
8768	0.9368	0.4813	0.0100	0.2273	0.0402 ^a	3.6153	1.0483	0.0651 ^a
8769	0.8991	0.4291	0.0035	0.2113	0.0326	3.4178	1.0096	0.0235
8770	0.7949	0.4455	0.0047	0.1804	0.0376	3.9365	0.8945	0.0455
8771	0.8173	0.5671	0.0141	0.2498	0.0430	3.2486	0.9293	0.0643
8772	0.8662 ^a	0.4784	0.0081	0.2801	0.0284	3.3703	0.9619	0.0699
8773	0.8815	0.4768	0.0100	0.2246	0.0469	2.8512	1.0019	0.0573
8774	0.7000	0.5547	0.0119	0.1618	0.0523	3.6337	0.9642	0.0372
N	19	20	19	20	19	20	20	18
MEAN	0.8302	0.4272	0.0090	0.2326	0.0338	3.5222	0.9611	0.0514
S.D.	0.0723	0.0437	0.0034	0.0365	0.0075	0.2613	0.0326	0.0137
S.E.	0.0166	0.0098	0.0008	0.0082	0.0017	0.0584	0.0118	0.0032

^aOrgan weight taken after fixation; deleted from statistical calculation.

SECTION H
APPENDIX B

SPONSOR: U.S. Army R&D
MATERIAL: Isopropyl Methylphosphonic acid, sodium salt
SUBJECT: FINAL PATHOLOGY REPORT
3-Month Oral Toxicity Study in Rats
LBI Project No. 10734-15

METHODOLOGY

Pathological examinations were conducted on 20 male and 20 female CRL:COBS CS(SD)BR rats which were exposed (or not exposed) to IMPA in the feed for approximately 13 weeks at each of the following dose levels: Group 1, 0 ppm (control); Group 2, 300 ppm; Group 3, 1000 ppm; and Group 4, 3000 ppm. All animals survived and at the end of the exposure period, each animal was killed by CO₂ intoxication and subjected to a detailed necropsy examination. The most recent clinical observations for each animal were reviewed at necropsy, and all observations of gross abnormalities were recorded directly onto the necropsy sheet as encountered. Liver, heart, spleen, kidneys, adrenals, gonads, and brain were weighed from all animals immediately after sacrifice. Following gross examination appropriate samples of the following tissues were fixed in 10% neutral buffered formalin: Any unusual lesions, brain (cerebrum, cerebellum, brainstem), spinal cord (thoracic, cervical), eye (left), pituitary, salivary gland (submandibular), heart, thymus, thyroid, lungs (with mainstem bronchi), trachea, spleen, bone (with marrow) sternum, mesenteric lymph node, esophagus, stomach, small intestine (duodenum, ileum, jejunum), large intestine (colon, cecum), adrenal glands, pancreas, liver (2 sections), kidneys, ovaries/testes, prostate, uteri (corpus, cervix), skin (mammary area), skeletal muscle (rectus femoris), sciatic nerve, and urinary bladder. These tissues from all Group 1 and 4 animals were embedded in paraffin, sectioned at five to seven microns, stained with hematoxylin and examined microscopically.¹

GROSS FINDINGS

There were few gross lesions observed. Those that were present were not unusual for rats of this age and strain and had no particular relevance to the study. In general, the rats appeared to be quite free from disease.

HISTOPATHOLOGY


The results of microscopic examination of the tissues are presented in The Tables of Microscopic Findings. Occasional tissues were lost in processing and not available for microscopic examination; thus, the number of any one tissue examined does not necessarily correspond with the number of animals necropsied. No neoplasms were observed in the examined animals. A variety of inflammatory and degenerative changes occurred randomly in both treated and/or control rats. Most common of these lesions was lymphocytic inflammatory infiltration around pulmonary vessels. The occurred usually as mild or

moderate cuffing, the cause of which was not determined but probably is of viral origin. A second lesion of unknown etiology but commonly observed in rats, particularly males, was myocardial degeneration or myocardopathy. Finally, renal mineralization was noted, usually as a focal change in the medulla or pelvis of kidneys, while hydronephrosis was present in some of these animals most likely the cause of pelvic urolithiasis.

CONCLUSIONS

No changes or lesions associated with treatment were noted in examined animals. Lesions which were present occurred randomly in both treated and control animals and are of the kinds commonly seen in rats of this age and strain.

SUBMITTED BY:


Richard H. Cardy, D.V.M.
Director, Department of Pathology

Date



¹ Necropsies were conducted under the direct supervision of this pathologist. Initial histopathologic examinations were done by Dr. Alexander DePaoli. Histologic review of all slides from 25% of the animals (selected randomly) and review of selected lesions was conducted by me. My interpretation of histologic material from these animals was not different from Dr. DePaoli's. This report was prepared by me from data obtained during the gross and histopathologic examinations.

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

LEGEND

Animal disposition codes

E = escaped
F = found dead
I = interim kill
K = killed accidentally
M = moribund kill
T = terminal kill

Tissue status codes

+ = tissue examined, lesions found
X = tissue examined, no lesion found
I = insufficient tissue present for evaluation
A = autolysis too severe for microscopic evaluation
C = cannibalized
S = section and/or tissue not present
P = paired organs, one missing
N = tissue not examined
E = excluded by protocol

Lesion grades (non-tumor pathology)

* = not graded
1 = minimal
2 = mild
3 = moderate
4 = marked
5 = severe

Tumor counts (tumor pathology)

1 = one occurrence
2 = two occurrences
3 = three occurrences
4 = four occurrences
5 = five occurrences

ANIMAL-STATUS SUMMARY REPORT

MALES AND FEMALES

LITTON BIOMETRICS, INC.
PROJECT NO. 10734-15

SPECIES: RATS
SOURCE: CHARLES RIVER (PORTAGE)
STRAIN: CONS CD(SD) RR

	GROUP 1		GROUP 2		GROUP 3		GROUP 4	
	UNTREATED CONTROL		LOW DOSE		MEDIUM DOSE		HIGH DOSE	
	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
NUMBER OF ANIMALS INITIALLY ON STUDY	20	20	20	20	20	20	20	20
NUMBER OF ANIMALS INCLUDED IN THIS REPORT	20	20	20	20	20	20	20	20
NUMBER OF ANIMALS MISSING	0	0	0	0	0	0	0	0
NUMBER OF SCHEDULED AND UNSCHEDULED DEATHS	20	20	20	20	20	20	20	20
MEAN SURVIVAL TIME IN DAYS	91	91	91	91	91	91	91	91
NUMBER OF SCHEDULED DEATHS	20	20	20	20	20	20	20	20
MEAN SURVIVAL TIME IN DAYS	91	91	91	91	91	91	91	91
NUMBER OF UNSCHEDULED DEATHS	0	0	0	0	0	0	0	0
MEAN SURVIVAL TIME IN DAYS	-	-	-	-	-	-	-	-
NUMBER OF ANIMALS NECROPSIED	20	20	20	20	20	20	20	20
NUMBER OF ANIMALS EXAMINED HISTOLOGICALLY	20	20	0	0	0	0	20	20

010508-12004513 (01)2-01

LEITON BIOMETRICS, INC.
PROJECT NO. 10730-15

TUMOR SUMMARY TABLE

MALES, FEMALES AND COMBINED
COMBINED SCHEDULED AND UNSCHEDULED DEATHS

SPECIES: RATS
STRAIN: COBS (C3SD) NR
SOURCE: CHARLES RIVER (PORTAGE)

	GROUP 1			GROUP 2			GROUP 3			GROUP 4		
	UNTREATED CONTROL			LOW DOSE			MEDIUM DOSE			HIGH DOSE		
	F	M	C	F	M	C	F	M	C	F	M	C
NUMBER OF ANIMALS EXAMINED HISTOLOGICALLY:	20	20	40	0	0	0	0	0	0	20	20	40
NUMBER OF ANIMALS WITH TUMORS:	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL NUMBER OF TUMORS:	0	0	0	0	0	0	0	0	0	0	0	0
I. BENIGN TUMORS:												
A. NUMBER OF ANIMALS WITH BENIGN TUMORS	0	0	0	0	0	0	0	0	0	0	0	0
B. TOTAL NUMBER OF BENIGN TUMORS	0	0	0	0	0	0	0	0	0	0	0	0
II. UNCERTAIN BENIGN OR MALIGNANT TUMORS:												
A. NUMBER OF ANIMALS WITH TUMORS, UNCERTAIN BENIGN OR MALIGNANT	0	0	0	0	0	0	0	0	0	0	0	0
B. TOTAL NUMBER OF TUMORS, UNCERTAIN BENIGN OR MALIGNANT	0	0	0	0	0	0	0	0	0	0	0	0
III. MALIGNANT TUMORS OR MALIGNANT TUMOR COMPLEXES:												
A. NUMBER OF ANIMALS WITH MALIGNANT TUMORS OR MALIGNANT TUMOR COMPLEXES	0	0	0	0	0	0	0	0	0	0	0	0
1. NUMBER OF ANIMALS WITH PRIMARY MALIGNANT TUMORS WITHOUT SECONDARY COMPLEXES	0	0	0	0	0	0	0	0	0	0	0	0
2. NUMBER OF ANIMALS WITH MALIGNANT TUMORS, UNCERTAIN PRIMARY OR SECONDARY	0	0	0	0	0	0	0	0	0	0	0	0
3. NUMBER OF ANIMALS WITH MALIGNANT TUMOR COMPLEXES SPREAD BY METASTASIS	0	0	0	0	0	0	0	0	0	0	0	0
4. NUMBER OF ANIMALS WITH MALIGNANT TUMOR COMPLEXES SPREAD BY EXTENSION OR SEEDING	0	0	0	0	0	0	0	0	0	0	0	0
B. TOTAL NUMBER OF MALIGNANT TUMORS OR MALIGNANT TUMOR COMPLEXES	0	0	0	0	0	0	0	0	0	0	0	0
1. TOTAL NUMBER OF PRIMARY MALIGNANT TUMORS WITHOUT SECONDARY COMPLEXES	0	0	0	0	0	0	0	0	0	0	0	0
2. TOTAL NUMBER OF MALIGNANT TUMORS, UNCERTAIN PRIMARY OR SECONDARY	0	0	0	0	0	0	0	0	0	0	0	0
3. TOTAL NUMBER OF MALIGNANT TUMOR COMPLEXES SPREAD BY METASTASIS	0	0	0	0	0	0	0	0	0	0	0	0
4. TOTAL NUMBER OF MALIGNANT TUMOR COMPLEXES SPREAD BY EXTENSION OR SEEDING	0	0	0	0	0	0	0	0	0	0	0	0

H10518-050113-00 (01)A-01

LITTON BIOMEDICS, INC.
PROJECT NO. 1073A-15

SPECIES: MICE
STRAIN: COH'S CONSOB HR
SOURCE: CHARLES RIVER (PORTAGE)

DOSE RELATED INCIDENCE

NON-TUMOR PATHOLOGY ONLY
SCHEDULED AND UNSCHEDULED DEATHS COMBINED
FEMALES AND MALES

	GROUP 1		GROUP 2		GROUP 3		GROUP 4	
	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
NUMBER OF ANIMALS EXAMINED HISTOLOGICALLY								
	20	20	0	0	0	0	20	20
CIRCULATORY SYSTEM								
HEART	(20)	(20)	(0)	(0)	(0)	(0)	(20)	(20)
DEGENERATION, NOS	1	3	0	0	0	0	1	3
DIGESTIVE SYSTEM								
LIVER	(20)	(20)	(0)	(0)	(0)	(0)	(20)	(20)
INFLAMMATION, FOCAL	0	0	0	0	0	0	1	2
INFLAMMATION, MULTIFOCAL	1	0	0	0	0	0	0	1
METAMORPHOSIS, FATTY	1	0	0	0	0	0	0	1
HEMATOPOIESIS (EXTRAMEDULLARY)	1	0	0	0	0	0	0	1
LIVER/CENTRILOBULAR	0	0	0	0	0	0	1	1
MASOPHILIC STIPPLING	0	0	0	0	0	0	1	1
MULTIFOCAL	1	0	0	0	0	0	1	0
LYMPHOCYtic INFLAMMATORY INFILTRATE	(20)	(20)	(0)	(0)	(0)	(0)	(20)	(20)
PANCREAS	0	1	0	0	0	0	0	1
INFLAMMATION, FOCAL	0	1	0	0	0	0	0	1
PANCREATIC ACINUS	0	1	0	0	0	0	0	1
ATROPHY, NOS	0	1	0	0	0	0	0	1
STOMACH	(20)	(20)	(0)	(0)	(0)	(0)	(20)	(20)
INFLAMMATION, NOS	18	16	0	0	0	0	19	15
INFLAMMATION, NOS	(20)	(20)	(0)	(0)	(0)	(0)	(20)	(20)
INFLAMMATION, NOS	1	0	0	0	0	0	0	0
INFLAMMATION, NOS	(20)	(20)	(0)	(0)	(0)	(0)	(20)	(20)
INFLAMMATION, NOS	0	1	0	0	0	0	1	1
ENDOCRINE SYSTEM								
PITUITARY	(20)	(20)	(0)	(0)	(0)	(0)	(20)	(20)
CYST, NOS	0	0	0	0	0	0	2	0

HS0508-050115-00 10134-02

LEITON BIOMETRICS, INC.
PROJECT NO. 10734-15

SPECIES: RATS
STRAIN: COBS (C57D) NR
SOURCE: CHARLES RIVER (PORTAGE)

DOSE RELATED INCIDENCE

NON-TUMOR PATHOLOGY ONLY
SCHEDULED AND UNSCHEDULED DEATHS COMBINED
FEMALES AND MALES

	GROUP 1		GROUP 2		GROUP 3		GR-NIP 4	
	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
20	20	0	0	0	0	0	20	20

NUMBER OF ANIMALS EXAMINED HISTOLOGICALLY

HEMATOPOIETIC SYSTEM

SPLEEN
 HEMOSIDEROSIS
 HEMATOPOIESIS (EXTRAMEDULLARY)
 MESENTERIC LYMPH NODE
 (INFLAMMATION; GRANULOMATOUS
 PLASMACYTOSIS)

(20)	(20)	(0)	(0)	(0)	(0)	(0)	(20)	(20)
9	0	0	0	0	0	0	5	0
6	5	0	0	0	0	0	8	4
(20)	(20)	(0)	(0)	(0)	(0)	(0)	(20)	(20)
1	0	0	0	0	0	0	1	0
1	0	0	0	0	0	0	0	0

ENTONTERIARY SYSTEM

SKIN
INFLAMMATION, NOS

(0)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(0)
0	1	0	0	0	0	0	0	0

MUSCULOSKELETAL SYSTEM

MUSCLES FEMORIS MUSCLE
 DEGENERATION, NOS
 MULTIFOCAL
 DEGENERATION, NOS

(20)	(20)	(0)	(0)	(0)	(0)	(0)	(20)	(20)
1	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	1	0

RESPIRATORY SYSTEM

LUNGS
 INFLAMMATION, NOS
 INFLAMMATION, FOCAL
 PNEUMONIA, CHRONIC MURINE
 INFLAMMATION, CHRONIC FOCAL
 METEUCYTOSIS
 BLOOD VESSEL
 MEMBRANIZATION
 LYMPHOCYTIC INFLAMMATORY INFILTRATE
 BLOOD VESSEL
 FOCAL
 MEMBRANIZATION

(20)	(20)	(0)	(0)	(0)	(0)	(0)	(20)	(20)
0	0	0	0	0	0	0	0	1
0	0	0	0	0	0	0	0	1
1	0	0	0	0	0	0	0	0
1	0	0	0	0	0	0	0	2
3	3	0	0	0	0	0	0	0
0	2	0	0	0	0	0	0	0
8	12	0	0	0	0	0	15	12
0	0	0	0	0	0	0	0	1

11000R-050115-00 (01111-01)

LEUCON BIOMETRICS, INC.
PROJECT NO. 10730-15

SPECIES: MICE
STRAIN: CDBS (B6SD) BR
SOURCE: CHARLES RIVER (PORTAGE)

NOSE RELATED INCIDENCE

NON-TUMOR PATHOLOGY ONLY
SCHMIDT AND BRUNS (1970) DATA, COMBINED
FEMALES AND MALES

	GROUP 1		GROUP 2		GROUP 3		GROUP 4	
	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
NUMB. OF ANIMALS EXAMINED HISTOLOGICALLY	20	20	0	0	0	0	20	20

RESPIRATORY SYSTEM

LUNGS	(20)	(20)	(0)	(0)	(0)	(0)	(20)	(20)
FECAL HISTIOCYTOSIS	2	0	0	0	0	0	0	1

SPECIAL SENSES SYSTEM

LEFT EYE	(19)	(19)	(0)	(0)	(0)	(0)	(20)	(20)
INFLAMMATION, ACUTE	0	0	0	0	0	0	0	1
EYE/CORNEA	0	0	0	0	0	0	0	1
INFLAMMATION, ACUTE	0	0	0	0	0	0	0	1
PERIORBITAL REGION	0	0	0	0	0	0	1	1
INFLAMMATION, NOS								

URINARY SYSTEM

KIDNEYS	(20)	(20)	(0)	(0)	(0)	(0)	(20)	(20)
HYDRONEPHROSIS	2	4	0	0	0	0	1	2
INFLAMMATION, FOCAL	1	1	0	0	0	0	0	1
INFLAMMATION, CHRONIC FOCAL	1	0	0	0	0	0	0	0
NEPHROPATHY	1	0	0	0	0	0	0	0
BLOOD VESSEL	0	0	0	0	0	0	1	0
LYMPHOCYTIC INFLAMMATORY INFILTRATE								
INTERSTITIAL TISSUE OF KIDNEY								
PULTIFOCAL	0	1	0	0	0	0	0	1
INFLAMMATION, INTERSTITIAL								
KIDNEY/CORTIX	1	1	0	0	0	0	0	1
CYST, NOS								
KIDNEY/PELVIS								
CALCULUS, NOS	1	0	0	0	0	0	0	0
MINERALIZATION	0	0	0	0	0	0	2	1
INFLAMMATION, NOS	0	0	0	0	0	0	1	0
INFLAMMATION, ACUTE	0	0	0	0	0	0	1	0
INFLAMMATION, CHRONIC	1	0	0	0	0	0	0	0
FECAL								
MINERALIZATION	1	0	0	0	0	0	0	1
INFLAMMATION, INTERSTITIAL	0	0	0	0	0	0	0	1

6102008-050115.00 (0114-04)

LITTON BIOMETRICS, INC.
PRODUCT NO. 10714-15

SPECIES: RATS
STRAIN: CDBS (CDBS) BR
SOURCE: CHARLES RIVER (PORTAGE)

DOSE RELATED INCIDENCE

NON-TUMOR PATHOLOGY ONLY
SCHEDULED AND UNSCHEDULED DEATHS COMBINED
FEMALES AND MALES

	GROUP 1		GROUP 2		GROUP 3		GROUP 4	
	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
NUMBER OF ANIMALS EXAMINED HISTOLOGICALLY	20	20	0	0	0	0	20	20

REPRODUCTIVE SYSTEM (FEMALE ONLY)

CORPUS UTERI
DILATATION, NOS

(20)	(0)	(0)	(0)	(0)	(0)	(0)	(20)	(0)
0	0	0	0	0	0	0	1	1

REPRODUCTIVE SYSTEM (MALE ONLY)

TESTES
EPIDIDYMAL
MINERALIZATION

(0)	(20)	(0)	(0)	(0)	(0)	(0)	(0)	(20)
0	1	0	0	0	0	0	0	0

PRISTATE
INFLAMMATION, NOS

(0)	(20)	(0)	(0)	(0)	(0)	(0)	(0)	(20)
0	1	0	0	0	0	0	0	2

010508-050115-00 (0136-01

LITTON BIOMETRICS, INC.
PROJECT NO. 10739-15

SPECIES: RATS
STRAIN: COHS (C05D) HN
SOURCE: CHARLES RIVER (PORTAGE)

DOSE RELATED INCIDENCE FOR SCHEDULED, UNSCHEDULED AND COMBINED DEATHS

NON-TUMOR PATHOLOGY ONLY
SCHEDULED, UNSCHEDULED AND COMBINED DEATHS
FEMALES AND MALES COMBINED

	GROUP 1		GROUP 2		GROUP 3		GROUP 4	
	SCH	UNS COMBINED	SCH	UNS COMBINED	SCH	UNS COMBINED	SCH	UNS COMBINED
CIRCULATORY SYSTEM								
HEART								
DEGENERATION, NOS	4	0	4	0	0	0	0	0
DIGESTIVE SYSTEM								
LIVER								
INFLAMMATION, FOCAL	0	0	0	0	0	0	0	0
INFLAMMATION, MULTIFOCAL	2	0	2	0	0	0	0	0
METAMORPHOSIS, FATTY	1	0	1	0	0	0	0	0
HEMATOPHOSIS (EXTRAMEDULLARY)	1	0	1	0	0	0	0	0
LIVER/CENTRILOBULAR	0	0	0	0	0	0	0	0
BASOPHILIC STIPPLING	0	0	0	0	0	0	0	0
MULTIFOCAL	1	0	1	0	0	0	0	0
LYMPHOCYTIC INFLAMMATORY INFILTRATE	1	0	1	0	0	0	0	0
PANCREAS								
INFLAMMATION, FOCAL	3	0	3	0	0	0	0	0
PANCREATIC ACINUS	1	0	1	0	0	0	0	0
ATROPHY, NOS	1	0	1	0	0	0	0	0
STOMACH								
INFLAMMATION, NOS	4	0	4	0	0	0	0	0
ILEUM								
HYPERTROPHIA, LYMPHOID	1	0	1	0	0	0	0	0
CECUM								
INFLAMMATION, NOS	1	0	1	0	0	0	0	0
ENDOCRINE SYSTEM								
PITUITARY								
CYST, NOS	0	0	0	0	0	0	0	0

HL5050H-050115-00 (0116-02)

LITTON BIOMETRICS, INC.
PROJECT NO. 10734-15

SPECIES: RATS
STRAIN: COBS (CROSS) HR
SOURCE: CHARLES RIVER (PORTAGE)

DOSE RELATED INCIDENCE FOR SCHEDULED, UNSCHEDULED AND COMBINED DEATHS

NON-TUMOR PATHOLOGY ONLY
SCHEDULED, UNSCHEDULED AND COMBINED DEATHS
FEMALES AND MALES COMBINED

NUMBER OF ANIMALS EXAMINED HISTOLOGICALLY	GROUP 1		GROUP 2		GROUP 3		GROUP 4	
	SCH	UNS COMBINED	SCH	UNS COMBINED	SCH	UNS COMBINED	SCH	UNS COMBINED
40	0	40	0	0	0	0	40	0
HEMATOPOIETIC SYSTEM								
SPLEEN								
HEMOSIDEROSIS	9	0	9	0	0	0	0	0
HEMATOPOIESIS (EXTRAMEDULLARY)	11	0	11	0	0	0	0	0
HEPATIC LYMPH NODE								
INFLAMMATION, GRANULOMATOUS	0	0	0	0	0	0	0	0
PLASMACYTOSIS	1	0	1	0	0	0	0	0
INTEGUMENTARY SYSTEM								
SKIN								
INFLAMMATION, NOS	1	0	1	0	0	0	0	0
MUSCULOSKELETAL SYSTEM								
MELIUS FEMORIS MUSCLE								
DEGENERATION, NOS	1	0	1	0	0	0	0	0
MULTIFOCAL	0	0	0	0	0	0	0	0
DEGENERATION, NOS	0	0	0	0	0	0	0	0
RESPIRATORY SYSTEM								
LUNGS								
INFLAMMATION, NOS	0	0	0	0	0	0	0	0
INFLAMMATION, FOCAL	0	0	0	0	0	0	0	0
PNEUMONIA, CHRONIC MURINE	1	0	1	0	0	0	0	0
INFLAMMATION, CHRONIC FOCAL	1	0	1	0	0	0	0	0
HISTIOCYTOSIS	6	0	6	0	0	0	0	0
BLOOD VESSEL	2	0	2	0	0	0	0	0
MINERALIZATION	20	0	20	0	0	0	0	0
LYMPHOCYtic INFLAMMATORY INFILTRATE	0	0	0	0	0	0	0	0
BLOOD VESSEL	0	0	0	0	0	0	0	0
FOCAL	0	0	0	0	0	0	0	0
MINERALIZATION	0	0	0	0	0	0	0	0

810508-050115-00 (011)6-03

LEITON BIOMEDICALS, INC.
PROJECT NO. 1073A-15

SPECIES: RATS
SEX: MALE; COND: CDSD; DR:
SOURCE: CHARLES RIVER (PORTAGE)

DOSE RELATED INCIDENCE FOR SCHEDULED, UNSCHEDULED AND COMBINED DEATHS

NON-TUMOR PATHOLOGY ONLY
SCHEDULED, UNSCHEDULED AND COMBINED DEATHS
FEMALES AND MALES COMBINED

	GROUP 1	GROUP 2	GROUP 3	GROUP 4						
NUMBER OF ANIMALS EXAMINED HISTOLOGICALLY										
SCH	UNS	COMBINED	SCH	UNS	COMBINED	SCH	UNS	COMBINED		
40	0	40	0	0	0	0	0	40	0	40
RESPIRATORY SYSTEM										
LUNGS	(40)(0)(40)	(0)(0)(0)	(0)(0)(0)	(40)(0)(40)						
FOCAL	2	0	2	0	0	0	0	0	0	0
HISTIOCYTOSIS										
SPECIAL SENSES SYSTEM										
LEFT EYE	(38)(0)(38)	(0)(0)(0)	(0)(0)(0)	(40)(0)(40)						
INFLAMMATION, ACUTE	0	0	0	0	0	0	0	0	0	0
ETC/CORNEA										
INFLAMMATION, ACUTE	0	0	0	0	0	0	0	0	0	0
PERIORBITAL REGION										
INFLAMMATION, NOS	0	0	0	0	0	0	0	0	0	0
URINARY SYSTEM										
KIDNEYS	(40)(0)(40)	(0)(0)(0)	(0)(0)(0)	(40)(0)(40)						
HYDRONEPHROSIS	6	0	6	0	0	0	0	0	0	0
INFLAMMATION, FOCAL	2	0	2	0	0	0	0	0	0	0
INFLAMMATION, CHRONIC FOCAL	1	0	1	0	0	0	0	0	0	0
NEPHROPATHY	1	0	1	0	0	0	0	0	0	0
BLOOD VESSEL										
LYMPHOCYTIC INFLAMMATORY INFILTRATE	0	0	0	0	0	0	0	0	0	0
INTERSTITIAL TISSUE OF KIDNEY										
MULTIFOCAL	1	0	1	0	0	0	0	0	0	0
INFLAMMATION, INTERSTITIAL										
KIDNEY/COXTER	2	0	2	0	0	0	0	0	0	0
CYST, NOS										
KIDNEY/PELVIS	1	0	1	0	0	0	0	0	0	0
CALCULUS, NOS	0	0	0	0	0	0	0	0	0	0
MINERALIZATION	0	0	0	0	0	0	0	0	0	0
INFLAMMATION, NOS	0	0	0	0	0	0	0	0	0	0
INFLAMMATION, ACUTE	0	0	0	0	0	0	0	0	0	0
INFLAMMATION, CHRONIC	1	0	1	0	0	0	0	0	0	0
FOCAL										
MINERALIZATION	1	0	1	0	0	0	0	0	0	0
INFLAMMATION, INTERSTITIAL	0	0	0	0	0	0	0	0	0	0

310504-050115-00 (0116-04)

LEITON MEDICALS, INC.
PRODUCT NO. 10714-15

SPECIES: RATS
STRAIN: CDBS (CDBS) NR
SOURCE: CHARLES REVER (PORTAGE)

DOSE RELATED INCIDENCE FOR SCHEDULED, UNSCHEDULED AND COMBINED DEATHS

NON-TUMOR PATHOLOGY ONLY
SCHEDULED, UNSCHEDULED AND COMBINED DEATHS
FEMALES AND MALES COMBINED

SCH	GROUP 1		GROUP 2		GROUP 3		GROUP 4	
	UNS	COMBINED	UNS	COMBINED	UNS	COMBINED	UNS	COMBINED
40	0	40	0	0	0	0	40	40

NUMBER OF ANIMALS EXAMINED HISTOLOGICALLY

REPRODUCTIVE SYSTEM (FEMALE ONLY)

CORPUS UTERI
DILATATION, NOS

(20)(0)(20)	(0)(0)(0)	(0)(0)(0)	(0)(0)(0)	(20)(0)(0)	(20)(0)(20)
0	0	0	0	0	1

REPRODUCTIVE SYSTEM (MALE ONLY)

TESTES
FOCAL
MINERALIZATION

(20)(0)(20)	(0)(0)(0)	(0)(0)(0)	(0)(0)(0)	(20)(0)(0)	(20)(0)(20)
1	0	0	0	0	0

PROSTATE
INFLAMMATION, NOS

(20)(0)(20)	(0)(0)(0)	(0)(0)(0)	(0)(0)(0)	(20)(0)(0)	(20)(0)(20)
1	0	0	0	0	2

160506-0550at.00 (0191-002

LIFEON BIOMEDICALS, INC.
PROJ. CT NO. 10739-15

SUMMARY OF HISTOLOGIC FINDINGS FOR INDIVIDUAL ANIMALS

FEMALFS
TUMOR AND NON-TUMOR PATHOLOGY
SCHEDULED AND UNSCHEDULED DEATHS

GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
NUMBER OF ANIMALS: 20

SPECIES: RATS
SOURCE: CHARLES RIVER (PORTAGE)
STRAIN: CONS (C05D) NP

ANIMAL NUMBER	DAYS ON STUDY	DISPOSITION
8888	0000	TTTT
6666	0000	TTTT
9999	0000	TTTT
5678	0123	45678901234
0000	0000	0000000000
0000	0000	0000000000
9999	9999	9999999999
2222	2211	1111000000
TTTT	TTTT	TTTTTTTTTT

DIGESTIVE SYSTEM

COLON	XXXXXX
CECUM	XXXXXX

ENDOCRINE SYSTEM

PITUITARY	XXXXXX
ADRENAL GLANDS	XXXXXX
THYROID	XXXXXX

HEMATOPOIETIC SYSTEM

BONE MARROW	XXXXXX
SPLEEN	XXXXXX
HEMOSIDEROSIS	XXXXXX
HEMATOPOIESIS (EXTRAMEDULLARY)	XXXXXX
MESENTERIC LYMPH NODE	XXXXXX
PLASMACYTOSIS	XXXXXX
THYMUS	XXXXXX

110508-05061-00 (0101-00)

LEITZON BIOMEDICALS, INC.
PROJECT NO. 1075A-15

SUMMARY OF HISTOLOGIC FINDINGS FOR INDIVIDUAL ANIMALS

FF HALFS
TUMOR AND NON-TUMOR PATHOLOGY
SCHEDULED AND UNSCHEDULED DEATHS

SPECIES: RATS
SOURCE: CHARLES RIVER (PORTAGE)
STRAIN: COHS COCSU) BR

GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
NUMBER OF ANIMALS: 20

ANIMAL NUMBER	DAYS ON STUDY	DISPOSITION
888888888888888888888888		
666666777777777777777777		
999999000000000000000000		
56789012345678901234		
000000000000000000000000		
000000000000000000000000		
999999999999999999999999		
222222111111111111111111		
TTTTTTTTTTTTTTTTTTTTTTTT		

RESPIRATORY SYSTEM

LUNGS
PNEUMONIA, CHRONIC MURINE
INFLAMMATION, CHRONIC FOCAL
NECROSIS
HEMORRHAGE
BLOOD VESSEL
LYMPHOCYtic INFLAMMATORY INFILTRATE
FOCAL
HEMORRHAGE

TRACHEA

SPECIAL SENSES SYSTEM

LEFT EYE

URINARY SYSTEM

KIDNEYS
HYDRONEPHROSIS
INFLAMMATION, FOCAL
INFLAMMATION, CHRONIC FOCAL
NEPHROPATHY
KIDNEY/CORTIX
CYST, NOS
KIDNEY/PELVIS
CALCULUS, NOS
(TISSUE CONTINUED)

010504-055061-00 (0101)-004

LETTJA BIOMETRICS, INC.
PROJECT NO. 1073A-15

SUMMARY OF HISTOLOGIC FINDINGS FOR INDIVIDUAL ANIMALS

MALES
TUMOR AND NON-TUMOR PATHOLOGY
SCHEDULED AND UNSCHEDULED DEATHS

SPECIES: RATS
SOURCE: CHARLES RIVER (PORTAGE)
STRAIN: COBS (C50) BR

GROUP: 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
NUMBER OF ANIMALS: 20

ANIMAL NUMBER	DAYS ON STUDY	DISPOSITION
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		
1 1 1 1 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2		
0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9		
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		
2 2 2 2 2 2 1 1 1 1 1 1 1 1 0 0 0 0 0 0		
T T T T T T T T T T T T T T T T T T T T		

INTEGUMENTARY SYSTEM

SKIN
CELLS CONTINUED
INFLAMMATION, NOS

SKIN OF MAMMARY GLAND

MUSCULOSKELETAL SYSTEM

ST. PNUM

RECTUS FEMORIS MUSCLE

PERIPHERAL NERVOUS SYSTEM

SCIATIC NERVE

CEREBRUM

BRAIN STEM

CEREBELLUM

CERVICAL SPINAL CORD

THORACIC SPINAL CORD

* NOT SPECIFIED FOR HISTOPATHOLOGIC EXAMINATION UNLESS ABNORMAL

810508-055061-00 (01)1-009

LITTON BIOMETICS, INC.
PROJ. CT NO. 1073A-17

SUMMARY OF HISTOLOGIC FINDINGS FOR INDIVIDUAL ANIMALS

GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
NUMBER OF ANIMALS: 20

SPECIES: RATS
SOURCE: CHARLES RIVER (PORTAGE)
STRAIN: COBS CD(SD) #4

MALES
TUMOR AND NON-TUMOR PATHOLOGY
SCHEDULED AND UNSCHEDULED DEATHS

ANIMAL NUMBER	DAYS ON STUDY	DISPOSITION	MALES	TUMOR AND NON-TUMOR PATHOLOGY SCHEDULED AND UNSCHEDULED DEATHS
888	0	0	0	0
666	6	6	6	6
111	1	1	1	1
012	3	4	5	6
000	0	0	0	0
000	0	0	0	0
999	9	9	9	9
222	2	2	1	1
777	7	7	7	7

RESPIRATORY SYSTEM

LUNGS
HISTIOCYTOSIS
BLOOD VESSEL
MINERALIZATION
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

TRACHEA

SPECIAL SENSIS SYSTEM

LEFT EYE

URINARY SYSTEM

KIDNEYS
HYDRONEPHROSIS
INFLAMMATION, FOCAL
INTERSTITIAL TISSUE OF KIDNEY
MULTIFOCAL
INFLAMMATION, INTERSTITIAL
KIDNEY/CORTEX
CYST, NOS

URINARY BLADDER

11050P-055061.00 (0111)-016
 LITTON HIOLOGICS, INC.
 PRODUCT NO. 1073A-15

SUMMARY OF HISTOLOGIC FINDINGS FOR INDIVIDUAL ANIMALS

GROUP 4 - HIGH DOSE
 DOSE AMOUNT: 3000 PPM
 NUMBER OF ANIMALS: 20

SPECIES: RATS
 SOURCE: CHARLES RIVER (PORTAGE)
 STRAIN: COHS C0(SD) HR

MALES
 TUMOR AND NON-TUMOR PATHOLOGY
 SCHEDULED AND UNSCHEDULED DEATHS

ANIMAL NUMBER	DAYS ON STUDY	DISPOSITION	HEART DEGENERATION, NOS	DIGESTIVE SYSTEM	RESPIRATORY SYSTEM	UROGENITAL SYSTEM	REPRODUCTIVE SYSTEM	ENDOCRINE SYSTEM	SKIN	MUSCULOSKELETAL SYSTEM	OTHER
088888	888888	TTT	X	X	X	X	X	X	X	X	X
666666	666666	TTT	X	X	X	X	X	X	X	X	X
777777	777777	TTT	X	X	X	X	X	X	X	X	X
012345	678901	TTT	X	X	X	X	X	X	X	X	X
000000	000000	TTT	X	X	X	X	X	X	X	X	X
000000	000000	TTT	X	X	X	X	X	X	X	X	X
999999	999999	TTT	X	X	X	X	X	X	X	X	X
222222	111111	TTT	X	X	X	X	X	X	X	X	X

110202-055061-00 (0101)-017

LITTON BIOMETRICS, INC.
PROJ CT NO. 10730-15

SUMMARY OF HISTOLOGIC FINDINGS FOR INDIVIDUAL ANIMALS

GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
NUMBER OF ANIMALS: 20

SPECIES: RATS
SOURCE: CHARLES RIVER (PORTAGE)
STRAIN: COBS (CIS) HR

MALES
TUMOR AND NON-TUMOR PATHOLOGY
SCHEDULED AND UNSCHEDULED DEATHS

ANIMAL NUMBER	DAYS ON STUDY	DISPOSITION
08888	08888	08888
66666	66666	66666
77777	77777	77777
01234	56789	01234
00000	00000	00000
00000	00000	00000
99999	99999	99999
22222	22222	22222
T T T T T	T T T T T	T T T T T

ENDOCRINE SYSTEM

PITUITARY

ADRENAL GLANDS

THYROID

HEMATOPOIETIC SYSTEM

BONE MARROW

SPLEN HEMATOPOIESIS (EXTRAMEDULLARY)

MESENTERIC LYMPH NODE

THYMUS

INTEGRUMENTARY SYSTEM

SKIN OF MAMMARY GLAND

MUSCULO-SKELETAL SYSTEM

STERNUM

MUSCLES FEMORIS MUSCLE

110502-055061.00 0101-019

LITTON BIOMEDICALS, INC.
PROJECT NO. 10714-15

SUMMARY OF HISTOLOGIC FINDINGS FOR INDIVIDUAL ANIMALS

MALES
TUMOR AND NON-TUMOR PATHOLOGY
SCHEDULED AND UNSCHEDULED DEATHS

GROUP A - HIGH DOSE SPECIES: RATS
DOSE AMOUNT: 5000 PPM SOURCE: CHARLES RIVER (PORTAGE)
NUMBER OF ANIMALS: 20 STRAIN: CONS (CROSS) RR

ANIMAL NUMBER	DAYS ON STUDY	DISPOSITION
88888888888888888888		
66666666666666666666		
77777777777777777777		
01234567890123456799		
00000000000000000000		
00000000000000000000		
99999999999999999999		
22222221111111111111		
11111111111111111111		

SPECIAL SENSUS SYSTEM

LEFT EYE
INFLAMMATION, ACUTE
EYE/CORNEA
INFLAMMATION, ACUTE

PRIMARY SYSTEM

KIDNEYS
HYDRONEPHROSIS
INFLAMMATION, FOCAL
KIDNEY/CORTX
CYST, NOS
KIDNEY/PELVIS
MINERALIZATION
FICAL
MINERALIZATION

URINARY BLADDER

REPRODUCTIVE SYSTEM (MALE ONLY)

TESTES

PROSTATE
INFLAMMATION, NOS

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8610 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 494.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04051
SPECIES: RATS
STRAIN: COBS CO(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCYTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8611 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 454.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04052
SPECIES: RATS
STRAIN: COBS CO(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MINIMAL)
LUNGS
BLOOD VESSEL
LYMPHOCYTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8612 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 481.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04053
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

LEFT EYE
RED CRUST AROUND LEFT EYE

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MINIMAL)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MILD)
LEFT EYE
TISSUE EXAMINED, NO LESIONS FOUND

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8613 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 464.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04054
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MINIMAL)
PROSTATE
INFLAMMATION, NOS
(MODERATE)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8614 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 501.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04055
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

PANCREAS
INFLAMMATION, FOCAL
(MILD)
STOMACH
INFLAMMATION, NOS
(MILD)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8615 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 374.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04056
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

SKIN
SCAB ON SKIN BELOW RIGHT EAR (1.0 CM IN DIAMETER), RIGHT EARTAG
INFECTION
LUNGS
PINPOINT WHITE FOCI ON ALL LOBES

MICROSCOPIC FINDINGS:

SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MILD)
SKIN
INFLAMMATION, NOS
(MODERATE)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8616 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 437.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04057
SPECIES: RATS
STRAIN: COBS CD(SD) RR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

HEART DEGENERATION, NOS
(MILD)
STOMACH INFLAMMATION, NOS
(MILD)
LUNGS HISTIOCYTOSIS
(MILD)

COMMENTS:

CRUST AROUND LEFT EYE NOT APPARENT AT NECROPSY

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8617 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 460.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04058
SPECIES: RATS
STRAIN: COBS CD(SD) RR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH INFLAMMATION, NOS
(MILD)
LUNGS BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

TISSUE(S) MISSING OR SEVERELY AUTOLYZED:

THYMUS
SECTION AND/OR TISSUE NOT PRESENT

COMMENTS:

RIGHT EARTAG REPLACED (ALSO #8617)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8618 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 502.030 GRAMS

PATHOLOGY REFERENCE NO. 81-04059
SPECIES: RATS
STRAIN: COBS CD(SD) RR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
LUNGS
BLOOD VESSEL
MINERALIZATION
(MINIMAL)
BLOOD VESSEL
LYMPHOCYtic INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8619 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 512.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04050
SPECIES: RATS
STRAIN: COBS CD(SD) RR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCYtic INFLAMMATORY INFILTRATE
KIDNEYS
HYDRONEPHROSIS
(MILD)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8620 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 466.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04061
SPECIES: RATS
STRAIN: COBS CD(SD) RP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCYtic INFLAMMATORY INFILTRATE
KIDNEYS
HYDRONEPHROSIS
(MODERATE)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8621 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 495.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04062
SPECIES: RATS
STRAIN: COBS CD(SD) RP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

PANCREAS
INFLAMMATION, FOCAL
(MINIMAL)
STOMACH
INFLAMMATION, NOS
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCYtic INFLAMMATORY INFILTRATE
KIDNEYS
INFLAMMATION, FOCAL
(MINIMAL)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8622 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 478.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04063
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

PANCREAS
INFLAMMATION, FOCAL
(MILD)
STOMACH
INFLAMMATION, NOS
(MILD)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8623 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 443.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04144
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
LUNG
HISTIOCYTOSIS
(MILD)
BLOOD VESSEL
LYMPHOCYtic INFLAMMATORY INFILTRATE
TESTES
FOCAL
MINERALIZATION
(MINIMAL)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8624 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 504.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04065
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EARTAG INFECTION

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MINIMAL)

TISSUE(S) MISSING OR SEVERELY AUTOLYZED:

THYMUS
SECTION AND/OR TISSUE NOT PRESENT

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8625 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 395.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04066
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
TEETH CUT
CRUST AND SWELLING AT EARTAG SITE
LUNGS
DAMAGED (NOTED AT TRIMMING)

MICROSCOPIC FINDINGS:

HEART
DEGENERATION, NOS
(MODERATE)
LUNGS
TISSUE EXAMINED, NO LESIONS FOUND

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8626 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 455.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04067
SPECIES: RATS
STRAIN: COBS CD(SD) RR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

KIDNEYS
LEFT KIDNEY DILATED, CONTAINS GREEN FLUID IN PELVIC AREA

MICROSCOPIC FINDINGS:

HEART
DEGENERATION, NOS
(MINIMAL)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE
KIDNEYS
HYDRONEPHROSIS
INTERSTITIAL TISSUE OF KIDNEY
MULTIFOCAL
INFLAMMATION, INTERSTITIAL
(MILD)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8627 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 539.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04068
SPECIES: RATS
STRAIN: COBS CD(SD) RR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
EARTAG INFECTION

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

TISSUE(S) MISSING OR SEVERELY AUTOLYZED:

MAMMARY GLAND
SECTION AND/OR ISSUE NOT PRESENT

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8628 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 479.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04069
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

PANCREAS
PANCREATIC ACINUS
ATROPHY, NOS
(MILD)
CECUM
INFLAMMATION, NOS
(MILD)
LUNGS
HISTIOCYTOSIS
(MINIMAL)
BLOOD VESSEL
MINERALIZATION
(MINIMAL)
KIDNEYS
KIDNEY/CORTEX
CYST, NOS

TISSUE(S) MISSING OR SEVERELY AUTOLYZED:

LEFT EYE
SECTION AND/OR TISSUE NOT PRESENT

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8629 SEX: MALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 424.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04070
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MINIMAL)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE
KIDNEYS
HYDRONEPHROSIS
(MILD)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8630 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 472.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EAR THICKENED

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8631 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 460.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8632 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 486.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8633 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 453.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8634 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 459.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EARTAG INFECTION

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8635 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 455.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8636 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 471.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8637 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 411.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EARTAG INFECTION

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8638 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 471.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CO(SD) BP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8639 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 503.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CO(SD) BP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8640 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 414.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8641 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 538.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8642 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 429.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EARTAG INFECTION

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8643 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 536.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8644 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 359.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) RP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8645 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 489.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) RP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8646 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 461.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8647 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 444.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EARTAG INFECTION

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8648 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 485.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: CCBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8649 SEX: MALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 462.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: CCBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8650 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 447.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8651 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 540.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EARTAG INFECTION

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8652 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 412.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) RR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8653 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 453.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) RR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8654 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 447.000 GRAMS

PATHOLOGY REFERENCE NO. 0- C
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8655 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 463.000 GRAMS

PATHOLOGY REFERENCE NO. 0- C
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIGNETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8656 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 521.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PCPTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIGNETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8657 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 452.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PCPTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EARTAG INFECTION

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8658 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 489.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) RR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8659 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 488.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) RR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8660 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 468.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8661 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 482.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EARTAG INFECTION

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8662 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 492.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
TEETH CUT

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8663 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 422.000 GRAMS

PATHOLOGY REFERENCE NO. 0- C
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
EARTAG INFECTION
TEETH CUT

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8664 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 502.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8665 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 547.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EARTAG INFECTION

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8666 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 470.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) 8P
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
CRUST AND SWELLING AT EARTAG SITE

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8667 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 498.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) 8P
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
EARTAG INFECTION

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8668 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 515.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

LUNGS
PINPOINT WHITE FOCI ON ALL LOBES

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8669 SEX: MALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 553.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8670 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 416.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04091
SPECIES: RATS
STRAIN: COBS CD(SD) 8P
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE
KIDNEYS
FOCAL
MINERALIZATION
(MINIMAL)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8671 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 446.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04092
SPECIES: RATS
STRAIN: COBS CD(SD) 8P
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
HAIR LOSS, FORE LIMBS

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MILD)
LUNGS
BLOOD VESSEL
MINERALIZATION
(MINIMAL)
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8672 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 418.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04093
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PCRTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH INFLAMMATION, NOS
(MILD)
LUNGS BLOOD VESSEL
MINERALIZATION
(MINIMAL)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8673 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 503.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04094
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PCRTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
EARTAG SITE SWOLLEN, ENCRUSTED

MICROSCOPIC FINDINGS:

HEART DEGENERATION, NOS
(MILD)
SPLEEN HEMATOPOIESIS (EXTRAMEDULLARY)
(MILD)
LUNGS BLOOD VESSEL
LYMPHOCYtic INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8674 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 506.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04095
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
LUNGS
BLOOD VESSEL
MINERALIZATION
(MINIMAL)
BLOOD VESSEL
LYMPHOCTIC INFLAMMATORY INFILTRATE
KIDNEYS
HYDRONEPHROSIS
PROSTATE
INFLAMMATION, NOS
(MILD)

TISSUE(S) MISSING OR SEVERELY AUTOLYZED:

ADRENAL GLANDS
SECTION AND/OR TISSUE NOT PRESENT
MAMMARY GLAND
SECTION AND/OR TISSUE NOT PRESENT

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8675 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 424.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04096
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
SUBCUTANEOUS THICK RED FLUID, RIGHT EYE
RED CRUST AROUND RIGHT EYE

MICROSCOPIC FINDINGS:

HEART
DEGENERATION, NOS
(MINIMAL)
STOMACH
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCTIC INFLAMMATORY INFILTRATE

TISSUE(S) MISSING OR SEVERELY AUTOLYZED:

MAMMARY GLAND
SECTION AND/OR TISSUE NOT PRESENT

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8676 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 457.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04097
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
SUBCUTANEOUS ACCUMULATION OF BLOOD ABOVE SKULL
RIGHT EYE ULCERATED, YELLOW, PROTRUDING

MICROSCOPIC FINDINGS:

HEART DEGENERATION, NOS
(MINIMAL)
SPLEEN HEMATOPOIESIS (EXTRAMEDULLARY)
(MILD)
LEFT EYE INFLAMMATION, ACUTE
EYE/CORNEA INFLAMMATION, ACUTE
(SEVERE)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8677 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 404.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04096
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH INFLAMMATION, NOS
(MILD)
CECUM INFLAMMATION, NOS
(MILD)
LUNGS BLOOD VESSEL
LYMPHOCTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8678 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 463.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04099
SPECIES: RATS
STRAIN: COBS CD(SD) RR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
LUNGS
HISTIOCYTOSIS
(MILD)
BLOOD VESSEL
LYMPHOCTIC INFLAMMATORY INFILTRATE
KIDNEYS
KIDNEY/CORTEX
CYST, NOS

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8679 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 435.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04100
SPECIES: RATS
STRAIN: COBS CD(SD) RR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EARTAG INFECTION

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MINIMAL)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8680 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 429.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04101
SPECIES: RATS
STRAIN: COBS CD(SD) B⁰
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
TEETH CUT
RED CRUST AROUND RIGHT EYE

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
CECUM
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

TISSUE(S) MISSING OR SEVERELY AUTOLYZED:

THYMUS
SECTION AND/OR TISSUE NOT PRESENT

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8681 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 444.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04102
SPECIES: RATS
STRAIN: COBS CD(SD) B⁰
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EAR THICKENED

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
LUNGS
INFLAMMATION, NOS
(MINIMAL)
PROSTATE
INFLAMMATION, NOS
(MILD)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8682 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 454.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04103
SPECIES: RATS
STRAIN: COBS CD(SD) BP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EAR THICKENED

MICROSCOPIC FINDINGS:

HEART DEGENERATION, NOS
(MINIMAL)
LUNGS BLOOD VESSEL
MINERALIZATION
(MILD)
BLOOD VESSEL
LYMPHOCYtic INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8683 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 448.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04104
SPECIES: RATS
STRAIN: COBS CD(SD) BP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EARTAG INFECTION

MICROSCOPIC FINDINGS:

HEART DEGENERATION, NOS
(MINIMAL)
STOMACH INFLAMMATION, NOS
(MILD)
CECUM INFLAMMATION, NOS
(MILD)
SPLEEN HEMATOPOIESIS (EXTRAMEDULLARY)
(MILD)
LUNGS INFLAMMATION, FOCAL
(MINIMAL)
BLOOD VESSEL
MINERALIZATION
(MINIMAL)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8684 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 402.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04105
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

PANCREAS
INFLAMMATION, FOCAL
(MINIMAL)
CECUM
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MINIMAL)
KIDNEYS
HYDRONEPHROSIS
(MODERATE)

TISSUE(S) MISSING OR SEVERELY AUTOLYZED:

PITUITARY
SECTION AND/OR TISSUE NOT PRESENT

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8685 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 388.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04106
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EARTAG INFECTION

MICROSCOPIC FINDINGS:

LUNGS
BLOOD VESSEL
LYMPHOCYTIC INFLAMMATORY INFILTRATE
KIDNEYS
INFLAMMATION, FOCAL
(MODERATE)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8686 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 429.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04107
SPECIES: RATS
STRAIN: CORS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
EARTAG INFECTION

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)

LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8687 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 429.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04108
SPECIES: RATS
STRAIN: CORS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)

KIDNEYS
KIDNEY/PELVIS
MINERALIZATION
(MILD)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8688 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 503.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04109
SPECIES: RATS
STRAIN: COBS CD(SD) BP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EAR THICKENED

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)

LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8689 SEX: MALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 389.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04110
SPECIES: RATS
STRAIN: COBS CD(SD) BP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EAR THICKENED, EARTAG INFECTION
LUNGS
PINPOINT WHITE FOCI ON ALL LBES

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MINIMAL)

SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MILD)

LUNGS
HISTIOCYTOSIS
(MINIMAL)

TISSUE(S) MISSING OR SEVERELY AUTOLYZED:

MAMMARY GLAND
SECTION AND/OR TISSUE NOT PRESENT

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8695 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 249.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04071
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MODERATE)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8696 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 0.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04072
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MINIMAL)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MODERATE)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8697 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 272.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04073
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

LIVER
INFLAMMATION, MULTIFOCAL
(MINIMAL)
HEMATOPOIESIS (EXTRAMEDULLARY)
(MINIMAL)
STOMACH
INFLAMMATION, NOS
(MINIMAL)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MODERATE)
LUNGS
FOCAL
HISTIOCYTOSIS
(MINIMAL)
KIDNEYS
INFLAMMATION, CHRONIC FOCAL
(MINIMAL)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8698 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 275.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04074
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

LUNGS
LUNGS SMALL AND MOTTLED (NOTED AT TRIMMING)

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MINIMAL)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MODERATE)
MESENTERIC LYMPH NODE
PLASMOCYTOSIS
(MODERATE)
LUNGS
INFLAMMATION, CHRONIC FOCAL
(MODERATE)
KIDNEYS
HYDRONEPHROSIS
KIDNEY/PELVIS
CALCULUS, NOS

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8699 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 266.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04075
SPECIES: RATS
STRAIN: COBS CD(SD) B²
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

HEART DEGENERATION, NOS
(MINIMAL)
STOMACH INFLAMMATION, NOS
(MILD)
ILEUM HYPERPLASIA, LYMPHOID
(MODERATE)
SPLEEN HEMATOPOIESIS (EXTRAMEDULLARY)
(MODERATE)
LUNGS PNEUMONIA, CHRONIC MURINE
(MILD)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8707 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 296.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04076
SPECIES: RATS
STRAIN: COBS CD(SD) B²
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

LIVER SMALL YELLOW NODULES ON LEFT MEDIAN LOBE (NOTED AT TRIMMING)

MICROSCOPIC FINDINGS:

LIVER METAMORPHOSIS, FATTY
(MINIMAL)
STOMACH INFLAMMATION, NOS
(MILD)
LUNGS FOCAL HISTIOCYTOSIS
(MINIMAL)
KIDNEYS HYDRONEPHROSIS

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8701 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 231.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04077
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MINIMAL)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MILD)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8702 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 228.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04078
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MINIMAL)
SPLEEN
HEMOSIDEROSIS
(MILD)
LUNGS
HISTIOCYTOSIS
(MINIMAL)
BLOOD VESSEL
LYMPHOCYTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8703 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 241.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04079
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MINIMAL)
SPLEEN
HEMOSIDEROSIS
(MILD)
LUNGS
HISTIOCYTOSIS
(MINIMAL)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8704 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 273.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04080
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

SPLEEN
HEMOSIDEROSIS
(MODERATE)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8705 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 239.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04081
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PCRTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MINIMAL)
SPLEEN
HEMOSIDEROSIS
(MODERATE)
LUNGS
HISTIOCYTOSIS
(MINIMAL)
BLOOD VESSEL
LYMPHOCYTIC INFLAMMATORY INFILTRATE
KIDNEYS
NEPHROPATHY
(MINIMAL)

TISSUE(S) MISSING OR SEVERELY AUTOLYZED:

THYROID
SECTION AND/OR TISSUE NOT PRESENT

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8706 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 249.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04082
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PCRTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

LIVER
MULTIFOCAL
LYMPHOCYTIC INFLAMMATORY INFILTRATE
(MINIMAL)
SPLEEN
HEMOSIDEROSIS
(MILD)
KIDNEYS
FOCAL
MINERALIZATION
(MINIMAL)

TISSUE(S) MISSING OR SEVERELY AUTOLYZED:

LEFT EYE
SECTION AND/OR TISSUE NOT PRESENT

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8707 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 234.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04083
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMOSIDEROSIS
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8708 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 248.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04084
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMOSIDEROSIS
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8709 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 245.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04085
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PCRTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8710 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 256.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04086
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PCRTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)

TISSUE(S) MISSING OR SEVERELY AUTOLYZED:

MAMMARY GLAND
SECTION AND/OR TISSUE NOT PRESENT

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8711 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 210.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04087
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
TEETH CUT

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MINIMAL)
SPLEEN
HEMOSIDEROSIS
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE
KIDNEYS
INFLAMMATION, FOCAL
(MINIMAL)
KIDNEY/PELVIS
INFLAMMATION, CHRONIC
(MINIMAL)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8712 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 216.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04088
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
TEETH CUT

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMOSIDEROSIS
(MILD)
RECTUS FEMORIS MUSCLE
DEGENERATION, NOS
(MINIMAL)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE
KIDNEYS
KIDNEY/CORTEX
CYST, NOS

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8713 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 234.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04089
SPECIES: RATS
STRAIN: COBS CD(SD) BP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8714 SEX: FEMALE
GROUP 1 - UNTREATED CONTROL
DOSE AMOUNT: 0 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 237.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04090
SPECIES: RATS
STRAIN: COBS CD(SD) BP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
TEETH CUT

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCYtic INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8715 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 243.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CO(SD) RR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8716 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 243.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CO(SD) RR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8717 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 260.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8718 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 283.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8719 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 241.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) RR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8720 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 240.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) RR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8721 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 253.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) R⁰
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8722 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 208.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) R⁰
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EAR ENLARGED, EARTAG SITE SWOLLEN

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8723 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 259.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) B⁰
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

UTERUS
BOTH HORNS FILLED WITH CLEAR FLUID

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8724 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 220.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) B⁰
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8725 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 241.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

SKIN
FLAKY ON TAIL

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8726 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 297.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

LUNGS
NUMEROUS PINPOINT WHITE FOCI ON ALL LOBES

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8727 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 223.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8728 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 277.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

SKIN
SKIN FLAKY ON TAIL

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8729 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 266.030 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CO(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8730 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 305.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CO(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8731 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 218.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PCRTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8732 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 281.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PCRTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8733 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 245.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

LUNGS
PINPOINT WHITE FOCI ON ALL LOBES

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8734 SEX: FEMALE
GROUP 2 - LOW DOSE
DOSE AMOUNT: 300 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 266.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8735 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 243.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EARTAG INFECTION

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8736 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 250.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8737 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 281.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: CORS CD(SD) BP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

EARS
THICKENED

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8738 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 292.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: CORS CD(SD) BP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIOMETRICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8739 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 210.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BF
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
HAIR LOSS, FORELIMBS
RIGHT EYE
HAIR LOSS AROUND AND RED CRUST ON CORNEA

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIOMETRICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8742 SEX: FEMALE
GROUP 7 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 231.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BF
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
BOTH EARS THICKENED, RIGHT ENLARGED

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8741 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 237.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PCRTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8742 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 251.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PCRTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8743 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 297.000 GRAMS

PATHOLOGY REFERENCE NO. 0- C
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8744 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 245.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8745 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 219.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8745 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 274.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8747 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 234.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) B⁺
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8748 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 270.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) B⁺
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

COMMENTS:

MASS ABOVE NOSE AND FLAKY, SCABBY TAIL NOT APPARENT AT NECROSPY

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8749 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 234.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) B9
SOURCE: CHARLES RIVER (PCRTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8750 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 257.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) B9
SOURCE: CHARLES RIVER (PCRTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8751 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 216.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CO(SD) B⁺
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8752 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 266.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CO(SD) B⁺
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8753 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 288.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8754 SEX: FEMALE
GROUP 3 - MEDIUM DOSE
DOSE AMOUNT: 1000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 242.000 GRAMS

PATHOLOGY REFERENCE NO. 0- 0
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EAR TAG INFECTION

MICROSCOPIC FINDINGS:

MICROSCOPIC EVALUATION NOT REQUIRED

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8755 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 203.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04111
SPECIES: RATS
STRAIN: COBS CD(SD) B⁰
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

OVARIES
PLACED IN JAR OF FORMULA FOR 13 MINUTES, FOUND, OVARIES LOST
BETWEEN COLLECTION AND WEIGHING

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MODERATE)
LUNGS
BLOOD VESSEL
LYMPHOCTIC INFLAMMATORY INFILTRATE
OVARIES
TISSUE EXAMINED, NO LESIONS FOUND

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8756 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 272.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04112
SPECIES: RATS
STRAIN: COBS CD(SD) B⁰
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MODERATE)
LEFT EYE
PERIORBITAL REGION
INFLAMMATION, NOS
(MODERATE)
KIDNEYS
BLOOD VESSEL
LYMPHOCTIC INFLAMMATORY INFILTRATE
CORPUS UTERI
DILATATION, NOS

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8757 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 257.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04113
SPECIES: RATS
STRAIN: COBS CD(SD) BP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MODERATE)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8758 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 216.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04114
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MODERATE)
LUNGS
BLOOD VESSEL
LYMPHOCTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8759 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 229.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04115
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
PITUITARY
CYST, NOS
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCTIC INFLAMMATORY INFILTRATE

TISSUE(S) MISSING OR SEVERELY AUTOLYZED:

MAMMARY GLAND
SECTION AND/OR TISSUE NOT PRESENT

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8760 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 252.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04115
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EAR THICKENED
KIDNEYS
WHITE GRITTY MATERIAL IN LEFT KIDNEY, DILATED PELVIS

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MILD)
KIDNEYS
HYDRONEPHROSIS
(MILD)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8761 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-23-81
TERMINAL WEIGHT: 253.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04117
SPECIES: RATS
STRAIN: COBS CO(SD) BR
SOURCE: CHARLES RIVER (PCRYAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MODERATE)
MESENTERIC LYMPH NODE
INFLAMMATION, GRANULOMATOUS
(MODERATE)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

TISSUE(S) MISSING OR SEVERELY AUTOLYZED:

MAMMARY GLAND
SECTION AND/OR TISSUE NOT PRESENT

COMMENTS:

SMALL SCABS ON TAIL NOT APPARENT AT NECROPSY

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8762 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 245.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04118
SPECIES: RATS
STRAIN: COBS CO(SD) BR
SOURCE: CHARLES RIVER (PCRYAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
SPLEEN
HEMATOPOIESIS (EXTRAMEDULLARY)
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE
KIDNEYS
KIDNEY/PELVIS
MINERALIZATION
(MODERATE)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8763 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 238.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04119
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)

LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8764 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 251.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04120
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

GENERAL APPEARANCE AT NECROPSY
RIGHT EARTAG INFECTION

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)

LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8765 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 199.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04121
SPECIES: RATS
STRAIN: COBS CD(SD) B²
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MINIMAL)
KIDNEYS
KIDNEY/PELVIS
INFLAMMATION, NOS
(MODERATE)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8766 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 262.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04122
SPECIES: RATS
STRAIN: CCBS CD(SD) B²
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8767 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-22-81
TERMINAL WEIGHT: 211.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04123
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

LIVER
LIVER/CENTRILOBULAR
BASOPHILIC STIPPLING
(MILD)
STOMACH
INFLAMMATION, NOS
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8768 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 209.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04124
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
PITUITARY
CYST, NOS
SPLEEN
HEMOSIDEROSIS
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8769 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 230.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04125
SPECIES: RATS
STRAIN: COBS CD(SD) RP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

THYROID
REDUCED

MICROSCOPIC FINDINGS:

LIVER INFLAMMATION, FOCAL
(MILD)
STOMACH INFLAMMATION, NOS
(MILD)
THYROID TISSUE EXAMINED, NO LESIONS FOUND
SPLEEN HEMOSIDEROSIS
(MILD)
LUNGS BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8770 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 255.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04126
SPECIES: RATS
STRAIN: COBS CD(SD) RP
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH INFLAMMATION, NOS
(MILD)
SPLEEN HEMOSIDEROSIS
(MILD)
LUNGS BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8771 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 249.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04127
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

HEART DEGENERATION, NOS
(MINIMAL)
STOMACH INFLAMMATION, NOS
(MILD)
SPLEEN HEMOSIDEROSIS
(MILD)

LITTON BIONETICS, INC.
PROJECT NO. 10-34-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8772 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 236.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04128
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH INFLAMMATION, NOS
(MILD)
SPLEEN HEMOSIDEROSIS
(MILD)
LUNGS BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE
BLOOD VESSEL
FOCAL MINERALIZATION
(MILD)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8773 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 211.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04129
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MILD)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE
KIDNEYS
FOCAL
INFLAMMATION, INTERSTITIAL
(MILD)

LITTON BIONETICS, INC.
PROJECT NO. 10734-15

INDIVIDUAL ANIMAL EVALUATION

ANIMAL NO. 8774 SEX: FEMALE
GROUP 4 - HIGH DOSE
DOSE AMOUNT: 3000 PPM
WEEKS ON STUDY: 13
DATE OF DEATH: 01-21-81
TERMINAL WEIGHT: 285.000 GRAMS

PATHOLOGY REFERENCE NO. 81-04130
SPECIES: RATS
STRAIN: COBS CD(SD) BR
SOURCE: CHARLES RIVER (PORTAGE)
TYPE OF DEATH: TERMINAL KILL
METHOD OF KILL: CARBON DIOXIDE

GROSS OBSERVATIONS:

ANIMAL APPEARED NORMAL GROSSLY

MICROSCOPIC FINDINGS:

STOMACH
INFLAMMATION, NOS
(MODERATE)
CECUM
INFLAMMATION, NOS
(MILD)
RECTUS FEMORIS MUSCLE
MULTIFOCAL
DEGENERATION, NOS
(MINIMAL)
LUNGS
BLOOD VESSEL
LYMPHOCYTTIC INFLAMMATORY INFILTRATE
KIDNEYS
KIDNEY/PELVIS
MINERALIZATION
(MILD)
KIDNEY/PELVIS
INFLAMMATION, ACUTE
(MILD)

SECTION H
APPENDIX C

DETERMINATION OF
ISOPROPYL METHYLPHOSPHONIC ACID
(IMPA) IN EXPERIMENTAL ANIMAL
DRINKING WATER FORMULATIONS:
CHEMICAL METHODS AND RESULTS

FINAL CHEMISTRY REPORT

SUBMITTED TO:

ENVIRONMENTAL PROTECTION DEPARTMENT
U.S. ARMY MEDICAL BIOENGINEERING
RESEARCH AND DEVELOPMENT LABORATORY
FORT DETRICK, FREDERICK, MD. 21071
ATTENTION: SGRD-UBG

CONTRACT NO.: DAMD-17-77-7003

SUBMITTED BY:

DEPARTMENT OF CHEMISTRY
LITTON BIONETICS, INC.
5516 NICHOLSON LANE
KENSINGTON, MD 20795

AUGUST 10, 1981

SPONSOR: Environmental Protection Department
U.S. Army Medical Bioengineering Research and Development
Laboratory

MATERIAL: Isopropyl Methylphosphonic Acid (IMPA) Sodium Salt
LBI #3427 and 6488

SUBJECT: CHEMISTRY FINAL REPORT
Determination of IMPA in Experimental Animal Drinking
Water Formulations
LBI Project No. 10734

SUMMARY

Chemical analyses of the dosed drinking water prepared for toxicological testing were performed to determine dose concentration and stability of the chemical. The analytical method used was that implemented by Litton Bionetics, Inc. following a review meeting with representatives of the sponsor; the method involves formation of a volatile derivative using diazomethane. The method used is a modification of a method contributed by the Sponsor's research and development laboratory.

The dose verification analyses of the drinking water formulations showed that for the most part, the formulations were near intended concentrations. Six preparations yielded results lower than the pre-study limit (85% of target). The study director was informed in each instance of low assay results. A copy of the analytical method, and a discussion of the sensitivity and accuracy of the method is included.

SPONSOR: Environmental Protection Department
U.S. Army Medical Bioengineering Research and Development
Laboratory

MATERIAL: Isopropyl Methylphosphonic Acid (IMPA) Sodium Salt
LBI #3427 and 6488

SUBJECT: CHEMISTRY FINAL REPORT
Determination of IMPA in Experimental Animal Drinking Water
Formulations
LBI Project No. 10734

1. OBJECTIVE

The purpose of the chemistry study was to analyze the drinking water formulations used in toxicological testing. The aqueous preparation was also tested for stability.

2. EXPERIMENTAL METHODS AND PROCEDURES

A. Methods

Attempts were made to develop a method for the analysis of IMPA added to animal feed, but these were unsuccessful. This work is summarized in Chemistry attachment A of this section. The route of administration was changed from dosed feed to drinking water, with the sponsor's approval.

Analyses of the drinking water formulations were performed by acidifying an aliquot of the water and diluting it with methanol. A small volume of the diluted sample was then treated with an ether solution of diazomethane to form the methyl ester of IMPA. The volatile ester was then analyzed by gas chromatography using a flame photometric detector with a phosphorus-specific filter. The internal standard used for the gas chromatography was triethyl phosphate. A detailed version of the analytical method is presented in attachment B of this section.

B. Procedures

Homogeneity testing of the formulations was not considered necessary since solutions, by definition, are homogeneous.

Stability of the chemical in the acidified drinking water at ambient temperatures was determined by analysis of single subsamples of formulations taken from the carboys at time of formulation, and again at the end of time use for dosing animals.

The results of these two sets of analyses are listed in Table 1.

B. Procedures (Continued)

Dose verification analysis of the drinking water was originally scheduled for the first three formulations and, if no problems in formulation were detected, for every third formulation thereafter.

However, indications of consistently low formulation were found for the second and third sets of preparations, so the Chemistry Department advised the Study Director to authorize analysis of the fourth formulation (see Table 2). When analysis of the mix of 12/02/80 showed consistently low formulation (74.6 to 79.0% of intended concentration), it was decided to assay the two remaining sets of formulations, so that results for all six batches would be available. A complete summary of results of dose verifications is given in Table 2.

3. RESULTS AND CONCLUSIONS

The analytical data for testing the stability of sodium isopropyl methyl phosphonate in water shows some decrease in the test compound concentration at the two higher doses after room temperature storage for a total of 25 days. Since new formulations were mixed about every 14 days, the stability of the test compound in the drinking water appears adequate for the time of use for dosing. Twelve of the formulation were within limits of $\pm 15\%$ of intended concentration. However, the IMPA concentration of six of the drinking water formulations was below -15% of target.

Some individual assay values may be unreliable because the flame photometric (phosphorous-specific) detector requires very stable flow rates of hydrogen, air and oxygen for a constant sensitivity to be achieved. The detector was serviced by an authorized instrument company service person; other than an insensitivity of the photomultiplier tube, no problems were found in the operation of the device. It was necessary, throughout the study, to operate the detector at or near its most sensitive setting. This operation introduced considerable noise into the baseline, which in turn caused variations in the integration of the peak areas for the methyl ester of IMPA and for the internal standard.

The precision of the method proved to be poorer than first found when the written method (attachment B) was prepared. For this reason, average results of duplicate assays are given in Tables 1 and 2 and analyses with exceptionally poor precision (which had to be included due to limited sample size) are footnoted.

Despite the possibility of some analytical error introduced by baseline noise problems, the overall results given in Table 2 show that at all dose levels, average concentrations of IMPA found were near intended levels. For the 300 ppm target level, the grand mean of

the % of target results (n=6) in Table 2 is 87.0%. The corresponding standard deviation for all formulations is $\pm 7.7\%$. For the 1000 ppm target level, the grand mean (n=6) is 93.0% of target, with a standard deviation of $\pm 8.7\%$. For the 3000 ppm formulation, the grand mean (n=6) is 91.9% of target with a standard deviation of $\pm 15.9\%$. This means experimental animals were dosed at around 90% of the intended concentration over the time span of the study.

Summary report prepared by:

Lynn S. Reed
Lynn S. Reed, Ph.D.
Head, GC/MS Section

11/10/81
Date

Revision of 8/11/81 prepared by:

Jerry M. Fitzgerald
Jerry M. Fitzgerald, Ph.D.
Head, Analytical Chemistry
Section

11/9/81
Date

Approved by:

Frank Boyd
V. Frank Boyd, Ph.D.
Director, Dept. of Chemistry

11/9/81
Date

SECTION H
APPENDIX C

CHEMISTRY ATTACHMENT A

METHOD DEVELOPMENT FOR THE ANALYSIS OF
IMPA SODIUM SALT IN FEED

METHOD DEVELOPMENT FOR THE ANALYSIS OF NaIMPA IN FEED

The experimental design consisted of the following:

1. Extract IMPA from feed
2. Separate IMPA from interferences (from feed) by chromatography
3. Detect and quantitate IMPA present

Analytical problems were found in all three areas.

1. EXTRACTION

The sodium salt of IMPA was found to dissolve only in water and methanol (July 1979). Other solvents tried were tetrahydrofuran, acetonitrile, pyridine, dimethylformamide, dimethyl sulfoxide, acetone and ethyl acetate. Extraction of an acidified aqueous solution of NaIMPA with n-butanol gave a recovery of 20%.

2. CHROMATOGRAPHY

A. Derivatization

An attempt was made to reproduce the method developed by SRI, involving ion exchange chromatography, lyophilization, and formation of the methyl ester of IMPA. The recovery was 0.4%. Concurrently, several other derivatization methods were tried, including ion pair extraction and alkylation (ref: 1976, *Aldrichemica Acta*, 9:35; 1971, *Acta Pharm. Sueica*, 8:113) solid-liquid phase transfer reaction (ref: Ludurkow, *Metal*, 1978, *Angero Chem. Inst. Ed.*, 17(1):62; Van Heerden, F.R., et al., 1978, *Tetrahedron Letters* #7, 661), crown ether catalyzed alkylation (ref: Davis, B., 1977, *Anal. Chem.*, 832). Attempts were made to form esters using methylating and silylating agents as well as dibromoacetophenone and pentafluorobenzyl bromide (PFB). Many of these reagents can be used successfully with the free acid, but the sodium salt is more resistant to esterification. An identifiable product was formed from the crown ether catalyzed reaction of PFB and a solution of NaIMPA. However, this derivative is not stable. IMPA dosed feeds gave method recoveries ranging from 87 to 43% (August 1979) and from 62 to 10% (August 1980).

B. Gas Chromatography

Derivatives made with the free acid were found to tail badly on the original SRI GC column. A more suitable stationary phase was found by testing several possibilities.

3. DETECTION AND QUANTITATION

A phosphorus specific (flame photometric) detector was used for the gas chromatographic analysis. There was adequate sensitivity and specificity for the pentafluorobenzyl derivative of IMPA using this detector. However, the excess derivatizing agent or its combustion products collected on the detector exhaust port - and possibly on the optical filter as well - causing flow restrictions which might alter the response of or damage the detector. The possibility of developing an HPLC method utilizing ultraviolet detection was examined but not considered feasible because of the difficulty of derivatizing IMPA and because of the high background UV absorbance usually seen for feed extracts.

After meeting with the sponsors, it was decided that the route of administration would be changed from feed to drinking water (August 1980). An adequate method for the analysis of NaIMPA in drinking water was then developed and implemented.

SECTION H
APPENDIX C

CHEMISTRY ATTACHMENT B

METHOD FOR DETERMINATION OF IMPA
SODIUM SALT IN DRINKING WATER

DETERMINATION OF IMPA MONOSODIUM SALT IN DRINKING WATER

1. PRINCIPLE

An aliquot of the water sample is acidified and diluted with methanol. A small volume of the dilution is treated with ethereal diazomethane to form the methyl ester of IMPA, which is analyzed by gas chromatography using a flame photometric detector with a phosphorus filter. Triethyl phosphate serves as the internal standard.

2. REAGENTS

Deionized or distilled water

Potassium hydroxide - reagent grade

Diethyl ether - Burdick and Jackson, grade suitable for pesticide analysis

N-methyl-N'-nitro-N-nitrosoguanidine (MNNG) - Aldrich Chemical Co.,
Cat. No. 12994-1

Isopropyl methylphosphonic acid (IMPA) reference standard - LBI #6362,
supplied by U.S. Army Medical Bioengineering Research and Development
Laboratory, (Dr. Clarence W.R. Wade, research chemist).

Triethyl phosphate (TEP) internal standard - Aldrich Chemical Co.,
Cat. No. T6,110-7

Methanol - Burdick and Jackson, grade suitable for pesticide analysis

Hydrochloric acid, concentrated - reagent grade

3. MATERIALS AND SUPPLIES

Analytical balance accurate to 0.01 mg

Top-loading balance accurate to 0.01 g

Erlenmeyer flask, 125 ml size, with cork stopper

Graduated cylinder: 100 ml size

Volumetric flasks: 10, 25, 50, 100, 200 and 1000 ml sizes

Volumetric pipettes: 1, 4, 5, 10, 15, 20, 25 and 50 ml sizes

Graduated pipettes: 5 and 10 ml sizes

Micropipettor, 200 μ l size - SMI (Scientific Manufacturing Industries)
or equivalent (positive displacement).

3. MATERIALS AND SUPPLIES (Continued)

Hewlett-Packard Model 5840 gas chromatograph, microprocessor controlled, with flame photometric detector (phosphorus filter), Model 7672A autosampler and associated data system.

Chromatographic column - 1.8 m x 2 mm I.D. silanized glass packed with 10% FFAP on 80/100 mesh Supelcoport.

Autosampler vials, 1 ml capacity (Wheaton Scientific, Millville, NJ 08332, Stock No. 223682) with Teflon-lined aluminum caps (Stock No. 224211).

Crimper for above vials (Wheaton Stock No. 224301).

4. PREPARATION OF ETHEREAL DIAZOMETHANE

Weigh, to nearest 0.01 g, 4 g of KOH into 125 ml Erlenmeyer flask. Dissolve in 10 ml water.

Cool in ice/water bath and add 60 ml diethyl ether.

Weigh, to nearest 0.01 g, 0.75 g of MNNG. Add in small increments to Erlenmeyer flask in ice bath, swirling frequently and capping with cork stopper between additions.

After all MNNG has been added, stopper and let stand one hour. When not being used, store in freezer. (It is not necessary to separate the ethereal solution of diazomethane from the lower aqueous layer).

NOTE: Successful generation of diazomethane imparts an intense yellow color to the ether phase. If this color is not observed, the MNNG may have decomposed.

CAUTION: Diazomethane can undergo explosive polymerization. Never use old, etched glassware or glass-stoppered glassware for its preparation.

5. PREPARATION OF CALIBRATION STANDARDS (Unless otherwise noted, use volumetric glassware for all preparations)

a. Stock Internal Standard Solution (Target: 6 mg/ml)

Weigh, to nearest 0.01 g, 0.6 g of TEP into 100 ml flask. Dissolve in and dilute to volume with methanol.

5. PREPARATION OF CALIBRATION STANDARDS (Continued)

b. Working Internal Standard Solution (IS) (Target: 6 ppm)

Dilute 1.0 ml of stock solution, above, to 1000 ml with methanol.

c. Stock IMPA Standard Solution (Target: 2 mg/ml)

Weigh, to nearest 0.01 mg, 100 mg of IMPA reference standard into 50 ml flask. Dissolve in and dilute to volume with methanol.

d. Intermediate IMPA Standard Solution (Target: 100 ppm)

Dilute 5.0 ml of stock solution, above, to 100 ml with methanol.

e. Stock Methylated IMPA Standard Solution (Target: 40 ppm as IMPA)

Transfer 4.0 ml intermediate solution, above, to 10.0 ml flask. Add 3 ml (graduated pipette) ethereal diazomethane. (More diazomethane solution may be added as necessary to obtain a persistent yellow color). Swirl to mix, stopper and let stand one hour. Dilute to volume with methanol.

f. Working Methylated IMPA Standard Solution (Target: 2 ppm)

Dilute 5.0 ml stock methylated solution, above, to 100 ml with methanol.

g. Chromatographic Calibration Standards

Combine aliquots of working methylated IMPA and working IS standard solutions indicated below to 100 ml with methanol:

<u>Working Methylated IMPA Standard ml</u>	<u>Working IS Standard ml</u>	<u>Final IMPA Target Concentration ppm</u>
5.0	20.0	0.100
10.0	20.0	0.200
25.0	20.0	0.500
50.0	20.0	1.00

6. PREPARATION OF SAMPLES FOR ANALYSIS

NOTE: (Although the test material is the monosodium salt of IMPA, the concentrations of dosage formulations are expressed in terms of the free acid).

6. PREPARATION OF SAMPLES FOR ANALYSIS (Continued)

(Unless noted otherwise, use volumetric glassware for all preparations).

Transfer aliquots of sample solutions as indicated below to 200 ml flasks. Add 4 ml (graduated pipette) of concentrated HCl and dilute to volume with methanol. Mix well. (Since dilution of water with methanol results in contraction of volume, it will be necessary to add additional methanol to the mark; mix well again.)

<u>Dose or Treatment Level</u> <u>ppm</u>	<u>Aliquot Taken For Dilution</u> <u>ml</u>	<u>Target IMPA Concentration in Dilution</u> <u>ppm</u>
0	50.0	0
300	50.0	75
1000	15.0	75
3000	5.0	75

With micropipettor, transfer duplicate 200 µl aliquots of each diluted sample to 25.0 ml flasks. Add 4 ml (graduated pipette) ethereal diazomethane. (More diazomethane solution may be added as necessary to obtain a persistent yellow color.) Swirl to mix, stopper and let stand one hour. Add 5.0 ml internal standard solution and dilute to volume with methanol.

7. GAS CHROMATOGRAPHIC ANALYSIS

Transfer aliquots of calibration standards and methylated samples to autosampler vials and cap closed. Load autosampler, beginning and ending run with a complete set of chromatographic standards. Since "ghost" peaks have been observed in solvent injections following standard injections, it would be advisable to place two or three solvent "samples" in the autosampler after the first set of standards to clear the system of residual IMPA and TEP.

Suggested chromatographic parameters: (May be modified to obtain approximate retention times given below.)

TEMP 1	125°C
TIME 1	0.00 min
INJ TEMP	225°C
AUX TEMP	245°C
CHT SPD	0.50 cm/min
ZERO	10.0
ATTN 2†	2
AUX SGNL	A*
SLP SENS	0.05

*Column connected from injector B to FPD.

7. GAS CHROMATOGRAPHIC ANALYSIS (Continued)

AREA REJ 10000000
FLOW B 30.0 ml/min

1.00 AREA REJ 0
1.50 IFN 9
7.00 STOP

Hydrogen : 200 rotometer units (24 psig)
Air : 50 rotometer units (24 psig)
Oxygen : 20 rotometer units (24 psig)

Check chromatographic performance with a 3 μ l injection of the highest standard (1.00 ppm). Retention times of IMPA and the internal standard should be approximately 2.7 and 5.0 minutes, respectively.

Enter the options as indicated below. Set the "Change Run" at 0 and the "Stop Run" to correspond to the number of analyses, including the number of solvent injections to clear the "ghost" peaks.

- OPTN #
1. ID: 10734-15
 2. DATE: (Current)
 TIME: (Current)
 3. INJ/BTL, STROKE: 1,2 (approximately 3 μ l injection)
 4. EXT ALARM AMT
 5. DIL FACTOR: 1.0000 E+ 0
 6. RF UNC PKS: 0.0000 E+ 0
 7. RPRT UNC PEAKS (NO)
 8. TRANSMIT RPRT (NO)
 9. SUPPRESS RPRT (NO)

Press "Start Run" to initiate analysis.

8. CALCULATIONS

For standards and samples alike, calculate the area ratio, IMPA/TEP, using the area responses obtained by gas chromatographic analysis.

Using linear regression analysis, establish a calibration curve relating ppm of the GLC standards to their respective area ratios. The analytical run will be considered acceptable based on a correlation coefficient of at least 0.99. (Criteria for slope and intercept cannot be established because they depend upon the relative amounts of IMPA and TEP in the standards.)

8. CALCULATIONS (Continued)

Based on the calibration curve and the area ratios of the samples, calculate the concentration (ppm) of IMPA in the methylated sample solutions analyzed.

Calculate the concentration of IMPA in the dosage formulation from this formula:

$$\text{ppm IMPA} = C \times \frac{V_4}{V_3} \times \frac{V_2}{V_1}$$

where C = concentration of IMPA in methylated solution analyzed (ppm)

V₁ = aliquot of dosage formulation taken for analysis (ml).

V₂ = volume to which V₁ was diluted (200 ml).

V₃ = volume of dilution taken for methylation (0.200 ml)

V₄ = final volume of methylated solution (25.0 ml)

Since V₂, V₃ and V₄ are constants, the expression reduces to:

$$\text{ppm IMPA in dosage formulation} = \frac{C}{V_1} \times 25,000$$

Replication Check (Precision):

For any given concentration of IMPA, calculate:

$$\begin{aligned} \% \text{ agreement} &= \frac{(\text{Result for subsample A} - \text{Result for subsample B}) \times 100}{\text{Mean result of two subsamples}} \\ &= 10\% \text{ or smaller}^* \end{aligned}$$


*Note added at end of study. In some isolated analyses, agreement between duplicates was worse than 10%. Results were included in this report if no more sample was available for reanalysis.


Calculate percent of target concentration for each dosage formulation:

$$\% \text{ of target} = \frac{\text{Mean assay value of IMPA} \times 100\%}{\text{Target concentration of IMPA}}$$

Method developed by:

Approved for use by:


Harold J. Paulin, M.S.


Jerry M. Fitzgerald, Ph.D.

8/12/81
Date

LITTON BIONETICS, INC.
 PROJECT NO. 10734-15
 IMPA

TABLE 1

STABILITY ANALYSIS OF IMPA SODIUM SALT IN DRINKING WATER FORMULATIONS

SAMPLE NUMBER	DATE MIXED	DATE SAMPLED	DATE ANALYZED	TARGET LEVEL (ppm)	FOUND (ppm)	% OF TARGET	% OF ORIGINAL ANALYSIS VALUE
R06450K80	12/15/80	12/15/80	12/18/80	300	253*	84.3*	NA
R06451K80	12/15/80	12/15/80	12/18/80	1000	918	91.8	NA
R06452K80	12/15/80	12/15/80	12/18/80	3000	3410	114	NA
R06753K80	12/15/80	12/29/80	01/13/80	300	259	86.3	102
R06754K80	12/15/80	12/29/80	01/13/80	1000	683	68.3	74
R06755K80	12/15/80	12/29/80	01/13/80	3000	2729	91.0	80

274

*Replication of values for duplicate samples at this level was poor. Insufficient sample for further analyses.

LITTON BIONETICS, INC.
 PROJECT NO. 10734-15
 IMPA

TABLE 2

FORMULATION VERIFICATION OF IMPA SODIUM SALT IN WATER

SAMPLE NUMBER	DATE MIXED	DATE ANALYZED	TARGET LEVEL (ppm)	FOUND (ppm)	% OF TARGET
R05439K80	10/22/80	10/24/80	300	294	98.0
R05440K80	10/22/80	10/24/80	1000	1054	105
R05441K80	10/22/80	10/24/80	3000	3066	102
R05524K80	10/27/80	10/31/80	300	256	85.3
R05525K80	10/27/80	10/31/80	1000	988	98.8
R05526K80	10/27/80	10/31/80	3000	2220	74.0
R05720K80	11/04/80	11/06/80	300	249	83.0
R05721K80	11/04/80	11/06/80	1000	909	90.9
R05722K80	11/04/80	11/06/80	3000	2639	88.0
R06255K80	12/02/80	12/04/80	300	232	77.3
R06256K80	12/02/80	12/04/80	1000	790	79.0
R06257K80	12/02/80	12/04/80	3000	2238	74.6
R06450K80	12/15/80	12/18/80	300	253*	84.3
R06451K80	12/15/80	12/18/80	1000	918	91.8
R06452K80	12/15/80	12/18/80	3000	3410	114
R06684K80	12/30/80	01/08/81	300	283	94.3
R06685K80	12/30/80	01/08/81	1000	923	92.3
R06686K80	12/30/80	01/08/81	3000	2959	98.6

*Insufficient sample for rederivatization and reanalysis; extremely poor replication. Average value listed here.

DISTRIBUTION LIST

25 copies	Commander US Army Medical Bioengineering Research and Development Laboratory ATTN: SGRD-UBG Fort Detrick Frederick, MD 21701
4 copies	USAMRDC (SGRD-RMS) Fort Detrick Frederick, MD 21701
12 copies	Defense Technical Information Center (DTIC) ATTN: DTIC-DDA Cameron Station Alexandria, VA 22314
1 copy	Dean School of Medicine Uniformed Services University of the Health Sciences 4301 Jones Bridge Road Bethesda, MD 20014
1 copy	Commandant Academy of Health Sciences, US Army ATTN: AHS-CDM Fort Sam Houston, TX 78234
1 copy	Commander US Army Medical Bioengineering Research and Development Laboratory ATTN: SGRD-UBD-A/Librarian Fort Detrick Frederick, MD 21701