

The James Webb Space Telescope Mission



Matt Greenhouse

JWST Project Office

NASA Goddard Space Flight Center




1 April 2016

@NASAWebbTelesc

#JWST

JWST is designed to look back in time to see the first galaxies

First Light (After the Big Bang)
 First luminous objects, proto-galaxies, supernovae of first stars



COBE: The oldest light



HST: Most distant objects yet seen

3 minutes

Cosmic Dark Zone

300,000 years

100 million years

1 billion years


13.7 billion years



WMAP




COBE



JWST




HST




Spitzer

JWST will image the infrared universe with unprecedented clarity





Galaxies when the universe was ~1 billion years old




First Light (After the Big Bang)
 First luminous objects, proto-galaxies, supernovae, black holes

Assembly of Galaxies
 Merging of proto-galaxies, effects of black holes, history of star formation



Galaxies today




JWST

JWST will see how the structure and composition of galaxies evolve across cosmic time

Interacting Galaxies

Hubble Space Telescope • ACS/WFC • WFPC2



NASA, ESA, the Hubble Heritage (AURA/STScI)-ESA/Hubble Collaboration, and A. Evans (University of Virginia, Charlottesville/NRAO/Stony Brook University)


STScI-PRC08-16a

-  5.8 Gyr
-  3.3 Gyr
-  2.2 Gyr
-  2.2 Gyr
-  1.8 Gyr
-  1.0 Gyr (z~6)




JWST will see into the birthplaces of stars to reveal how they form

Birth of Stars and Planetary Systems
How stars form and chemical elements are produced




The Eagle Nebula as seen in the near-infrared



JWST will observe how planetary systems form and evolve

Artist Concept



First Light (After the Big Bang)

First luminous objects, proto-galaxies, supernovae, black holes

Assembly of Galaxies


Merging of proto-galaxies, effects of black holes, history of star formation

Birth of Stars and Planetary Systems

How stars form and chemical elements are produced





Planetary Systems & Origins of Life

Formation of planets




Artist Concept

JWST will image exoplanets (planets orbiting stars other than the Sun)





JWST will revolutionize understanding of exoplanet atmospheres


Composition is revealed by spectroscopy



So is the presence of life!





There are tens of billions of habitable worlds in our galaxy. JWST can detect liquid water on an exoplanet that is a few times the size of the Earth.



JWST requires the largest cryogenic telescope ever constructed

To achieve its science objectives, the JWST mission requires:

- 7X the light gathering capability of the Hubble Space Telescope
- Observing capability spanning the optical to mid-infrared spectrum
- Hubble-like angular resolution in the near-infrared



JWST will provide the first high definition view of the infrared universe



To meet these requirements, the JWST team had to solve two key problems:

- Provide a primary mirror that is larger in diameter than available rocket fairings
- Achieve a high stability cryogenic 40K (-233 C, -388 F) operating temperature

The JWST will be placed in orbit about the Sun-Earth L2 point approximately 1.5 million km (1 million miles) from Earth

An L2 point orbit was selected for JWST to enable passive cryogenic cooling

- Station keeping thrusters are required to maintain this orbit
- Propellant sized for 11 years ($\Delta v \sim 93$ m/s)
- ~ 100 day direct transfer trajectory




The JWST can observe the whole sky while remaining continuously in the shadow of its sunshield

- Field of Regard is an annulus covering 35% of the sky
- The whole sky is covered twice each year with small continuous viewing zones at the Ecliptic poles


The telescope requires a segmented deployable mirror




Ariane 5 ECA



- Ariane V ECA launch vehicle (5 m diameter fairing)
- Launch from Kourou Launch Center (French Guiana) with direct transfer to L2 point.
- 6530 kg payload launched at ambient temperature with on orbit cooling to 50 K via passive thermal radiators
- 40 deployable structures and 178 release devices



Deployment Sequence Overview



The JWST space vehicle consists of three elements

Optical Telescope Element (OTE)


Collects star light from distant objects

Integrated Science Instrument Module (ISIM)

Extracts physics information from star light

Spacecraft

Attitude control, telecom, power & other systems




The telescope mirrors are fabricated from Beryllium

Key physical properties of Beryllium:





- low coefficient of thermal expansion at 50 K
- high thermal conductivity
- high stiffness to mass ratio
- Type O-30 spherical powder
- uniform CTE, high packing density, low oxide content

Primary mirror mass properties

- substrate: 21.8 kg
- segment assembly: 39.4 kg
- OTE area density: $\sim 28 \text{ kg m}^{-2}$
 - HST (ULE) $\sim 180 \text{ kg m}^{-2}$ ($\sim 6\text{X}$ heavier)
 - Keck (Zerodur) $\sim 2000 \text{ kg m}^{-2}$ ($\sim 71\text{X}$ heavier)




A specially instrumented space simulation chamber at Marshall Space Flight Center was used to optically test the primary mirror segments at 50 K (-225 C, -370 F)



Buildup of telescope flight structure is complete

The structure consists of ~3,200 bonded composite piece parts



OTE pathfinder structure manual deployment test: June 2014



The spacecraft bus structure is nearing completion




Spacecraft and OTE structure fit check has been completed





← OTE Structure

← Spacecraft Structure

Integration of the flight telescope mirrors with the structure has been completed




The JWST's 5 layer sunshield has an SPF of $\sim 10^6$



Sunshield Facts

- Measures 73 x 40 feet and has 5 layers
- Made of heat-resistant Kapton coated with silicon on sun side and aluminum on other surfaces
- Sun side reaches 358 K (85° C), dark side stays at 40 K (-233° C)
- Each of 5 layers consist of 50 pieces to form shape
- Seaming involves 7,000 inches of thermal welds
- Seam-to-seam accuracy ~ 0.05 inch with shape of (tennis court size) layers accurate to a few tenths of an inch



Sunshield Manual Deployment Test: June 2014



The JWST space vehicle consists of three elements

Optical Telescope Element (OTE)


Collects star light from distant objects

Integrated Science Instrument Module (ISIM)


Extracts physics information from star light

Spacecraft

Attitude control, telecom, power & other systems



The NIRCam will image the earliest epoch of galaxy formation



NIRCam Flight Model

NIRSpec can obtain spectra of 100 compact galaxies simultaneously



FM2 test Jan 2013



MIRI will provide humanity's first high definition view of the mid-infrared universe




MIRI flight model

**FGS can sense pointing to 1 millionth degree precision
NIRISS can image exoplanets that are too close to their star for coronagraphs**




Flight FGS

The science instrument payload (ISIM) began construction during 2006 and completed its final stage of testing during March 2016



ISIM is tested in the Goddard Space Environment Simulator (SES) chamber using a cryogenic telescope simulator (OSIM)

The 3rd of 3 100 day SES test cycles of the ISIM was completed during Feb 2016



The telescope and instrument module will be integrated to each other at GSFC and will then be sent to Johnson Space Flight Center during 2016



STTARS being loaded into a C5 aircraft



Space Telescope Transporter for Air Road and Sea (STTARS)



Then the OTE + ISIM will be tested in the largest space simulation chamber in the world

Apollo era facility extensively refurbished for JWST


Largest deep cryogenic space simulation chamber in the world

Performance certification completed during Aug 2012

13 K and 10^{-8} Torr reached during test





JSC Chamber A today




JSC Chamber A during Apollo

The Pathfinder telescope structure began cryogenic testing at Johnson Space Flight Center during May 2015


- The Pathfinder is flight-like in every respect expect:
 - Does not include the deployable “wings” of the backplane
 - Is populated with two flight spare mirror segments



Space simulation testing of the pathfinder telescope structure began during May 2015



The telescope and instrument module will then be sent to Northrop Grumman Aerospace Systems for integration with the spacecraft bus and sunshield during June 2017



Space Telescope Transporter for Air Road and Sea (STTARS)

Then ... The JWST will be transported by ship through the Panama Canal to French Guiana for launch during 2018



Roll on roll off transport ship built in the Netherlands by Merwede Shipyards
Length 116m
Displacement about 4200 metric tons
Garage deck length 95m (plenty of room for STTARS)
Speed: 15 knots



6900 Nautical Miles
Approximately 20 days



Space Telescope Transporter for Air Road and Sea (STTARS)

The End (of this presentation)

But

with JWST, we will see the beginning of *everything*

The first galaxies

The origins of galactic structure

The birth of stars

The creation of planets

and more

.

.

.