# Emoji Additions: Animals, Compatibility, and More Popular Requests

To: UTC

Date: May 8, 2015

From: Emoji Sub-committee
Live Doc: <a href="http://qoo.gl/vq50oA">http://qoo.gl/vq50oA</a>

#### This document supersedes:

Revision 3: 2015.05.08 Revision 2: 2015.05.03 Revision 1: 2015.02.05 Revision 0: 2015.02.02

#### Introduction

The Unicode emoji subcommittee recommends the following set of 38 characters for encoding in version 9.0 of the Unicode Standard. These symbols are considered for incorporation into Unicode for reasons such as compatibility usage, popular requests from online communities, and filling the gaps in the existing set of Unicode emoji.

For each proposed symbols, the rationale is added in the "Notes" column in the tables and there are further details in the "Discussion" section after the charts. It should be noted that the web search engine results in the "Notes" is not a definitive selection factor; it is an indicator, but may not fully reflect the potential popularity of the corresponding image among online communities.

Color images below are for illustrative purposes and are not included in all cases. Likewise halftone characters are also illustrative. A font will be supplied for characters that are approved.

## **Proposed Characters**

#### **Faces and Body**

Code	Halftone	Color	Name	Notes
1F920	<b>(</b>	1	FACE WITH COWBOY HAT	Compatibility: Yahoo Messenger

1F921	3	<b>3</b>	CLOWN FACE	Compatibility: Yahoo Messenger
1F922	(3)	(3)	NAUSEATED FACE	Emojipedia most requested list tier 1; Compatibility: Yahoo Messenger, MSN Messenger
1F923	9:10	<b>91</b>	ROLLING ON THE FLOOR LAUGHING	Compatibility: Yahoo Messenger
1F924			DROOLING FACE	Compatibility: Yahoo Messenger
1F925	<b>(3)</b>	0,0	LYING FACE	Compatibility: Yahoo Messenger
1F919	ES .		CALL ME HAND	May be used after a face or smiley. It is important to note that hand gestures, faces and body parts are among the most frequently used emoji. This is especially true of hand gestures because of the use of emoji on cell phones. The CALL ME HAND is expected to be used quite frequently. More data regarding frequency of emoji use can be found here: <a href="http://unicode.org/draft/reports/tr51/emoji-frequency.html">http://unicode.org/draft/reports/tr51/emoji-frequency.html</a>
1F933			SELFIE	Google hits 233,000,000 (text) 138,000,000 images. Subject of request from Business Insider wish list, Brit Co wish list, Fortune Magazine, The Guardian. Option: design image to have just the hand and phone, pointing at following face symbol. Very popular and expected usage is high (see CALL ME HAND/all hand gestures expected popularity notes above). Proposed by iDiversicons.
1F91A	Chy.		RAISED BACK OF HAND	Compatibility: Yahoo Messenger. May be used in sequence with U+270B RAISED HAND (each with optional skin tone modifiers) to suggest "high five". Expected usage for such a sequence is high (). Originated in the U.S. but used around the world (Europe, UK, Japan, etc.). 330,000,000 hits on Google search. See CALL ME HAND/all hand gestures expected popularity notes above. Proposed by iDiversicons.
1F91B			LEFT-FACING FIST	May be used in sequence with RIGHT-FACING FIST (each with optional skin tone modifiers) to suggest "fist bump". Expected usage for such a sequence is high (e.g. 2.5 million Google hits for "fist bump"). See CALL ME HAND/all hand gestures expected popularity notes above. Proposed by iDiversicons.
1F91C	0		RIGHT-FACING FIST	May be used in sequence with LEFT-FACING FIST (each with optional skin tone modifiers) to suggest "fist bump".  Expected usage for such a sequence is high (e.g. 2.5 million Google hits for "fist bump"). See CALL ME HAND/all hand gesture expected popularity notes above. Proposed by iDiversicons.

1F91D		HANDSHAKE	Emojitracker data shows that the single waving hand (the closest analog) has been used ~22,000,000 in tweets. 30,500,000 hits on Google search. Expected usage is very high, image distinctivenessclearly recognizable. Already have several versions of hand emoji. See CALL ME HAND/all hand gestures expected popularity notes above. Proposed by iDiversicons.
1F91E		HAND WITH FIRST AND INDEX FINGER CROSSED	Apple most requested list tier 1; Google most requested list tier 1; Emojipedia most requested list tier 1; "Hoping for the best." NYmag & Business Insider list; <a href="http://nytimes.com/2015/03/08/opinion/sunday/turn-emojis-red-white-and-blue.html">http://nytimes.com/2015/03/08/opinion/sunday/turn-emojis-red-white-and-blue.html</a> One of the most widely recognized symbols in the Western world. 57,000,000 hit's on Google search. Very popular and high expected frequency of use. Proposed by iDiversicons. Highest frequency request; See CALL ME HAND/all hand gestures expected popularity notes above.
1F930		PREGNANT WOMAN	Complete set with family; frequently requested <a href="http://internet.gawker.com/the-lost-emoji-1686383816">http://internet.gawker.com/the-lost-emoji-1686383816</a> Proposed by iDiversicons.
1F926		FACE PALM	Apple most requested list tier; Emojipedia most requested list tier 1; Frustration, disbelief, disappointment, exasperation
1F937	?	SHRUG	Apple most requested list tier 2; is a common emoticon with 1,600,000 hits on Google search for ¬(ツ)/ http://internet.gawker.com/the-lost-emoji-1686383816

## People

Code	Halftone	Color	Name	Notes
1F57A		K	MAN DANCING	Committee should consider disunification as it was likely a mistake to have unified this from the original Japanese vendor sets.; missing gender pair
1F934		(B) (1)	PRINCE	L2/15-048; missing gender pair
1F935	BOX	(Box)	MAN IN TUXEDO	Apple most requested list tier 2; L2/15-048; Add Annotation for appearance for groom, e.g. "can be paired with BRIDE WITH VEIL"; missing gender pair
1F936	800	8	MOTHER CHRISTMAS	L2/15-048; ; missing gender pair

### Others

Code	Halftone	Color	Name	Notes
1F940	100	7	WILTED FLOWER	Compatibility: MSN Messenger
1F6F4			SCOOTER	Emojipedia most requested list tier 1; Vehicles. high frequency on web
1F6F5		<i>₹</i>	MOTOR SCOOTER	Emojipedia most requested list tier 1; Apple most requested list tier 2; Vehicles. high frequency on web; common transport in many countries, esp emerging markets
			OCTAGONAL SIGN	Vehicles. Red interior, white rim. May contain the word STOP (or other language equivalents). Also metaphorical use.
1F6D1				Complete set with yield sign, already at U+26DB heavy white down-pointing triangle; consider relationship with existing U+2BC3 HORIZONTAL BLACK OCTAGON.
1F942			CLINKING GLASSES	Apple most requested list tier 2 Holiday/Celebration. Can represent celebrations in many cultures, and also can represent formal toasting which is important in many cultures (e.g. eastern Europe, Scandinavia, and East Asia). Bing 815,000; Yahoo 782,000; Twitter Emoji Track for Clinking Mugs (U+1F37B) for clinking beer mugs 5,671,000. Image distinctiveness, very high expected usage level and compatibility. Proposed by iDiversicons.  https://uk.lifestyle.yahoo.com/the-14-emojis-that-shoul d-exist-brits-need-tea-champagne-cricket-170829829.html
1F5A4				Emojipedia most requested list 2014; current BLACK HEART has an emoji presentation that is red.
	•	•	BLACK HEART	UTC recommendation to use U+1F394 HEART WITH TIP ON THE LEFT if given annotation that it is a black heart with an emoji representation; Add annotation of SUITE

## **Food Items and Plants**

Code	Halftone	Color	Name	Notes
1F950	8		CROISSANT	Apple most requested list tier 1; Popular food item in France and other European countries.

1F951		AVOCADO	Apple most requested list tier 2; <a href="http://internet.gawker.com/the-lost-emoji-1686383816">http://internet.gawker.com/the-lost-emoji-1686383816</a> NYmag list,
1F952		CUCUMBER	Apple most requested list tier 2; http://internet.gawker.com/the-lost-emoji-1686383816 Also represents PICKLE
1F953		BACON	Google most requested list tier 1; Apple most requested list tier 2; http://nytimes.com/2015/03/08/opinion/sunday/turn-e mojis-red-white-and-blue.html others
1F954	000	РОТАТО	Emojipedia most requested list tier 2
1F955		CARROT	Emojipedia most requested list tier 2

## **Animals**

Code	Halftone	Color	Name	Notes
1F98A			FOX FACE	common animal; symbolic and metaphorical usages; web stats (#1 current candidates animal) @~154,000,000; John Cowan L2/15-032 Feedback
1F985			EAGLE	common animal; web stats (#4 current candidates animal) @~58,600,000 Google search results; Cornell #4 request. National bird in 15 countries (highest number of countries)
1F986			DUCK	also a food item; common bird; web stats (#8 current candidates animal) @~46,300,000 Google search results; Cornell #11 request
1F987			BAT	common animal; symbolic and metaphorical usages; web stats (#7 current candidates animal) @~48,600,000 Google search results; Yahoo emoji
1F988			SHARK	Google most requested list tier 2; also a food item; common animal; web stats (#5 current candidates animal) @~57,700,000 Google search results. Metaphoric usage;

		OWL	Emojipedia most requested list tier 1;
			Google most requested list tier 2;
			common bird; web stats (#10 current candidates animal)
			@~35,200,000 Google search results; Cornell #2
			request;
			https://uk.lifestyle.yahoo.com/the-14-emojis-that-shoul
			d-exist-brits-need-tea-champagne-cricket-170829829.h
1F989	~ ~ ~		tml;

#### Discussion

#### **Compatibility Faces and Body**

Unicode emoji subcommittee researched the existing sets of smiley symbols for major instant messaging services (<u>Yahoo Messenger</u> and now discontinued <u>MSN Messenger</u>) for the purpose of providing a mapping between existing emoji in Unicode and those symbols. Two comparison charts were prepared:

- [L2/15-059] Comparing Yahoo Messenger Smiley Set to Unicode Emoji
- [<u>L2/15-058</u>] Comparing MSN Messenger Smiley Set to Unicode Emoji

and 10 symbols which could neither be mapped to single code points nor to a sequence of emoji, were added to this proposal.

#### **Other Faces and Body**

iDiversicons proposed emoji in document  $\frac{L2/14-282}{L2/14-282}$ . The emoji subcommittee reviewed this proposal and recommends encoding six (6) of these additions -- call me hand, high five, fist bump, hand shake, cross-fingers, and clinking glasses.

#### People

To address unpaired gender specific emoji, iDiversicons and the emoji subcommittee proposed gender counterparts in document  $\underline{L2/15-048}$ . For example, there is an existing emoji for princess (U+1F478), but no emoji for prince; and an existing emoji for bride (U+1F470), but no emoji for groom.

#### Food and Plant Items

The (mostly) food items in this table reflect many of the highest requested emoji to Apple, Google, and Emojipedia.

#### **Animals**

Animal emoji additions were proposed in document L2/14-174R2.

The emoji subcommittee reviewed this proposal and recommends encoding six (6) animal emoji -- fox face, eagle, duck, bat, shark, and owl.

Some of these animal emoji have been frequently requested, in websites suggesting emoji additions, as well as in direct requests to Unicode. Though the animal emoji additions are global, some of the requests for these are from North American sources. At present, we are not aware of similar campaigns or collected requests from elsewhere.

Some zoo top animal lists reviewed were:

http://www.thetoptens.com/zoo-animals/

http://shareranks.com/5632,Top-Animals-Found-at-a-Zoo

http://www.hotelclub.com/blog/the-most-famous-zoo-animals-you-need-to-see/

http://zooanimalphotos.com/favorite-zoo-animal-poll-results/

For bird emoji specifically, Cornell University Lab of Ornithology was consulted. Cornell University has one of the leading ornithology education and research departments in the world. Their Lab of Ornithology has produced ebird.com with the largest source of global bird sighting and occurrence data. Additionally, they produce one of the two leading lists of birds and their systematic (much genetic) classification – *The Clements Checklist of Birds of the World*. The list of Cornell's Lab of Ornithology top desired bird emoji are (in order): Dove, Owl, Chicken, Eagle, Crow, Crane, Stork, Peacock, Robin or bluebird, Hummingbird, Duck, Pheasant, Magpie, Hawk, Turkey.

## **Properties**

#### UnicodeData.txt

```
1F57A; MAN DANCING; So; 0; ON; ; ; ; ; N; ; ; ;
1F5A4; BLACK HEART; So; 0; ON; ;; ;; N; ;; ;;
1F6F4; SCOOTER; So; 0; ON; ; ; ; ; N; ; ; ;
1F6F5; MOTOR SCOOTER; So; 0; ON;;;;; N;;;;
1F6D1;STOP SIGN;So;0;ON;;;;;N;;;;
1F919; CALL ME HAND; So; 0; ON;;;;; N;;;;;
1F91A; RAISED BACK OF HAND; So; 0; ON; ;;;; N;;;;;
1F91B; LEFT-FACING FIST; So; 0; ON; ;; ;; N; ;; ;;
1F91C; RIGHT-FACING FIST; So; 0; ON;;;;; N;;;;;
1F91D; HAND SHAKE; So; 0; ON; ;; ;; N; ;; ;
1F91E; HAND WITH FIRST AND INDEX FINGER CROSSED; So; 0; ON; ;; ;; ;; ;;
1F920; FACE WITH COWBOY HAT; So; 0; ON;;;;; N;;;;
1F921; CLOWN FACE; So; 0; ON; ;; ;; N; ;; ;;
1F922; NAUSEATED FACE; So; 0; ON; ;; ;; ;N; ;; ;;
1F923; ROLLING ON THE FLOOR LAUGHING; So; 0; ON;;;;; N;;;;
1F924; DROOLING FACE; So; 0; ON;;;;; N;;;;
1F925; LYING FACE; So; 0; ON; ;; ;; N; ;; ;;
1F926; FACE PALM; So; 0; ON;;;;; N;;;;
1F930; PREGNANT WOMAN; So; 0; ON; ;; ;; N; ;; ;;
1F933; SELFIE; So; 0; ON; ;; ;; N; ;; ;
```

```
1F934; PRINCE; So; 0; ON;;;;; N;;;;
1F935; MAN IN TUXEDO; So; 0; ON;;;;; N;;;;;
1F936; MOTHER CHRISTMAS; So; 0; ON;;;;; N;;;;
1F937; SHRUG; So; 0; ON; ;; ;; N; ;; ;
1F940:WILTED FLOWER; So; 0; ON;;;;; N;;;;;
1F942; CLINKING GLASSES; So; 0; ON;;;;; N;;;;
1F950;CROISSANT;So;0;ON;;;;;N;;;;;
1F951; AVOCADO; So; 0; ON; ;; ;; N; ;; ;;
1F952; CUCUMBER; So; 0; ON; ;; ;; N; ;; ;;
1F953; BACON; So; 0; ON; ; ; ; ; N; ; ; ;
1F954; POTATO; So; 0; ON;;;;; N;;;;
1F955; CARROT; So; 0; ON;;;;; N;;;;
1F985; EAGLE; So; 0; ON; ;; ;; N; ;; ;;
1F986; DUCK; So; 0; ON;;;;; N;;;;;
1F987;BAT;So;O;ON;;;;;N;;;;
1F988; SHARK; So; 0; ON;;;;; N;;;;
1F989;OWL;So;O;ON;;;;;N;;;;
1F98A; FOX FACE; So; 0; ON;;;;; N;;;;
```

## ISO/IEC JTC1/SC2/WG2 PROPOSAL SUMMARY FORM TO ACCOMPANY SUBMISSIONS FOR ADDITIONS TO THE REPERTOIRE OF ISO/IEC 10646<sup>1</sup>

Please fill all the sections A, B and C below.

Please read Principles and Procedures Document (P & P) from

http://std.dkuuq.dk/JTC1/SC2/WG2/docs/principles.html for guidelines and details before filling this form.

Please ensure you are using the latest Form from

http://std.dkuuq.dk/JTC1/SC2/WG2/docs/summaryform.html.

See also http://std.dkuuq.dk/JTC1/SC2/WG2/docs/roadmaps.html for latest Roadmaps.

A. Administrative 1. Title: Emoji Additions: Animals, Compatibility, and More Popular Requests
2. Requester's name: Unicode emoji subcommittee
3. Requester type (Member body/Liaison/Individual contribution): Individual 4. Submission date:
5. Requester's reference (if applicable):
6. Choose one of the following:
This is a complete proposal:
(or) More information will be provided later:
3. Technical - General
1. Choose one of the following:
a. This proposal is for a new script (set of characters):
Proposed name of script:
b. The proposal is for addition of character(s) to an existing block:
Name of the existing block: Miscellaneous Symbols And Pictographs, Transport And Map
Symbols, Supplemental Symbols and Pictographs
2. Number of characters in proposal: Thirty-eight
3. Proposed category (select one from below - see section 2.2 of P&P document):
□ A-Contemporary ■ B.1-Specialized (small collection) □ B.2-Specialized (large collection)
□C-Major extinct □D-Attested extinct □E-Minor extinct
☐ F-Archaic Hieroglyphic or Ideographic ☐ G-Obscure or questionable usage symbols
4. Is a repertoire including character names provided? Yes
a. If YES, are the names in accordance with the "character naming guidelines"  Yes
b. Are the character shapes attached in a legible form suitable for review?  Yes
5. Fonts related:
a. Who will provide the appropriate computerized font to the Project Editor of 10646 for publishing th
standard?
b. Identify the party granting a license for use of the font by the editors (include address, e-mail,
ftp-site, etc.):
6. References:
a. Are references (to other character sets, dictionaries, descriptive texts etc.) provided? N/A
b. Are published examples of use (such as samples from newspapers, magazines, or other sources)
5.7 he passished examples of use (such as sumples from herrspapers, magazines, or other sources)

Emoji in this proposal are requested for addition to Unicode 9.0 for essentially the same reasons as those additions accepted for 8.0

It should be noted how intensely popular emoji have become. In addition to the frequency document

of proposed characters attached?

<sup>&</sup>lt;sup>1</sup> Form number: N4502-F ( Original 1994-10-14; Revised 1995-01, 1995-04, 1996-04, 1996-08, 1999-03, 2001-05, 2001-09, 2003-11, 2005-01, 2005-09, 2005-10, 2007-03, 2008-05, 2009-11, 2011-03, 2012-01)

referenced in the introduction, the committee should also look at the analysis by SwiftKey and Instagram per the links just below:

http://www.theatlantic.com/technology/archive/2015/04/data-says-canada-loves-the-poop-emoji-america -uses-eggplant-most/390960/

and

http://fusion.net/story/127904/instagram-hashtags-could-be-the-best-guide-to-emoji-meaning-weve-ever-had/

7. Special encoding issue

Does the proposal address other aspects of character data processing (if applicable) such as input, presentation, sorting, searching, indexing, transliteration etc. (if yes please enclose information)?

8. Submitters are invited to provide any additional information about Properties of the proposed Character(s) or Script that will assist in correct understanding of and correct linguistic processing of the proposed character(s) or script. Examples of such properties are: Casing information, Numeric information, Currency information, Display behaviour information such as line breaks, widths etc., Combining behaviour, Spacing behaviour, Directional behaviour, Default Collation behaviour, relevance in Mark Up contexts, Compatibility equivalence and other Unicode normalization related information. See the Unicode standard at <a href="http://www.unicode.org/reports/tr44/">http://www.unicode.org/reports/tr44/</a> and associated Unicode Technical Reports for information needed for consideration by the Unicode Technical Committee for inclusion in the Unicode Standard.

#### C. Technical - Justification

- 1. Has this proposal for addition of character(s) been submitted before? No If YES explain
- 2. Has contact been made to members of the user community (for example: National Body, user groups of the script or characters, other experts, etc.)?

  No
  If YES, available relevant documents:
- Information on the user community for the proposed characters (for example: size, demographics, information technology use, or publishing use) is included? Yes

  Reference:
- 4. The context of use for the proposed characters type of use; common or rare)

  Reference:
- 5. Are the proposed characters in current use by the user community? Yes If YES, where? Reference:
- 6. After giving due considerations to the principles in the P&P document must the proposed characters be entirely in the BMP? No

If YES, is a rationale provided?

If Yes, reference:

- 7. Should the proposed characters be kept together in a contiguous range (rather than being scattered)?
- 8. Can any of the proposed characters be considered a presentation form of an existing character or character sequence? No

If YES, is a rationale for its inclusion provided?

If Yes, reference:

9. Can any of the proposed characters be encoded using a composed character sequence of either existing characters or other proposed characters?

If YES, is a rationale for its inclusion provided?

If Yes, reference:

10. Can any of the proposed character(s) be considered to be similar (in appearance or function) to, or could be confused with, an existing character? No If YES, is a rationale for its inclusion provided?

If Yes, reference:

11. Does the proposal include use of combining characters and/or use of composite sequences?

If YES, is a rationale for such use provided? No

If Yes, reference:

Is a list of composite sequences and their corresponding glyph images (graphic symbols) provided? If Yes, reference:

12. Does the proposal contain characters with any special properties such as control function or similar semantics?

If YES, describe in detail (include attachment if necessary)

13. Does the proposal contain any Ideographic compatibility characters? No

If YES, are the equivalent corresponding unified ideographic characters identified?

If Yes, reference: