

Wilsonart® **Wilsonart Quartz All Grades and Thicknesses**

Safety Data Sheet

Prepared according to Canadian Hazardous Products Regulations (SOR/2015-17) (WHMIS 2015)

Revision date: 06/30/2017 Supersedes: 09/15/2014 SDS# 30081 Version: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Wilsonart Quartz All Grades and Thicknesses
Product form : Mixtures

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Manufacturer:

Wilsonart LLC
P.O. Box 6110
Temple, TX 76503-6110
Information phone: 800-433-3222 (USA)
In Case of Emergency Contact CHEMTREC (International): 703-527-3887

Canadian Supplier:

Wilsonart Canada
380 Courtney Park Dr. East, Unit A
Mississauga, Ontario L5T 2S5
905-565-7855

1.4. Emergency telephone number

Emergency number : CHEMTREC: (800) 424-9300,

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS classification

Carc. 1A H350
STOT RE 1 H372

2.2. Label elements

GHS labelling

Hazard pictograms (GHS) :



GHS08

Signal word (GHS) :

Danger

Hazard statements (GHS) :

H350 - May cause cancer
H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary statements (GHS) :

P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P260 - Do not breathe dust
P264 - Wash clothing, hands, forearms and face thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P280 - Wear eye protection, face protection, protective clothing, protective gloves
P308+P313 - If exposed or concerned: Get medical advice/attention
P314 - Get medical advice/attention if you feel unwell
P405 - Store locked up
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Wilsonart Quartz All Grades and Thicknesses

Safety Data Sheet

Prepared according to Canadian Hazardous Products Regulations (SOR/2015-17) (WHMIS 2015)

Name	Product identifier	%
Silica: Crystalline, quartz	(CAS-No.) 14808-60-7	90.00
Binding Resins	Proprietary	15.00
Colorants	Proprietary	5

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : If exposed or concerned, get medical attention/advice. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an unconscious person.
- First-aid measures after inhalation : IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if breathing is affected. If breathing is difficult, supply oxygen.
- First-aid measures after skin contact : IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. If irritation develops or persists, get medical attention immediately.
- First-aid measures after eye contact : IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. Get medical attention immediately. Continue rinsing.
- First-aid measures after ingestion : IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. Get medical attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : May cause cancer. Causes damage to organs through prolonged or repeated exposure.
- Symptoms/effects after inhalation : May cause respiratory irritation.
- Symptoms/effects after skin contact : May cause skin irritation.
- Symptoms/effects after eye contact : Direct contact with eyes is likely to be irritating.
- Symptoms/effects after ingestion : May cause gastrointestinal irritation.
- Chronic symptoms : May cause cancer. Causes damage to organs through prolonged or repeated exposure.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry chemical. Carbon dioxide (CO₂). Alcohol foam extinguishing media.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Not flammable.
- Explosion hazard : Product is not explosive.
- Reactivity : No dangerous reactions known under normal conditions of use.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment. Prevent human exposure to fire, fumes, smoke and products of combustion.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Evacuate area. Ventilate area. Keep upwind. Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8).

6.1.1. For non-emergency personnel

- Protective equipment : Wear Protective equipment as described in Section 8.
- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Wear suitable protective clothing, gloves and eye or face protection.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Do not allow material to contaminate ground water system. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Sweep or shovel spills into appropriate container for disposal. Prevent entry to sewers and public waters.
- Methods for cleaning up : Sweep up dry powder and dispose properly. This material and its container must be disposed of in a safe way, and as per local legislation.

Wilsonart Quartz All Grades and Thicknesses

Safety Data Sheet

Prepared according to Canadian Hazardous Products Regulations (SOR/2015-17) (WHMIS 2015)

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Handle in accordance with good industrial hygiene and safety procedures. Use only in well-ventilated areas. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Product polymerizes over time. Not fit for storage. Use immediately.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Provincial/Territorial OEL Values located within:

Alberta: Occupational Health and Safety Code, 2009

British Columbia: Occupational Health and Safety Regulation Guideline, 2016

Northwest Territories: Occupational Health and Safety Regulations, 2015

Nunavut: Consolidation of Occupational Health and Safety Regulations, 2016

Ontario: Occupational Health and Safety Act, Regulation 833

Quebec: Regulation Respecting Occupational Health and Safety, S-2.1, r. 13

Saskatchewan: The Occupational Safety and Health Regulations, 1996

Yukon: Occupational Health and Safety Act RSY 2002, c.159; amended by SY 2005, c.4; SY 2009, c.21; SY 2010, c.12

New Brunswick: ACGIH values (1997 version)

Manitoba; Newfoundland and Labrador; Nova Scotia; Prince Edward Island: ACGIH (current version)

Silica: Crystalline, quartz (14808-60-7)	
Alberta	0.025 mg/m ³ TWA; A2
British Columbia	0.025 mg/m ³ TWA; A2
Manitoba	0.025 mg/m ³ TWA; A2
New Brunswick	0.025 mg/m ³ TWA; A2
Newfoundland and Labrador	0.025 mg/m ³ TWA; A2
Northwest Territories	0.05 mg/m ³ TWA; Schedule R
Nova Scotia	0.025 mg/m ³ TWA; A2
Nunavut	0.05 mg/m ³ TWA; Schedule R
Ontario	0.10 mg/m ³ TWA; (R)
Prince Edward Island	0.025 mg/m ³ TWA; A2
Quebec	0.10 mg/m ³ TWA
Saskatchewan	0.05 mg/m ³ ; T20
Yukon	300 particle/mL TWA

8.2. Exposure controls

Appropriate engineering controls : Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Ensure adequate ventilation, especially in confined areas.



Personal protective equipment

: Gloves when handling sharp edges. Protective goggles and respiratory protection when generating dust from this product and when ventilation insufficient.



Hand protection : Use gloves when handling sharp edges.

Eye protection : Wear eye protection during cutting, drilling or grinding.

Skin and body protection : Wear safety shoes when lifting this product.

Wilsonart Quartz All Grades and Thicknesses

Safety Data Sheet

Prepared according to Canadian Hazardous Products Regulations (SOR/2015-17) (WHMIS 2015)

Respiratory protection : Use NIOSH (or other equivalent national standard) -approved dust/particulate respirator. Where vapor, mist, or dust exceed PELs or other applicable OELs, use NIOSH-approved respiratory protective equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Solid sheet, various colors, designs, and dimensions
Color : Various colors
Odor : None
Odor Threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : No data available
Density : $\approx 2.35 \text{ g/cm}^3$
Solubility : Soluble in water
Water: Insoluble
Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Extreme heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Not classified.

Silica: Crystalline, quartz (14808-60-7)

LD50 oral rat	500 mg/kg
ATE CLP (oral)	500.000 mg/kg bodyweight

Skin corrosion/irritation : Not classified

Wilsonart Quartz All Grades and Thicknesses

Safety Data Sheet

Prepared according to Canadian Hazardous Products Regulations (SOR/2015-17) (WHMIS 2015)

Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.

Silica: Crystalline, quartz (14808-60-7)

IARC group	1 - Carcinogenic to humans
------------	----------------------------

Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: May cause skin irritation.
Symptoms/effects after eye contact	: Direct contact with eyes is likely to be irritating.
Symptoms/effects after ingestion	: May cause gastrointestinal irritation.
Chronic symptoms	: May cause cancer. Causes damage to organs through prolonged or repeated exposure.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : No information available.

12.2. Persistence and degradability

Wilsonart Quartz All Grades and Thicknesses

Persistence and degradability	No information available.
-------------------------------	---------------------------

12.3. Bioaccumulative potential

Wilsonart Quartz All Grades and Thicknesses

Bioaccumulative potential	No information available.
---------------------------	---------------------------

12.4. Mobility in soil

Wilsonart Quartz All Grades and Thicknesses

Mobility in soil	No information available.
------------------	---------------------------

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Obtain the consent of pollution control authorities before discharging to wastewater treatment plants.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.

SECTION 14: Transport information

In accordance with TDG

Not hazardous for transport

Additional information

Other information : No supplementary information available.

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. Canadian Federal regulations

Wilsonart Quartz All Grades and Thicknesses

All chemical substances in this product are listed on the Canadian Domestic Substances List (DSL) or Non-Domestic Substances List (NDSL) or are exempt.

Wilsonart Quartz All Grades and Thicknesses

Safety Data Sheet

Prepared according to Canadian Hazardous Products Regulations (SOR/2015-17) (WHMIS 2015)


15.2. International regulations

No additional information available.

SECTION 16: Other information

Indication of changes : Revision 1.0: New SDS Created.
Revision date : 06/30/2017
Other information : Author: MDT.

NFPA health hazard : 3 - Materials that, under emergency conditions, can cause serious or permanent injury.
NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health : 3*
Flammability : 1
Physical : 0
Personal protection :

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product