

Truthful Multi-Parameter Auctions with Online Supply: an Impossible Combination

Nikhil R. Devanur*

Balasubramanian Sivan[†]Vasilis Syrgkanis[‡]

October 5, 2018

Abstract

We study a basic auction design problem with online supply. There are two unit-demand bidders and two types of items. The first item type will arrive first for sure, and the second item type may or may not arrive. The auctioneer has to decide the allocation of an item immediately after each item arrives, but is allowed to compute payments after knowing how many items arrived. For this problem we show that there is no deterministic truthful and individually rational mechanism that, even with unbounded computational resources, gets any *finite* approximation factor to the optimal social welfare.

*Microsoft Research. nikdev@microsoft.com

[†]Google research. balusivan@google.com

[‡]Microsoft Research. vasy@microsoft.com

1 Introduction

We consider the following fundamental mechanism design problem with *online supply*.

There are two unit-demand bidders¹ and two types of items. To begin with, both bidders submit their bids for both items. The first item type arrives first, for sure, and the mechanism has to allocate the item to one of the bidders right away. Then the second item type may or may not arrive and is only allocated if it does. The mechanism can compute payments at the end, after knowing whether the second item arrives. The objective is to optimize social welfare, while ensuring that the mechanism is truthful in dominant strategies.

Relevance of the model There has been a tremendous amount of work motivated by online advertising, but much of it studies either the online or truthfulness aspects separately. E.g., Mehta et al. [34] study the purely algorithmic problem, and Edelman et al. [20], Varian [43] consider just a single auction. The goal here is to study these two aspects together, and the particular choices in our model reflect how online advertising works: advertisers specify bids for possible item types ahead of time. Items, which are ad opportunities, arrive online and must be allocated immediately upon arrival, as they perish otherwise. Payments can be computed at the end: advertisers are usually billed at regular intervals. The model can be easily extended to include capacity constraints larger than one and/or budget constraints. Optimizing social welfare is an important objective even for a for-profit seller in a competitive environment, as keeping consumers happy in the long-run is crucial.

We focus on mechanisms that are deterministic, truthful in dominant strategies and individually rational (IR). Practical considerations require deterministic and IR mechanisms, while truthful in dominant strategies is the natural notion when no Bayesian assumptions are made about bidder types. Moreover, given the simplicity of the setting, it is natural to expect such a mechanism.

The problem we consider (with two bidders and two items) is the simplest possible version that retains three crucial aspects: online supply, truthfulness, and multidimensional type spaces. Removing any of these aspects immediately yields a simple and easy solution, even with many bidders and many items.

- Offline version. If we know which items are available, we can simply run the VCG mechanism to get the optimal social welfare.
- No truthfulness. If we only care about the algorithmic problem of maximizing welfare online, then this is a well known generalization of the online bipartite matching problem. The greedy algorithm is $\frac{1}{2}$ competitive.
- Single parameter types. There is only a single item type, and we may get an unknown number of copies of this item (*identical items case*). The type of an agent is just a single value. In this case, allocating the items to agents in the decreasing order of values optimizes social welfare. This is in fact the VCG allocation and is therefore truthful (but only because we can compute payments in the end).

Existing work that combines both the online and then incentive nature of the problem (e.g. Babaioff et al. [8]) consider only non-trivial variants of the *identical items case* and no prior work has addressed a multidimensional mechanism design setting (see Section 1.2 for detailed exposition).

¹A unit demand bidder has a valuation of the following form: for a given set of items S , the valuation $v(S) = \max_{j \in S} v_j$. She tries to maximize her utility, which is quasi linear, i.e., it is the valuation of the set of items allocated to her minus her payments.

1.1 Our Contribution

Some examples Given that there are only two bidders and two item types, one might expect some simple mechanism to give something like a 2 approximation, but in reality it is otherwise. Here are a few examples that we encourage the reader to work out and see what's good or bad about them before proceeding further. Let $v = (v_1, v_2)$ be the bids of bidder V for items 1 and 2, and similarly let $w = (w_1, w_2)$ be the bids of bidder W .

We start with some natural allocation algorithms. The question for these algorithms is whether there exist payments that make them truthful.

Example 1: Greedy algorithm It is well known [22] that the following online greedy algorithm gets a competitive ratio of 2 for unit demand bidders, for the purely optimization problem without incentives, even with n bidders and m items. The algorithm assigns each item to the bidder with the highest marginal valuation, i.e., if bidder i is currently assigned a set of items, the maximum item of which he values at v'_i , and his value for the new item is v_i , then his marginal valuation for item i is $v_i - v'_i$.

Example 2: A $\min\{m, n\}$ approximation algorithm Assign each item to the highest bidder for that item. As an algorithm, this gets a factor of $\min\{m, n\}$, where m is the number of items and n is the number of agents.

Example 3: Bundling Both items are allocated to the bidder with the highest bid among v_1, v_2, w_1, w_2 .

Example 4: VCG-ish allocation Assign the first item to the highest bidder. Assign the second item according to the allocation that maximizes welfare, on hindsight, if could reallocate both items (i.e., the VCG allocation if we knew both items would arrive).

With some effort, one can see that none of these algorithms have any payments that render them truthful. The one for which this is easiest to see is perhaps the Bundling example. Suppose that v_2 is the highest, with $w_1 > v_1 \approx 0$, and only item 1 arrives. We will allocate the item to V , but what should we charge her? IR forces the payment to be essentially 0. Then bidding very low on item 1 and very high on item 2 is a beneficial misreport when only item 1 arrives.

One could ask if there are any reasonable allocation algorithms that are truthful. Indeed there are, and here's an example.

Example 5: Discount mechanism When item 1 arrives, assign it to the highest bidder. When item 2 arrives, offer it to bidder V at a price of $\max\{w_1, w_2\} + (v_1 - w_1)^+$, and offer it to bidder W at a price of $\max\{v_1, v_2\} + (w_1 - v_1)^+$ (here $x^+ = \max(x, 0)$). Whoever takes the second item, pays the posted price on the second item, and doesn't pay anything more even if they won the first item. If there is a bidder who won only the first item (either because second item didn't arrive, or he lost the second item), he pays the other bidder's bid for the first item.

Unfortunately, Example 5 does not get any finite approximation. In light of the above examples, we ask the following question:

Main Question. Does there exist a deterministic truthful+IR mechanism that, even with unbounded computational resources, gets a finite approximation factor to social welfare, when items arrive online?

Our main result is an *impossibility*: there is no deterministic truthful + IR mechanism that, even with unbounded computational resources, can get *any finite* approximation to social welfare. This is surprising, and is qualitatively different from other impossibilities, because optimal approximation ratios usually grow as a function of the number of bidders n , or the number of items m . This result shows a drastic contrast w.r.t the problem with a single item type (with identical copies), where we can implement the optimal allocation (for social welfare) when payments are computed at the end. Even if the payments are required to be computed on the fly for the single item case, as in Babaioff et al. [8], the approximation ratio is $\Theta(n)$, which is in stark contrast to the answer here, which is ∞ . We emphasize once again that this is the simplest possible problem for which one could have hoped for a positive answer, and it is quite surprising that the answer is an impossibility.

Technical takeaways Traditional characterizations of truthfulness such as weak/cyclic monotonicity only consider the allocation to a single agent, fixing the reports of everyone else, and fixing the supply. Our first step is to extend this characterization when the allocation is required to satisfy sequential consistency: the allocation must satisfy weak monotonicity at every point of time, i.e., after the arrival of each item, the allocation for the set of items seen so far must satisfy weak monotonicity for every agent. Even this is not sufficient, as there are allocations such as the one in Example 5 that satisfy this sequential consistency. We further need to reason about how the allocation of one agent changes when we change the report of the other agent, under the constraint that it achieves a finite approximation. We give more details and intuition for how we do this in Section 2.1, and in the numerous figures throughout the paper.²

Randomization Our result implies that some sort of randomization is required to get any finite approximation to social welfare. Practically, randomization in the mechanism itself is not appealing. More practical options are to assume some randomization in the arrival process, as has been done for the algorithmic versions, or a Bayesian setting where there is randomization in the types. See Section 4 for a more detailed discussion on these options.

1.2 Related Work

Closely related work The results closest to our work are the ones that consider non trivial variants of the *identical items case*, since they still have to deal with the combination of truthfulness and online supply.

1. Babaioff et al. [8] study the variant where the mechanism has to *compute payments immediately* after each item arrives. (As observed above, the problem is trivial when payments can be computed at the end.) Even with this more stringent requirement, a trivial deterministic auction obtains an n approximation in this setting, and they construct a simple universally truthful “powers-of-2” randomized mechanism that obtains an $O(\log n)$ approximation. On the negative side, they show that no randomized mechanism can achieve a factor better than $O(\log \log n)$ approximation.
2. Goel et al. [26] study a variant where each bidder has a *budget constraint* which specifies a hard upper bound on the bidder’s total payment across all items, and additive valuations. The goal is now to get a *Pareto optimal* allocation, rather than approximating the social welfare. They show that the adaptive clinching auction of Dobzinski et al. [19] actually achieves this, in the adversarial arrival model. This auction is truthful, and payments can be computed online too.

²We have generously added figures since they greatly help in understanding the structure, and as a result they significantly lengthen the paper. We estimate that the figures add about 4 pages.

3. Mahdian and Saberi [32] and Devanur and Hartline [15] consider the *revenue* maximization objective, and show $O(1)$ approximation ratios. The payments here are allowed to be computed at the end.

Other related Work We now briefly discuss the broader landscape of online mechanisms and algorithms inspired by internet advertising.

There is a substantial body of work under *dynamic mechanism design* that studies truthful mechanism design with online supply, but with the key difference being that the bidders' types themselves are evolving online [3, 4, 11, 28, 36, 38]. The setting is typically Bayesian, and the emphasis is on truthful elicitation of these evolving types. This main source of difficulty is absent in our problem, since the bidder types are fixed and elicited once in the beginning; thus one would expect our problem to be easier. The other variant of online mechanisms is one where bidders arrive and depart online, while the supply is fixed and known [5, 14, 25, 27, 29–31, 40]. Once again, the difficulties in these problems are orthogonal to that of ours; see Section 2.1 for more discussion on this. For a survey on dynamic mechanism design, see Bergemann and Said [10], Parkes [37], Vohra [44].

Online advertising has been the dominant driver of the internet economy, accounting for almost all the revenue of two of the most important technology companies today, Google and Facebook. It has been the motivation for numerous lines of research, most prominently online matching and its generalizations [12, 16, 18, 22, 23, 33, 34], and various aspects of auction design [1, 21, 35, 43]. These two have largely remained separate: online algorithms ignore strategic considerations and auction design mostly considers a static setting. It is natural to combine the two aspects, and ask for mechanisms that are both online and truthful, and many papers have done so, but capturing different aspects than us [6, 7, 9, 17].

2 Model and Main Result

We consider two bidders V, W and two possible items, 1, 2. Bidder V has type $v = (v_1, v_2)$, where v_i is his value for item i . Similarly bidder W has a type $w = (w_1, w_2)$. Both bidders are unit-demand. Item 1 arrives in the first period. Item 2 may or may not arrive in the second period.

A mechanism is defined by its allocation and payment functions. We focus on deterministic mechanisms: the functions $x_i^V : \mathbb{R}_+^2 \times \mathbb{R}_+^2 \rightarrow \{0, 1\}$ and $x_i^W : \mathbb{R}^2 \times \mathbb{R}^2 \rightarrow \{0, 1\}$ denote the allocation of item i to bidders V and W respectively, as a function of their (4-tuple) bids in $\mathbb{R}_+^2 \times \mathbb{R}_+^2$. Similarly $p^V(v, w)$ and $p^W(v, w)$ denote the payments of bidders V and W as a function of their bids. We use \mathbb{R}_+ to denote the set of positive real numbers union 0. We require the mechanism to irrevocably decide the allocation of item 1 immediately after it arrives. However, the payment for the agents can be computed after two periods (i.e., after knowing how many items arrived).

A mechanism is dominant strategy incentive compatible (DSIC) if irrespective of whether 1 or 2 items arrive, irrespective of bidder W 's reports, it is a dominant strategy for bidder V to report his true values for both the items at the beginning of the game, and vice versa. A mechanism is IR if similarly under no circumstances does the payment of an agent exceed her (reported) utility obtained by her allocation. Since we focus on DSIC mechanisms, we avoid different notation for bids and true values.

We are interested in analyzing the welfare of the resulting outcome of the mechanism, which corresponds to the utility of the bidders plus the revenue of the auctioneer. This boils down to the total value of the resulting allocation. We are interested in comparing the latter with the welfare maximizing allocation, which in this setting corresponds to the maximum weighted matching between the bidders and the items. We say that a mechanism achieves an approximation factor H if for any possible reports v, w , the allocation

of the mechanism achieves welfare that is at least $1/H$ times the value of the welfare maximizing allocation for these reports.

With these definitions at hand, we are now ready to state our main result:

Theorem 1 (Main Theorem). *No deterministic DSIC+IR mechanism gets a finite approximation factor.*

Before delving into the technical exposition of the proof of the main theorem and in order to help the reader get a high level glimpse of our approach and of the main insights behind our proof, we first present in the next subsection a series of insights from our proof. Subsequently in Section 3 we give the complete proof of Theorem 1.

2.1 Intuition, Insights and Proof Map

To build some intuition let's start with how an efficient DSIC+IR mechanism would look had it had perfect foresight of the arrival sequence. If only item 1 arrives, then the efficient DSIC+IR mechanism is the single item second price auction, which would allocate the item to player V if: $v_1 \geq w_1$ and to bidder W otherwise (see Figure 1 (left)). However, if both items arrive then the efficient mechanism, i.e. the VCG mechanism, allocates item 1 to player V and item 2 to player W if: $v_1 + w_2 \geq v_2 + w_1 \Leftrightarrow v_1 - v_2 \geq w_1 - w_2$. Otherwise it exchanges the allocation of goods (see Figure 1 (right)).




Figure 1: VCG allocation and payment when only one item arrives (left) and when two items arrive (two right).

Observe that the above two allocation rules are not sequentially consistent, i.e. if the mechanism decides the allocation of item 1 to player V by simply doing the comparison $v_1 \geq w_1$, then there will be cases of v, w , where in the second stage, if item 2 happens to arrive, the efficient mechanism would want to change the allocation of item 1. In particular, the latter happens if $v_1 \geq w_1$ but $v_1 - v_2 < w_1 - w_2$. Thus we have to change the way that we allocate goods on some of the two days.

Since VCG is not sequentially consistent, an alternative approach would be to start from a sequentially consistent and approximately efficient allocation algorithm. The most well known and natural one is the *greedy algorithm* which allocates each arriving item greedily to the bidder with the highest current marginal valuation for it. Thus the first item would be allocated to player V if $v_1 \geq w_1$. If player V wins item 1, the second item would also be allocated to him if $v_2 - v_1 \geq w_1$. If he lost item 1, he is allocated item 2 if $v_2 \geq w_2 - w_1$. This allocation function is depicted in Figure 2. However, this allocation cannot be made truthful by any payment scheme. The main reason behind this is the discontinuity of the allocation of item 2 as the value of player V for item 1 ranges from $[0, \infty)$. In the region around $v_1 \in [w_1 - \delta, w_1 + \delta]$, the threshold value for winning item 2 is a discontinuous function of the value of player V for item 1. This creates an incentive for a type v who lies around this point of discontinuity and loses item 2, to lie about




Figure 2: The allocation function of the online greedy algorithm.

his value for item 1 and win item 2 instead, paying the lower of the two thresholds around the threshold discontinuity point.

After examining how simple solutions fail, we now move to sketching the proof of our main result and outlaying our characterization of DSIC+IR mechanisms. Characterizing truthful mechanisms, even in a multi-dimensional setting, is fairly well understood in the case of a single agent [2, 24, 39, 41] (equivalently, when the bids of the other agents are fixed). As a first step, our characterization also needs to blend in the requirement of sequential consistency to these characterization.³

Our characterization starts from observing that since the mechanism has to be DSIC+IR even if one item arrives, then it has to be that for any value w of W , the allocation of item 1 to player V has to look like a single item allocation, i.e. he gets the item if his value v_1 for item 1 is above some threshold $\pi_1(w)$. Given this, DSIC+IR constraints, together with the fact that the mechanism must be achieving a finite approximation, gives us a complete characterization of how the allocation and payment function of a single player must look for the second item, for any fixed valuation of his opponent (modulo a corner case that we deal with in the technical part).

In particular, we show that for any fixed w of player W , the allocation of item 2 to player V , happens if:

- Player V loses item 1, i.e. $v_1 \leq \pi_1(w)$ and $v_2 \geq \pi_2(w)$ for some threshold $\pi_2(w) \geq \pi_1(w)$
- Player V wins item 1 and $v_2 - v_1 \geq \pi_2(w) - \pi_1(w)$.

In any case if player V happens to win item 2, then he has to pay $\pi_2(w)$, irrespective of whether he also won or not item 1. This characterization is given pictorially in Figure 3. The analogue characterization also holds for player W , keeping player V 's valuation v fixed. Unlike the VCG mechanism the latter figure has the vertical line that determines the allocation to item 1. This line is what is causing most of the trouble in achieving constant factor approximations. Intuitively, what VCG would want to do in the case that item 2 actually arrives, is erase the vertical line and continue the diagonal line until it hits the axes. Finally, unlike the greedy algorithm, a DSIC mechanism has to have the boundary that defines the region for allocation of item 2, be a continuous function (i.e. the 45° line must meet the horizontal line at $\pi_2(w)$). These are two crucial properties that any DSIC+IR and sequentially consistent mechanism has to satisfy and the reason why simple solutions do not work.

³We note that potentially some preliminary lemmas that we present could be derived by “heavy hammers” in mechanism design, such as weak monotonicity. However, we felt that invoking such results, for proving very preliminary basic lemmas would do more to distract the reader than to help in the understanding. Hence we prove them from first principles, since our setting of two bidders and two items is simple enough). The full characterization presented in Figure 3 cannot be shown by simply invoking such results and requires more subtle arguments that we present.




Figure 3: The complete characterization of allocation and payment functions of DSIC+IR mechanisms that achieve finite approximation factors.

However, this single-player characterization is still not sufficient to draw the conclusion that no DSIC+IR mechanism can achieve a finite approximation. To arrive at the impossibility, we need to argue about the allocation and payment of both players simultaneously. Given that this requires arguing about functions in the four dimensional space of v_1, v_2, w_1, w_2 , this presents an uphill battle. The key argument in the epilogue of the proof of our main result, which is also the hardest and most intricate part of our analysis is as follows: assume for now that all items are always allocated to some bidder, hence the allocation of one player is the complement of the allocation of the other. Now consider how the allocation changes as bidder W 's value for item 1 shifts (while his value for item 2 remains fixed). A crucial and non-trivial step in the proof is to show that if the allocation of bidder V changes as a result, it must be that there are points in bidder V 's type space that go from winning both items to losing item 2. Hence, bidder W goes from winning nothing to winning at least item 2. This means that solely the value for item 1 of bidder W determined whether he wins nothing or item 2. This cannot be truthful for bidder W , since he would want to slightly misreport his value for item 1 and win item 2. Hence, bidder V 's allocation remains completely unchanged and subsequently bidder's W allocation remains completely unchanged. However, this also implies that bidder's W allocation for item 1 is also insensitive to his bid for item 1. The latter can lead to unbounded approximation ratios.

Finally, the proof of the theorem requires dropping the assumption that all items are always allocated. To achieve this we focus only on small sub-regions in bidder W 's and V 's type space, in which both items have to be allocated to some bidder if we want to have finite approximation and which are sufficient for making the argument that insensitivity of bidder W 's allocation of item 1 is insensitive to his report for item 1 in this sub-region leads to unbounded approximation factor. Defining these sub-regions requires a series of delicate lemmas that argue about potential changes to one player's allocation function as the other player's type changes, under the assumption that the mechanism achieves some finite approximation.

3 Proof of Main Result

In this section we provide the complete proof of our main theorem. We begin by some basic characterizations of properties that all DSIC and IR mechanisms need to satisfy. We then refine further this characterization when we also add the requirement that the mechanism achieves a constant factor approximation. Finally, we present the core final arguments of our proof which unlike the first two sections, requires arguing simultaneously about the allocation and payment functions of both players, rather than how the allocation of a single player looks like, holding the other player fixed.

In most of the Lemma statements, we show that the allocation and payment functions are restricted in some ways. These restrictions apply to both $x^V(\cdot, \cdot)$ and $x^W(\cdot, \cdot)$, and similarly to both $p^V(\cdot, \cdot)$ and $p^W(\cdot, \cdot)$.

However we prove the statements only for $x^V(\cdot, \cdot)$ and $p^V(\cdot, \cdot)$ as the corresponding proof for bidder W is identical.

3.1 DSIC + IR Mechanisms

In this section, we show necessary conditions for a deterministic online mechanism to be DSIC and IR. These conditions are very similar to characterizations for the offline case [13, 42]. Essentially, what this amounts to is that every DSIC+ IR mechanism looks like this from the point of view of V : the two items are offered at prices $\pi_1(w)$ and $\pi_2(w)$, that do not depend on v . In case V is allocated only one of the two items, he pays the corresponding price. We will deal with the case where she is allocated both items in the next part. In the next 3 lemmas, we only state the conclusion for V , and the *symmetric statement for W is true as well*.

Lemma 2. *For every deterministic DSIC+IR mechanism, there must exist a threshold function $\pi_1(w)$ such that:*

$$\forall w \in \mathbb{R}_+^2, \forall v \in \mathbb{R}_+^2 : x_1^V(v, w) = \begin{cases} 1 & \text{if } v_1 > \pi_1(w) \\ 0 & \text{if } v_1 < \pi_1(w) \end{cases}$$




Figure 4: Characterization of allocation for item 1

Proof in Appendix A.

Remark 2.1. *It is good to remind oneself that while the statement of Lemma 2 is true always, the claims made in the proof of Lemma 2 regarding payments are true only in the case that was used in the proof, namely, where item 1 alone arrives. This is because we allow the mechanism designer to compute payments after knowing whether one item arrived or two items arrived, and thus the conclusions regarding payments drawn from one case need not apply to the other. The allocation function on the other hand has to be determined immediately after each item arrives. Thus the conclusions drawn in the proof regarding allocation function by referring to the case where only one item arrives extends to the case where both items arrive too. Note that the Lemma statement refers only to the allocation function.*

Lemma 3. *For every deterministic DSIC+IR mechanism, there must exist a threshold function $\pi_2(w)$ such*

that:

$$\forall w \in \mathbb{R}_+^2, \forall v \in \mathbb{R}_+^2 \text{ s.t. } v_1 < \pi_1(w) : x_2^V(v, w) = \begin{cases} 1 & \text{if } v_2 > \pi_2(w) \\ 0 & \text{if } v_2 < \pi_2(w) \end{cases}$$

$$p^V(v, w) = \begin{cases} \pi_2(w) & \text{if } v_2 > \pi_2(w) \\ 0 & \text{if } v_2 < \pi_2(w) \end{cases}$$




Figure 5: Characterization of allocation and payment for item 2, conditional on losing item 1.

Proof in Appendix A.

Remark 3.1. A possible source of confusion here is for the reader to point out “The proof of Lemma 3 point 3 just proves that π_2 remains the same for all $v : v_1 < \pi_1$. But what about $v : v_1 \geq \pi_1$? How could you conclude that π_2 is purely a function of w without arguing about $v : v_1 \geq \pi_1$?”. This is not a meaningful question because π_2 is a threshold function that was introduced to describe the allocation in the region $v : v_1 < \pi_1$, i.e., π_2 has a domain of $[0, \pi_1) \times \mathbb{R}_+^2$. Thus the question of “what happens to π_2 when $v_1 \geq \pi_1$ ” is meaningless.

Lemma 4. For every deterministic DSIC+IR mechanism,

$$\forall w \in \mathbb{R}_+^2, \forall v \in \mathbb{R}_+^2 \text{ s.t. } \{x_1^V(v, w) = 1, x_2^V(v, w) = 0\}, \text{ we have } p^V(v, w) = \pi_1$$




Figure 6: Characterization of payment when only item 1 is allocated.

Proof in Appendix A.

3.2 Refining Characterization under Finite Approximation

From now on, we assume that the mechanism also gets a finite approximation, and further refine the necessary conditions we have so far. Basically, we show finiteness and positivity of the thresholds. Further we show that $\pi_2 \geq \pi_1$ always, and when $\pi_2 > \pi_1$ these two thresholds together completely determine the allocation function for bidder V : in case he wins the first item, he is also allocated the second item if $v_2 - \pi_2 > v_1 - \pi_1$, and his payment is only π_2 . If $\pi_2 = \pi_1$, then in one of the 4 regions, namely B_R^V , the mechanism has the freedom to allocate to bidder V just item 1 or both items. This ambiguity in allocation is eliminated when $\pi_2 > \pi_1$, and V does not get item 2 in B_R^V , and pays π_1 . All this is crucial when we construct the main argument in Section 3.3.

The next two lemmas follow by considering v, w values that would lead to unbounded approximations if the thresholds were either ∞ or 0. Once again, for Lemmas 5-9, we only state the conclusion for V and the symmetric statement for W holds as well.

Lemma 5. *For every deterministic DSIC+IR mechanism that gets a finite approximation factor,*

1. *It always allocates item 1 to some player.*
2. *$\forall w \in \mathbb{R}_+^2$, we have $\pi_1 < \infty$. Further, $\forall w \in \mathbb{R}_+^2 : w_1 > 0$, we have $\pi_1 > 0$.*

Proof. Consider a mechanism that gets a finite approximation factor H , and consider the case where item 2 does not arrive. If for some v, w , the mechanism does not allocate item 1, then the approximation factor for the mechanism is unbounded.

If at some w the mechanism had $\pi_1 = \infty$, let $v_1 = (H + 1)w_1$. In this case, bidder V still doesn't get the item, making the approximation factor to be $H + 1$ which is larger than H .

If for some $w : w_1 \neq 0$, the said mechanism had $\pi_1 = 0$, let $v_1 = \frac{w_1}{H+1}$. In this case bidder V still gets the item, making the approximation factor to be $H + 1$ which is larger than H . ■

Lemma 6. *For every deterministic DSIC+IR mechanism that gets a finite approximation factor, $\forall w \in \mathbb{R}_+^2 : w_1 > 0$, we have $\pi_2 < \infty$.*

Proof. Fix a $w \in \mathbb{R}_+^2 : w_1 > 0$. By Lemma 5, note that $0 < \pi_1 < \infty$ for such a w . Suppose $\pi_2 = \infty$ for the said point w . Now, consider a point v s.t. $v_2 \gg \max\{v_1, w_1, w_2\}$ and $v_1 < \pi_1$. At such a v , item 2 should necessarily go to bidder V for a finite approximation. Having $\pi_2 = \infty$ implies this will not happen. ■

Notation For every deterministic DSIC+IR mechanism that gets a finite approximation factor, the following four sets are well defined. Fix a bid $w \in \mathbb{R}_+^2 : w_1 > 0$ of bidder W . By Lemma 5, such a mechanism has $\pi_1 > 0$, and thus the domain of π_2 , namely $[0, \pi_1) \times \mathbb{R}_+^2$ is non-empty. Thus the value of π_2 is well-defined for any fixed $w \in \mathbb{R}_+^2$ with $w_1 > 0$, making the 4 sets below well-defined.

1. Bottom-Left-V: $B_L^V(w) = \{v \in \mathbb{R}_+^2 : v_1 < \pi_1, v_2 < \pi_2\}$.
2. Bottom-Right-V: $B_R^V(w) = \{v \in \mathbb{R}_+^2 : v_1 > \pi_1, v_2 - \pi_2 < v_1 - \pi_1\}$.
3. Top-Left-V: $T_L^V(w) = \{v \in \mathbb{R}_+^2 : v_1 < \pi_1, v_2 > \pi_2\}$.
4. Top-Right-V: $T_R^V(w) = \{v \in \mathbb{R}_+^2 : v_1 > \pi_1, v_2 - \pi_2 > v_1 - \pi_1\}$.




Figure 7: Four crucial regions for characterization of allocation functions. All these regions are non-empty.

Further both π_1 and π_2 are finite, making all four sets non-empty. We will use the non-emptiness of T_R^V later in the proof. The names are meant to be indicative of which portions of the positive quadrant of bidder V 's type space these sets occupy. Similarly, fixing a bid $v \in \mathbb{R}_+^2 : v_1 > 0$ of bidder V , we define four sets in the type space of bidder W : $B_L^W(v)$, $B_R^W(v)$, $T_L^W(v)$ and $T_R^W(v)$. We drop the arguments when it is clear from the context, i.e., we say T_R^V instead of $T_R^V(w)$. Given that these regions are non-trivial, Lemma 7 shows that V gets both items in T_R^V , Lemma 8 shows that $\pi_2 \geq \pi_1$ and Lemma 9 shows that she *doesn't* get item 2 in B_R^V when $\pi_2 > \pi_1$.

Lemma 7. *For every deterministic DSIC+IR mechanism that gets a finite approximation factor;*

$$\forall w \in \mathbb{R}_+^2 : w_1 > 0, \forall v \in T_R^V \text{ we have } \{x_1^V(v, w) = x_2^V(v, w) = 1, p^V(v, w) = \pi_2\}$$




Figure 8: Characterization of the allocation and payment function in the four crucial regions. All values in T_R^V are allocated both items and charged a price of $\pi_2(w)$.

Proof. To prove the allocation part, fix a w with $w_1 > 0$, and consider a $v \in T_R^V$. For any such v , by Lemma 2 $x_1^V(v, w) = 1$. Suppose, $x_2^V(v, w) = 0$. Then bidder V with value $v \in T_R^V$, has an incentive to report a $v \in T_L^V$. By Lemma 3, such a report earns the bidder a utility of $v_2 - \pi_2$ which, by the definition of T_R^V , is strictly larger than his current utility of $v_1 - \pi_1$. To see that his current utility is $v_1 - \pi_1$ note that when a bidder gets only item 1, by Lemma 4 he has to pay π_1 . To prove the payment part, fix a w and consider a $v \in T_R^V$. Since we just showed that all $v \in T_R^V$ have $x_1^V(v, w) = x_2^V(v, w) = 1$, it follows from DSIC that $p^V(v, w)$ for all $v \in T_R^V$ must be the same, say p . We know from Lemma 3 that for all $v \in T_L^V$ we have $p^V(v, w) = \pi_2$. We claim that this immediately implies that $p = \pi_2$. Suppose on the contrary $p \neq \pi_2$.




Figure 9: Profitable deviations if both items are not allocated at some point above the 45° line (left) and if when both items are allocated above the 45° line the payment is not equal to $\pi_2(w)$ (right).

1. Say $p > \pi_2$. Then v 's in T_R^V with $v_2 \geq v_1$ (e.g. point A in Figure 9) have an incentive to report in T_L^V (e.g. point B in Figure 9) to receive a utility $v_2 - \pi_2$ which is strictly larger than the utility $v_2 - p$ they get currently.
2. And if $p < \pi_2$, then v 's in T_L^V with $v_2 \geq v_1$ (e.g. point B in Figure 9) have an incentive to report to a v in T_R^V (e.g. point A in Figure 9) to get a utility of $v_2 - p$ which is strictly larger than the utility $v_2 - \pi_2$ they get currently.

Therefore we have $p^V(v, w) = \pi_2$ for all $v \in T_R^V$. ■

Lemma 8. For every deterministic DSIC+IR mechanism that gets a finite approximation factor, $\forall w \in \mathbb{R}_+^2 : w_1 > 0$, we have $\pi_2(w) \geq \pi_1(w)$.




Figure 10: The threshold for item 2 has to be at least as large as the threshold for item 1. Otherwise the right figure portrays a profitable deviation.

Proof. Fix a w s.t. $w_1 > 0$. Note that by Lemma 5, finite approximation factor immediately implies that $\pi_1 > 0$ and is finite. Suppose in contrary to the lemma, we had $\pi_2(w) < \pi_1(w)$. Consider a $v = (\frac{\pi_1 + \pi_2}{2}, 0)$ (point A in Figure 10). Such a v in B_L^V has an incentive to report to be in T_R^V (e.g. point B in Figure 10). By Lemma 7 such a report earns him a utility of $\frac{\pi_1 + \pi_2}{2} - \pi_2 > 0$, instead of the 0 utility he currently gets. ■

Lemma 9. For every deterministic DSIC+IR mechanism that gets a finite approximation factor,

$$\forall w \in \mathbb{R}_+^2 : w_1 > 0 \ \& \ \pi_2 > \pi_1, \forall v \in B_R^V, \text{ we have } \{x_1^V(v, w) = 1, x_2^V(v, w) = 0, p^V(v, w) = \pi_1(w)\}$$

Proof. Fix a $w \in \mathbb{R}_+^2$ s.t. $w_1 > 0$. From Lemma 2 it is clear that for all $v \in B_R^V$, $x_1^V(v, w) = 1$. As far as allocation is concerned we only have to prove that for all $v \in B_R^V$, we have $x_2^V(v, w) = 0$. Once we prove




Figure 11: If the threshold for item 2 is strictly larger than that of item 1, then every bid in B_R^V is allocated only item 1 and charged $\pi_1(w)$ (left). Otherwise the right figure portrays a profitable deviation.

this, the fact that $p^V(v, w) = \pi_1$ for all $v \in B_R^V$ immediately follows from Lemma 4. To prove that for all $v \in B_R^V$ we have $x_2^V(v, w) = 0$:

1. We first show that for *some* point $v \in B_R^V$ we have $x_2^V(v, w) = 0$. Suppose not. Note that by Lemma 7 there is a non-empty set T_R^V where bidder V gets both items and pays π_2 . DSIC therefore implies that at any point where bidder V gets both items he pays π_2 , including the region B_R^V under consideration. Consider a point $(\frac{\pi_1 + \pi_2}{2}, 0) \in B_R^V$ (point B in Figure 11). Such a bidder, by our assumption gets both items allocated and has to therefore pay π_2 which is strictly larger than his value, violating IR. Therefore there is at least one point in B_R^V where $x_2^V(v, w) = 0$.
2. We now show that for all points in B_R^V we have $x_2^V(v, w) = 0$. To see this, consider a point $v \in B_R^V$ where $x_2^V(v, w) = 1$ (point A in Figure 11). Such a point, by the discussion in this paragraph, pays π_2 . However, switching to a point where item 1 alone is allocated (there is at least one such point by the discussion above) gives the bidder a utility of $v_1 - \pi_1$, which is strictly larger than his current utility of $\max\{v_1, v_2\} - \pi_2$.

■

At this point, it is convenient to summarize our findings on how the threshold functions π_2 and π_1 almost entirely determine the allocation for bidder V (and similarly ϕ_1 and ϕ_2 for bidder W). Except for the region B_R^V , the threshold functions π_2 and π_1 completely determine the allocation function for bidder V . In the region B_R^V , bidder V could receive just item 1 or both items. Even in B_R^V , when $\pi_2 > \pi_1$, bidder V can just receive item 1.

Corollary 10. Fix any $w \in \mathbb{R}_+^2 : w_1 > 0$. For every deterministic DSIC+IR mechanism that gets a finite approximation factor, the allocation in the regions $B_L^V, B_R^V, T_L^V, T_R^V$ should satisfy the following:

1. $\forall v \in B_L^V, x_1^V(v, w) = x_2^V(v, w) = 0$.
2. $\forall v \in B_R^V, x_1^V(v, w) = 1, x_2^V(v, w) \in \{0, 1\}$. Further, if $\pi_2 > \pi_1$, we have $x_2^V(v, w) = 0$.
3. $\forall v \in T_L^V, x_1^V(v, w) = 0, x_2^V(v, w) = 1$.
4. $\forall v \in T_R^V, x_2^V(v, w) = x_1^V(v, w) = 1$.
5. Analogous characterization holds for $B_L^W, B_R^W, T_L^W, T_R^W$.




Figure 12: The allocation and payment functions have to look either like the figure on the left (if $\pi_2(w) > \pi_1(w)$) or like the figure on the right (if $\pi_2(w) = \pi_1(w)$).

3.3 Arguing Simultaneously for Allocation Function of Both Players

Now, we assume that the mechanism gets an H approximation for some fixed number H . Using this we argue that in a particular region of the type space, the mechanism must allocate both items. Using this along with the necessary conditions we have so far, we eventually arrive at a contradiction, implying that deterministic DSIC + IR mechanisms cannot get any finite approximation. We restrict our attention to the following subset of \mathbb{R}_+^2 , for some $N \geq H$ and $\epsilon < \frac{1}{H}$.

$$S_{N,\epsilon} := \{(x_1, x_2) \in \mathbb{R}_+^2 : 0 < x_1 < \epsilon, x_2 = N\}.$$

Lemma 11. *For every deterministic DSIC+IR mechanism that gets an H approximation, $\forall N \geq H, \forall \epsilon < \frac{1}{H}, \forall w \in S_{N,\epsilon}$, we have that*

1. $\pi_1(w) < H\epsilon$.
2. If further, $v_1 < H\epsilon$, then Item 2 is always allocated.

Proof. For any mechanism that gets an H -approximation, if item 2 doesn't arrive, it is necessary that the mechanism allocates item 1 to bidder V when $v_1 \geq H\epsilon$ given that $w_1 < \epsilon$.

For the second point, we have that $w_1 < \epsilon$ and $v_1 < H\epsilon$, while $w_2 \geq H$. Thus not allocating item 2 to any bidder at all results in an approximation factor of at least H since we have $\epsilon < \frac{1}{H}$. ■

Lemma 12. *For every deterministic DSIC+IR mechanism that gets an H approximation,*

$$\forall N \geq H, \forall \epsilon < \frac{1}{H}, \forall w \in S_{N,\epsilon}, \text{ we have } \pi_2(w) - \pi_1(w) = c_N. \quad (1)$$

Proof. Consider any two points $w, w' \in S_{N,\epsilon}$. We show that any mechanism that gets an H approximation has $\pi_2(w) - \pi_1(w) = \pi_2(w') - \pi_1(w')$ for all such w and w' .

1. Suppose not. Assume without loss of generality that $\pi_2(w) - \pi_1(w) < \pi_2(w') - \pi_1(w')$.
2. Note that $\max\{\pi_1(w), \pi_1(w')\} < H\epsilon$ from Lemma 11. This and bullet-point 1 above imply that there exists a point v s.t. $H\epsilon > v_1 > \max(\pi_1(w), \pi_1(w'))$ and, $\pi_2(w) - \pi_1(w) < v_2 - v_1 < \pi_2(w') - \pi_1(w')$ (point A in Figure 14).




Figure 13: As the value of player W moves in the set $S_{n,\epsilon}$ (depicted as the thick vertical line in the right figure), the thresholds of player V for the two items, must be changing in such a way, that their point of intersection moves only along some fixed 45° line that depends only on N .

3. Such a point v is included in $B_R^V(w')$ and in $T_R^V(w)$. Based on our characterization in Corollary 10 such a point v gets allocated the set of items $\{1, 2\}$ (i.e., both the items) when bidder W bids w and just $\{1\}$ when bidder W bids w' .
 - The astute reader might point out “Corollary 10 says that the allocation in region $B_R^V(w')$ could be $\{1\}$ or $\{1, 2\}$, and it is $\{1\}$ whenever $\pi_2(w') > \pi_1(w')$. Do we know that $\pi_2(w') > \pi_1(w')$ to draw this unambiguous conclusion about allocation being $\{1\}$ in $B_R^V(w')$? The answer is yes. To see this, note that by Lemma 8 $\pi_2 \geq \pi_1$ at both w and w' . The only question is whether $\pi_2(w') > \pi_1(w')$ or not. But w.l.o.g. we assumed that $\pi_2(w) - \pi_1(w) < \pi_2(w') - \pi_1(w')$. This immediately shows that $\pi_2(w') > \pi_1(w')$.
4. Correspondingly, the allocation for bidder W when changing his bid from w to w' changes from \emptyset to just $\{2\}$ or \emptyset to \emptyset . To see this note that when V gets $\{1, 2\}$ clearly W gets \emptyset . But when V gets $\{1\}$, the bidder W could have possibly gotten $\{2\}$ or \emptyset . Note that W getting \emptyset means that item 2 didn't go to any bidder at all.




Figure 14: If the intersection point in the allocation of player V (right) does not move along the diagonal, there exists a point A such that the allocation of player W (left), when player V has value A , moves from \emptyset to Item 2. Such a transition in W 's allocation is not feasible as we move vertically.

5. But the possibility of item 2 not going to any bidder at all is ruled out by Lemma 11: note that $w'_1 < \epsilon$ and $v_1 < H\epsilon$. Given that item 2 should always be allocated, the only possible change of allocation for bidder W when changing his bids from w to w' is from \emptyset to $\{2\}$.
6. Based on the definition of the 4 sets it follows immediately that when w_2 is held a constant and w_1 is

varied, the point w moves either between B_L^W and B_R^W or between T_L^W and T_R^W , or between T_L^W and B_R^W .

7. Our characterization in Corollary 10 shows that none of the three moves mentioned above can result in an allocation change between \emptyset and $\{2\}$. Indeed an allocation change between \emptyset and $\{2\}$ requires a move between B_L^W and T_L^W , which is not among the three moves mentioned above.

■

Lemma 13. *For every deterministic DSIC+IR mechanism that gets an H -approximation,*

$$\forall N \geq H, \forall \epsilon < \frac{1}{H}, \forall w \in S_{N,\epsilon} = \{w \in \mathbb{R}_+^2 : 0 < w_1 < \epsilon, w_2 = N\}, \text{ we have:}$$

$$\pi_1(w) = c_{1,N}, \text{ and } \pi_2(w) = c_{2,N}. \quad (2)$$




Figure 15: The thresholds in the allocation of V do not change as W moves in $S_{N,\epsilon}$, e.g. from w to w' .

Proof. Consider any two points $w, w' \in S_{N,\epsilon}$. We show that any mechanism that gets an H -approximation has $\pi_1(w) = \pi_1(w')$ and $\pi_2(w) = \pi_2(w')$ for all such w and w' . Suppose not.

1. Lemma 12 says that $\pi_2(w) - \pi_1(w) = \pi_2(w') - \pi_1(w')$. This means that either $\pi_2(w') > \pi_2(w)$ and $\pi_1(w') > \pi_1(w)$, or $\pi_2(w') < \pi_2(w)$ and $\pi_1(w') < \pi_1(w)$. W.l.o.g. we assume that we are in the former case, namely, $\pi_2(w') > \pi_2(w)$ and $\pi_1(w') > \pi_1(w)$.
2. The former statement implies that there exists a point $v \in \mathbb{R}_+^2$ such that $\pi_1(w) < v_1 < \pi_1(w')$ and $\pi_2(w) < v_2 < \pi_2(w')$, and $v_2 - v_1 > \pi_2(w) - \pi_1(w)$. We also have $\max\{\pi_1(w), \pi_1(w')\} < \epsilon H$ from Lemma 11 (point A in Figure 15).
3. Such a point v is included in $T_R^V(w)$ and $B_L^V(w')$. Thus, as the bid of bidder W changes from w to w' , by Corollary 10, the allocation of bidder V for such a point v changes from $\{1, 2\}$ (while in T_R^V) to \emptyset (while in B_L^V).
4. Correspondingly, the allocation for bidder W when changing his bid from w to w' could have changed from \emptyset to \emptyset , or \emptyset to $\{1\}$, or \emptyset to $\{2\}$ or \emptyset to $\{1, 2\}$. From Lemmas 5 and 11, we should always allocate both items for the bid ranges we have considered. Thus, the only possible allocation change for bidder W as his bid changes from w to w' is from \emptyset to $\{1, 2\}$.




Figure 16: If the thresholds for player v change as the value of W ranges over $S_{N,\epsilon}$, e.g. from w to w' , then when V has type A the allocation of W switches from the \emptyset , under w , to winning both items, under w' . The latter is impossible, given our characterization of feasible allocation functions.

5. Based on the definition of the 4 sets it follows immediately that when w_2 is held a constant and w_1 is varied, the point w moves either between B_L^W and B_R^W or between T_L^W and T_R^W , or between T_L^W and B_R^W .
6. Our characterization in Corollary 10 shows that only one of the three moves mentioned above could possibly result in an allocation change between \emptyset and $\{1, 2\}$, namely from B_L^W to B_R^W . But B_R^W has an allocation of $\{1, 2\}$ only when $\phi_2 = \phi_1$. The point w being in B_L^W and w' in B_R^W means that $w_1 < \phi_1 = \phi_2 < w'_1$. But note that $w_1, w'_1 < \epsilon$, where as $w_2 = w'_2 \geq H \gg \epsilon$. On the other hand since $w \in B_L^W$ it means that $\phi_2 > w_2 \geq H$. It is impossible to have the following conditions satisfied:
 - $\phi_2 = \phi_1$
 - $w_2 = w'_2 \geq H$ and $0 < w_1, w'_1 < \epsilon$
 - $w_2 < \phi_2$ and $w_1 < \phi_1 = \phi_2 < w'_1$
7. This means that our contrary assumption can't hold. This proves the Lemma, namely, $\pi_2(w) = \pi_2(w')$ and $\pi_1(w) = \pi_1(w')$. ■

Proof of Main Theorem. From Corollary 10 it is intuitively clear that once $\pi_2(w)$ and $\pi_1(w)$ are determined, they almost entirely determine the allocation function in the type-space of bidder V . But now Lemma 13 (basically Equation 2) shows that π_2 and π_1 remain unchanged when w moves in the set $S_{N,\epsilon}$. This therefore means, when w moves in the set $S_{N,\epsilon}$, the allocation to bidder V for any given bid $v \in (0, H\epsilon) \times \mathbb{R}_+$ (except for the indifference points in the boundary region) remains unchanged. Therefore, the allocation of bidder W , which is simply the complement of the allocation to bidder V , also remains unchanged, as w moves in $S_{N,\epsilon}$. This leads to an unbounded approximation factor. We will now make this formal by first showing the following.

1. For any set S of w 's where $\pi_2(w)$ and $\pi_1(w)$ remain unchanged, let $\mathcal{Q}(S) = \{v \in \mathbb{R}_+^2 : v_1, v_2 > 0, v_1 < H\epsilon, v_1 \neq \pi_1, v_2 \neq \pi_2, v_2 - \pi_2 \neq v_1 - \pi_1\}$ be the set of v with $v_1 \leq H\epsilon$, excluding the indifference points in bidder V 's type space (the π 's are defined w.r.t. some arbitrary $w \in S$). The allocation for indifference points could swing arbitrarily as w moves and therefore we will not focus on them. We show that:




Figure 17: Our characterizations imply that the whether player W wins item 1 or not, remains fixed for all $w \in S_{N,\epsilon}$ for any v with $v_1 \leq H \cdot \epsilon$ (in particular for point A). This leads to unbounded approximation factor when only item 1 arrives.

$$\forall N \geq 2H, \forall \epsilon < \frac{1}{H}, \forall w \in S_{N,\epsilon} = \{0 < w_1 < \epsilon, w_2 = N\}, \forall v \in \mathcal{Q}(S_{N,\epsilon}) \text{ we have:}$$

$$x_1^V(v, w) = f_{1,N}(v), \text{ and, } x_2^V(v, w) = f_{2,N}(v). \quad (3)$$

To prove Equation 3, note that Corollary 10 says that the only region in bidder V 's type-space where π_2 and π_1 don't accurately determine the allocation functions for bidder V is the region B_R^V where the allocation could be $\{1\}$ or $\{1, 2\}$ in the case where $\pi_2 = \pi_1$. Except for this region, since π_2 and π_1 entirely determine the allocation of bidder V , Equation 2 directly implies Equation 3. We now show that this corner case of $\pi_2 = \pi_1$ can't happen by proving that

$$\forall N \geq 2H, \forall \epsilon < \frac{1}{H}, \forall w \in S_{N,\epsilon} = \{0 < w_1 < \epsilon, w_2 = N\}, \text{ we have } \pi_2(w) > \pi_1(w).$$

To see this, note that it is necessary that $\pi_2 \geq 1$ because otherwise, the approximation ratio for giving away item 2 with $w_2 \geq 2H$ to bidder V with $v_2 < 1$ is at least $\frac{2H}{1+\epsilon} > H$ (the ϵ in the denominator is for capturing item 1's welfare of at most ϵ). On the other hand, as discussed in point 2 of the proof of Lemma 12, we have $\pi_1 < H\epsilon < 1$. Thus $\pi_1 < 1 \leq \pi_2$, eliminating the corner case we hoped to remove.

2. Notice that the allocation to bidder W is simply the complement of allocation to bidder V because the mechanism allocates both items, according to Lemmas 5 and 11. Thus,

$$\forall N \geq 2H, \forall \epsilon < \frac{1}{H}, \forall w \in S_{N,\epsilon} = \{0 < w_1 < \epsilon, w_2 = N\}, \forall v \in \mathcal{Q}(S_{N,\epsilon}) \text{ we have:}$$

$$x_1^W(v, w) = 1 - f_{1,N}(v), \text{ and, } x_2^W(v, w) = 1 - f_{2,N}(v). \quad (4)$$

Equation 4 leads to an unbounded approximation factor. To see this, consider the $S_{2H,\epsilon} = \{w \in \mathbb{R}_+^2 : 0 < w_1 < \epsilon, w_2 = 2H\}$. Fix a v s.t. $v_1 = \frac{\epsilon}{H^{3/2}}$ (if such a v_1 happens to be a boundary point w.r.t. $S_{2H,\epsilon}$, pick a v_1 arbitrarily close to that point). Equation 4 implies that for all $w \in S_{2H,\epsilon}$, we have $x_1^W(v, w) = 1$ or $x_1^W(v, w) = 0$, i.e., always 1 or always 0.

- (a) Suppose $x_1^W(v, w) = 1$ for all $w \in S_{2H,\epsilon}$. Then consider a point $(w_1 = \frac{\epsilon}{H^3}, w_2 = 2H)$, and focus on the case where item 2 never arrives. Giving item 1 to bidder W results in approximation factor of $\frac{\epsilon/H^{3/2}}{\epsilon/H^3} = H^{3/2} > H$. Thus a H -approximation factor is not possible in this case.

- (b) Suppose $x_1^W(v, w) = 0$ for all $w \in S_{2H, \epsilon}$. Then consider a point $(w_1 = \epsilon/2, w_2 = 2H)$ and focus on the case where item 2 never arrives. Giving item 1 to bidder V results in approximation factor of $\frac{\epsilon/2}{\epsilon/H^{3/2}} = \frac{H^{3/2}}{2} > H$. Thus a H -approximation factor is not possible in this case.

This means that a deterministic DSIC+IR mechanism cannot obtain a H -approximation for any H . This proves the theorem. ■

4 Conclusion and Open Questions

In the largely unexplored space of truthful mechanisms for multi-parameter bidders with online supply, we ask the first question that anyone would ask, and show a strong impossibility result. On the technical side, our results shed ample light on the nature of restrictions that truthfulness and online supply place on the kinds of allocation profiles possible. These restrictions are quite non-trivial and do not follow from simple weak-monotonicity/cyclic monotonicity conditions. On the conceptual side, our results point toward what might be reasonably expected in terms of truthfulness in an online supply setting. For instance, it says that there must be some source of randomness for a mechanism to be able to guarantee any reasonable social welfare. In this regard, there are several interesting directions that our work opens up.

Does randomness help? There are three prominent sources of randomness: a) Randomized mechanisms b) Stochastic arrival and c) Bayesian setting (values drawn from a distribution). For each of these sources of randomness, without using the other sources of randomness, what is the optimal approximation factor one can get? Let n be the number of bidders and m be the number of items that could possibly arrive (lesser number of items could arrive too).

Randomized mechanisms It is easy to get a $\min\{n, m\}$ approximation with a randomized mechanism. Choosing one of the n bidders uniformly at random and allocating all items to her gives an n approximation. Choosing one of the m items uniformly at random, and selling that item using a second price auction, throwing away all other items gives a factor m approximation (note that the adversary who decides the supply doesn't know the mechanism's coin toss). Is there a mechanism that gets *anything better* than this trivial $\min\{m, n\}$ approximation? What is the best approximation factor one can get? Logarithmic? Constant? Note that the constant factor impossibility result of [8] doesn't apply here because we allow payments to be computed after knowing the entire supply. We conjecture that nothing better than the $\min\{n, m\}$ approximation with a randomized mechanism.

Stochastic arrival What happens if we allow arrival to be stochastic, according to a *known* distribution, but ask for mechanisms to be deterministic? For the 2 bidder, 2 item setting we studied, here is a stochastic arrival model. Item 1 arrives for sure, and item 2 arrives with a known probability p . If all we ask for is a truthful-in-expectation mechanism, then one can get the optimal welfare by just implementing the VCG mechanism, namely, compute $\max\{v_1 + pw_2, w_1 + pv_2\}$. If the former is larger, bidder V gets 1 and W gets 2, and if the latter is larger, bidder V gets 2 and W gets 1. Truthful payments are easy to compute.

But what if we ask for universal truthfulness over the stochasticity in arrival? For the simple setting of 2 bidders and 2 items, there is a 2 approximation mechanism that allocates the first item to bidder V if $w_1 \geq \max\{w_1, pw_2\}$ or bidder W if $w_1 \geq \max\{v_1, pv_2\}$. When second item arrives, offer it to bidder

V at a price of $\max\{\frac{w_1}{p}, w_2\} + (v_1 - \max\{w_1, pw_2\})^+$ and similarly offer it to bidder W at a price of $\max\{\frac{w_1}{p}, v_2\} + (w_1 - \max\{v_1, pv_2\})^+$. Whoever wins the second item pays the posted price and nothing more, even if they won the first item. If bidder V wins the first item alone (either because the second item doesn't arrive, or because he lost it), he pays $\max\{w_1, pw_2\}$ and similarly when bidder W wins the first item alone, he pays $\max\{v_1, pv_2\}$. It is easy to check that this mechanism is truthful, and gets a 2 approximation. Basically, the mechanism is guaranteed to get a welfare of $\max\{v_1, w_1, pv_2, pw_2\}$, which gives a 2 approximation. Is there a natural generalization of this mechanism to n bidders and m items that gives a $\min\{m, n\}$ approximation? Are there are better approximations?

Bayesian setting What if bidders' values are drawn from a (known) joint distribution? If the bidder's distributions are independent, how good an approximation factor can we get with deterministic mechanisms? With randomized mechanisms can we get much better than the trivial $\min\{m, n\}$ approximation factor? With the further restriction that the distributions across items are independent too, what are the best factors possible? We currently don't have answers to these questions even for the 2 bidder 2 item case.

References

- [1] Gagan Aggarwal, Ashish Goel, and Rajeev Motwani. Truthful auctions for pricing search keywords. In *Proceedings of the 7th ACM conference on Electronic commerce*, pages 1–7. ACM, 2006.
- [2] Aaron Archer and Robert Kleinberg. Truthful germs are contagious: a local-to-global characterization of truthfulness. *Games and Economic Behavior*, 86:340–366, 2014.
- [3] Itai Ashlagi, Constantinos Daskalakis, and Nima Haghpanah. Sequential mechanisms with ex-post participation guarantees. In *Proceedings of the 2016 ACM Conference on Economics and Computation*, pages 213–214. ACM, 2016.
- [4] Susan Athey and Ilya Segal. An efficient dynamic mechanism. *Econometrica*, 81(6):2463–2485, 2013.
- [5] Moshe Babaioff, Nicole Immorlica, and Robert Kleinberg. Matroids, secretary problems, and online mechanisms. In *Proceedings of the eighteenth annual ACM-SIAM symposium on Discrete algorithms*, pages 434–443. Society for Industrial and Applied Mathematics, 2007.
- [6] Moshe Babaioff, Yogeshwer Sharma, and Aleksandrs Slivkins. Characterizing truthful multi-armed bandit mechanisms. In *Proceedings of the 10th ACM conference on Electronic commerce*, pages 79–88. ACM, 2009.
- [7] Moshe Babaioff, Robert D Kleinberg, and Aleksandrs Slivkins. Truthful mechanisms with implicit payment computation. In *Proceedings of the 11th ACM conference on Electronic commerce*, pages 43–52. ACM, 2010.
- [8] Moshe Babaioff, Liad Blumrosen, and Aaron Roth. Auctions with online supply. *Games and Economic Behavior*, 90:227–246, 2015. doi: 10.1016/j.geb.2015.01.004. URL <http://dx.doi.org/10.1016/j.geb.2015.01.004>.
- [9] Santiago R Balseiro, Omar Besbes, and Gabriel Y Weintraub. Repeated auctions with budgets in ad exchanges: Approximations and design. *Management Science*, 61(4):864–884, 2015.

- [10] Dirk Bergemann and Maher Said. Dynamic auctions. *Wiley Encyclopedia of Operations Research and Management Science*, 2011.
- [11] Dirk Bergemann and Juuso Välimäki. The dynamic pivot mechanism. *Econometrica*, 78(2):771–789, 2010.
- [12] Niv Buchbinder, Kamal Jain, and Joseph Seffi Naor. Online primal-dual algorithms for maximizing ad-auctions revenue. In *Algorithms–ESA 2007*, pages 253–264. Springer, 2007.
- [13] Shuchi Chawla, David L Malec, and Balasubramanian Sivan. The power of randomness in bayesian optimal mechanism design. In *Proceedings of the 11th ACM conference on Electronic commerce*, pages 149–158. ACM, 2010.
- [14] Richard Cole, Shahar Dobzinski, and Lisa Fleischer. Prompt mechanisms for online auctions. In *Algorithmic Game Theory*, pages 170–181. Springer, 2008.
- [15] Nikhil R Devanur and Jason D Hartline. Limited and online supply and the bayesian foundations of prior-free mechanism design. In *Proceedings of the 10th ACM conference on Electronic commerce*, pages 41–50. ACM, 2009.
- [16] Nikhil R Devanur and Thomas P Hayes. The adwords problem: online keyword matching with budgeted bidders under random permutations. In *Proceedings of the 10th ACM conference on Electronic commerce*, pages 71–78. ACM, 2009.
- [17] Nikhil R Devanur and Sham M Kakade. The price of truthfulness for pay-per-click auctions. In *Proceedings of the 10th ACM conference on Electronic commerce*, pages 99–106. ACM, 2009.
- [18] Nikhil R Devanur, Kamal Jain, Balasubramanian Sivan, and Christopher A Wilkens. Near optimal online algorithms and fast approximation algorithms for resource allocation problems. In *Proceedings of the 12th ACM conference on Electronic commerce*, pages 29–38. ACM, 2011.
- [19] Shahar Dobzinski, Ron Lavi, and Noam Nisan. Multi-unit auctions with budget limits. In *Proceedings of the 2008 49th Annual IEEE Symposium on Foundations of Computer Science*, FOCS '08, pages 260–269, Washington, DC, USA, 2008. IEEE Computer Society. ISBN 978-0-7695-3436-7. doi: 10.1109/FOCS.2008.39. URL <http://dx.doi.org/10.1109/FOCS.2008.39>.
- [20] Benjamin Edelman, Michael Ostrovsky, and Michael Schwarz. Internet advertising and the generalized second price auction: Selling billions of dollars worth of keywords. Working Paper 11765, National Bureau of Economic Research, November 2005. URL <http://www.nber.org/papers/w11765>.
- [21] Benjamin Edelman, Michael Ostrovsky, and Michael Schwarz. Internet advertising and the generalized second-price auction: Selling billions of dollars worth of keywords. *American Economic Review*, 97(1):242–259, March 2007. doi: 10.1257/aer.97.1.242. URL <http://www.aeaweb.org/articles.php?doi=10.1257/aer.97.1.242>.
- [22] Jon Feldman, Nitish Korula, Vahab Mirrokni, S Muthukrishnan, and Martin Pál. Online ad assignment with free disposal. In *Internet and network economics*, pages 374–385. Springer, 2009.

- [23] Jon Feldman, Aranyak Mehta, Vahab Mirrokni, and S Muthukrishnan. Online stochastic matching: Beating $1-1/e$. In *Foundations of Computer Science, 2009. FOCS'09. 50th Annual IEEE Symposium on*, pages 117–126. IEEE, 2009.
- [24] Rafael Frongillo and Ian Kash. General truthfulness characterizations via convex analysis. In *Web and Internet Economics*, pages 354–370. Springer, 2014.
- [25] Alex Gershkov and Benny Moldovanu. Dynamic revenue maximization with heterogeneous objects: A mechanism design approach. *American Economic Journal: Microeconomics*, 1(2):168–198, 2009.
- [26] Gagan Goel, Vahab Mirrokni, and Renato Paes Leme. Clinching auctions with online supply. In *Proceedings of the Twenty-Fourth Annual ACM-SIAM Symposium on Discrete Algorithms*, pages 605–619. SIAM, 2013.
- [27] Mohammad Taghi Hajiaghayi, Robert Kleinberg, and David C Parkes. Adaptive limited-supply online auctions. In *Proceedings of the 5th ACM conference on Electronic commerce*, pages 71–80. ACM, 2004.
- [28] Sham M Kakade, Ilan Lobel, and Hamid Nazerzadeh. Optimal dynamic mechanism design and the virtual-pivot mechanism. *Operations Research*, 61(4):837–854, 2013.
- [29] Robert Kleinberg. A multiple-choice secretary algorithm with applications to online auctions. In *Proceedings of the sixteenth annual ACM-SIAM symposium on Discrete algorithms*, pages 630–631. Society for Industrial and Applied Mathematics, 2005.
- [30] Ron Lavi and Noam Nisan. Competitive analysis of incentive compatible on-line auctions. In *Proceedings of the 2nd ACM Conference on Electronic Commerce*, pages 233–241. ACM, 2000.
- [31] Ron Lavi and Noam Nisan. Online ascending auctions for gradually expiring items. In *Proceedings of the sixteenth annual ACM-SIAM symposium on Discrete algorithms*, pages 1146–1155. Society for Industrial and Applied Mathematics, 2005.
- [32] Mohammad Mahdian and Amin Saberi. Multi-unit auctions with unknown supply. In *Proceedings of the 7th ACM conference on Electronic commerce*, pages 243–249. ACM, 2006.
- [33] Mohammad Mahdian, Hamid Nazerzadeh, and Amin Saberi. Allocating online advertisement space with unreliable estimates. In *Proceedings of the 8th ACM conference on Electronic commerce*, pages 288–294. ACM, 2007.
- [34] Aranyak Mehta, Amin Saberi, Umesh Vazirani, and Vijay Vazirani. Adwords and generalized online matching. *Journal of the ACM (JACM)*, 54(5):22, 2007.
- [35] Renato Paes Leme and Eva Tardos. Pure and bayes-nash price of anarchy for generalized second price auction. In *Proceedings of the 2010 IEEE 51st Annual Symposium on Foundations of Computer Science, FOCS '10*, pages 735–744, 2010. ISBN 978-0-7695-4244-7.
- [36] Christos Papadimitriou, George Pierrakos, Christos-Alexandros Psomas, and Aviad Rubinfeld. On the complexity of dynamic mechanism design. In *Proceedings of the Twenty-Seventh Annual ACM-SIAM Symposium on Discrete Algorithms*, pages 1458–1475. Society for Industrial and Applied Mathematics, 2016.

- [37] David C Parkes. Online mechanisms. 2007.
- [38] Alessandro Pavan, Ilya Segal, and Juuso Toikka. Dynamic mechanism design: A myersonian approach. *Econometrica*, 82(2):601–653, 2014.
- [39] Jean-Charles Rochet. A necessary and sufficient condition for rationalizability in a quasi-linear context. *Journal of Mathematical Economics*, 16(2):191–200, 1987.
- [40] Maher Said. Auctions with dynamic populations: Efficiency and revenue maximization. *Journal of Economic Theory*, 147(6):2419–2438, 2012.
- [41] Michael Saks and Lan Yu. Weak monotonicity suffices for truthfulness on convex domains. In *Proceedings of the 6th ACM conference on Electronic commerce*, pages 286–293. ACM, 2005.
- [42] John Thanassoulis. Hagging over substitutes. *Journal of Economic Theory*, 117(2):217–245, 2004.
- [43] Hal R Varian. Position auctions. *international Journal of industrial Organization*, 25(6):1163–1178, 2007.
- [44] Rakesh V Vohra. Dynamic mechanism design. *Surveys in Operations Research and Management Science*, 17(1):60–68, 2012.

A Proof of missing lemmas and theorems

Lemma 14 (Restatement of Lemma 2). *For every deterministic DSIC+IR mechanism, there must exist a threshold function $\pi_1(w)$ such that:*

$$\forall w \in \mathbb{R}_+^2, \forall v \in \mathbb{R}_+^2 : x_1^V(v, w) = \begin{cases} 1 & \text{if } v_1 > \pi_1(w) \\ 0 & \text{if } v_1 < \pi_1(w) \end{cases}$$

Proof. Consider the case where item 1 alone arrives. In this case, DSIC implies that $x_1^V(v, w)$ is monotone in v_1 . I.e., for a fixed w and v_2 , there exists a threshold π_1 that is independent of v_1 such that $x_1^V(v, w) = 1$ when $v_1 > \pi_1$ and $x_1^V(v, w) = 0$ when $v_1 < \pi_1$. Furthermore, when $v_1 > \pi_1$ it must be that $p^V(v, w) = \pi_1$ for DSIC and IR to hold (i.e., bidder V pays the “critical” or minimal payment required to get the allocation he gets). This implies that π_1 is independent of v_2 , because otherwise bidder A will have an incentive to report the v_2 for which π_1 is the smallest. Thus π_1 can be a function only of w . This proves the lemma. ■

Lemma 15 (Restatement of Lemma 3). *For every deterministic DSIC+IR mechanism, there must exist a threshold function $\pi_2(w)$ such that:*

$$\forall w \in \mathbb{R}_+^2, \forall v \in \mathbb{R}_+^2 \text{ s.t. } v_1 < \pi_1(w) : \begin{aligned} x_2^V(v, w) &= \begin{cases} 1 & \text{if } v_2 > \pi_2(w) \\ 0 & \text{if } v_2 < \pi_2(w) \end{cases} \\ p^V(v, w) &= \begin{cases} \pi_2(w) & \text{if } v_2 > \pi_2(w) \\ 0 & \text{if } v_2 < \pi_2(w) \end{cases} \end{aligned}$$

Proof. Fix a w . Consider the set $S = \{v \in \mathbb{R}_+^2 : v_1 < \pi_1, x_2^V(v, w) = 1\}$.

1. Lemma 2 says that $x_1^V(v, w) = 0$ for all $v \in S$. This means that for all $v \in S$, we have $x_1^V(v, w) = 0$ and $x_2^V(v, w) = 1$, i.e., for all $v \in S$, the allocation for bidder V remains fixed. DSIC therefore implies that $p^V(v, w)$ remains fixed for all $v \in S$.
2. $p^V(v, w)$ being fixed for all $v \in S$, together with DSIC means that there exists a threshold function π_2 independent of v_2 (but possibly dependent on v_1 , and of course w) such that the set S is sandwiched as $S_- \subseteq S \subseteq S_+$, where $S_- = \{v : v_1 < \pi_1, v_2 > \pi_2\}$, and $S_+ = \{v : v_1 < \pi_1, v_2 \geq \pi_2\}$. I.e., for each fixed v_1 , the allocation of item 2 for bidder V along the v_2 axis jumps from 0 to 1 when $v_2 > \pi_2(v_1, w)$ and stays 1 there after.
3. But does $\pi_2(v_1, w)$ really depend on v_1 ? Point 2 above, along with DSIC and IR implies that for all $v \in S_-$, we have $p^V(v, w) = \pi_2(v_1, w)$ (i.e., DSIC demands that bidder V pay the minimal payment to get the allocation he gets). This means that for all $v : v_1 < \pi_1$, we need π_2 to be independent of v_1 because otherwise a $v \in S_-$ has an incentive to report a bid in $\operatorname{argmin}_{v \in S_-} \pi_2(v_1, w)$. Thus π_2 is purely a function of w , proving the lemma. ■

Lemma 16 (Restatement of Lemma 4). *For every deterministic DSIC+IR mechanism,*

$$\forall w \in \mathbb{R}_+^2, \forall v \in \mathbb{R}_+^2 \text{ s.t. } \{x_1^V(v, w) = 1, x_2^V(v, w) = 0\}, \text{ we have } p^V(v, w) = \pi_1$$

Proof. Fix a w . Let $S = \{v : x_1^V(v, w) = 1, x_2^V(v, w) = 0\}$. DSIC implies that $p^V(v, w)$ remains the same for all $v \in S$. Consider a v s.t. $v_1 \geq \pi_1$ and $v_2 = 0$. We claim that for such a v , $p^V(v, w) = \pi_1$. Suppose not and let $p^V(v, w) = p$.

1. If $p < \pi_1$, a bidder V with value $(\frac{p+\pi_1}{2}, 0)$ will deviate to report a v s.t. $v_1 > \pi_1$ and $v_2 = 0$ to get a positive utility instead of the 0 utility he currently gets.
2. If on the other-hand $p > \pi_1$, then a bidder V with value $(\frac{p+\pi_1}{2}, 0)$ will deviate to report a v s.t. $v_1 < \pi_1$ and $v_2 = 0$, to get a 0 utility instead of the negative utility he currently gets. This means that $p = \pi_1$. ■