



US00D623485S

(12) **United States Design Patent**  
**Silvers et al.**

(10) **Patent No.:** **US D623,485 S**

(45) **Date of Patent:** **\*\* Sep. 14, 2010**

(54) **MUDDLER**

(75) Inventors: **Michael Henry Silvers**, Ultimo (AU);  
**Sam Tam**, Ultimo (AU)

(73) Assignee: **Howard Silvers & Sons Pty Ltd**,  
Ultimo, NSW (AU)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/342,334**

(22) Filed: **Aug. 21, 2009**

(51) **LOC (9) Cl.** ..... **07-06**

(52) **U.S. Cl.** ..... **D7/683**

(58) **Field of Classification Search** ..... D7/682,  
D7/376, 379, 688, 399, 368, 669; 30/376;  
241/169.2; 366/129, 343, 332, 333, 315,  
366/316, 317, 256

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D27,270 S	6/1897	Baxter	
D143,028 S	11/1945	Reynolds	
D146,518 S	3/1947	Ramsthal	
D240,389 S	7/1976	Merry	
4,738,542 A *	4/1988	Hung	366/343
D339,964 S	10/1993	Knox	
5,366,286 A *	11/1994	Ruttimann	366/129
D365,966 S	1/1996	Ancona	
D379,750 S	6/1997	Thompson et al.	
D381,554 S	7/1997	Tichenor	
D382,770 S	8/1997	Raoult	
5,863,118 A *	1/1999	Ackels et al.	366/129
D414,986 S	10/1999	Mulhauser et al.	
6,131,290 A	10/2000	Chiou	
D448,605 S	10/2001	Horan	
D461,680 S	8/2002	Kerr	
6,454,455 B1 *	9/2002	Jungvig	366/129
D519,315 S	4/2006	Coudurier	
D527,579 S	9/2006	Park	
D559,617 S	1/2008	Kloppsteck	
D567,023 S *	4/2008	Baldieri	D7/414

D575,984 S	9/2008	Coppi
D577,541 S	9/2008	Giannone
D578,345 S	10/2008	Rae
D578,824 S	10/2008	Munari et al.
D578,825 S	10/2008	Bogani
D579,265 S	10/2008	Munari
D580,703 S	11/2008	Devries
D584,104 S	1/2009	Munari
D588,398 S	3/2009	Pan
D590,206 S	4/2009	Munari

(Continued)

*Primary Examiner*—Terry A Wallace

(74) *Attorney, Agent, or Firm*—Greenberg Traurig LLP

(57) **CLAIM**

The ornamental design for a muddler, as shown and described.

**DESCRIPTION**

This application is related to U.S. Utility patent application Ser. No. 12/545,806, filed Aug. 21, 2009, still pending. The contents of that application is incorporated by reference herein in its entirety.

FIG. 1 is a first side view of the muddler showing our new design;

FIG. 2 is a second side view of the muddler showing our new design, the view being a 90 degree turn relative to FIG. 1;

FIG. 3 is top view of the showing our new design;


FIG. 4 is another view showing our new design;

FIG. 5 is a perspective view from the bottom of the showing our new design;

FIG. 6 is a perspective view from the top of the showing our new design with parts separated; and,

FIG. 7 is a view from the bottom of the showing our new design.

**1 Claim, 7 Drawing Sheets**



# US D623,485 S

Page 2

---


## U.S. PATENT DOCUMENTS

D591,020 S 4/2009 Dotterman et al.  
D596,896 S 7/2009 Munari  
D606,806 S 12/2009 Campbell et al.


D609,871 S 2/2010 Zach et al.  
2007/0220710 A1 9/2007 Hsieh

\* cited by examiner


FIG. 1



**FIG. 2**



# FIG. 3



**FIG. 4**








FIG. 5



**FIG. 6**





# FIG. 7

