

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
9 August 2001 (09.08.2001)

PCT

(10) International Publication Number
WO 01/57174 A1

- (51) International Patent Classification⁷: C11D 3/48, 3/04, 3/20, 3/28, 3/33, 3/34, 3/37, 3/43, 1/02, A01N 37/36, 25/02 // (A01N 37/36, 37:36, 25:02)
- (74) Agents: DICKSON, Elizabeth, Anne; Reckitt & Colman plc, Group Patent Dept., Dansom Lane, Hull HU8 7DS et al. (GB).
- (21) International Application Number: PCT/GB01/00384
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (22) International Filing Date: 31 January 2001 (31.01.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 0002229.3 1 February 2000 (01.02.2000) GB
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- (71) Applicant (for all designated States except MN, US): RECKITT BENCKISER INC. [US/US]; 1655 Valley Road, Wayne, NJ 07474 (US).
- (71) Applicant (for MN only): RECKITT BENCKISER (UK) LIMITED [GB/GB]; 103-105 Bath Road, Slough, Berkshire SL1 3UH (GB).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): URBAN, Virginia, Lee [US/US]; 22 Hudson Drive, New Windsor, NY 12553-7427 (US).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 01/57174 A1

(54) Title: HARD SURFACE CLEANING COMPOSITION

(57) Abstract: Improved hard surface cleaning compositions having an acidic pH provide good removal of soap scum stains, and further feature low levels of irritability to the user. The compositions comprise 0.1-10 % by weight of an acid sequestrant constituent; 0.1-10 % by weight of a mixture of hydrophobic and hydrophilic solvents; 0.001-1 % by weight of a single constituent which exhibits both anionic surfactant and hydrotrop properties; 0-20 % by weight of one or more optional constituents; the balance to 100 % by weight of water, wherein the aqueous hard surface cleaning composition exhibits a pH of 7.0 or less, especially a pH of 5.0 and less. Although acidic, the improved hard surface cleaning compositions feature low irritability to the eyes and skin of consumers. The compositions also provide disinfecting effects. Processes for the production of the said compositions, as well as methods for their use are also described.

HARD SURFACE CLEANING COMPOSITION

The present invention relates to improved cleaning compositions which find particular use in hard surface
5 cleaning applications.

Cleaning compositions are commercially important products and enjoy a wide field of utility in assisting in the removal of dirt and grime from surfaces,
10 especially those characterized as useful with "hard surfaces". Hard surfaces are those which are frequently encountered in lavatories such as lavatory fixtures such as toilets, shower stalls, bathtubs, bidets, sinks, etc., as well as countertops, walls, floors, etc. In such
15 lavatory environment various forms of undesirable residues are known to form including hard water stains as well as "soap scum stains". Hard water stains are mineral stains caused by the deposition of salts, such as calcium or magnesium salts, frequently present in hard
20 water, soap scum stains are residues of fatty acid soaps such as soaps which are based on alkaline salt of low fatty acids, which fatty acids are known to precipitate in hard water due to the presence of metal salts therein leaving an undesirable residue upon such surfaces.

25

Various formulations in compositions of cleaning agents have been produced and are known to the art which cleaning agents are generally suited for one type of stain but not necessarily for both classes of stains.
30 For example, it is known to the art that highly acidic cleaning agents comprising strong acids, such as hydrochloric acids, are useful in the removal of hard

water stains. However, the presence of strong acids is known to be an irritant to the skin and further offers the potential of toxicological danger. Other classes of cleaning compositions and formulations are known to be useful upon soap scum stains, however, generally such compositions comprise an organic and/or inorganic acid, one or more synthetic detergents from commonly recognized classes such as those described in U.S. Patent No. 5,061,393; U.S. Patent No. 5,008,030; U.S. Patent No. 4,759,867; U.S. Patent No. 5,192,460; U.S. Patent No. 5,039,441. Generally, the compositions described in these patents are claimed to be effective in the removal of soap scum stains from such hard surfaces and may find further limited use in other classes of stains.

15

However, the formulations of most of the compositions within the aforementioned patents generally have relatively high amounts of acids (organic and/or inorganic) which raises toxicological concerns, and further none of the above patents provide any disinfecting properties.

Compositions are known to the art which do provide disinfection and sanitization through the use of certain classes of anionic surfactants coupled with an acidic component such as that described in U.S. Patent No. 5,143,720. However, the compositions in this U.S. patent would not be expected nor are believed to provide any significant cleaning benefit and thus would not be particularly effective in the removal of residues, particularly hard water stains and soap scum stains.

30

Thus, it is among the objects of the invention to provide improved cleaning compositions which provide the benefits of low toxicity, and hard water stain removal and soap scum stain removal and are effective in providing a disinfecting effect and facilitate in the removal of soap scum stains and hard water stains, especially from hard surfaces. It is a further object of the invention to provide improved cleaning compositions which are particularly effective in hard water stain removal and soap scum stain removal, and which further features minimal irritability to the eyes, skin or mucous tissues of a consumer.

It is yet a further object of the invention to provide a readily pourable and readily pumpable cleaning composition which features the benefits described above.

It is a further object of the invention to provide a process for the improvement of the simultaneous cleaning and sanitization of hard surfaces, which process comprises the step of: providing a cleaning composition as outlined above, and applying an effective amount to a hard surface requiring such treatment.

These and other objects of the invention shall be more apparent from a reading of the specification and of the claims attached.

According to the invention, there is provided a germicidal aqueous hard surface cleaning composition which comprises the following necessary constituents:

Constituent (A) acid sequestrant comprising citric acid together with another organic acid;

Constituent (B) mixture of hydrophobic and hydrophilic solvents;

5 Constituent (C) a material having surfactant and hydrotrope properties.

The compositions of the invention may also include one or more further optional constituents such as known
10 art additives. By way of non-limiting example, such constituents include: further surfactants, particularly surfactants which are useful for the removal of greasy soils, foaming agents and foam stabilizers, coloring agents, including dyes and pigment compositions,
15 fragrances (whether natural or synthetically produced), fragrance adjuvants and/or fragrance solubilizers. viscosity modifying agents including thickeners or gelling agents, pH adjusting agents, pH buffers, antioxidants. water softening agents, further
20 solubilizing agents which might be useful in the solubilization of one or more of the constituents in water, preservative compositions, as well as other known art additives not particularly elucidated here. Such constituents as described above include known art
25 compositions, including those described in McCutcheon's Detergents and Emulsifiers, North American Edition, 1998; Kirk-Othner Encyclopedia of Chemical Technology, 4th Ed., Vol. 23, pp. 478-541, the contents of which are herein incorporated by reference.

30

The compositions according to the invention are preferably acidic in character, exhibiting a pH of less

than 7.0, desirably the pH is in the range of from about 5.0 to about 1.0 and yet more desirably is a pH in the range of about 4.0 to about 1.0 and most desirably is a pH in from 3.0 - 1.0.

5

In a further aspect of the invention, there is also provided improved process for cleaning and disinfecting surfaces especially hard surfaces which includes the step of applying to the surface an effective amount of a stain releasing and disinfecting composition as taught herein to such surface.

Constituent A. The constituents which comprise Constituent A, namely the acid sequestrant according to the invention is a combination of citric acid together with another acid which is found to be effective in the removal of hard water stains from hard surfaces, particularly lavatory surfaces as denoted above.

Exemplary useful acids include: citric acid, cresylic acid, dodecylbenzene sulfonic acid, phosphoric acid, salicylic acid, sorbic acid, sulfamic acid, acetic acid, benzoic acid, boric acid, capric acid, caproic acid, cyanuric acid, dihydroacetic acid, dimethylsulfamic acid, propionic acid, polyacrylic acid, 2-ethyl-hexanoic acid, formic acid, fumaric acid, L-glutamic acid, isopropyl sulfamic acid, naphthenic acid, oxalic acid, phosphorus acid, valeric acid, benzene sulfonic acid, xylene sulfonic acid, as well as any acid listed as a registered pesticide active ingredient with the United States Environmental Protection Agency. Further useful acids include: sulfonic acids, maleic acid, acetic acid,

adipic acid, lactic acid, butyric acid, gluconic acid, malic acid, tartaric acid, as well as glycolic acid. Desirably glycolic acid and citric acid are used as they are effective and in plentiful supply and are may be
5 advantageously used. These acid sequestrants provide free acidity within the cleaning composition which free acid reacts with the fatty acid metal salts which are comprised within soap scum stains releasing the metal ions and freeing the fatty acid, which facilitates the
10 removal of these undesired stains from hard surfaces. These acid sequestrants also sequester the resulting free metal ions which are released from the soap scum stains. Also where the acid sequestrants are selected to feature disinfecting properties, they concomitantly provide
15 requisite anti-microbial activity necessary to disinfect the cleaned surface.

Constituent A comprises a first acid sequesterant which comprises citric acid and a second acid sequesterant
20 which is at least one further acid described above, as it has been observed by the inventor that citric acid provides good disinfecting action in the compositions of the invention but in certain formulations may be insufficiently acidic in order to effectively remove
25 certain stains. The addition of at least one further acid provides additional cleaning effect which was not observed in certain formulations with citric acid alone. Preferably, the further acid is selected from the group consisting of lactic acid, tartaric acid, and glycolic
30 acid.

The first and second acid sequestrants of

Constituent A are desirably present in the formulations in ranges of from 0.1 to 10% by weight, preferably from 1.0 to 8.0% by weight and more preferably from 4.0 to 6.0% by weight, based on the total weight of a composition. In preferred embodiments however, citric acid comprises at least 0.1% by weight of the total weight of the acids of Constituent A, more preferably citric acid comprises at least 25% by weight, and most preferably citric acid comprises at least 50% by weight of the acids of Constituent A.

Constituent B. The constituents of Constituent B, are a mixture of hydrophobic and hydrophilic solvents, which act to aid assisting in the dissolution of the fatty acids from a surface being cleaned. Certain fatty acids present in the soap scum residues are solubilized and/or rendered at least partially miscible in water due to the presence of Constituent B, which feature facilitates the removal of the stain from the surface. The solvents of Constituent B are also useful in penetrating the stain and act as a carrier for the further constituents of the invention, especially the constituents comprising Constituent A thus bringing them through the layer of the stain to the surface upon which the stain is present, and thereby aiding in the effective dissolution of said stain and its removal.

The hydrophobic solvent constituent of Constituent B, should demonstrate solubilization of the aliphatic portions of the fatty acids comprised within the soap scum stains. Exemplary useful hydrophobic solvents include: mineral spirits, tripropylene glycol n-butyl

ether, propylene glycol phenyl ether, dipropylene glycol
n-propyl ether, ethylene glycol phenyl ether, and
particularly propylene glycol n-butyl ether, dipropylene
glycol n-butyl ether. The hydrophobic solvent may be one
5 such solvent, or a mixture of two or more hydrophobic
solvents.

The hydrophobic solvent exhibits a solubility in
water of between 0.0 ml/100 ml and 20.0 ml/100 ml and
10 further should comprise between 51 to 99% of the total
weight of Constituent B within the compositions according
to the invention. More preferably, the hydrophobic
solvent should comprise between 60-95%, most preferably
between 70-90% of the total weight of Constituent B of
15 the compositions according to the invention. The
hydrophilic solvent of Constituent B may be one which is
useful in solubilizing or improving the miscibility of
the hydrophobic solvent in water. Where the hydrophobic
solvent of Constituent B dissolves the soap fatty acids,
20 the hydrophilic solvent acts to solubilize the
hydrophobic solvent in water, and thereby provides
effective solubility with the aqueous phase and
facilitating the removal of the hydrophobic solvent and
dissolved soap fatty acids from the surface being
25 cleaned.

By way of non-limiting example, useful hydrophilic
solvents include certain alcohols, glycols, acetates,
ether acetates and glycol ethers including propylene
30 glycol methyl ether, dipropylene glycol methyl ether,
tripropylene glycol methyl ether, propylene glycol n-
propyl ether, ethylene glycol n-butyl ether, diethylene

glycol n-butyl ether, diethylene glycol methyl ether, propylene glycol, ethylene glycol, isopropanol, ethanol, methanol, diethylene glycol monoethyl ether acetate and particularly useful is ethylene glycol monobutyl ether
5 acetate. A single hydrophilic solvent or two or more hydrophilic solvents may be used.

The hydrophilic solvents comprising Constituent B of this invention should exhibit good solubility in water,
10 i.e., approaching or demonstrating "infinite solubility" and should be comprised within the compositions that are in a weight percentage of between 1-49%, preferably 1-40%, and still more preferably between 10-30%, based on the total weight of Constituent B within the compositions
15 according to the invention.

With regard to the effective amounts of Constituent B, Constituent B is desirably present between about 0.1 - 10% by weight based on the total cleaning composition
20 weight, preferably between about 2.0 - 8.0% by weight, and more preferably 3.0 - 6.0% by weight.

Constituent C. The constituents comprising Constituent C provide for the reduction of the
25 interfacial tension between the soil and the compositions of the invention which facilitates the wetting of the stain as well as providing a hydrotropic functionality. Such a hydrotropic functionality aids in the solubilization of greater amounts of fatty acids in a
30 stain, and in its removal from a surface.

Exemplary materials useful as Constituent C include

one or more compounds such as: alkyl phenoxy benzene disulfonates (also known as alkyl diphenyl oxide disulfonates), linear alkyl benzene sulfonates and alkylnaphtalene sulfonates and salts thereof. Such compositions are known to the art, and available as anionic surfactants. These also include but are not limited to: alkali metal salts, ammonium salts, amine salts, aminoalcohol salts or the magnesium salts of one or more of the following compounds: alkyl sulfates, alkyl ether sulfates, alkylamidoether sulfates, alkylaryl polyether sulfates, monoglyceride sulfates, alkylsulfonates, alkylamide sulfonates, alkylarylsulfonates, olefinsulfonates, paraffin sulfonates, alkyl sulfosuccinates, alkyl ether sulfosuccinates, alkylamide sulfosuccinates, alkyl sulfosuccinamate, alkyl sulfoacetates, alkyl phosphates, alkyl ether phosphates, acyl sarcosinates, acyl isethionates, and N-acyl taurates. Generally, the alkyl or acyl radical in these various compounds comprise a carbon chain containing 12 to 20 carbon atoms.

Exemplary alkyl phenoxy benzene disulfonates (also known as alkyl diphenyl oxide disulfonates) include metal salts and organic salts of alkylphenoxy benzene disulfonates, such as sodium dodecyl diphenyloxide disulfonate, sodium hexyl diphenyloxide disulfonate, sodium n-decyl diphenyloxide disulfonate, as well as sodium n-hexadecyl diphenyloxide disulfonate. Other metal counterions or organic counterions may be substituted in the place of the sodium noted in the recited alkyl phenoxy benzene disulfonates noted above, as well as mixtures of two or more alkyl phenoxy benzene

disulfonates. Many of these materials are available under the Dowfax® (Dow Chemical, Midland, MI) or Calfax® (Pilot Chemical, Santa Fe Springs, CA) tradenames.

5 Exemplary linear alkyl benzene sulfonates include metal salts and organic salts of linear alkyl benzene sulfonates, such as sodium dodecylbenzene sulfonate, sodium nonylbenzene sulfonate, isopropylamine salts of linear alkyl benzene sulfonic acid, triethanolamine
10 dodecylbenzene sulfonate, diethanolamine dodecylbenzene sulfonate, potassium dodecylbenzene sulfonate, sodium tridecylbenzene sulfonate, as well as mixtures of sodium dodecylbenzenesulfonate with sodium toluene sulfonate, sodium cumene sulfonate and/or with sodium xylene
15 sulfonate. Other metal counterions or organic counterions may be substituted in the place of the counterions noted in the recited linear alkyl benzene sulfonates noted above, as well as mixtures of two or more linear alkyl benzene sulfonates.

20

Exemplary alkylnaphthalene sulfonates include metal salts and organic salts of alkylnaphthalene sulfonates such as sodium diisopropylnaphthalene sulfonate, butylnaphthalene sodium sulfonate, nonylnaphthalene
25 sodium sulfonate, sodium dibutylnaphthalene sulfonate, sodium dimethylnaphthalene sulfonate and sodium dimethylnaphthalene sulfonate. Other metal counterions or organic counterions may be substituted in the place of the counterions noted in the recited alkylnaphthalene
30 sulfonates noted above, as well as mixtures of two or more alkylnaphthalene sulfonates.

Further useful as constituents used in Constituent C include sodium xylene sulfonate, sodium cumene sulfonate, and naphthalene sulfonates.

5 Constituent C is a single constituent which exhibits both anionic surfactant and hydrotrope properties

 With regard to the effective amounts of Constituent C, Constituent C is present between about 0.001-1.0% by
10 weight based on the total cleaning composition weight.

 As is noted above, the compositions according to the invention are aqueous in nature.

15 Water is added to Constituents A, B and C in order to provide 100% by weight of the composition.

 The water may be tap water, but is preferably distilled and is most preferably deionized water. If the
20 water is tap water, it is preferably substantially free of any undesirable impurities such as organics or inorganics, especially minerals salts which are present in hard water which may thus interfere with the operation of Constituents A, B, C, as well as any other optional
25 components of the aqueous

 The compositions according to the invention may comprise one or more of the following optional components, the total weight of such optional
30 constituents not exceeding about 20% by weight of the total weight of the composition, more preferably not exceeding about 10% by weight and is most preferably less

than 10% by weight based on the total weight of the composition according to the invention.

Non-ionic surfactants of the conventionally known and used variety in this class of cleaning agents may be added in effective amounts, i.e., amounts which are shown to be effective in the cleaning compositions in facilitating the removal of greasy soils. Such greasy soils are to be differentiated from the hard water stains and the soap scum stains described earlier in this specification. However, it is also to be appreciated that the non-ionic surfactants of this optional constituent may be also at least partially effective in the solubilization and removal of soap scum stains. Exemplary nonionic surfactants include known nonionic surfactants which generally consist of a hydrophobic moiety, such as C6-C20 primary or secondary, branched or straight chain monoalcohols, C8-C18 mono- or dialkylphenols, C6-C20 fatty acid amides, and a hydrophilic moiety which consists of alkylene oxide units. These nonionic surfactants are for instance alkoxylation products of the above hydrophobic moieties, containing from 2 to 30 moles of alkylene oxide. As alkylene oxides ethylene-, propylene- and butylene oxides and mixtures thereof are used.

Typical examples of such nonionic surfactants are C9-C11 primary, straight-chain alcohols condensed with 5-9 moles of ethylene oxide, C12-C15 primary straight chain alcohols condensed with from 6-12 moles of ethylene oxide, or with 7-9 moles of a mixture of ethylene oxide and propylene oxide, C11-C15 secondary alcohols condensed

with from 3-15 moles of ethylene oxide, and C10-C18 fatty acid diethanolamides, and tertiary amine oxides such as higher alkyl di(lower alkyl or lower substituted alkyl)amine oxides. Other useful nonionic surfactants include certain alkoxyated linear aliphatic alcohol surfactants which are believed to be the condensation products of a C8 -C10 hydrophilic moiety with alkylene oxides, especially polyethylene oxide and or polypropylene oxide moieties. Such alkoxyated linear alcohol surfactants are presently commercially available under the tradename PolyTergent® (BASF, Mt. Olive, NJ). Such nonionic surfactants are known to the art, and are more particularly described in McCutcheon's Detergents and Emulsifiers, noted above.

15

Foaming agents, and foam stabilizing agents may be provided, including alkyl sulfates, alkyl sulfonates, amine oxides, as well as alkanolamides. Such may be especially desirable where the composition is packaged in a pressurized device, i.e., an aerosol canister or in a hand-held pumpable container (such as a hand held trigger spraying vessel).

Further optional, but desirable constituents, include fragrances, natural or synthetically produced. Such fragrances may be added in any conventional manner, admixing to a composition or blending with other constituents used to form a composition, in amounts which are found to be useful to enhance or impart the desired scent characteristic to the composition, and/or to cleaning compositions formed therefrom.

30

In compositions which include a fragrance, it is frequently desirable to include a fragrance solubilizer which assists in the dispersion, solution or mixing of the fragrance constituent in an aqueous base. These
5 include known art compounds, including condensates of 2 to 30 moles of ethylene oxide with sorbitan mono- and tri-C10-C20 alkanolic acid esters having a HLB of 8 to are also known as nonionic surfactants. Further examples of such suitable surfactants include water soluble nonionic
10 surfactants of which many are commercially known and by way of non-limiting example include the primary aliphatic alcohol ethoxylates, secondary aliphatic alcohol ethoxylates, alkylphenol ethoxylates and ethylene-oxide-propylene oxide condensates on primary alkanols, and
15 condensates of ethylene oxide with sorbitan fatty acid esters.. This fragrance solubilizer component is added in minor amounts, particularly amount which are found effective in aiding in the solubilization of the fragrance component, but not in any significantly greater
20 proportion, such that it would be considered as a detergent constituent. Such minor amounts recited herein are generally up to about 0.5% by weight of the total composition but is more generally an amount of about 0.1% by weight and less, and preferably is present in amounts
25 of about 0.05% by weight and less.

Further optional, but advantageously included constituents are one or more coloring agents which find use in modifying the appearance of the compositions and
30 enhance their appearance from the perspective of a consumer or other end user. Known coloring agents, may be incorporated in the compositions in any effective amount

to improve or impart to compositions a desired appearance or color. Such a coloring agent or coloring agents may be added in a conventional fashion, i.e., admixing to a composition or blending with other constituents used to
5 form a composition.

The use of one or more pH adjusting agents, including minor amounts of mineral acids, basic compositions, and organic acids may be used. An exemplary
10 composition includes citric acid, such as is available in an anhydrous salt form of an alkali metal citric acid. The addition of an effective amount such a pH adjusting agent is useful in establishing a targeted pH range for compositions according to the invention. The addition of
15 an effective amount of a pH buffering composition so to maintain the pH of the inventive compositions may also be added. While the composition of the invention generally does not require a pH buffering composition, the use of such a pH buffering composition may provide the benefit
20 of hard water ion sequestration. Examples of such useful pH buffer compounds and/or pH buffering systems or compositions the alkali metal phosphates, polyphosphates, pyrophosphates, triphosphates, tetraphosphates, silicates, metasilicates, polysilicates, carbonates,
25 hydroxides, and mixtures of the same. Certain salts, such as the alkaline earth phosphates, carbonates, hydroxides, can also function as buffers. It may also be suitable to use buffers such materials as aluminosilicates (zeolites), borates, aluminates and certain organic
30 materials such as gluconates, succinates, maleates, citrates, and their alkali metal salts. Such buffers keep the pH ranges of the compositions of the present

invention within acceptable limits. Others, not particularly elucidated here may also be used. Preferably, citric acid, such as is available in an anhydrous salt form of an alkali metal citric acid is added as it is readily commercially available, and effective. The addition of such a buffering agent is desirable in certain cases wherein long term, i.e., prolonged storage, is to be anticipated for a composition, as well as insuring the safe handling of said aqueous composition.

Preservatives may also be added in minor amounts in the formulations according to the invention which preservative compositions do not include a disinfectant component. Known art compositions may be used. Examples of such preservatives compounds include those which are presently commercially available under the tradenames KathonX CG/ICP (Rohm & Haas, Philadelphia PA), SuttocideX A (Sutton Labs, Chatham NJ) as well as MidtectX TFP (Tri-K Co., Emerson, NJ). Such preservatives are generally added in only minor amounts, i.e., amounts of about 0.5% by weight of the total composition, more generally an amount of about 0.1% by weight and less, and preferably is present in amounts of about 0.05% by weight and less.

Thickening and/or gelling agents may be added to the hard surface cleaning compositions according to the present invention in order to modify the viscous and/or thixotropic properties thereof. For example, in certain applications it is contemplated that it may be desirable to provide a more viscous, viz., higher viscosities than that of water, whether for esthetic or functional

reasons.

For example, the addition of a suitable amount of a gelling agent may be desired not only for aesthetic reasons but also to limit the spreading of the composition as it is applied to a surface. This function is desirable in providing a means to apply the composition over a limited area, such as directly onto a stain, without applying an excess onto the surrounding area of a surface. This function also aids in the surface retention time on non-horizontal surface, ensuring that the cleaning composition is in contact with a stained surface without flowing off too rapidly. Similarly, thixotropic properties may also be desired under certain circumstances. In order to provide such functional features to the composition, known thickening and gelling agents including, but not limited to, cellulose compounds, xanthan gums, polymers and/or clays may be added. For xanthan gums, those available under the Kelco or Keltrol tradenames are useful.

The benefits of the compositions described in this specification include particularly: disinfection, good removal of hard water stains, good removal of soap scum stains, relatively low toxicity, as well as ease in handling of the composition due to its readily pourable or pumpable characteristic. Further, when one or more of the optional constituents is added, i.e., fragrance, foaming agents, coloring agents, the esthetic and consumer appeal of the product is favorably improved.

Notwithstanding that the pH of preferred embodiments

of compositions according to the present invention are less than 3.0, it has been surprisingly been found that these formulations do not appear to be particularly irritating to the eyes, skin or mucous tissues of a consumer. Such is a surprising effect as the presence of the acids in the formulation which are beneficial in the removal of hard water stains, as well as the relatively low pH of the formulation would be expected to be a severe irritant to the eyes, skin or mucous tissues of a consumer.

The compositions according to the invention are useful in the cleaning and/or disinfecting of hard surfaces, having deposited soil thereon. In such a process, cleaning and disinfecting of such surfaces comprises the step of applying a stain releasing and disinfecting effective amount of a composition as taught herein to such a stained surface. Afterwards, the compositions are optionally but desirably wiped, scrubbed or otherwise physically contacted with the hard surface, and further optionally, may be subsequently rinsed from such a cleaned and disinfected hard surface.

The hard surface cleaner composition provided according to the invention can be desirably provided as a ready to use product in a manually operated spray dispensing container. Such a typical container is generally made of synthetic polymer plastic material such as polyethylene, polypropylene, polyvinyl chloride or the like and includes spray nozzle, a dip tube and associated pump dispensing parts and is thus ideally suited for use in a consumer "spray and wipe" application. In such an

application, the consumer generally applies an effective amount of the cleaning composition using the pump and within a few moments thereafter, wipes off the treated area with a rag, towel, or sponge, usually a disposable
5 paper towel or sponge. In certain applications, however, especially where undesirable stain deposits are heavy, the cleaning composition according to the invention may be left on the stained area until it has effectively loosened the stain deposits after which it may then be
10 wiped off, rinsed off, or otherwise removed. For particularly heavy deposits of such undesired stains, multiple applications may also be used.

In a yet a further embodiment, the compositions
15 according to the invention may be formulated so that it may be useful in conjunction with a "aerosol" type product wherein it is discharged from a pressurized aerosol container. If the inventive compositions are used in an aerosol type product, it is preferred that
20 corrosion resistant aerosol containers such as coated or lined aerosol containers be used. Such are preferred as they are known to be resistant to the effects of acidic formulations. Known art propellants such as liquid propellants as well as propellants of the non-liquid
25 form, i.e., pressurized gases, including carbon dioxide, air, nitrogen, hydrocarbons as well as others may be used.

Whereas the present invention is intended to be used
30 in the types of liquid forms described, nothing in this specification shall be understood as to limit the use of the composition according to the invention with a further

amount of water to form a cleaning solution therefrom. In such a proposed diluted cleaning solution, the greater the proportion of water added to form said cleaning dilution the greater may be the reduction of the rate and/or efficacy of the thus formed cleaning solution in the cleaning of a hard surface, as well as a reduction in disinfectant efficacy.

Accordingly, longer residence times upon the stain to effect their loosening and/or the usage of greater amounts may be necessitated. Conversely, nothing in the specification shall be also understood to limit the forming of a "super-concentrated" cleaning composition based upon the composition described above. Such a super-concentrated composition is essentially the same as the compositions described above except in that they include a lesser amount of water.

While the cleaning compositions are most beneficial for use in their form, i.e., their form as described above, they may also be diluted to form a cleaning composition therefrom. Such cleaning compositions may be easily prepared by diluting measured amounts of the compositions in further amounts of water by the consumer or other end user in certain weight ratios of composition:water, and optionally, agitating the same to ensure even distribution of the composition in the water. The aqueous compositions according to the invention may be used without further dilution, but may also be used with a further aqueous dilution, i.e., in composition:water concentrations of 1:0, to extremely dilute dilutions such as 1:10,000. but preferably would

be used in a weight or volume ratio proportion of from 1:10 - 1:100. Generally better results and faster removal is to be expected at lower relative dilutions of the composition and the water.

5

The following examples below illustrate exemplary formulations and preferred formulations of the inventive composition. of the composition according to the instant invention. It is to be understood that these examples are presented by means of illustration only and that further useful formulations fall within the scope of this invention and the claims may be readily produced by one skilled in the art and not deviate from the scope and spirit of the invention. Throughout this specification and in the accompanying claims, weight percents of any constituent are to be understood as the weight percent of the active portion of the referenced constituent, unless otherwise indicated.

20 Example Formulations

Preparation of Example Formulations:

Exemplary formulations illustrating certain preferred embodiments of the inventive compositions and described in more detail in Table I below were formulated generally in accordance with the following protocol.

Into a suitably sized vessel, a measured amount of water was provided after which the constituents were added in the following sequence: thickening agent, surfactants, solvents, acid and lastly the coloring and

fragrance constituents. Mixing, which generally lasted from 5 minutes to 120 minutes was maintained until the particular formulation appeared to be homogeneous. The exemplary compositions were readily pourable, and retained well mixed characteristics (i.e., stable mixtures) upon standing for extended periods, even in excess of 120 days. It is to be noted that the constituents might be added in any order, but it is preferred that water be the initial constituent provided to a mixing vessel or apparatus as it is the major constituent and addition of the further constituents thereto is convenient. In another preferred method, a premix of solvent and gelling agent is made, which is then added to water and the remaining constituents.

15

Examples of inventive formulations are shown in Table 1 below.

TABLE 1		
Constituent	Ex.1	Ex.2
PolyTergent® SL-62	0.9000	0.9000
Stepanol® WAC	2.1000	2.1000
Dowfax 3B2	2.1000	2.1000
Dowanol® DPnB	2.7300	2.7300
Dowanol® PnP	0.8900	0.8900
Citric acid anhydrous	2.5000	2.5000
Glycolic acid	2.8000	2.8000
Keltrol T	0.6000	--
Fragrance	0.3000	0.3000
Dyes	0.0012	0.0012
Deionized water	q.s.	q.s.

20

The individual constituents which were used to produce the formulations according to Table 1 is described in more detail in Table 2 below.

TABLE 2	
Constituent	
PolyTergent® SL-62	described to be a nonionic alkoxyated linear alcohol surfactant, approx. 8 moles oxyethylene per molecule (BASF, Mt. Olive, NJ)
Stepanol® WAC	sodium lauryl sulfate (29% actives) (Northfield, IL)
Dowfax 3B2	sodium n-decyl diphenyloxide disulfonate (45% actives) as an anionic surfactant/hydrotrope (Dow Chemical Co., Midland MI)
Dowanol® DPnB	dipropylene glycol n-propyl ether as hydrophobic solvent, (Dow Chemical Co., Midland MI)
Dowanol® PnP	propylene glycol n-propyl ether as hydrophilic solvent (Dow Chemical Co., Midland MI)
Citric acid	citric acid, anhydrous USP grade as acid sequestrant
Glycolic acid	hydroxyacetic acid as acid sequestrant (70% actives) (DuPont Specialty Chemicals, Wilmington DE)
Dyes	proprietary dyes
Fragrance	proprietary fragrance
Keltrol® T	xanthan gum (Kelco Co., San Diego, CA)
Deionized water	deionized water

5

Cleaning Efficacy:

Formulations of the present invention are expected to have good cleaning efficacy..

10

Evaluation of Ocular Irritation

The ocular irritation characteristics of
5 formulations according to the invention are expected to
have good performance using the known Draize Eye test
protocol such that the formulations would be classified
under Category III for primary dermal irritation under
the guidelines of the USA Environmental Protection
10 Agency.

Evaluation of Antimicrobial Efficacy

The formulation of Example Ex.2 has acceptable
15 antimicrobial efficacy against one or more organisms such
as *Staphylococcus aureus* (gram positive type pathogenic
bacteria) (ATCC 6538), *Salmonella choleraesuis* (gram
negative type pathogenic bacteria) (ATCC 10708), and
Pseudomonas aeruginosa (ATCC 15442). Using a AOAC
20 Germicidal Spray test, Ex.2 was found to have zero
positive tubes out of ten tubes tested (0/10) when
subjected to a ten minute contact time with the
aforementioned organisms at room temperature (~22 C).
The formulations of the present invention should have
25 efficacy against other commonly found bacteria and
viruses which are found on hard surfaces.

Claims:

1. An aqueous hard surface cleaning and disinfecting
5 composition which comprises:

a first acid sequestrant constituent which comprises
citric acid and a second acid sequestrant which is
selected from the group consisting of citric acid,
10 cresylic acid, dodecylbenzene sulfonic acid, phosphoric
acid, salicylic acid, sorbic acid, sulfamic acid, acetic
acid, benzoic acid, boric acid, capric acid, caproic
acid, cyanuric acid, dihydroacetic acid, dimethylsulfamic
acid, propionic acid, polyacrylic acid, 2-ethyl hexanoic
15 acid, formic acid, fumaric acid, l-glutamic acid,
isopropyl sulfamic acid, naphthenic acid, oxalic acid,
phosphorus acid, valeric acid, benzene sulfonic acid,
xylene sulfonic acid, sulfonic acids, maleic acid, acetic
acid, adipic acid, lactic acid, butyric acid, gluconic
20 acid, malic acid, tartaric acid, and glycolic acid;

a mixture of hydrophobic and hydrophilic solvents wherein
said hydrophobic solvent exhibits a solubility in water
of from 0.0 - 20.0ml per 100ml of water, and which
25 comprises 51 - 99%wt. of said mixture of solvents, and
wherein said hydrophilic solvent comprises 1 - 49%wt. of
said mixture of solvents;

0.001 - 1% by weight of a single constituent which
30 exhibits both anionic surfactant and hydrotrope
properties;

0 - 20% by weight of one or more optional constituents;

the balance to 100% by weight, water;

5 wherein the aqueous hard surface cleaning and disinfecting composition exhibits a pH of 7.0 or less.

2. The aqueous hard surface cleaning and disinfecting composition according to claim 1 wherein the second acid
10 sequestrant is selected from lactic acid, tartaric acid, and glycolic acid.

3. The aqueous hard surface cleaning and disinfecting composition according to claim 1 wherein the acid
15 sequestrant constituent comprises at least 25% by weight of citric acid.

4. The aqueous hard surface cleaning and disinfecting composition according to claim 1 wherein the total acid
20 sequestrant constituent is present in an amount of from 0.1 - 10% by weight.

5. The aqueous hard surface cleaning and disinfecting composition according to claim 1 wherein the mixture of
25 hydrophobic and hydrophilic solvents includes a hydrophobic solvent which is an organic solvent which demonstrates solubilization of the aliphatic portions of the fatty acids comprised within the soap scum stains.

30 6. The aqueous hard surface cleaning and disinfecting composition according to claim 6 wherein the mixture of hydrophobic and hydrophilic solvents includes a

hydrophobic solvent which is an organic solvent selected from: mineral spirits, tripropylene glycol n-butyl ether, propylene glycol phenyl ether, dipropylene glycol n-propyl ether, ethylene glycol phenyl ether.

5

7. The aqueous hard surface cleaning and disinfecting composition according to claim 1 wherein the mixture of hydrophobic and hydrophilic solvents includes a hydrophilic solvent which is an organic solvent effective
10 in solubilizing the hydrophobic solvent in water.

8. The aqueous hard surface cleaning and disinfecting composition according to claim 7 wherein the mixture of hydrophobic and hydrophilic solvents includes a
15 hydrophilic solvent which is selected from: glycol methyl ether, dipropylene glycol methyl ether, tripropylene glycol methyl ether, propylene glycol n-propyl ether, ethylene glycol n-butyl ether, diethylene glycol n-butyl ether, diethylene glycol methyl ether, propylene glycol,
20 ethylene glycol, isopropanol, ethanol, methanol, and diethylene glycol monoethyl ether.

9. The aqueous hard surface cleaning and disinfecting composition according to claim 1 wherein the a mixture of
25 hydrophobic and hydrophilic solvents is present in an amount of from 2.0 - 8.0 % by weight.

10. The aqueous hard surface cleaning and disinfecting composition according to claim 9 wherein the a mixture of
30 hydrophobic and hydrophilic solvents is present in an amount of from 3.0 - 6.0 % by weight.

11. The aqueous hard surface cleaning and disinfecting composition according to claim 1 wherein the single constituent which exhibits both anionic surfactant and hydrotrope properties is selected from alkyl phenoxy benzene disulfonates, linear alkyl benzene sulfonates and alkyl phenol ethoxylates and alkylnaphtalene sulfonates and salts thereof.

12. The aqueous hard surface cleaning and disinfecting composition according to claim 11 wherein the single constituent which exhibits both anionic surfactant and hydrotrope properties is alkyl phenoxy benzene disulfonates.

13. The aqueous hard surface cleaning and disinfecting composition according to claim 12 wherein the alkyl phenoxy benzene disulfonates are selected from sodium dodecyl diphenyloxide disulfonate, sodium hexyl diphenyloxide disulfonate, sodium n-decyl diphenyloxide disulfonate, and sodium n-hexadecyl diphenyloxide disulfonate.

14. The aqueous hard surface cleaning and disinfecting composition according to claim 1 which includes an optional constituent selected from: nonionic surfactants, foaming agents, foam stabilizers, coloring agents, fragrances (whether natural or synthetically produced), fragrance adjuvants and/or fragrance solubilizers, viscosity modifying agents, thickeners, gelling agents, pH adjusting agents, pH buffers, antioxidants, water softening agents, further solubilizing agents useful in the solubilization of one or more of the constituents in

water, and, preservative compositions.

15. The aqueous hard surface cleaning and disinfecting composition according to claim 1 wherein the pH of the composition is from about 5.0 to about 1.0.

16. The aqueous hard surface cleaning and disinfecting composition according to claim 1 wherein the pH of the composition is from about 4.0 to about 1.0.

10

17. The aqueous hard surface cleaning and disinfecting composition according to claim 16 wherein the pH of the composition is from about 3.0 to about 1.0.

15 18. The aqueous hard surface cleaning and disinfecting composition according to claim 1 which comprises a gelling agent, and said composition is in a gelled form.

19. The aqueous hard surface cleaning and disinfecting composition according to claim 18 wherein the gelling agent is xanthan gum.

20. A process for the removal of stains from hard surfaces which comprises the step of applying an effective amount of the composition according to claim 1 to a hard surface needing such treatment.

25

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 01/00384

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C11D3/48 C11D3/04 C11D3/20 C11D3/28 C11D3/33
 C11D3/34 C11D3/37 C11D3/43 C11D1/02 A01N37/36
 A01N25/02 //(A01N37/36, 37:36.25:02)

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C11D A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, EPO-Internal, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 97 15649 A (RECKITT & COLMAN INC) 1 May 1997 (1997-05-01) page 2, line 10 - line 33 page 3, line 7 -page 4, line 15 page 7, line 18 - line 30 page 8, line 4 - line 9; examples 1,2,6 ---	1-20
A	WO 99 61569 A (PROCTER & GAMBLE) 2 December 1999 (1999-12-02) page 5, paragraph 1 -page 6, paragraph 2 page 9, paragraph 3; examples ---	1-6,9-20
A	WO 97 43369 A (UNILEVER PLC ;UNILEVER NV (NL)) 20 November 1997 (1997-11-20) example 1 ---	1,3,4, 11, 14-17,20
	-/--	

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

° Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *Z* document member of the same patent family

Date of the actual completion of the international search

21 May 2001

Date of mailing of the international search report

29/05/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

Saunders, T

INTERNATIONAL SEARCH REPORT

International Application No
PCT/GB 01/00384

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 039 441 A (THOMAS MICHEL ET AL) 13 August 1991 (1991-08-13) cited in the application claim 1; example 1 ----	1,4,11, 14-17,20
A	GB 2 329 901 A (RECKITT & COLMAN INC) 7 April 1999 (1999-04-07) examples 4,7,15 ----	1-4, 14-18,20
A	WO 97 19158 A (PROCTER & GAMBLE) 29 May 1997 (1997-05-29) page 11, line 11 -page 12, line 6 page 16, line 1 - line 7; claim 1; example I1 ----	1,2, 4-11, 14-17,20
A	US 4 859 359 A (DEMATTEO JOHN A ET AL) 22 August 1989 (1989-08-22) tables 1,2 -----	1,3-10, 14-17,20

INTERNATIONAL SEARCH REPORT

Information on patent family members

Internatic	Application No
PCT/GB 01/00384	

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9715649 A	01-05-1997	GB 2306499 A	07-05-1997
		AU 718194 B	06-04-2000
		AU 7374196 A	15-05-1997
		BR 9611215 A	01-06-1999
		CN 1202925 A	23-12-1998
		EP 0904343 A	31-03-1999
		GB 2306500 A, B	07-05-1997
		NZ 320903 A	28-10-1999
		US 6221823 B	24-04-2001
		-----	-----
WO 9961569 A	02-12-1999	EP 1080169 A	07-03-2001
-----	-----	-----	-----
WO 9743369 A	20-11-1997	AU 2955897 A	05-12-1997
		ZA 9703929 A	09-11-1998
-----	-----	-----	-----
US 5039441 A	13-08-1991	AT 122383 T	15-05-1995
		AU 2987489 A	10-08-1989
		BR 8900594 A	10-10-1989
		CA 1332338 A	11-10-1994
		DE 68922522 D	14-06-1995
		DE 68922522 T	14-09-1995
		DK 65289 A	11-08-1989
		EP 0336878 A	11-10-1989
		MX 170213 B	11-08-1993
		NO 174430 B	24-01-1994
		PT 89679 A, B	04-10-1989
		US 5192460 A	09-03-1993
		US 5294364 A	15-03-1994
		-----	-----
GB 2329901 A	07-04-1999	AU 9176998 A	23-04-1999
		BR 9812562 A	01-08-2000
		CN 1272132 T	01-11-2000
		EP 1023428 A	02-08-2000
		WO 9916854 A	08-04-1999
		GB 2329903 A	07-04-1999
		ZA 9808858 A	06-04-1999
-----	-----	-----	-----
WO 9719158 A	29-05-1997	AU 7528096 A	11-06-1997
		CN 1207762 A	10-02-1999
		CZ 9801409 A	16-12-1998
		EP 0863975 A	16-09-1998
		JP 11500487 T	12-01-1999
-----	-----	-----	-----
US 4859359 A	22-08-1989	NONE	
-----	-----	-----	-----